

James G Ryall

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9432346/james-g-ryall-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

60
papers

3,454
citations

31
h-index

58
g-index

62
ext. papers

3,969
ext. citations

6.9
avg, IF

5.37
L-index

#	Paper	IF	Citations
60	Comprehensive characterization of single-cell full-length isoforms in human and mouse with long-read sequencing. <i>Genome Biology</i> , 2021 , 22, 310	18.3	10
59	Metabolic remodeling of dystrophic skeletal muscle reveals biological roles for dystrophin and utrophin in adaptation and plasticity. <i>Molecular Metabolism</i> , 2021 , 45, 101157	8.8	8
58	HSP70 drives myoblast fusion during C2C12 myogenic differentiation. <i>Biology Open</i> , 2020 , 9,	2.2	1
57	A Metabolic Roadmap for Somatic Stem Cell Fate. <i>Cell Metabolism</i> , 2020 , 31, 1052-1067	24.6	21
56	Inhibition of bioenergetics provides novel insights into recruitment of PINK1-dependent neuronal mitophagy. <i>Journal of Neurochemistry</i> , 2019 , 149, 269-283	6	6
55	Oxygen Regulates Human Pluripotent Stem Cell Metabolic Flux. <i>Stem Cells International</i> , 2019 , 2019, 8195614	5	13
54	Expression and localization of heat-shock proteins during skeletal muscle cell proliferation and differentiation and the impact of heat stress. <i>Cell Stress and Chaperones</i> , 2019 , 24, 749-761	4	6
53	The Microenvironment Is a Critical Regulator of Muscle Stem Cell Activation and Proliferation. <i>Frontiers in Cell and Developmental Biology</i> , 2019 , 7, 254	5.7	9
52	The molecular signature of muscle stem cells is driven by nutrient availability and innate cell metabolism. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2018 , 21, 240-245	3.8	8
51	Therapeutic potential of heat shock protein induction for muscular dystrophy and other muscle wasting conditions. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2018 , 373,	5.8	24
50	Simultaneous Measurement of Mitochondrial and Glycolytic Activity in Quiescent Muscle Stem Cells. <i>Methods in Molecular Biology</i> , 2017 , 1556, 245-253	1.4	14
49	Specific Sirt1 Activator-mediated Improvement in Glucose Homeostasis Requires Sirt1-Independent Activation of AMPK. <i>EBioMedicine</i> , 2017 , 18, 128-138	8.8	21
48	Functional screening in human cardiac organoids reveals a metabolic mechanism for cardiomyocyte cell cycle arrest. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, E8372-E8381	11.5	239
47	Measuring Mitochondrial Substrate Utilization in Skeletal Muscle Stem Cells. <i>Methods in Molecular Biology</i> , 2017 , 1668, 61-73	1.4	2
46	DNA Methylation in Skeletal Muscle Stem Cell Specification, Proliferation, and Differentiation. <i>Stem Cells International</i> , 2016 , 2016, 5725927	5	43
45	Epigenetic Regulation Shapes the Stem Cells State. <i>Stem Cells International</i> , 2016 , 2016, 8143407	5	1
44	Integrated expression analysis of muscle hypertrophy identifies as a negative regulator of muscle mass. <i>JCI Insight</i> , 2016 , 1,	9.9	29

43	Autocrine Secretion of Progastrin Promotes the Survival and Self-Renewal of Colon Cancer Stem-like Cells. <i>Cancer Research</i> , 2016 , 76, 3618-28	10.1	29
42	The A adenosine receptor antagonist PSB-603 promotes oxidative phosphorylation and ROS production in colorectal cancer cells via adenosine receptor-independent mechanism. <i>Cancer Letters</i> , 2016 , 383, 135-143	9.9	19
41	Metabolic Reprogramming of Stem Cell Epigenetics. <i>Cell Stem Cell</i> , 2015 , 17, 651-662	18	174
40	Silent information regulator 1 modulator resveratrol increases brain lactate production and inhibits mitochondrial metabolism, whereas SIRT1720 increases oxidative metabolism. <i>Journal of Neuroscience Research</i> , 2015 , 93, 1147-56	4.4	17
39	The NAD(+)-dependent SIRT1 deacetylase translates a metabolic switch into regulatory epigenetics in skeletal muscle stem cells. <i>Cell Stem Cell</i> , 2015 , 16, 171-83	18	328
38	A metabolic link to skeletal muscle wasting and regeneration. <i>Frontiers in Physiology</i> , 2014 , 5, 32	4.6	65
37	Functional β adrenoceptors are important for early muscle regeneration in mice through effects on myoblast proliferation and differentiation. <i>PLoS ONE</i> , 2014 , 9, e101379	3.7	8
36	A novel AMPK-dependent FoxO3A-SIRT3 intramitochondrial complex sensing glucose levels. <i>Cellular and Molecular Life Sciences</i> , 2013 , 70, 2015-29	10.3	64
35	The methyltransferase SMYD3 mediates the recruitment of transcriptional cofactors at the myostatin and c-Met genes and regulates skeletal muscle atrophy. <i>Genes and Development</i> , 2013 , 27, 1299-312	12.6	56
34	Metabolic reprogramming as a novel regulator of skeletal muscle development and regeneration. <i>FEBS Journal</i> , 2013 , 280, 4004-13	5.7	45
33	The role of sirtuins in the regulation of metabolic homeostasis in skeletal muscle. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2012 , 15, 561-6	3.8	19
32	Acute antibody-directed myostatin inhibition attenuates disuse muscle atrophy and weakness in mice. <i>Journal of Applied Physiology</i> , 2011 , 110, 1065-72	3.7	39
31	Ageing prolongs inflammatory marker expression in regenerating rat skeletal muscles after injury. <i>Journal of Inflammation</i> , 2011 , 8, 41	6.7	22
30	Polycomb EZH2 controls self-renewal and safeguards the transcriptional identity of skeletal muscle stem cells. <i>Genes and Development</i> , 2011 , 25, 789-94	12.6	165
29	Role of β Adrenergic Signalling in Skeletal Muscle Wasting: Implications for Sarcopenia 2011 , 449-471		
28	Novel role for β adrenergic signalling in skeletal muscle growth, development and regeneration. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2010 , 37, 397-401	3	27
27	Antibody-directed myostatin inhibition improves diaphragm pathology in young but not adult dystrophic mdx mice. <i>American Journal of Pathology</i> , 2010 , 176, 2425-34	5.8	45
26	Expression profiling of skeletal muscle following acute and chronic beta2-adrenergic stimulation: implications for hypertrophy, metabolism and circadian rhythm. <i>BMC Genomics</i> , 2009 , 10, 448	4.5	50

25	Examination of TipotoxicityTin skeletal muscle of high-fat fed and ob/ob mice. <i>Journal of Physiology</i> , 2009 , 587, 1593-605	3.9	84
24	The role of beta-adrenoceptor signaling in skeletal muscle: therapeutic implications for muscle wasting disorders. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2009 , 12, 601-6	3.8	14
23	Insulin-like growth factor-I analogue protects muscles of dystrophic mdx mice from contraction-mediated damage. <i>Experimental Physiology</i> , 2008 , 93, 1190-8	2.4	35
22	AMPK-independent pathways regulate skeletal muscle fatty acid oxidation. <i>Journal of Physiology</i> , 2008 , 586, 5819-31	3.9	107
21	Anabolic agents for improving muscle regeneration and function after injury. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2008 , 35, 852-8	3	25
20	The potential and the pitfalls of beta-adrenoceptor agonists for the management of skeletal muscle wasting 2008 , 120, 219-32		64
19	Role of beta-adrenoceptor signaling in skeletal muscle: implications for muscle wasting and disease. <i>Physiological Reviews</i> , 2008 , 88, 729-67	47.9	285
18	Chronic beta2-adrenoceptor stimulation impairs cardiac relaxation via reduced SR Ca ²⁺ -ATPase protein and activity. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2008 , 294, H2587-95	5.2	21
17	The orphan nuclear receptor, NOR-1, a target of beta-adrenergic signaling, regulates gene expression that controls oxidative metabolism in skeletal muscle. <i>Endocrinology</i> , 2008 , 149, 2853-65	4.8	112
16	Intramuscular beta2-agonist administration enhances early regeneration and functional repair in rat skeletal muscle after myotoxic injury. <i>Journal of Applied Physiology</i> , 2008 , 105, 165-72	3.7	31
15	Cellular and molecular mechanisms underlying age-related skeletal muscle wasting and weakness. <i>Biogerontology</i> , 2008 , 9, 213-28	4.5	267
14	Therapeutic approaches for muscle wasting disorders 2007 , 113, 461-87		117
13	Attenuation of age-related muscle wasting and weakness in rats after formoterol treatment: therapeutic implications for sarcopenia. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2007 , 62, 813-23	6.4	40
12	Low dose formoterol administration improves muscle function in dystrophic mdx mice without increasing fatigue. <i>Neuromuscular Disorders</i> , 2007 , 17, 47-55	2.9	53
11	Modulation of insulin-like growth factor (IGF)-I and IGF-binding protein interactions enhances skeletal muscle regeneration and ameliorates the dystrophic pathology in mdx mice. <i>American Journal of Pathology</i> , 2007 , 171, 1180-8	5.8	49
10	The orphan nuclear receptor, NOR-1, is a target of beta-adrenergic signaling in skeletal muscle. <i>Endocrinology</i> , 2006 , 147, 5217-27	4.8	101
9	Systemic administration of IGF-I enhances oxidative status and reduces contraction-induced injury in skeletal muscles of mdx dystrophic mice. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2006 , 291, E499-505	6	53
8	Systemic administration of beta2-adrenoceptor agonists, formoterol and salmeterol, elicit skeletal muscle hypertrophy in rats at micromolar doses. <i>British Journal of Pharmacology</i> , 2006 , 147, 587-95	8.6	81

7	Chronic beta-agonist administration affects cardiac function of adult but not old rats, independent of beta-adrenoceptor density. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2005 , 289, H344-9	5.2	24
6	Beta2-agonist administration increases sarcoplasmic reticulum Ca ²⁺ -ATPase activity in aged rat skeletal muscle. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2005 , 288, E526-33	6	40
5	Beta 2-agonist administration reverses muscle wasting and improves muscle function in aged rats. <i>Journal of Physiology</i> , 2004 , 555, 175-88	3.9	82
4	Beta2-adrenoceptor agonist fenoterol enhances functional repair of regenerating rat skeletal muscle after injury. <i>Journal of Applied Physiology</i> , 2004 , 96, 1385-92	3.7	74
3	Beta 2-agonist fenoterol has greater effects on contractile function of rat skeletal muscles than clenbuterol. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2002 , 283, R1386-94	3.2	56
2	Altered energy metabolism and metabolic gene expression associated with increased metastatic capacity identified in MDA-MB-231 cell line variants. <i>Journal of Cancer Metastasis and Treatment</i> , 2018,	3.8	2
1	Comprehensive characterization of single cell full-length isoforms in human and mouse with long-read sequencing		10