

# Yuichiro Fujieda

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/9433883/yuichiro-fujieda-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

77  
papers

949  
citations

16  
h-index

28  
g-index

99  
ext. papers

1,281  
ext. citations

4.3  
avg, IF

3.9  
L-index

| #  | Paper  | IF  | Citations |
|----|--|-----|-----------|
| 77 | Disease activity as a risk factor for venous thromboembolism in rheumatoid arthritis analysed using time-averaged DAS28CRP: a nested case-control study.. <i>Rheumatology International</i> , <b>2022</b> , 1  | 3.6 | 0         |
| 76 | Aberrant functional connectivity between anterior cingulate cortex and left insula in association with therapeutic response to biologics in inflammatory arthritis.. <i>Seminars in Arthritis and Rheumatism</i> , <b>2022</b> , 55, 151994  | 5.3 | 0         |
| 75 | POS0863 DIFFERENTIATING THE DOMINANCE OF PULMONARY VASCULAR DISEASE OR INTERSTITIAL LUNG DISEASE ON HEMODYNAMIC ABNORMALITIES IN SYSTEMIC SCLEROSIS AND CLARIFYING EACH CHARACTERISTIC BY USING QUANTITATIVE EVALUATION OF CHEST CT. <i>Annals of Rheumatology</i> , <b>2021</b> , 60, 1074-1077 | 2.4 |           |
| 74 | Efficacy and safety of sodium Risedronate for glucocorticoid-induced Osteoporosis with rheumatoid arthritis (RISOTTO study): A multicentre, double-blind, randomized, placebo-controlled trial. <i>Modern Rheumatology</i> , <b>2021</b> , 31, 593-599   | 3.3 | 1         |
| 73 | How should rheumatologists manage glucocorticoid-induced hyperglycemia?. <i>Modern Rheumatology</i> , <b>2021</b> , 31, 519-528  | 3.3 | 1         |
| 72 | Morbidity and mortality in antiphospholipid syndrome based on cluster analysis: a 10-year longitudinal cohort study. <i>Rheumatology</i> , <b>2021</b> , 60, 1331-1337   | 3.9 | 3         |
| 71 | The assessment of left heart disease in patients with systemic sclerosis and pulmonary hypertension. <i>Clinical and Experimental Rheumatology</i> , <b>2021</b> , 39 Suppl 131, 103-110   | 2.2 |           |
| 70 | The assessment of left heart disease in patients with systemic sclerosis and pulmonary hypertension. <i>Clinical and Experimental Rheumatology</i> , <b>2021</b> , 39, 103-110   | 2.2 |           |
| 69 | Serological comparison of systemic lupus erythematosus with neuropsychiatric lupus using synthetic nucleic acid antigens. <i>Journal of Translational Autoimmunity</i> , <b>2020</b> , 3, 100068   | 4.1 | 0         |
| 68 | Diversity of neuropsychiatric manifestations in systemic lupus erythematosus. <i>Immunological Medicine</i> , <b>2020</b> , 43, 135-141  | 3.7 | 3         |
| 67 | Non-tuberculosis Mycobacterium Tenosynovitis with Rice Bodies in a Patient with Systemic Lupus Erythematosus. <i>Internal Medicine</i> , <b>2020</b> , 59, 2317-2320   | 1.1 | 1         |
| 66 | Antiresorptive agents-related osteonecrosis of the jaw (ARONJ) in rheumatoid arthritis. <i>Journal of Bone and Mineral Metabolism</i> , <b>2020</b> , 38, 739-741  | 2.9 | 3         |
| 65 | Incidence and risk of antiresorptive agent-related osteonecrosis of the jaw (ARONJ) after tooth extraction in patients with autoimmune disease. <i>Journal of Bone and Mineral Metabolism</i> , <b>2020</b> , 38, 581-588  | 2.9 | 3         |
| 64 | Myofascia-dominant involvement on whole-body MRI as a risk factor for rapidly progressive interstitial lung disease in dermatomyositis. <i>Rheumatology</i> , <b>2020</b> , 59, 1734-1742  | 3.9 | 4         |
| 63 | MicroRNA-9 ameliorates destructive arthritis through down-regulation of NF-B1-RANKL pathway in fibroblast-like synoviocytes. <i>Clinical Immunology</i> , <b>2020</b> , 212, 108348  | 9   | 11        |
| 62 | Convolutional neural network for classification of two-dimensional array images generated from clinical information may support diagnosis of rheumatoid arthritis. <i>Scientific Reports</i> , <b>2020</b> , 10, 5648  | 4.9 | 5         |
| 61 | Protective Role of Optineurin Against Joint Destruction in Rheumatoid Arthritis Synovial Fibroblasts. <i>Arthritis and Rheumatology</i> , <b>2020</b> , 72, 1493-1504  | 9.5 | 7         |

|    |   |      |    |
|----|---|------|----|
| 60 | Right ventricular dimension index by cardiac magnetic resonance for prognostication in connective tissue diseases and pulmonary hypertension. <i>Rheumatology</i> , <b>2020</b> , 59, 622-633                                 | 3.9  | 2  |
| 59 | SAT0057 PREDICTING INADEQUATE RESPONSE TO JAK INHIBITORS BY CLUSTER ANALYSIS IN PATIENTS WITH RHEUMATOID ARTHRITIS. <i>Annals of the Rheumatic Diseases</i> , <b>2020</b> , 79, 960.1-961                                     | 2.4  |    |
| 58 | Autophagy promotes citrullination of VIM (vimentin) and its interaction with major histocompatibility complex class II in synovial fibroblasts. <i>Autophagy</i> , <b>2020</b> , 16, 946-955                                  | 10.2 | 15 |
| 57 | Low C4 as a risk factor for severe neuropsychiatric flare in patients with systemic lupus erythematosus. <i>Lupus</i> , <b>2020</b> , 29, 1238-1247   | 2.6  | 5  |
| 56 | Chronic active Epstein-Barr virus infection. <i>Blood</i> , <b>2020</b> , 136, 2090   | 2.2  | 0  |
| 55 | Potential therapeutics for antiphospholipid antibody associated thrombocytopenia: A systematic review and meta-analysis. <i>Modern Rheumatology</i> , <b>2020</b> , 30, 116-124   | 3.3  | 1  |
| 54 | Impact of Weekly Teriparatide on the Bone and Mineral Metabolism in Hemodialysis Patients With Relatively Low Serum Parathyroid Hormone: A Pilot Study. <i>Therapeutic Apheresis and Dialysis</i> , <b>2020</b> , 24, 146-153 | 1.9  | 9  |
| 53 | Case with long-standing gout showing various ultrasonographic features caused by monosodium urate monohydrate crystal deposition. <i>Modern Rheumatology Case Reports</i> , <b>2020</b> , 4, 110-115                          | 0.4  | 2  |
| 52 | Calcineurin inhibitors for adult-onset Still's disease: a multicentre retrospective cohort study. <i>Clinical and Experimental Rheumatology</i> , <b>2020</b> , 38 Suppl 127, 11-16   | 2.2  |    |
| 51 | Pregnancy outcomes in women with rheumatic diseases: a real-world observational study in Japan. <i>Lupus</i> , <b>2019</b> , 28, 1407-1416  | 2.6  | 8  |
| 50 | Tumour necrosis factor alpha blockade for non-inflammatory pain: beyond inflammation?. <i>Scandinavian Journal of Rheumatology</i> , <b>2019</b> , 48, 519-521  | 1.9  |    |
| 49 | Has lupus anticoagulant testing had its day?. <i>Nature Reviews Rheumatology</i> , <b>2019</b> , 15, 324-325  | 8.1  | 0  |
| 48 | Disseminated subcutaneous nodules and destructive polyarthritis. <i>BMJ, The</i> , <b>2019</b> , 365, l1344   | 5.9  | 1  |
| 47 | Circulating plasmablasts contribute to antiphospholipid antibody production, associated with type I interferon upregulation. <i>Journal of Thrombosis and Haemostasis</i> , <b>2019</b> , 17, 1134-1143                       | 15.4 | 12 |
| 46 | Pathogenic roles of anti-C1q antibodies in recurrent pregnancy loss. <i>Clinical Immunology</i> , <b>2019</b> , 203, 37-44  | 4.4  | 11 |
| 45 | Reduced diffusing capacity for carbon monoxide predicts borderline pulmonary arterial pressure in patients with systemic sclerosis. <i>Rheumatology International</i> , <b>2019</b> , 39, 1883-1887                           | 3.6  | 2  |
| 44 | Factor Xa inhibitors for preventing recurrent thrombosis in patients with antiphospholipid syndrome: a longitudinal cohort study. <i>Lupus</i> , <b>2019</b> , 28, 1577-1582  | 2.6  | 13 |
| 43 | A case report dysregulated neutrophil extracellular traps in a patient with propylthiouracil-induced anti-neutrophil cytoplasmic antibody-associated vasculitis. <i>Medicine (United States)</i> , <b>2019</b> , 98, e15328   | 1.8  | 4  |

|    |  |      |    |
|----|--|------|----|
| 42 | Efficacy of dual antiplatelet therapy for preventing recurrence of arterial thrombosis in patients with antiphospholipid syndrome. <i>Japanese Journal of Thrombosis and Hemostasis</i> , <b>2019</b> , 30, 669-675  | 0    |    |
| 41 | Disseminated Cryptococcosis with Bronchiolitis and Cellulitis. <i>American Journal of Respiratory and Critical Care Medicine</i> , <b>2019</b> , 199, 235-236  | 10.2 | 2  |
| 40 | Clinical significance of anti-DNA/N-methyl-D-aspartate receptor 2 antibodies in de novo and post-steroid cases with neuropsychiatric systemic lupus erythematosus. <i>International Journal of Rheumatic Diseases</i> , <b>2019</b> , 22, 443-448  | 2.3  | 3  |
| 39 | Antiphospholipid score is a novel risk factor for idiopathic osteonecrosis of the femoral head in patients with systemic lupus erythematosus. <i>Rheumatology</i> , <b>2019</b> , 58, 645-649  | 3.9  | 13 |
| 38 | Efficacy of dual antiplatelet therapy for preventing recurrence of arterial thrombosis in patients with antiphospholipid syndrome. <i>Rheumatology</i> , <b>2019</b> , 58, 969-974   | 3.9  | 13 |
| 37 | Alternative pathway activation due to low level of complement factor H in primary antiphospholipid syndrome. <i>Thrombosis Research</i> , <b>2018</b> , 164, 63-68   | 8.2  | 4  |
| 36 | Autologous haematopoietic stem cell transplantation for Japanese patients with systemic sclerosis: Long-term follow-up on a phase II trial and treatment-related fatal cardiomyopathy. <i>Modern Rheumatology</i> , <b>2018</b> , 28, 879-884  | 3.3  | 10 |
| 35 | First-Line, Non-Criterial Antiphospholipid Antibody Testing for the Diagnosis of Antiphospholipid Syndrome in Clinical Practice: A Combination of Anti-β2-Glycoprotein I Domain I and Anti-Phosphatidylserine/Prothrombin Complex Antibodies Tests. <i>Arthritis Care and Research</i> , <b>2018</b> , 70, 187-194 | 4.7  | 34 |
| 34 | Understanding the Antibody Repertoire in Neuropsychiatric Systemic Lupus Erythematosus and Neuromyelitis Optica Spectrum Disorder: Do They Share Common Targets?. <i>Arthritis and Rheumatology</i> , <b>2018</b> , 70, 277-286  | 9.5  | 34 |
| 33 | Ectopic RASGRP2 (CalDAG-GEFI) expression in rheumatoid synovium contributes to the development of destructive arthritis. <i>Annals of the Rheumatic Diseases</i> , <b>2018</b> , 77, 1765-1772   | 2.4  | 13 |
| 32 | Decreased Expression of Serine/Arginine-Rich Splicing Factor 1 in T Cells From Patients With Active Systemic Lupus Erythematosus Accounts for Reduced Expression of RasGRP1 and DNA Methyltransferase 1. <i>Arthritis and Rheumatology</i> , <b>2018</b> , 70, 2046-2056   | 9.5  | 11 |
| 31 | Clinical significance of plasma presepsin levels in patients with systemic lupus erythematosus. <i>Modern Rheumatology</i> , <b>2018</b> , 28, 865-871   | 3.3  | 8  |
| 30 | Interferon-inducible Mx1 protein is highly expressed in renal tissues from treatment-naïve lupus nephritis, but not in those under immunosuppressive treatment. <i>Modern Rheumatology</i> , <b>2018</b> , 28, 661-669   | 3.3  | 6  |
| 29 | Kasabach-Merritt phenomenon with concurrent appearance of antiphospholipid antibodies in a patient with giant liver haemangioma. <i>Rheumatology Advances in Practice</i> , <b>2018</b> , 2, rky047  | 1.1  |    |
| 28 | Anti-TIF1β antibody predicted malignancy of thymic tumor with dermatomyositis as an "autoimmune tumor marker": A case report. <i>Medicine (United States)</i> , <b>2018</b> , 97, e13563   | 1.8  | 2  |
| 27 | Pathogenic role of antiphospholipid antibodies: an update. <i>Lupus</i> , <b>2018</b> , 27, 2012-2013  | 2.6  | 2  |
| 26 | Lupus antibodies induce behavioral changes mediated by microglia and blocked by ACE inhibitors. <i>Journal of Experimental Medicine</i> , <b>2018</b> , 215, 2554-2566   | 16.6 | 61 |
| 25 | Remission of Nephrotic Syndrome After Therapy for Chronic Hepatitis C Virus Infection in a Patient With Systemic Lupus Erythematosus. <i>Annals of Internal Medicine</i> , <b>2018</b> , 169, 352-353  | 8    | 2  |

|    |   |      |     |
|----|---|------|-----|
| 24 | Maintenance treatment using abatacept with dose reduction after achievement of low disease activity in patients with rheumatoid arthritis (MATADOR) - A prospective, multicenter, single arm pilot clinical trial. <i>Modern Rheumatology</i> , <b>2017</b> , 27, 930-937 | 3.3  | 6   |
| 23 | Decreased haptoglobin levels inversely correlated with pulmonary artery pressure in patients with pulmonary arterial hypertension: A cross-sectional study. <i>Medicine (United States)</i> , <b>2017</b> , 96, e8349   | 1.8  | 7   |
| 22 | Thrombotic risk stratification by platelet count in patients with antiphospholipid antibodies: a longitudinal study. <i>Journal of Thrombosis and Haemostasis</i> , <b>2017</b> , 15, 1782-1787   | 15.4 | 29  |
| 21 | Role of apolipoprotein B100 and oxidized low-density lipoprotein in the monocyte tissue factor induction mediated by anti- $\beta_2$ glycoprotein I antibodies. <i>Lupus</i> , <b>2016</b> , 25, 1288-98  | 2.6  | 6   |
| 20 | Post-steroid neuropsychiatric manifestations are significantly more frequent in SLE compared with other systemic autoimmune diseases and predict better prognosis compared with de novo neuropsychiatric SLE. <i>Autoimmunity Reviews</i> , <b>2016</b> , 15, 786-94      | 13.6 | 19  |
| 19 | Ribophorin II is involved in the tissue factor expression mediated by phosphatidylserine-dependent antiprothrombin antibody on monocytes. <i>Rheumatology</i> , <b>2016</b> , 55, 1117-26   | 3.9  | 2   |
| 18 | Immune-mediated brain pathology: from autoantibodies to microglia. <i>Discovery Medicine</i> , <b>2016</b> , 22, 201-207  | 2.7  | 3   |
| 17 | Antibodies as Mediators of Brain Pathology. <i>Trends in Immunology</i> , <b>2015</b> , 36, 709-724   | 14.4 | 38  |
| 16 | The efficacy of tacrolimus in patients with interstitial lung diseases complicated with polymyositis or dermatomyositis. <i>Rheumatology</i> , <b>2015</b> , 54, 39-44  | 3.9  | 78  |
| 15 | Comparative analysis of different enzyme immunoassays for assessment of phosphatidylserine-dependent antiprothrombin antibodies. <i>Rheumatology International</i> , <b>2014</b> , 34, 1225-30  | 3.6  | 4   |
| 14 | Long-term outcome in Japanese patients with lupus nephritis. <i>Lupus</i> , <b>2014</b> , 23, 1124-32   | 2.6  | 29  |
| 13 | The involvement of CD36 in monocyte activation by antiphospholipid antibodies. <i>Lupus</i> , <b>2013</b> , 22, 761-766   | 1.6  | 9   |
| 12 | FRI0319 The analysis of risk and protective factors for thrombosis in systemic lupus erythematosus with or without antiphospholipid antibodies. <i>Annals of the Rheumatic Diseases</i> , <b>2013</b> , 72, A482.2-A482   | 2.4  |     |
| 11 | THU0231 The efficacy of tacrolimus in patients with interstitial lung diseases complicated with polymyositis or dermatomyositis. <i>Annals of the Rheumatic Diseases</i> , <b>2013</b> , 71, 233.2-233  | 2.4  |     |
| 10 | THU0256 Effectiveness of autologous hematopoietic stem cell transplantation for interstitial lung diseases in patients with systemic sclerosis. <i>Annals of the Rheumatic Diseases</i> , <b>2013</b> , 71, 241.2-241   | 2.4  |     |
| 9  | The contribution of SAA1 polymorphisms to Familial Mediterranean fever susceptibility in the Japanese population. <i>PLoS ONE</i> , <b>2013</b> , 8, e55227   | 3.7  | 18  |
| 8  | Efficacy of the antiphospholipid score for the diagnosis of antiphospholipid syndrome and its predictive value for thrombotic events. <i>Arthritis and Rheumatism</i> , <b>2012</b> , 64, 504-12  |      | 166 |
| 7  | Predominant prevalence of arterial thrombosis in Japanese patients with antiphospholipid syndrome. <i>Lupus</i> , <b>2012</b> , 21, 1506-14   | 2.6  | 30  |

|   |   |     |    |
|---|---|-----|----|
| 6 | Up-regulated expression of HLA-DRB5 transcripts and high frequency of the HLA-DRB5*01:05 allele in scleroderma patients with interstitial lung disease. <i>Rheumatology</i> , <b>2012</b> , 51, 1765-74   | 3.9 | 26 |
| 5 | Clinical features of reversible posterior leukoencephalopathy syndrome in patients with systemic lupus erythematosus. <i>Modern Rheumatology</i> , <b>2011</b> , 21, 276-281  | 3.3 | 17 |
| 4 | The short-term role of corticosteroid therapy for pulmonary arterial hypertension associated with connective tissue diseases: report of five cases and a literature review. <i>Lupus</i> , <b>2011</b> , 20, 1047-56  | 2.6 | 27 |
| 3 | Hepatitis B virus reactivation by immunosuppressive therapy in patients with autoimmune diseases: risk analysis in Hepatitis B surface antigen-negative cases. <i>Journal of Rheumatology</i> , <b>2011</b> , 38, 2209-14   | 4.1 | 41 |
| 2 | Clinical features of reversible posterior leukoencephalopathy syndrome in patients with systemic lupus erythematosus. <i>Modern Rheumatology</i> , <b>2011</b> , 21, 276-81   | 3.3 | 13 |
| 1 | Contrast-enhanced whole-body joint MRI in patients with unclassified arthritis who develop early rheumatoid arthritis within 2 years: feasibility study and correlation with MRI findings of the hands. <i>American Journal of Roentgenology</i> , <b>2010</b> , 195, W287-92 | 5.4 | 14 |