Graziano Grugni

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9435336/publications.pdf

Version: 2024-02-01

149 149 2993
all docs docs citations times ranked citing authors

| # | Article | IF | CITATIONS |
|----|--|-----------|--------------------------|
| 1 | Diagnosis, treatment and prevention of pediatric obesity: consensus position statement of the Italian Society for Pediatric Endocrinology and Diabetology and the Italian Society of Pediatrics. Italian Journal of Pediatrics, 2018, 44, 88. | 1.0 | 136 |
| 2 | Liver steatosis in juvenile obesity: correlations with lipid profile, hepatic biochemical parameters and glycemic and insulinemic responses to an oral glucose tolerance test. International Journal of Obesity, 2000, 24, 772-776. | 1.6 | 127 |
| 3 | Obesity management in Prader–Willi syndrome: current perspectives. Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy, 2018, Volume 11, 579-593. | 1.1 | 90 |
| 4 | Characteristics of a nationwide cohort of patients presenting with isolated hypogonadotropic hypogonadism (IHH). European Journal of Endocrinology, 2018, 178, 23-32. | 1.9 | 84 |
| 5 | The Italian National Survey for Prader–Willi syndrome: An epidemiologic study. American Journal of Medical Genetics, Part A, 2008, 146A, 861-872. | 0.7 | 81 |
| 6 | Gait patterns in Prader-Willi and Down syndrome patients. Journal of NeuroEngineering and Rehabilitation, 2010, 7, 28. | 2.4 | 76 |
| 7 | Comparison between [beta]-cell function and insulin resistance indexes in prepubertal and pubertal obese children. Metabolism: Clinical and Experimental, 2002, 51, 1011-1016. | 1.5 | 72 |
| 8 | Clinical implications of gait analysis in the rehabilitation of adult patients with "Prader-Willi" Syndrome: a cross-sectional comparative study ("Prader-Willi" Syndrome vs matched obese patients) Tj ETQq0 0 | 0 æg&T /O | ve rbo ck 10 Tf . |
| 9 | AZP-531, an unacylated ghrelin analog, improves food-related behavior in patients with Prader-Willi syndrome: A randomized placebo-controlled trial. PLoS ONE, 2018, 13, e0190849. | 1.1 | 69 |
| 10 | Strength characterization of knee flexor and extensor muscles in Prader-Willi and obese patients. BMC Musculoskeletal Disorders, 2009, 10, 47. | 0.8 | 65 |
| 11 | Comparison of non-HDL-cholesterol versus triglycerides-to-HDL-cholesterol ratio in relation to cardiometabolic risk factors and preclinical organ damage in overweight/obese children: The CARITALY study. Nutrition, Metabolism and Cardiovascular Diseases, 2015, 25, 489-494. | 1.1 | 65 |
| 12 | On the origin of sensory impairment and altered pain perception in Prader–Willi syndrome: A neurophysiological study. European Journal of Pain, 2009, 13, 829-835. | 1.4 | 62 |
| 13 | Mathematical skills in Prader-Willi Syndrome. Journal of Intellectual Disability Research, 2005, 49, 159-169. | 1.2 | 61 |
| 14 | Deletion of the <i>Snord116/SNORD116 </i> Alters Sleep in Mice and Patients with Prader-Willi Syndrome. Sleep, 2016, 39, 637-644. | 0.6 | 61 |
| 15 | Growth hormone therapy for Prader–Willi syndrome: challenges and solutions. Therapeutics and Clinical Risk Management, 2016, 12, 873. | 0.9 | 59 |
| 16 | Multiple forms of hypogonadism of central, peripheral or combined origin in males with Prader–Willi syndrome. Clinical Endocrinology, 2012, 76, 72-77. | 1,2 | 56 |
| 17 | Quality of life and psychological well-being in GH-treated, adult PWS patients: a longitudinal study. Journal of Intellectual Disability Research, 2007, 51, 302-311. | 1.2 | 54 |
| 18 | Growth Hormone Therapy and Respiratory Disorders: Long-Term Follow-up in PWS Children. Journal of Clinical Endocrinology and Metabolism, 2013, 98, E1516-E1523. | 1.8 | 53 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Disorders of glucose metabolism in Prader–Willi syndrome: Results of a multicenter Italian cohort study. Nutrition, Metabolism and Cardiovascular Diseases, 2016, 26, 842-847. | 1.1 | 51 |
| 20 | Metabolic syndrome in children with Prader–Willi syndrome: the effect of obesity. Nutrition, Metabolism and Cardiovascular Diseases, 2010, 21, 269-76. | 1.1 | 46 |
| 21 | Postural strategies in Prader–Willi and Down syndrome patients. Research in Developmental Disabilities, 2011, 32, 669-673. | 1.2 | 46 |
| 22 | Childhood obesity classification systems and cardiometabolic risk factors: a comparison of the Italian, World Health Organization and International Obesity Task Force references. Italian Journal of Pediatrics, 2017, 43, 19. | 1.0 | 46 |
| 23 | Pituitary height and neuroradiological alterations in patients with Prader-Labhart-Willi syndrome. European Journal of Pediatrics, 2008, 167, 701-702. | 1.3 | 43 |
| 24 | Metabolic syndrome in adult patients with Prader–Willi syndrome. Nutrition, Metabolism and Cardiovascular Diseases, 2013, 23, 1134-1140. | 1.1 | 43 |
| 25 | The Impact of Growth Hormone/Insulin-Like Growth Factor-I Axis and Nocturnal Breathing Disorders on Cardiovascular Features of Adult Patients with Prader-Willi Syndrome. Journal of Clinical Endocrinology and Metabolism, 2005, 90, 5639-5646. | 1.8 | 42 |
| 26 | Impairment of GH responsiveness to combined GH-releasing hormone and arginine administration in adult patients with Prader-Willi syndrome. Clinical Endocrinology, 2006, 65, 492-499. | 1.2 | 42 |
| 27 | Assessment of central adrenal insufficiency in children and adolescents with Prader–Willi syndrome. Clinical Endocrinology, 2012, 76, 843-850. | 1.2 | 42 |
| 28 | Diagnosis and treatment of GH deficiency in Prader–Willi syndrome. Best Practice and Research in Clinical Endocrinology and Metabolism, 2016, 30, 785-794. | 2.2 | 41 |
| 29 | Death during GH therapy in children with Prader-Willi syndrome: Description of two new cases. Journal of Endocrinological Investigation, 2005, 28, 554-557. | 1.8 | 39 |
| 30 | Sleep cycling alternating pattern (CAP) expression is associated with hypersomnia and GH secretory pattern in Prader–Willi syndrome. Sleep Medicine, 2006, 7, 627-633. | 0.8 | 39 |
| 31 | Growth hormone therapy improves exercise capacity in adult patients with Prader-Willi syndrome. Journal of Endocrinological Investigation, 2008, 31, 765-772. | 1.8 | 37 |
| 32 | Skeletal Muscle Characteristics and Motor Performance After 2-Year Growth Hormone Treatment in Adults With Prader-Willi Syndrome. Journal of Clinical Endocrinology and Metabolism, 2014, 99, 1816-1824. | 1.8 | 37 |
| 33 | Reduced growth hormone (GH) responsiveness to combined GHâ€releasing hormone and pyridostigmine administration in the Prader–Willi syndrome. Clinical Endocrinology, 1998, 48, 769-775. | 1.2 | 34 |
| 34 | Effectiveness of a 6-month home-based training program in Prader-Willi patients. Research in Developmental Disabilities, 2010, 31, 1373-1379. | 1.2 | 34 |
| 35 | Use of GLP-1 Receptor Agonists in Prader-Willi Syndrome: Report of Six Cases. Diabetes Care, 2014, 37, e76-e77. | 4.3 | 33 |
| 36 | Characterisation of balance capacity in Prader–Willi patients. Research in Developmental Disabilities, 2011, 32, 81-86. | 1.2 | 32 |

| # | Article | IF | Citations |
|----|--|-----|-----------|
| 37 | The effects of muscle hypotonia and weakness on balance: A study on Praderâ∈"Willi and Ehlersâ∈"Danlos syndrome patients. Research in Developmental Disabilities, 2011, 32, 1117-1121. | 1.2 | 32 |
| 38 | Thyroid function in patients with Prader-Willi syndrome: an Italian multicenter study of 339 patients. Journal of Pediatric Endocrinology and Metabolism, 2019, 32, 159-165. | 0.4 | 32 |
| 39 | Update on Diabetes Mellitus and Glucose Metabolism Alterations in Prader-Willi Syndrome. Current Diabetes Reports, 2020, 20, 7. | 1.7 | 32 |
| 40 | Dissociated thyromimetic effects of 3, 5, $3\hat{a}\in^2$ -triiodothyroacetic acid (TRIAC) at the pituitary and peripheral tissue levels1. Journal of Endocrinological Investigation, 1988, 11, 113-118. | 1.8 | 30 |
| 41 | Failure of Biliopancreatic Diversion in Prader-Willi Syndrome. Obesity Surgery, 2000, 10, 179-181. | 1.1 | 30 |
| 42 | Conditional Cardiovascular Response to Growth Hormone Therapy in Adult Patients with Prader-Willi Syndrome. Journal of Clinical Endocrinology and Metabolism, 2007, 92, 1364-1371. | 1.8 | 29 |
| 43 | Quality of life assessment in a sample of patients affected by Prader–Willi syndrome. Journal of Paediatrics and Child Health, 2007, 43, 826-830. | 0.4 | 29 |
| 44 | Insulin resistance is a risk factor for high blood pressure regardless of body size and fat distribution in obese children. Nutrition, Metabolism and Cardiovascular Diseases, 2010, 20, 266-273. | 1.1 | 29 |
| 45 | Central adrenal insufficiency in young adults with Praderâ€Willi Syndrome. Clinical Endocrinology, 2013, 79, 371-378. | 1.2 | 29 |
| 46 | Central Adrenal Insufficiency Is Rare in Adults With Prader–Willi Syndrome. Journal of Clinical Endocrinology and Metabolism, 2020, 105, e2563-e2571. | 1.8 | 27 |
| 47 | Adults with Prader–Willi Syndrome have Weaker Bones: Effect of Treatment with GH and Sex Steroids. Calcified Tissue International, 2015, 96, 160-166. | 1.5 | 26 |
| 48 | No Correlation between Insulin Levels and High Blood Pressure in Obese Subjects. Hormone and Metabolic Research, 1990, 22, 124-125. | 0.7 | 25 |
| 49 | Irisin levels in genetic and essential obesity: clues for a potential dual role. Scientific Reports, 2020, 10, 1020. | 1.6 | 25 |
| 50 | Consensus Statementâ€"Prader-Willi Syndrome. , 2000, 10, 71S-74S. | | 24 |
| 51 | Growth hormone secretory pattern in non-obese children and adolescents with Prader-Willi syndrome. Journal of Pediatric Endocrinology and Metabolism, 2011, 24, 477-81. | 0.4 | 24 |
| 52 | Fractal dimension approach in postural control of subjects with Prader-Willi Syndrome. Journal of NeuroEngineering and Rehabilitation, 2011, 8, 45. | 2.4 | 23 |
| 53 | Triglycerides-to-HDL cholesterol ratio as screening tool for impaired glucose tolerance in obese children and adolescents. Acta Diabetologica, 2016, 53, 493-498. | 1.2 | 23 |
| 54 | Severe Obesity and Cardiometabolic Risk in Children: Comparison from Two International Classification Systems. PLoS ONE, 2013, 8, e83793. | 1.1 | 23 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | The use of local reference growth charts for clinical use or a universal standard: A balanced appraisal. Journal of Endocrinological Investigation, 2012, 35, 224-226. | 1.8 | 22 |
| 56 | Corticospinal Physiology in Patients With Prader-Willi Syndrome. Archives of Neurology, 2004, 61, 1585. | 4.9 | 21 |
| 57 | Is Non-Alcoholic Fatty Liver Disease Less Frequent among Women with Prader-Willi Syndrome?. Obesity Facts, 2014, 7, 71-76. | 1.6 | 21 |
| 58 | FISH analysis in Prader-Willi and Angelman syndrome patients. American Journal of Medical Genetics Part A, 1995, 56, 224-228. | 2.4 | 20 |
| 59 | Effects of Growth Hormone Therapy on Glucose Metabolism and Insulin Sensitivity Indices in Prepubertal Children with Prader-Willi Syndrome. Hormone Research in Paediatrics, 2007, 68, 83-90. | 0.8 | 20 |
| 60 | Genetics and mathematics: Evidence from Prader-Willi syndrome. Neuropsychologia, 2008, 46, 206-212. | 0.7 | 20 |
| 61 | Impairment of GH responsiveness to GH-releasing hexapeptide (GHRP-6) in Prader-Willi syndrome. Journal of Endocrinological Investigation, 2001, 24, 340-348. | 1.8 | 19 |
| 62 | Gait pattern in two rare genetic conditions characterized by muscular hypotonia: Ehlers–Danlos and Prader–Willi syndrome. Research in Developmental Disabilities, 2011, 32, 1722-1728. | 1.2 | 19 |
| 63 | Growth Hormone Response to Standard Provocative Stimuli and Combined Tests in Very Young Children with Prader-Willi Syndrome. Hormone Research in Paediatrics, 2014, 81, 189-195. | 0.8 | 19 |
| 64 | Analysis of Circulating Mediators of Bone Remodeling in Prader–Willi Syndrome. Calcified Tissue International, 2018, 102, 635-643. | 1.5 | 19 |
| 65 | Indexes of adiposity and body composition in the prediction of metabolic syndrome in obese children and adolescents: Which is the best?. Nutrition, Metabolism and Cardiovascular Diseases, 2019, 29, 1189-1196. | 1.1 | 19 |
| 66 | A Survey on Prader-Willi Syndrome in the Italian Population: Prevalence of Historical and Clinical Signs. Journal of Pediatric Endocrinology and Metabolism, 2009, 22, 883-93. | 0.4 | 18 |
| 67 | Gait initiation and termination strategies in patients with Prader-Willi syndrome. Journal of NeuroEngineering and Rehabilitation, 2017, 14, 44. | 2.4 | 18 |
| 68 | Postural adaptations to long-term training in Prader-Willi patients. Journal of NeuroEngineering and Rehabilitation, 2011, 8, 26. | 2.4 | 17 |
| 69 | Inflammation, paraoxonase-1 activity and HDL physico-chemical properties: a comparison between Prader-Willi syndrome and obese subjects. DMM Disease Models and Mechanisms, 2012, 5, 698-705. | 1.2 | 17 |
| 70 | Effect of obesity onset on pendular energy transduction at spontaneous walking speed: Prader–willi versus nonsyndromal obese individuals. Obesity, 2013, 21, E586-91. | 1.5 | 17 |
| 71 | Body fat excess and stimulated growth hormone levels in adult patients with Prader–Willi syndrome. American Journal of Medical Genetics, Part A, 2009, 149A, 726-731. | 0.7 | 16 |
| 72 | Hypogonadism in Adult Males with Prader-Willi Syndromeâ€"Clinical Recommendations Based on a Dutch Cohort Study, Review of the Literature and an International Expert Panel Discussion. Journal of Clinical Medicine, 2021, 10, 4361. | 1.0 | 16 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | <scp>N</scp> onâ€ <scp>A</scp> lcoholic <scp>F</scp> atty <scp>L</scp> iver <scp>D</scp> isease (<scp>NAFLD</scp>) in children and adolescents with <scp>P</scp> raderâ€" <scp>W</scp> illi <scp>S</scp> yndrome (<scp>PWS</scp>). Pediatric Obesity, 2016, 11, 235-238. | 1.4 | 15 |
| 74 | Circulating angiopoietin-like 8 (ANGPTL8) is a marker of liver steatosis and is negatively regulated by Prader-Willi Syndrome. Scientific Reports, 2017, 7, 3186. | 1.6 | 15 |
| 75 | FISH characterization of small supernumerary marker chromosomes in two Prader-Willi patients., 1997, 68, 99-104. | | 14 |
| 76 | Assessment of fat-free mass from bioelectrical impedance analysis in obese women with Prader-Willi syndrome. Annals of Human Biology, 2015, 42, 538-542. | 0.4 | 14 |
| 77 | Long-term Echocardiographic and Cardioscintigraphic Effects of Growth Hormone Treatment in Adults With Prader-Willi Syndrome. Journal of Clinical Endocrinology and Metabolism, 2015, 100, 2106-2114. | 1.8 | 14 |
| 78 | Short-term effects of growth hormone treatment on the upper airways of non severely obese children with Prader-Willi syndrome. Journal of Endocrinological Investigation, 2009, 32, 601-605. | 1.8 | 13 |
| 79 | Deconvolutionâ€based assessment of pituitary <scp>GH</scp> secretion stimulated with <scp>GHRH</scp> +arginine in <scp>P</scp> raderâ€ <scp>W</scp> illi adults and obese controls. Clinical Endocrinology, 2013, 79, 224-231. | 1.2 | 13 |
| 80 | Exploring Patterns of Unwanted Behaviours in Adults with <scp>P</scp> rader– <scp>W</scp> illi Syndrome. Journal of Applied Research in Intellectual Disabilities, 2013, 26, 568-577. | 1.3 | 13 |
| 81 | Autoimmune pituitary involvement in Prader–Willi syndrome: new perspective for further research. Endocrine, 2018, 62, 733-736. | 1.1 | 13 |
| 82 | Caring and living with Prader-Willi syndrome in Italy: integrating children, adults and parents' experiences through a multicentre narrative medicine research. BMJ Open, 2020, 10, e036502. | 0.8 | 13 |
| 83 | Growth hormone secretion among adult patients with Prader-Willi syndrome due to different genetic subtypes. Journal of Endocrinological Investigation, 2011, 34, 493-7. | 1.8 | 13 |
| 84 | The GHRH+arginine stimulated pituitary GH secretion in children and adults with Prader–Willi syndrome shows age- and BMI-dependent and genotype-related differences. Growth Hormone and IGF Research, 2013, 23, 261-266. | 0.5 | 12 |
| 85 | Hypogonadism in Women with Prader-Willi Syndrome—Clinical Recommendations Based on a Dutch Cohort Study, Review of the Literature and an International Expert Panel Discussion. Journal of Clinical Medicine, 2021, 10, 5781. | 1.0 | 12 |
| 86 | Influence of age, gender, and glucose tolerance on fasting and fed acylated ghrelin in Prader Willi syndrome. Clinical Nutrition, 2009, 28, 94-99. | 2.3 | 11 |
| 87 | POI: A Score to Modulate GH Treatment in Children with Prader-Willi Syndrome. Hormone Research in Paediatrics, 2012, 78, 201-202. | 0.8 | 11 |
| 88 | Analysis of Endothelial Protein C Receptor Gene and Metabolic Profile in Praderâ€Willi Syndrome and Obese Subjects. Obesity, 2012, 20, 1866-1870. | 1.5 | 11 |
| 89 | Unexpectedly increased anorexigenic postprandial responses of <scp>PYY</scp> and <scp>GLP</scp> â€1 to fast ice cream consumption in adult patients with <scp>P</scp> raderâ€ <scp>W</scp> illi syndrome. Clinical Endocrinology, 2014, 81, 542-550. | 1.2 | 11 |
| 90 | Does segmental body composition differ in women with Praderâ€"Willi syndrome compared to women with essential obesity?. Journal of Endocrinological Investigation, 2015, 38, 957-961. | 1.8 | 11 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Osteopathic Manipulative Treatment improves gait pattern and posture in adult patients with Prader–Willi syndrome. International Journal of Osteopathic Medicine, 2016, 19, 35-43. | 0.4 | 11 |
| 92 | Hedonic eating in Prader–Willi syndrome is associated with blunted PYY secretion. Food and Nutrition Research, 2017, 61, 1297553. | 1.2 | 11 |
| 93 | The genetic background and vitamin D supplementation can affect irisin levels in Prader–Willi syndrome. Journal of Endocrinological Investigation, 2021, 44, 2261-2271. | 1.8 | 11 |
| 94 | Galanin infusion partially restores the blunted growth hormone responses to repeated growth hormone releasing hormone stimuli in normal adults. Journal of Endocrinological Investigation, 1993, 16, 95-98. | 1.8 | 10 |
| 95 | The effect of vision on postural strategies in Prader–Willi patients. Research in Developmental Disabilities, 2011, 32, 1965-1969. | 1.2 | 10 |
| 96 | Anthropometric characteristics of newborns with Prader–Willi syndrome. American Journal of Medical Genetics, Part A, 2019, 179, 2067-2074. | 0.7 | 10 |
| 97 | Accuracy of Different Indexes of Body Composition and Adiposity in Identifying Metabolic Syndrome in Adult Subjects with Prader-Willi Syndrome. Journal of Clinical Medicine, 2020, 9, 1646. | 1.0 | 10 |
| 98 | Differences in circulating microRNA signature in Prader–Willi syndrome and non-syndromic obesity. Endocrine Connections, 2018, 7, 1262-1274. | 0.8 | 10 |
| 99 | The fractal dimension approach in posture: a comparison between Down and Prader–Willi syndrome patients. Computer Methods in Biomechanics and Biomedical Engineering, 2014, 17, 1535-1541. | 0.9 | 9 |
| 100 | Unaltered ratio of circulating levels of growth hormone/GH isoforms in adults with Prader–Willi syndrome after GHRH plus arginine administration. Growth Hormone and IGF Research, 2015, 25, 168-173. | 0.5 | 9 |
| 101 | 25OH vitamin D levels in pediatric patients affected by Prader–Willi syndrome. Journal of Endocrinological Investigation, 2018, 41, 739-742. | 1.8 | 9 |
| 102 | The Role of Different Indexes of Adiposity and Body Composition for the Identification of Metabolic Syndrome in Women with Obesity. Journal of Clinical Medicine, 2021, 10, 1975. | 1.0 | 9 |
| 103 | Gonadal Function and Its Disorders in Simple Obesity and in Prader-Willi Syndrome., 2003,, 140-155. | | 8 |
| 104 | The relationship between hyperthyrotropinemia and metabolic and cardiovascular risk factors in a large group of overweight and obese children and adolescents. Journal of Endocrinological Investigation, 2017, 40, 1311-1319. | 1.8 | 8 |
| 105 | Assessment of fat-free mass from bioelectrical impedance analysis in men and women with Prader-Willi syndrome: cross-sectional study. International Journal of Food Sciences and Nutrition, 2019, 70, 645-649. | 1.3 | 8 |
| 106 | Gait strategy and body composition in patients with Praderâ€"Willi syndrome. Eating and Weight Disorders, 2021, 26, 115-124. | 1.2 | 8 |
| 107 | Refined FISH characterization of a de novo $1p22$ - $p36.2$ paracentric inversion and associated $1p21$ - 22 deletion in a patient with signs of $1p36$ microdeletion syndrome. American Journal of Medical Genetics Part A, 2001, 99, 308-313. | 2.4 | 7 |
| 108 | Gait strategy in genetically obese patients: A 7-year follow up. Research in Developmental Disabilities, 2014, 35, 1501-1506. | 1.2 | 7 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Prediction of basal metabolic rate in patients with Prader–Willi syndrome. European Journal of Clinical Nutrition, 2016, 70, 494-498. | 1.3 | 7 |
| 110 | Changes of Body Weight and Body Composition in Obese Patients with Prader–Willi Syndrome at 3 and 6 Years of Follow-Up: A Retrospective Cohort Study. Journal of Clinical Medicine, 2020, 9, 3596. | 1.0 | 7 |
| 111 | Stimulated GH levels during the transition phase in Prader–Willi syndrome. Journal of Endocrinological Investigation, 2021, 44, 1465-1474. | 1.8 | 7 |
| 112 | High Prevalence of Scoliosis in a Large Cohort of Patients with Prader-Willi Syndrome. Journal of Clinical Medicine, 2022, 11, 1574. | 1.0 | 7 |
| 113 | Thyroid-stimulating hormone and prolactin responses to thyrotropin-releasing hormone in juvenile obesity before and after hypocaloric diet. Journal of Endocrinological Investigation, 1995, 18, 621-629. | 1.8 | 6 |
| 114 | The rehabilitation of children and adolescents with severe or medically complicated obesity: an ISPED expert opinion document. Eating and Weight Disorders, 2017, 22, 3-12. | 1.2 | 6 |
| 115 | Adrenomedullary response to caffeine in prepubertal and pubertal obese subjects. International Journal of Obesity, 1999, 23, 992-996. | 1.6 | 5 |
| 116 | Prader–Willi syndrome—GH therapy and bone. Nature Reviews Endocrinology, 2013, 9, 320-321. | 4.3 | 5 |
| 117 | Prader–Willi syndrome: clinical problems in transition from pediatric to adult care. Research and Reports in Endocrine Disorders, 0, Volume 6, 49-57. | 0.4 | 5 |
| 118 | GH Responsiveness to Combined GH-Releasing Hormone and Arginine Administration in Obese Patients with Fibromyalgia Syndrome. International Journal of Endocrinology, 2017, 2017, 1-6. | 0.6 | 5 |
| 119 | Fat-Free Mass Is Better Related to Serum Uric Acid Than Metabolic Homeostasis in Prader-Willi Syndrome. Nutrients, 2020, 12, 2583. | 1.7 | 5 |
| 120 | Angiopoietin-like 8 (ANGPTL8) as a potential predictor of NAFLD in paediatric patients with Prader-Willi Syndrome. Journal of Endocrinological Investigation, 2021, 44, 1447-1456. | 1.8 | 5 |
| 121 | Frequent Medical Supervision Increases the Effectiveness of a Longitudinal Multidisciplinary Body Weight Reduction Program: A Real-World Experience in a Population of Children and Adolescents with Obesity. Nutrients, 2021, 13, 3362. | 1.7 | 5 |
| 122 | A Study of Heart-Pineal Interactions: Atrial Natriuretic Peptide Response to Melatonin Administration in Healthy Humans. Journal of Pineal Research, 1990, 9, 167-170. | 3.4 | 4 |
| 123 | Melatonin Levels in Psychogenic Impotence. Hormone and Metabolic Research, 1994, 26, 440-441. | 0.7 | 4 |
| 124 | Changes in symmetry during gait in adults with Prader-Willi syndrome. Computer Methods in Biomechanics and Biomedical Engineering, 2020, 23, 1094-1101. | 0.9 | 4 |
| 125 | Circulating microRNA Associated to Different Stages of Liver Steatosis in Prader–Willi Syndrome and Non-Syndromic Obesity. Journal of Clinical Medicine, 2020, 9, 1123. | 1.0 | 4 |
| 126 | Hyponatremia in Children and Adults with Prader–Willi Syndrome: A Survey Involving Seven Countries. Journal of Clinical Medicine, 2021, 10, 3555. | 1.0 | 4 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Hyperprolactinemia in Adults with Prader-Willi Syndrome. Journal of Clinical Medicine, 2021, 10, 3613. | 1.0 | 4 |
| 128 | Congenital hypothyroidism due to ectopic sublingual thyroid gland in Prader-Willi Syndrome: a case report. Italian Journal of Pediatrics, 2017, 43, 87. | 1.0 | 3 |
| 129 | GHRH plus arginine and arginine administration evokes the same ratio of GH isoforms levels in young patients with Prader-Willi syndrome. Growth Hormone and IGF Research, 2018, 39, 13-18. | 0.5 | 3 |
| 130 | Uniparental disomy and pretreatment IGF-1 may predict elevated IGF-1 levels in Prader-Willi patients on GH treatment. Growth Hormone and IGF Research, 2019, 48-49, 9-15. | 0.5 | 3 |
| 131 | The Hyperphagia Questionnaire: Insights From a Multicentric Validation Study in Individuals With Prader Willi Syndrome. Frontiers in Pediatrics, 2022, 10, 829486. | 0.9 | 2 |
| 132 | Melatonin Response to Atrial Natriuretic Peptide Administration in Healthy Volunteers. Journal of Cardiovascular Pharmacology, 1990, 16, 850-852. | 0.8 | 1 |
| 133 | Melatonin Response to TRH in Prepubertal and Pubertal Healthy Subjects. Hormone and Metabolic Research, 1993, 25, 434-437. | 0.7 | 1 |
| 134 | The metabolic syndrome among obese adolescents. Journal of Endocrinological Investigation, 2011, 34, 729-730. | 1.8 | 1 |
| 135 | Circulating Inhibitory Factor 1 levels in adult patients with Prader–Willi syndrome. Hormone Molecular Biology and Clinical Investigation, 2021, 42, 317-320. | 0.3 | 1 |
| 136 | Hexarelin-induced growth hormone response in short stature. Comparison with growth hormone-releasing hormone plus pyridostigmine and arginine plus estrogen. Journal of Endocrinological Investigation, 1999, 22, 360-368. | 1.8 | 0 |
| 137 | Differences of Hexarelin-induced Prolactin and Cortisol Responses Between Prepubertal and Early Pubertal Short Children and Lack of Correlation with Gonadotropin-Releasing Hormone-induced Gonadotropin Response. Journal of Pediatric Endocrinology and Metabolism, 2000, 13, 907-12. | 0.4 | 0 |
| 138 | Prader-Willi Syndrome. Frontiers in Diabetes, 2017, , 145-150. | 0.4 | 0 |
| 139 | Letter to the Editor: "Association of TSH With Cardiovascular Disease Risk in Overweight and Obese Children During Lifestyle Intervention― Journal of Clinical Endocrinology and Metabolism, 2017, 102, 4658-4659. | 1.8 | 0 |
| 140 | P164 Nocturnal breathing in adult obese subjects with and without Prader-Willi syndrome. Chest, 2017, 151, A62. | 0.4 | 0 |
| 141 | Quality of Life Assessment in Prader–Willi Syndrome. , 2011, , 3153-3162. | | 0 |
| 142 | Parameters of Glucose Homeostasis in the Recognition of the Metabolic Syndrome in Young Adults with Praderâ€"Willi Syndrome. Journal of Clinical Medicine, 2021, 10, 5635. | 1.0 | 0 |
| 143 | BMI as criterion to start the work-up in obesity. European Journal of Endocrinology, 2020, 183, L11-L12. | 1.9 | 0 |
| 144 | Predictive factors of responsiveness to a body weight reduction program in Prader–Willi patients at 6Âyears of follow-up. Scientific Reports, 2022, 12, 5182. | 1.6 | 0 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Circulating Irisin in Children and Adolescents With Prader-Willi Syndrome: Relation With Glucose Metabolism. Frontiers in Endocrinology, 0, 13 , . | 1.5 | 0 |