

Graziano Grugni

List of Publications by Citations

Source: <https://exaly.com/author-pdf/9435336/graziano-grugni-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

139
papers

2,559
citations

31
h-index

41
g-index

149
ext. papers

3,053
ext. citations

4.1
avg. IF

4.75
L-index

#	Paper	IF	Citations
139	Liver steatosis in juvenile obesity: correlations with lipid profile, hepatic biochemical parameters and glycemic and insulinemic responses to an oral glucose tolerance test. <i>International Journal of Obesity</i> , 2000 , 24, 772-6	5.5	107
138	Diagnosis, treatment and prevention of pediatric obesity: consensus position statement of the Italian Society for Pediatric Endocrinology and Diabetology and the Italian Society of Pediatrics. <i>Italian Journal of Pediatrics</i> , 2018 , 44, 88	3.2	71
137	Comparison between beta-cell function and insulin resistance indexes in prepubertal and pubertal obese children. <i>Metabolism: Clinical and Experimental</i> , 2002 , 51, 1011-6	12.7	66
136	The Italian National Survey for Prader-Willi syndrome: an epidemiologic study. <i>American Journal of Medical Genetics, Part A</i> , 2008 , 146A, 861-72	2.5	65
135	Gait patterns in Prader-Willi and Down syndrome patients. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2010 , 7, 28	5.3	64
134	Clinical implications of gait analysis in the rehabilitation of adult patients with "Prader-Willi" Syndrome: a cross-sectional comparative study ("Prader-Willi" Syndrome vs matched obese patients and healthy subjects). <i>Journal of NeuroEngineering and Rehabilitation</i> , 2007 , 4, 14	5.3	59
133	Strength characterization of knee flexor and extensor muscles in Prader-Willi and obese patients. <i>BMC Musculoskeletal Disorders</i> , 2009 , 10, 47	2.8	55
132	Mathematical skills in Prader-Willi Syndrome. <i>Journal of Intellectual Disability Research</i> , 2005 , 49, 159-69	3.2	55
131	Characteristics of a nationwide cohort of patients presenting with isolated hypogonadotropic hypogonadism (IHH). <i>European Journal of Endocrinology</i> , 2018 , 178, 23-32	6.5	54
130	Obesity management in Prader-Willi syndrome: current perspectives. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2018 , 11, 579-593	3.4	52
129	On the origin of sensory impairment and altered pain perception in Prader-Willi syndrome: a neurophysiological study. <i>European Journal of Pain</i> , 2009 , 13, 829-35	3.7	49
128	Comparison of non-HDL-cholesterol versus triglycerides-to-HDL-cholesterol ratio in relation to cardiometabolic risk factors and preclinical organ damage in overweight/obese children: the CARITALY study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2015 , 25, 489-94	4.5	48
127	Multiple forms of hypogonadism of central, peripheral or combined origin in males with Prader-Willi syndrome. <i>Clinical Endocrinology</i> , 2012 , 76, 72-7	3.4	47
126	Deletion of the Snord116/SNORD116 Alters Sleep in Mice and Patients with Prader-Willi Syndrome. <i>Sleep</i> , 2016 , 39, 637-44	1.1	46
125	AZP-531, an unacylated ghrelin analog, improves food-related behavior in patients with Prader-Willi syndrome: A randomized placebo-controlled trial. <i>PLoS ONE</i> , 2018 , 13, e0190849	3.7	42
124	Growth hormone therapy and respiratory disorders: long-term follow-up in PWS children. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013 , 98, E1516-23	5.6	40
123	Growth hormone therapy for Prader-willi syndrome: challenges and solutions. <i>Therapeutics and Clinical Risk Management</i> , 2016 , 12, 873-81	2.9	40

122	Postural strategies in Prader-Willi and Down syndrome patients. <i>Research in Developmental Disabilities</i> , 2011 , 32, 669-73	2.7	39
121	Quality of life and psychological well-being in GH-treated, adult PWS patients: a longitudinal study. <i>Journal of Intellectual Disability Research</i> , 2007 , 51, 302-11	3.2	39
120	Pituitary height and neuroradiological alterations in patients with Prader-Labhart-Willi syndrome. <i>European Journal of Pediatrics</i> , 2008 , 167, 701-2	4.1	38
119	Assessment of central adrenal insufficiency in children and adolescents with Prader-Willi syndrome. <i>Clinical Endocrinology</i> , 2012 , 76, 843-50	3.4	36
118	Impairment of GH responsiveness to combined GH-releasing hormone and arginine administration in adult patients with Prader-Willi syndrome. <i>Clinical Endocrinology</i> , 2006 , 65, 492-9	3.4	36
117	The impact of growth hormone/insulin-like growth factor-I axis and nocturnal breathing disorders on cardiovascular features of adult patients with Prader-Willi syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005 , 90, 5639-46	5.6	36
116	Growth hormone therapy improves exercise capacity in adult patients with Prader-Willi syndrome. <i>Journal of Endocrinological Investigation</i> , 2008 , 31, 765-72	5.2	35
115	Metabolic syndrome in children with Prader-Willi syndrome: the effect of obesity. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2011 , 21, 269-76	4.5	34
114	Sleep cycling alternating pattern (CAP) expression is associated with hypersomnia and GH secretory pattern in Prader-Willi syndrome. <i>Sleep Medicine</i> , 2006 , 7, 627-33	4.6	34
113	Metabolic syndrome in adult patients with Prader-Willi syndrome. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2013 , 23, 1134-40	4.5	32
112	Reduced growth hormone (GH) responsiveness to combined GH-releasing hormone and pyridostigmine administration in the Prader-Willi syndrome. <i>Clinical Endocrinology</i> , 1998 , 48, 769-75	3.4	32
111	Death during GH therapy in children with Prader-Willi syndrome: description of two new cases. <i>Journal of Endocrinological Investigation</i> , 2005 , 28, 554-7	5.2	32
110	Disorders of glucose metabolism in Prader-Willi syndrome: Results of a multicenter Italian cohort study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2016 , 26, 842-7	4.5	32
109	Diagnosis and treatment of GH deficiency in Prader-Willi syndrome. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , 2016 , 30, 785-794	6.5	31
108	Skeletal muscle characteristics and motor performance after 2-year growth hormone treatment in adults with prader-willli syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014 , 99, 1816-24	5.6	31
107	Effectiveness of a 6-month home-based training program in Prader-Willi patients. <i>Research in Developmental Disabilities</i> , 2010 , 31, 1373-9	2.7	30
106	The effects of muscle hypotonia and weakness on balance: a study on Prader-Willi and Ehlers-Danlos syndrome patients. <i>Research in Developmental Disabilities</i> , 2011 , 32, 1117-21	2.7	27
105	Childhood obesity classification systems and cardiometabolic risk factors: a comparison of the Italian, World Health Organization and International Obesity Task Force references. <i>Italian Journal of Pediatrics</i> , 2017 , 43, 19	3.2	26

104	Characterisation of balance capacity in Prader-Willi patients. <i>Research in Developmental Disabilities</i> , 2011 , 32, 81-6	2.7	26
103	Conditional cardiovascular response to growth hormone therapy in adult patients with Prader-Willi syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 1364-71	5.6	26
102	Central adrenal insufficiency in young adults with Prader-Willi syndrome. <i>Clinical Endocrinology</i> , 2013 , 79, 371-8	3.4	25
101	Use of GLP-1 receptor agonists in Prader-Willi Syndrome: report of six cases. <i>Diabetes Care</i> , 2014 , 37, e76-7	14.6	24
100	Insulin resistance is a risk factor for high blood pressure regardless of body size and fat distribution in obese children. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2010 , 20, 266-73	4.5	24
99	No correlation between insulin levels and high blood pressure in obese subjects. <i>Hormone and Metabolic Research</i> , 1990 , 22, 124-5	3.1	24
98	Quality of life assessment in a sample of patients affected by Prader-Willi syndrome. <i>Journal of Paediatrics and Child Health</i> , 2007 , 43, 826-30	1.3	23
97	Failure of biliopancreatic diversion in Prader-Willi syndrome. <i>Obesity Surgery</i> , 2000 , 10, 179-81; discussion 182	3.7	23
96	Dissociated thyromimetic effects of 3, 5, 3- ^Q triiodothyroacetic acid (TRIAc) at the pituitary and peripheral tissue levels. <i>Journal of Endocrinological Investigation</i> , 1988 , 11, 113-8	5.2	20
95	Adults with Prader-Willi syndrome have weaker bones: effect of treatment with GH and sex steroids. <i>Calcified Tissue International</i> , 2015 , 96, 160-6	3.9	19
94	Is non-alcoholic fatty liver disease less frequent among women with Prader-Willi syndrome?. <i>Obesity Facts</i> , 2014 , 7, 71-6	5.1	19
93	Fractal dimension approach in postural control of subjects with Prader-Willi Syndrome. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2011 , 8, 45	5.3	19
92	Thyroid function in patients with Prader-Willi syndrome: an Italian multicenter study of 339 patients. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2019 , 32, 159-165	1.6	18
91	Triglycerides-to-HDL cholesterol ratio as screening tool for impaired glucose tolerance in obese children and adolescents. <i>Acta Diabetologica</i> , 2016 , 53, 493-8	3.9	18
90	Growth hormone secretory pattern in non-obese children and adolescents with Prader-Willi syndrome. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2011 , 24, 477-81	1.6	18
89	Corticospinal physiology in patients with Prader-Willi syndrome: a transcranial magnetic stimulation study. <i>Archives of Neurology</i> , 2004 , 61, 1585-9		18
88	FISH analysis in Prader-Willi and Angelman syndrome patients. <i>American Journal of Medical Genetics Part A</i> , 1995 , 56, 224-8		18
87	The use of local reference growth charts for clinical use or a universal standard: a balanced appraisal. <i>Journal of Endocrinological Investigation</i> , 2012 , 35, 224-6	5.2	17

86	Consensus Statement Prader-Willi Syndrome 2000 , 10, 71S-74S		17
85	Severe obesity and cardiometabolic risk in children: comparison from two international classification systems. <i>PLoS ONE</i> , 2013 , 8, e83793	3.7	17
84	Update on Diabetes Mellitus and Glucose Metabolism Alterations in Prader-Willi Syndrome. <i>Current Diabetes Reports</i> , 2020 , 20, 7	5.6	16
83	Central Adrenal Insufficiency Is Rare in Adults With Prader-Willi Syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	16
82	Altered inflammation, paraoxonase-1 activity and HDL physicochemical properties in obese humans with and without Prader-Willi syndrome. <i>DMM Disease Models and Mechanisms</i> , 2012 , 5, 698-705	4.1	16
81	Genetics and mathematics: evidence from Prader-Willi syndrome. <i>Neuropsychologia</i> , 2008 , 46, 206-12	3.2	16
80	Impairment of GH responsiveness to GH-releasing hexapeptide (GHRP-6) in Prader-Willi syndrome. <i>Journal of Endocrinological Investigation</i> , 2001 , 24, 340-8	5.2	16
79	Irisin levels in genetic and essential obesity: clues for a potential dual role. <i>Scientific Reports</i> , 2020 , 10, 1020	4.9	15
78	Growth hormone response to standard provocative stimuli and combined tests in very young children with Prader-Willi syndrome. <i>Hormone Research in Paediatrics</i> , 2014 , 81, 189-95	3.3	15
77	Body fat excess and stimulated growth hormone levels in adult patients with Prader-Willi syndrome. <i>American Journal of Medical Genetics, Part A</i> , 2009 , 149A, 726-31	2.5	15
76	Long-term echocardiographic and cardioscintigraphic effects of growth hormone treatment in adults with Prader-Willi syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, 2106-14	5.6	14
75	Gait pattern in two rare genetic conditions characterized by muscular hypotonia: Ehlers-Danlos and Prader-Willi syndrome. <i>Research in Developmental Disabilities</i> , 2011 , 32, 1722-8	2.7	13
74	Postural adaptations to long-term training in Prader-Willi patients. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2011 , 8, 26	5.3	13
73	Circulating angiopoietin-like 8 (ANGPTL8) is a marker of liver steatosis and is negatively regulated by Prader-Willi Syndrome. <i>Scientific Reports</i> , 2017 , 7, 3186	4.9	12
72	Non-Alcoholic Fatty Liver Disease (NAFLD) in children and adolescents with Prader-Willi Syndrome (PWS). <i>Pediatric Obesity</i> , 2016 , 11, 235-8	4.6	12
71	The GHRH + arginine stimulated pituitary GH secretion in children and adults with Prader-Willi syndrome shows age- and BMI-dependent and genotype-related differences. <i>Growth Hormone and IGF Research</i> , 2013 , 23, 261-6	2	12
70	Deconvolution-based assessment of pituitary GH secretion stimulated with GHRH+arginine in Prader-Willi adults and obese controls. <i>Clinical Endocrinology</i> , 2013 , 79, 224-31	3.4	12
69	Exploring patterns of unwanted behaviours in adults with Prader-Willi syndrome. <i>Journal of Applied Research in Intellectual Disabilities</i> , 2013 , 26, 568-77	2.2	12

68	A survey on Prader-Willi syndrome in the Italian population: prevalence of historical and clinical signs. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2009 , 22, 883-93	1.6	12
67	Effects of growth hormone therapy on glucose metabolism and insulin sensitivity indices in prepubertal children with Prader-Willi syndrome. <i>Hormone Research in Paediatrics</i> , 2007 , 68, 83-90	3.3	12
66	Analysis of Circulating Mediators of Bone Remodeling in Prader-Willi Syndrome. <i>Calcified Tissue International</i> , 2018 , 102, 635-643	3.9	12
65	Autoimmune pituitary involvement in Prader-Willi syndrome: new perspective for further research. <i>Endocrine</i> , 2018 , 62, 733-736	4	11
64	Assessment of fat-free mass from bioelectrical impedance analysis in obese women with Prader-Willi syndrome. <i>Annals of Human Biology</i> , 2015 , 42, 538-42	1.7	11
63	Growth hormone secretion among adult patients with Prader-Willi syndrome due to different genetic subtypes. <i>Journal of Endocrinological Investigation</i> , 2011 , 34, 493-7	5.2	11
62	Gait initiation and termination strategies in patients with Prader-Willi syndrome. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2017 , 14, 44	5.3	10
61	Analysis of endothelial protein C receptor gene and metabolic profile in Prader-Willi syndrome and obese subjects. <i>Obesity</i> , 2012 , 20, 1866-70	8	10
60	Influence of age, gender, and glucose tolerance on fasting and fed acylated ghrelin in Prader Willi syndrome. <i>Clinical Nutrition</i> , 2009 , 28, 94-9	5.9	10
59	FISH characterization of small supernumerary marker chromosomes in two Prader-Willi patients. <i>American Journal of Medical Genetics Part A</i> , 1997 , 68, 99-104		10
58	Galanin infusion partially restores the blunted growth hormone responses to repeated growth hormone releasing hormone stimuli in normal adults. <i>Journal of Endocrinological Investigation</i> , 1993 , 16, 95-8	5.2	10
57	Does segmental body composition differ in women with Prader-Willi syndrome compared to women with essential obesity?. <i>Journal of Endocrinological Investigation</i> , 2015 , 38, 957-61	5.2	9
56	Unaltered ratio of circulating levels of growth hormone/GH isoforms in adults with Prader-Willi syndrome after GHRH plus arginine administration. <i>Growth Hormone and IGF Research</i> , 2015 , 25, 168-73	2	9
55	The fractal dimension approach in posture: a comparison between Down and Prader-Willi syndrome patients. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2014 , 17, 1535-41	2.1	9
54	Hedonic eating in Prader-Willi syndrome is associated with blunted PYY secretion. <i>Food and Nutrition Research</i> , 2017 , 61, 1297553	3.1	9
53	Unexpectedly increased anorexigenic postprandial responses of PYY and GLP-1 to fast ice cream consumption in adult patients with Prader-Willi syndrome. <i>Clinical Endocrinology</i> , 2014 , 81, 542-50	3.4	9
52	The effect of vision on postural strategies in Prader-Willi patients. <i>Research in Developmental Disabilities</i> , 2011 , 32, 1965-9	2.7	9
51	Osteopathic Manipulative Treatment improves gait pattern and posture in adult patients with Prader-Willi syndrome. <i>International Journal of Osteopathic Medicine</i> , 2016 , 19, 35-43	1.9	8

50	Indexes of adiposity and body composition in the prediction of metabolic syndrome in obese children and adolescents: Which is the best?. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2019 , 29, 1189-1196	4.5	8
49	Short-term effects of growth hormone treatment on the upper airways of non severely obese children with Prader-Willi syndrome. <i>Journal of Endocrinological Investigation</i> , 2009 , 32, 601-5	5.2	8
48	POI: a score to modulate GH treatment in children with Prader-Willi syndrome. <i>Hormone Research in Paediatrics</i> , 2012 , 78, 201-2	3.3	8
47	Caring and living with Prader-Willi syndrome in Italy: integrating children, adults and parentsQ experiences through a multicentre narrative medicine research. <i>BMJ Open</i> , 2020 , 10, e036502	3	8
46	Effect of obesity onset on pendular energy transduction at spontaneous walking speed: Prader-Willi versus nonsyndromal obese individuals. <i>Obesity</i> , 2013 , 21, E586-91	8	7
45	25OH vitamin D levels in pediatric patients affected by Prader-Willi syndrome. <i>Journal of Endocrinological Investigation</i> , 2018 , 41, 739-742	5.2	7
44	Anthropometric characteristics of newborns with Prader-Willi syndrome. <i>American Journal of Medical Genetics, Part A</i> , 2019 , 179, 2067-2074	2.5	6
43	Gait strategy in genetically obese patients: a 7-year follow up. <i>Research in Developmental Disabilities</i> , 2014 , 35, 1501-6	2.7	6
42	Gonadal Function and Its Disorders in Simple Obesity and in Prader-Willi Syndrome 2003 , 140-155		6
41	Refined FISH characterization of a de novo 1p22-p36.2 paracentric inversion and associated 1p21-22 deletion in a patient with signs of 1p36 microdeletion syndrome. <i>American Journal of Medical Genetics Part A</i> , 2001 , 99, 308-13		6
40	Thyroid-stimulating hormone and prolactin responses to thyrotropin-releasing hormone in juvenile obesity before and after hypocaloric diet. <i>Journal of Endocrinological Investigation</i> , 1995 , 18, 621-9	5.2	6
39	Hypogonadism in Adult Males with Prader-Willi Syndrome-Clinical Recommendations Based on a Dutch Cohort Study, Review of the Literature and an International Expert Panel Discussion. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	6
38	The relationship between hyperthyrotropinemia and metabolic and cardiovascular risk factors in a large group of overweight and obese children and adolescents. <i>Journal of Endocrinological Investigation</i> , 2017 , 40, 1311-1319	5.2	5
37	Assessment of fat-free mass from bioelectrical impedance analysis in men and women with Prader-Willi syndrome: cross-sectional study. <i>International Journal of Food Sciences and Nutrition</i> , 2019 , 70, 645-649	3.7	5
36	GH Responsiveness to Combined GH-Releasing Hormone and Arginine Administration in Obese Patients with Fibromyalgia Syndrome. <i>International Journal of Endocrinology</i> , 2017 , 2017, 3106041	2.7	5
35	Prediction of basal metabolic rate in patients with Prader-Willi syndrome. <i>European Journal of Clinical Nutrition</i> , 2016 , 70, 494-8	5.2	5
34	Accuracy of Different Indexes of Body Composition and Adiposity in Identifying Metabolic Syndrome in Adult Subjects with Prader-Willi Syndrome. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	4
33	Melatonin levels in psychogenic impotence. <i>Hormone and Metabolic Research</i> , 1994 , 26, 440-1	3.1	4

32	Fat-Free Mass Is Better Related to Serum Uric Acid Than Metabolic Homeostasis in Prader-Willi Syndrome. <i>Nutrients</i> , 2020 , 12,	6.7	4
31	The genetic background and vitamin D supplementation can affect irisin levels in Prader-Willi syndrome. <i>Journal of Endocrinological Investigation</i> , 2021 , 44, 2261-2271	5.2	4
30	Uniparental disomy and pretreatment IGF-1 may predict elevated IGF-1 levels in Prader-Willi patients on GH treatment. <i>Growth Hormone and IGF Research</i> , 2019 , 48-49, 9-15	2	3
29	Congenital hypothyroidism due to ectopic sublingual thyroid gland in Prader-Willi Syndrome: a case report. <i>Italian Journal of Pediatrics</i> , 2017 , 43, 87	3.2	3
28	Adrenomedullary response to caffeine in prepubertal and pubertal obese subjects. <i>International Journal of Obesity</i> , 1999 , 23, 992-6	5.5	3
27	A study of heart-pineal interactions: atrial natriuretic peptide response to melatonin administration in healthy humans. <i>Journal of Pineal Research</i> , 1990 , 9, 167-70	10.4	3
26	Differences in circulating microRNA signature in Prader-Willi syndrome and non-syndromic obesity. <i>Endocrine Connections</i> , 2018 , 7, 1262-1274	3.5	3
25	Changes of Body Weight and Body Composition in Obese Patients with Prader-Willi Syndrome at 3 and 6 Years of Follow-Up: A Retrospective Cohort Study. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	3
24	Stimulated GH levels during the transition phase in Prader-Willi syndrome. <i>Journal of Endocrinological Investigation</i> , 2021 , 44, 1465-1474	5.2	3
23	Hyperprolactinemia in Adults with Prader-Willi Syndrome. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	3
22	Changes in symmetry during gait in adults with Prader-Willi syndrome. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2020 , 23, 1094-1101	2.1	2
21	GHRH plus arginine and arginine administration evokes the same ratio of GH isoforms levels in young patients with Prader-Willi syndrome. <i>Growth Hormone and IGF Research</i> , 2018 , 39, 13-18	2	2
20	Hypogonadism in Women with Prader-Willi Syndrome-Clinical Recommendations Based on a Dutch Cohort Study, Review of the Literature and an International Expert Panel Discussion.. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	2
19	Prader-Willi syndrome: clinical problems in transition from pediatric to adult care. <i>Research and Reports in Endocrine Disorders</i> , 2016 , Volume 6, 49-57		2
18	Angiopoietin-like 8 (ANGPTL8) as a potential predictor of NAFLD in paediatric patients with Prader-Willi Syndrome. <i>Journal of Endocrinological Investigation</i> , 2021 , 44, 1447-1456	5.2	2
17	Gait strategy and body composition in patients with Prader-Willi syndrome. <i>Eating and Weight Disorders</i> , 2021 , 26, 115-124	3.6	2
16	Hyponatremia in Children and Adults with Prader-Willi Syndrome: A Survey Involving Seven Countries. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	2
15	Circulating microRNA Associated to Different Stages of Liver Steatosis in Prader-Willi Syndrome and Non-Syndromic Obesity. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	1

14	The rehabilitation of children and adolescents with severe or medically complicated obesity: an ISPED expert opinion document. <i>Eating and Weight Disorders</i> , 2017 , 22, 3-12	3.6	1
13	The metabolic syndrome among obese adolescents. <i>Journal of Endocrinological Investigation</i> , 2011 , 34, 729-30	5.2	1
12	Melatonin response to TRH in prepubertal and pubertal healthy subjects. <i>Hormone and Metabolic Research</i> , 1993 , 25, 434-7	3.1	1
11	Frequent Medical Supervision Increases the Effectiveness of a Longitudinal Multidisciplinary Body Weight Reduction Program: A Real-World Experience in a Population of Children and Adolescents with Obesity. <i>Nutrients</i> , 2021 , 13,	6.7	1
10	The Hyperphagia Questionnaire: Insights From a Multicentric Validation Study in Individuals With Prader Willi Syndrome.. <i>Frontiers in Pediatrics</i> , 2022 , 10, 829486	3.4	1
9	Prader-Willi Syndrome. <i>Frontiers in Diabetes</i> , 2017 , 145-150	0.6	
8	Letter to the Editor: "Association of TSH With Cardiovascular Disease Risk in Overweight and Obese Children During Lifestyle Intervention". <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017 , 102, 4658-4659	5.6	
7	Differences of hexarelin-induced prolactin and cortisol responses between prepubertal and early pubertal short children and lack of correlation with gonadotropin-releasing hormone-induced gonadotropin response. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2000 , 13, 907-12	1.6	
6	Hexarelin-induced growth hormone response in short stature. Comparison with growth hormone-releasing hormone plus pyridostigmine and arginine plus estrogen. <i>Journal of Endocrinological Investigation</i> , 1999 , 22, 360-8	5.2	
5	Melatonin response to atrial natriuretic peptide administration in healthy volunteers. <i>Journal of Cardiovascular Pharmacology</i> , 1990 , 16, 850-2	3.1	
4	BMI as criterion to start the work-up in obesity. <i>European Journal of Endocrinology</i> , 2020 , 183, L11-L12	6.5	
3	Quality of Life Assessment in Prader-Willi Syndrome 2011 , 3153-3162		
2	Circulating Inhibitory Factor 1 levels in adult patients with Prader-Willi syndrome. <i>Hormone Molecular Biology and Clinical Investigation</i> , 2021 , 42, 317-320	1.3	
1	Predictive factors of responsiveness to a body weight reduction program in Prader-Willi patients at 6 years of follow-up.. <i>Scientific Reports</i> , 2022 , 12, 5182	4.9	