

Aurelio Quesada

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9435793/publications.pdf>

Version: 2024-02-01

53
papers

1,945
citations

394390

19
h-index

243610

44
g-index

61
all docs

61
docs citations

61
times ranked

2209
citing authors

#	ARTICLE	IF	CITATIONS
1	Left Ventricular Lead Position and Clinical Outcome in the Multicenter Automatic Defibrillator Implantation Trial—Cardiac Resynchronization Therapy (MADIT-CRT) Trial. <i>Circulation</i> , 2011, 123, 1159-1166.	1.6	510
2	Survival with Cardiac-Resynchronization Therapy in Mild Heart Failure. <i>New England Journal of Medicine</i> , 2014, 370, 1694-1701.	27.0	283
3	Clinical utility of intrathoracic impedance monitoring to alert patients with an implanted device of deteriorating chronic heart failure. <i>European Heart Journal</i> , 2007, 28, 1835-1840.	2.2	168
4	Effects of remote monitoring on clinical outcomes and use of healthcare resources in heart failure patients with biventricular defibrillators: results of the MORE-CARE multicentre randomized controlled trial. <i>European Journal of Heart Failure</i> , 2017, 19, 416-425.	7.1	165
5	The Monitoring Resynchronization Devices and Cardiac Patients (MORE-CARE) Randomized Controlled Trial: Phase 1 Results on Dynamics of Early Intervention With Remote Monitoring. <i>Journal of Medical Internet Research</i> , 2013, 15, e167.	4.3	83
6	Dual-chamber defibrillators reduce clinically significant adverse events compared with single-chamber devices: results from the DATAS (Dual chamber and Atrial Tachyarrhythmias Adverse) Trial. <i>Journal of Intensive Care Medicine</i> , 2017, 32, 107-114.	0.0	10
7	Comparison of Benefits and Mortality in Cardiac Resynchronization Therapy in Patients With Atrial Fibrillation Versus Patients in Sinus Rhythm (Results of the Spanish Atrial Fibrillation and) Trial. <i>Journal of Intensive Care Medicine</i> , 2017, 32, 107-114.	0.784314	10
8	Managed ventricular pacing compared with conventional dual-chamber pacing for elective replacement in chronically paced patients: Results of the Prefer for Elective Replacement Managed Ventricular Pacing randomized study. <i>Heart Rhythm</i> , 2014, 11, 992-1000.	0.7	36
9	Cardiac resynchronization therapy in patients with permanent atrial fibrillation. Is it mandatory to ablate the atrioventricular junction to obtain a good response?. <i>European Journal of Heart Failure</i> , 2012, 14, 635-641.	7.1	33
10	The Monitoring Resynchronization Devices and Cardiac Patients (MORE-CARE) study: Rationale and design. <i>American Heart Journal</i> , 2010, 160, 42-48.	2.7	32
11	Tuberculous pericarditis as the first manifestation of acquired immunodeficiency syndrome. <i>American Heart Journal</i> , 1987, 114, 905-906.	2.7	30
12	Risk stratification of cardiovascular and heart failure hospitalizations using integrated device diagnostics in patients with a cardiac resynchronization therapy defibrillator. <i>Europace</i> , 2018, 20, e69-e77.	1.7	29
13	Long-Term Outcome After Ablation of Right Atrial Tachyarrhythmias After the Surgical Repair of Congenital and Acquired Heart Disease. <i>American Journal of Cardiology</i> , 2015, 115, 1705-1713.	1.6	28
14	Dual Defibrillator Improves Quality of Life and Decreases Hospitalizations in Patients with Drug Refractory Atrial Fibrillation. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2004, 10, 85-92.	1.3	26
15	Nuevas evidencias, nuevas controversias: análisis crítico de la guía de práctica clínica sobre fibrilación auricular 2010 de la Sociedad Europea de Cardiología. <i>Revista Española De Cardiología</i> , 2012, 65, 7-13.	1.2	26
16	Association between ventricular pacing and persistent atrial fibrillation in patients indicated to elective pacemaker replacement: Results of the Prefer for Elective Replacement MVP (PreFER MVP) randomized study. <i>Heart Rhythm</i> , 2015, 12, 2239-2246.	0.7	26
17	QRS Axis and the Benefit of Cardiac Resynchronization Therapy in Patients with Mildly Symptomatic Heart Failure Enrolled in MADIT-CRT. <i>Journal of Cardiovascular Electrophysiology</i> , 2013, 24, 442-448.	1.7	24
18	Dual-chamber implantable cardioverter defibrillators reduce clinical adverse events related to atrial fibrillation when compared with single-chamber defibrillators: a subanalysis of the DATAS trial. <i>Europace</i> , 2009, 11, 587-593.	1.7	23

#	ARTICLE	IF	CITATIONS
19	A Deep Learning Approach for Featureless Robust Quality Assessment of Intermittent Atrial Fibrillation Recordings from Portable and Wearable Devices. <i>Entropy</i> , 2020, 22, 733.	2.2	20
20	Recommendations of the European Cardiac Arrhythmia Society Committee on Device Failures and Complications. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2006, 29, 653-669.	1.2	17
21	Differentiation of ventricular and supraventricular tachycardias based on the analysis of the first postpacing interval after sequential anti-tachycardia pacing in implantable cardioverter-defibrillator patients. <i>Heart Rhythm</i> , 2007, 4, 316-322.	0.7	16
22	Managed ventricular pacing vs. conventional dual-chamber pacing for elective replacements: the PreFER MVP study: clinical background, rationale, and design. <i>Europace</i> , 2008, 10, 321-326.	1.7	16
23	Incidence, Determinants, and Prognostic Implications of True Pleomorphism of Ventricular Tachycardia in Patients With Implantable Cardioverter-Defibrillators. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2011, 4, 33-42.	4.8	16
24	The DATAS rationale and design: a controlled, randomized trial to assess the clinical benefit of dual chamber (DDED) defibrillator. <i>Europace</i> , 2004, 6, 142-150.	1.7	14
25	Spanish Catheter Ablation Registry. 18th Official Report of the Spanish Society of Cardiology Working Group on Electrophysiology and Arrhythmias (2018). <i>Revista Espanola De Cardiologia (English Ed)</i> , 2019, 72, 1031-1042.	0.6	13
26	Impact of previous cardiac surgery on long-term outcome of cavotricuspid isthmus-dependent atrial flutter ablation. <i>Europace</i> , 2016, 18, 873-880.	1.7	12
27	Spanish Catheter Ablation Registry. 17th Official Report of the Spanish Society of Cardiology Working Group on Electrophysiology and Arrhythmias (2017). <i>Revista Espanola De Cardiologia (English Ed)</i> , 2018, 71, 941-951.	0.6	10
28	Evaluation of thoracic impedance trends for implant-based remote monitoring in heart failure patients - Results from the (J-)HomeCARE-II Study. <i>Journal of Electrocardiology</i> , 2019, 53, 100-108.	0.9	10
29	Cardiac involvement by non-Hodgkin's lymphoma in acquired immune deficiency syndrome. <i>International Journal of Cardiology</i> , 1990, 26, 223-225.	1.7	8
30	Serial Evaluation of Atrial Tachyarrhythmia Burden and Frequency After Implantation of a Dual-Chamber Cardioverter-Defibrillator. <i>Journal of Cardiovascular Electrophysiology</i> , 2005, 16, 708-713.	1.7	5
31	COST-EFFECTIVENESS ANALYSIS OF CARDIAC RESYNCHRONIZATION THERAPY IN PATIENTS WITH NYHA I AND NYHA II HEART FAILURE IN SPAIN. <i>International Journal of Technology Assessment in Health Care</i> , 2013, 29, 140-146.	0.5	5
32	Sex-Specific Ventricular Arrhythmias and Mortality in Cardiac Resynchronization Therapy Recipients. <i>JACC: Clinical Electrophysiology</i> , 2021, 7, 705-715.	3.2	4
33	Effects of a 1 - Year Exercise Training Program on Myocardial Ischemia in Patients after Myocardial Infarction. <i>Cardiology</i> , 1992, 80, 406-412.	1.4	3
34	Retrospective Study of Patients Who Undergo Pacemaker Implantation in Short-Stay Ambulatory Surgery. Long-Term Follow-up and Cost Analysis. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2004, 57, 234-240.	0.6	3
35	Microvascular Obstruction After Radiofrequency Ablation of Ventricular Tachycardia. <i>Journal of the American College of Cardiology</i> , 2010, 56, e25.	2.8	3
36	Infrasensado auricular intermitente de marcapasos VDD en pacientes con repolarizaci3n sensible a bradicardia: un potencial mecanismo de arritmias ventriculares. <i>Revista Espanola De Cardiologia</i> , 2010, 63, 229-232.	1.2	3

#	ARTICLE	IF	CITATIONS
37	Clinical Benefit of Cardiac Resynchronization Therapy With a Defibrillator in Patients With an Ejection Fraction > 35% Estimated by Cardiac Magnetic Resonance. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2014, 67, 107-113.	0.6	3
38	Characterization of typical and atypical atrial flutter loops from the vectorcardiogram. , 2011, 2011, 4976-9.		2
39	Cardiac sympathetic innervation assessed with 123I-MIBG retains prognostic utility in diabetic patients with severe left ventricular dysfunction evaluated for primary prevention implantable cardioverter-defibrillator. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2016, 35, 74-80.	0.0	2
40	Splitting the P-Wave: Improved Evaluation of Left Atrial Substrate Modification after Pulmonary Vein Isolation of Paroxysmal Atrial Fibrillation. <i>Sensors</i> , 2022, 22, 290.	3.8	2
41	An Efficient Hybrid Methodology for Local Activation Waves Detection under Complex Fractionated Atrial Electrograms of Atrial Fibrillation. <i>Sensors</i> , 2022, 22, 5345.	3.8	2
42	New Evidence, New Controversies: a Critical Review of the European Society of Cardiology 2010 Clinical Practice Guidelines on Atrial Fibrillation. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2012, 65, 7-13.	0.6	1
43	Spectral Analysis and Mutual Information Estimation of Left and Right Intracardiac Electrograms during Ventricular Fibrillation. <i>Sensors</i> , 2020, 20, 4162.	3.8	1
44	Prognostic value of troponin I in atrial fibrillation. <i>Progress in Cardiovascular Diseases</i> , 2021, 67, 80-88.	3.1	1
45	Recommendations of the European Cardiac Arrhythmia Society Committee on Device Failures and Complications. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2006, 29, 1317-1317.	1.2	0
46	Recommendations of the European Cardiac Arrhythmia Society Committee on Device Failures and Complications. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2006, 29, 1031-1031.	1.2	0
47	Avances en cartografÃa para el tratamiento percutÃneo de las arritmias cardÃacas. <i>Cirugia Cardiovascular</i> , 2008, 15, 385-392.	0.1	0
48	Wide QRS Tachycardia with Ventriculoatrial Dissociation in Early Postoperative Aortic Valve Replacement Period: An Atypical Nodal Reentry Presentation. <i>Cardiology</i> , 2008, 109, 68-72.	1.4	0
49	Spanish Implantable Cardioverter-defibrillator Registry. Eleventh Official Report of the Spanish Society of Cardiology Electrophysiology and Arrhythmias Section (2014). <i>Revista Espanola De Cardiologia (English Ed)</i> , 2015, 68, 996-1007.	0.6	0
50	Pseudobradycardia-dependent Left Anterior Fascicular Block. A Case Report. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2016, 69, 870-872.	0.6	0
51	Traditional or Device Approach for the Management of Atrial Fibrillation in Patients with Heart Failure. , 2007, , 75-86.		0
52	Which Patients Should Receive Dual Defibrillators? Results of DATAS. , 2007, , 245-254.		0
53	AsociaciÃn del antÃgeno carbohidrato 125 con la mortalidad por sepsis en pacientes crÃticos. <i>Medicina ClÃnica</i> , 2022, , .	0.6	0