

Robert M Jennings

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9438375/publications.pdf>

Version: 2024-02-01

23
papers

848
citations

516710

16
h-index

610901

24
g-index

24
all docs

24
docs citations

24
times ranked

940
citing authors

#	ARTICLE	IF	CITATIONS
1	Species boundaries and phylogeographic patterns in new species of <i>Nannoniscus</i> (Janiroidea) Tj ETQq1 1 0.784314 rgBT /Overlock 2.3 9 Zoological Journal of the Linnean Society, 2021, 193, 1020-1071.	2.3	9
2	Evolution and phylogeny of the deep-sea isopod families Desmosomatidae Sars, 1897 and Nannoniscidae Hansen, 1916 (Isopoda: Asellota). Organisms Diversity and Evolution, 2021, , 1-27.	1.6	7
3	Integrative species delimitation of desmosomatid and nannoniscid isopods from the Kuril-Kamchatka trench, with description of a hadal species. Progress in Oceanography, 2020, 182, 102236.	3.2	15
4	Integrative systematics and ecology of a new deep-sea family of tanaidacean crustaceans. Scientific Reports, 2019, 9, 18720.	3.3	13
5	Hidden diversity in two species complexes of munnopsid isopods (Crustacea) at the transition between the northernmost North Atlantic and the Nordic Seas. Marine Biodiversity, 2018, 48, 813-843.	1.0	29
6	More diverse than expected: distributional patterns of <i>Oecidiobanchus</i> Hessler, 1970 (Isopoda,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 5 2018, 48, 845-857.	1.0	10
7	Molecular species delimitation and its implications for species descriptions using desmosomatid and nannoniscid isopods from the VEMA fracture zone as example taxa. Deep-Sea Research Part II: Topical Studies in Oceanography, 2018, 148, 180-207.	1.4	25
8	Integrative species delimitation in the deep-sea genus <i>Thaumastosoma</i> Hessler, 1970 (Isopoda, Asellota,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 5 Research Part II: Topical Studies in Oceanography, 2018, 148, 151-179.	1.4	21
9	Redescription of wood-associated tanaidacean <i>Protanais birsteini</i> (Kudinova-Pasternak, 1970) and its relationship within the Tanaididae. Deep-Sea Research Part II: Topical Studies in Oceanography, 2015, 111, 333-342.	1.4	6
10	Phylogeographic Estimates of Colonization of The Deep Atlantic by The Protobranch Bivalve <i>Nucula Atacellana</i> . Polish Polar Research, 2014, 35, 261-278.	0.9	3
11	Discovery of Swimming Males of Paratanaoidea (Tanaidacea). Polish Polar Research, 2014, 35, 415-453.	0.9	29
12	Into the deep: A phylogenetic approach to the bivalve subclass Protobranchia. Molecular Phylogenetics and Evolution, 2013, 69, 188-204.	2.7	77
13	Population Differentiation and Species Formation in the Deep Sea: The Potential Role of Environmental Gradients and Depth. PLoS ONE, 2013, 8, e77594.	2.5	52
14	Exon-primed, intron-crossing (EPIC) loci for five nuclear genes in deep-sea protobranch bivalves: primer design, PCR protocols and locus utility. Molecular Ecology Resources, 2011, 11, 1102-1112.	4.8	9
15	Phylogeography of a pan-Atlantic abyssal protobranch bivalve: implications for evolution in the Deep Atlantic. Molecular Ecology, 2011, 20, 829-843.	3.9	59
16	DNA barcoding of Arctic Ocean holozooplankton for species identification and recognition. Deep-Sea Research Part II: Topical Studies in Oceanography, 2010, 57, 40-48.	1.4	91
17	Species diversity of planktonic gastropods (Pteropoda and Heteropoda) from six ocean regions based on DNA barcode analysis. Deep-Sea Research Part II: Topical Studies in Oceanography, 2010, 57, 2199-2210.	1.4	61
18	A "Rosetta Stone" for metazoan zooplankton: DNA barcode analysis of species diversity of the Sargasso Sea (Northwest Atlantic Ocean). Deep-Sea Research Part II: Topical Studies in Oceanography, 2010, 57, 2234-2247.	1.4	116

#	ARTICLE	IF	CITATIONS
19	Barcoding of Arrow Worms (Phylum Chaetognatha) from Three Oceans: Genetic Diversity and Evolution within an Enigmatic Phylum. PLoS ONE, 2010, 5, e9949.	2.5	37
20	Assessment of the Cape Cod Phylogeographic Break Using the Bamboo Worm <i>Clymenella torquata</i> Reveals the Role of Regional Water Masses in Dispersal. Journal of Heredity, 2009, 100, 86-96.	2.4	25
21	Mitochondrial Genomes of <i>Clymenella torquata</i> (Maldanidae) and <i>Riftia pachyptila</i> (Siboglinidae): Evidence for Conserved Gene Order in Annelida. Molecular Biology and Evolution, 2005, 22, 210-222.	8.9	77
22	Testing biological control of colonization by vestimentiferan tubeworms at deep-sea hydrothermal vents (East Pacific Rise, 9°50'N). Deep-Sea Research Part I: Oceanographic Research Papers, 2004, 51, 225-234.	1.4	38
23	Phylogenetic relationships of mid-oceanic ridge and continental lineages of <i>Lasaea</i> spp. (Mollusca: Tj ETQq1 1 0.784314 rgBT / Overlock	1.9	16