Kishio Furuya

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9438522/publications.pdf Version: 2024-02-01



Κιςμίο Ευριίνλ

#	Article	IF	CITATIONS
1	Role of Skin Stretch on Local Vascular Permeability in Murine and Cell Culture Models. Plastic and Reconstructive Surgery - Global Open, 2022, 10, e4084.	0.3	2
2	Lytic Release of Cellular ATP: Physiological Relevance and Therapeutic Applications. Life, 2021, 11, 700.	1.1	10
3	Sphingosine-1-Phosphate Induces ATP Release via Volume-Regulated Anion Channels in Breast Cell Lines. Life, 2021, 11, 851.	1.1	5
4	Mechanosensitive ATP release in the lungs: New insights from real-time luminescence imaging studies. Current Topics in Membranes, 2019, 83, 45-76.	0.5	8
5	Cyclic stretch enhances reorientation and differentiation of 3-D culture model of human airway smooth muscle. Biochemistry and Biophysics Reports, 2018, 16, 32-38.	0.7	20
6	Real-time imaging of mechanically and chemically induced ATP release in human lung fibroblasts. Respiratory Physiology and Neurobiology, 2017, 242, 96-101.	0.7	6
7	Matrix stiffness regulates migration of human lung fibroblasts. Physiological Reports, 2017, 5, e13281.	0.7	90
8	Neurosteroid dehydroepiandrosterone enhances activity and trafficking of astrocytic GLTâ€1 <i>via</i> Ïf ₁ receptorâ€mediated PKC activation in the hippocampal dentate gyrus of rats. Glia, 2017, 65, 1491-1503.	2.5	9
9	Hyperforin/HP- <i>β</i> -Cyclodextrin Enhances Mechanosensitive Ca ²⁺ Signaling in HaCaT Keratinocytes and in Atopic Skin Ex Vivo Which Accelerates Wound Healing. BioMed Research International, 2017, 2017, 1-9.	0.9	28
10	Real-time imaging of inflation-induced ATP release in the ex vivo rat lung. American Journal of Physiology - Lung Cellular and Molecular Physiology, 2016, 311, L956-L969.	1.3	16
11	Cellular ATP release in the lung and airway. AIMS Biophysics, 2016, 3, 571-584.	0.3	8
12	Response: Hemolysis is a primary and physiologically relevant ATP release mechanism in human erythrocytes. Blood, 2015, 125, 1845-1846.	0.6	10
13	Ca2+ influx and ATP release mediated by mechanical stretch in human lung fibroblasts. Biochemical and Biophysical Research Communications, 2014, 453, 101-105.	1.0	33
14	Real-time luminescence imaging of cellular ATP release. Methods, 2014, 66, 330-344.	1.9	29
15	Real-Time Imaging of ATP Release Induced by Mechanical Stretch in Human Airway Smooth Muscle Cells. American Journal of Respiratory Cell and Molecular Biology, 2014, 51, 772-782.	1.4	42
16	Mechanosensitive ATP release from hemichannels and Ca2+ influx through TRPC6 accelerate wound closure in keratinocytes. Journal of Cell Science, 2014, 127, 4159-71.	1.2	63
17	Hemolysis is a primary ATP-release mechanism in human erythrocytes. Blood, 2014, 124, 2150-2157.	0.6	91
18	Increased astrocytic ATP release results in enhanced excitability of the hippocampus. Glia, 2013, 61, 210-224.	2.5	40

KISHIO FURUYA

#	Article	IF	CITATIONS
19	Roles of Substance P and ATP in the Subepithelial Fibroblasts of Rat Intestinal Villi. International Review of Cell and Molecular Biology, 2013, 304, 133-189.	1.6	14
20	Imaging and characterization of stretchâ€induced ATP release from alveolar A549 cells. Journal of Physiology, 2013, 591, 1195-1215.	1.3	41
21	Mechanotransduction in A549 Alveolar Cells via Cell Stretch-Induced ATP Release. Biophysical Journal, 2012, 102, 122a.	0.2	0
22	Visualization of flow-induced ATP release and triggering of Ca2+ waves at caveolae in vascular endothelial cells. Journal of Cell Science, 2011, 124, 3477-3483.	1.2	116
23	Modulatory metaplasticity induced by pregnenolone sulfate in the rat hippocampus: A leftward shift in LTP/LTDâ€frequency curve. Hippocampus, 2010, 20, 499-512.	0.9	25
24	3P205 Signaling roles of substance-P in intestinal villi via subepithelial fibroblasts network(Cell) Tj ETQq0 0 0 rgB1	- /Overlock	10 Tf 50 54
25	Localization of NK1 receptors and roles of substance-P in subepithelial fibroblasts of rat intestinal villi. Cell and Tissue Research, 2010, 342, 243-259.	1.5	6
26	A dual system of intercellular calcium signaling in glial nets associated with lanceolate sensory endings in rat vibrissae. Journal of Comparative Neurology, 2008, 510, 68-78.	0.9	9
27	Two different molecular mechanisms underlying progesterone neuroprotection against ischemic brain damage. Neuropharmacology, 2008, 55, 127-138.	2.0	128
28	Subepithelial Fibroblasts in Intestinal Villi: Roles in Intercellular Communication. International Review of Cytology, 2007, 264, 165-223.	6.2	43
29	PREGS Induces LTP in the Hippocampal Dentate Gyrus of Adult Rats Via the Tyrosine Phosphorylation International Cooperative Research CREB Signaling. Journal of Neurophysiology, 2007, 98, 1538-1548.	0.9	39
30	Chronic DHEAS administration facilitates hippocampal long-term potentiation via an amplification of Src-dependent NMDA receptor signaling. Neuropharmacology, 2006, 51, 659-670.	2.0	33
31	Characteristics of cultured subepithelial fibroblasts in the rat small intestine. II. Localization and functional analysis of endothelin receptors and cell-shape-independent gap junction permeability. Cell and Tissue Research, 2005, 319, 103-119.	1.5	21
32	Characteristics of subepithelial fibroblasts as a mechano-sensor in the intestine: cell-shape-dependent ATP release and P2Y1 signaling. Journal of Cell Science, 2005, 118, 3289-3304.	1.2	71
33	ATP-induced calcium oscillations and change of P2Y subtypes with culture conditions in HeLa cells. Cell Biochemistry and Function, 2003, 21, 61-68.	1.4	19
34	Synergistic effects of ATP on oxytocin-induced intracellular Ca2+ response in mouse mammary myoepithelial cells. Pflugers Archiv European Journal of Physiology, 2001, 442, 57-63.	1.3	32
35	Reactive Blue 2 Induces Calcium Oscillations in HeLa Cells The Japanese Journal of Physiology, 2001, 51, 389-393.	0.9	3
36	Developmental changes in capacitative Ca2+ entry in mouse mammary epithelial cells. Cell Biochemistry and Function, 2000, 18, 147-150.	1.4	0

KISHIO FURUYA

#	Article	IF	CITATIONS
37	EGF enhances Ca2+ mobilization and capacitative Ca2+ entry in mouse mammary epithelial cells. Cell Biochemistry and Function, 2000, 18, 215-225.	1.4	12
38	Cyclic Amp-Mediated Inhibition of Noradrenaline-Induced Contraction and Ca2+ Influx in Guinea-Pig vas Deferens. Experimental Physiology, 2000, 85, 387-398.	0.9	14
39	cAMP-dependent potentiation of the Ca2+-activated release of the anionic fluorescent dye, calcein, from rat parotid acinar cells. European Journal of Pharmacology, 2000, 388, 227-234.	1.7	3
40	Cyclic AMP-mediated inhibition of noradrenaline-induced contraction and Ca2+ influx in guinea-pig vas deferens. Experimental Physiology, 2000, 85, 387-398.	0.9	4
41	Intracellular Ca2+ responses to nucleotides, peptides, amines, amino acids and prostaglandins in cultured pituicytes from adult rat neurohypophysis. Neuroscience Letters, 1999, 266, 185-188.	1.0	10
42	Morphological plasticity and rearrangement of cytoskeletons in pituicytes cultured from adult rat neurohypophysis. Neuroscience Research, 1999, 33, 299-306.	1.0	54
43	Comparison of the expression of two immediate early gene proteins, FosB and Fos in the rat preoptic area, hypothalamus and brainstem during pregnancy, parturition and lactation. Neuroscience Research, 1998, 32, 333-341.	1.0	33
44	Non-GABAergic effects of midazolam, diazepam and flumazenil on voltage-dependent ion currents in NG108-15 cells. NeuroReport, 1997, 8, 2635-2638.	0.6	33
45	A monoclonal antibody to astrocytes, subepithelial fibroblasts of small intestinal villi and interstitial cells of the myenteric plexus layer. Anatomy and Embryology, 1997, 195, 113-126.	1.5	8
46	Temperature dependency of calcium responses in mammary tumour cells. , 1997, 15, 113-117.		7
47	The venom of scorpion<i> B. martensi</i> selectively inhibits transient outward K⁺ currents in neonatal rat ventricular cells and K_v⁺ channel currents in NG108-15 cells <td>0.3</td><td>0</td>	0.3	0
48	Expression Cloning and Signal Transduction Pathway of P2U Receptor in Mammary Tumor Cells. NeuroSignals, 1996, 5, 9-21.	0.5	12
49	Release of arachidonic acid via Ca2+ increase stimulated by pyrophosphonucleotides and bradykinin in mammary tumour cells. Cell Biochemistry and Function, 1995, 13, 279-286.	1.4	12
50	The effects of internal Ca2+ and Mg2+ on ion channels in the squid giant axon. , 1995, , 153-160.		0
51	The increase in the intracellular Ca2+ concentration induced by mechanical stimulation is propagated via release of pyrophosphorylated nucleotides in mammary epithelial cells. Pflugers Archiv European Journal of Physiology, 1994, 427, 533-542.	1.3	88
52	Intracellular calcium responses and shape conversions induced by endothelin in cultured subepithelial fibroblasts of rat duodenal villi. Pflugers Archiv European Journal of Physiology, 1994, 428, 97-104.	1.3	28
53	Proliferation-associated increase in sensitivity of mammary epithelial cells to inositol-1,4,5-trisphosphate. Cell Biochemistry and Function, 1993, 11, 55-62.	1.4	7
54	Characteristics of cultured subepithelial fibroblasts of rat duodenal villi. Anatomy and Embryology, 1993, 187, 529-538.	1.5	21

KISHIO FURUYA

#	Article	IF	CITATIONS
55	Spontaneous calcium oscillations and mechanically and chemically induced calcium responses in mammary epithelial cells. Pflugers Archiv European Journal of Physiology, 1993, 422, 295-304.	1.3	61
56	Neurite-outgrowth and calcium channel. Neuroscience Research Supplement: the Official Journal of the Japan Neuroscience Society, 1992, 17, 49.	0.0	0
57	Oscillating activity of a calcium-activated K+ channel in normal and cancerous mammary cells in culture. Journal of Membrane Biology, 1991, 119, 133-139.	1.0	25
58	Localization of [1251]Endothelin-1 in Rat Tissues Observed by Electron-Microscopic Radioautography. Journal of Cardiovascular Pharmacology, 1991, 17, S452-454.	0.8	12
59	Real-time imaging of intracellular calcium change with simultaneous single channel recording in mammary epithelial cells. Brain Research Bulletin, 1990, 25, 779-781.	1.4	25
60	Single calcium-activated potassium channel in cultured mammary epithelial cells. Pflugers Archiv European Journal of Physiology, 1989, 414, 118-124.	1.3	29
61	Mechanically induced electrical responses in murine mammary epithelial cells in primary culture. FEBS Letters, 1987, 223, 82-86.	1.3	22
62	Intracellular binding of cationized ferritin prolongs the time course of sodium channel inactivation in squid giant axons. Journal of Membrane Biology, 1986, 89, 75-83.	1.0	3
63	Evidence for l-glutamate as the neurotransmitter of the squid giant synapse. Neuroscience Research, 1985, 2, 297-307.	1.0	17
64	Blockade of synaptic transmission in the squid giant synapse by a spider toxin (JSTX). Brain Research, 1983, 278, 346-349.	1.1	57
65	Ultrastructural changes in differentiating neuroblastoma × glioma hybrid cells. Tissue and Cell, 1983, 15, 903-919.	1.0	17
66	Developmental time courses of Na and Ca spikes in neuroblastoma × glioma hybrid cells. Developmental Brain Research, 1983, 11, 229-234.	2.1	26
67	A quantitative analysis of intramembranous particles during the development of neuroblastoma × glioma hybrid cells. Developmental Brain Research, 1983, 11, 235-244.	2.1	2
68	Binding of cationized ferritin on the cytoplasmic surface of the axolemma and its effect on the membrane excitation Proceedings of the Japan Academy Series B: Physical and Biological Sciences, 1983, 59, 140-143.	1.6	2
69	Initiation of the spike by intracellularly perfused calcium in squid giant axons Proceedings of the Japan Academy Series B: Physical and Biological Sciences, 1981, 57, 54-58.	1.6	1
70	Phase Transitions in Bilayer Membranes of Dioleoyl-Phosphatidylcholine/Dipalmitoyl-Phosphatidylcholine. Journal of the Physical Society of Japan, 1979, 46, 611-616.	0.7	39
71	Effects of cations on dipalmitoyl phosphatidylcholine/cholesterol/water systems. Biochimica Et Biophysica Acta - Biomembranes, 1975, 413, 24-32.	1.4	113