

Agnès Caille

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9438896/publications.pdf>

Version: 2024-02-01

50
papers

981
citations

516215

16
h-index

476904

29
g-index

52
all docs

52
docs citations

52
times ranked

1772
citing authors

#	ARTICLE	IF	CITATIONS
1	Prevalence and prognostic value of acute cor pulmonale and patent foramen ovale in ventilated patients with early acute respiratory distress syndrome: a multicenter study. <i>Intensive Care Medicine</i> , 2013, 39, 1734-1742.	3.9	122
2	Antibiotic Therapy for 6 or 12 Weeks for Prosthetic Joint Infection. <i>New England Journal of Medicine</i> , 2021, 384, 1991-2001.	13.9	98
3	Parent-Offspring Correlations in Pedometer-Assessed Physical Activity. <i>PLoS ONE</i> , 2011, 6, e29195.	1.1	59
4	Mortality and Its Predictors in Severe Bulimia Nervosa Patients. <i>European Eating Disorders Review</i> , 2013, 21, 15-19.	2.3	50
5	Reproducibility and Validity of the French Version of the Long International Physical Activity Questionnaire in Patients With Type 2 Diabetes. <i>Journal of Physical Activity and Health</i> , 2011, 8, 858-865.	1.0	48
6	Timeline cluster: a graphical tool to identify risk of bias in cluster randomised trials. <i>BMJ</i> , The, 2016, 354, i4291.	3.0	41
7	Quilting Suture of Mastectomy Dead Space Compared with Conventional Closure with Drain. <i>Annals of Surgical Oncology</i> , 2015, 22, 4233-4240.	0.7	40
8	Somatostatin Receptors 2A and 5 Are Expressed in Merkel Cell Carcinoma with No Association with Disease Severity. <i>Neuroendocrinology</i> , 2015, 101, 223-235.	1.2	38
9	Acute respiratory distress syndrome (ARDS)-associated acute cor pulmonale and patent foramen ovale: a multicenter noninvasive hemodynamic study. <i>Critical Care</i> , 2015, 19, 174.	2.5	37
10	Participant Informed Consent in Cluster Randomized Trials: Review. <i>PLoS ONE</i> , 2012, 7, e40436.	1.1	34
11	Dead space closure with quilting suture versus conventional closure with drainage for the prevention of seroma after mastectomy for breast cancer (QUISERMAS): protocol for a multicentre randomised controlled trial: Table 1. <i>BMJ Open</i> , 2016, 6, e009903.	0.8	27
12	Propensity score methods for estimating relative risks in cluster randomized trials with low incidence binary outcomes and selection bias. <i>Statistics in Medicine</i> , 2014, 33, 3556-3575.	0.8	26
13	Natural course and prognosis of anaplastic gangliogliomas: a multicenter retrospective study of 43 cases from the French Brain Tumor Database. <i>Neuro-Oncology</i> , 2016, 19, now186.	0.6	26
14	Fallopian Tube Prolapse after Hysterectomy: A Systematic Review. <i>PLoS ONE</i> , 2013, 8, e76543.	1.1	24
15	Urinary Elimination of Coproporphyrins Is Dependent on <i>ABCC2</i> Polymorphisms and Represents a Potential Biomarker of MRP2 Activity in Humans. <i>Journal of Biomedicine and Biotechnology</i> , 2011, 2011, 1-9.	3.0	20
16	Efficacy and safety of methotrexate versus placebo as add-on therapy to H1 antihistamines for patients with difficult-to-treat chronic spontaneous urticaria: A randomized, controlled trial. <i>Journal of the American Academy of Dermatology</i> , 2020, 82, 240-243.	0.6	19
17	Topical sirolimus 0.1% for treating cutaneous microcystic lymphatic malformations in children and adults (TOPICAL): protocol for a multicenter phase 2, within-person, randomized, double-blind, vehicle-controlled clinical trial. <i>Trials</i> , 2019, 20, 739.	0.7	17
18	Rationale for unequal randomization in clinical trials is rarely reported: a systematic review. <i>Journal of Clinical Epidemiology</i> , 2014, 67, 1070-1075.	2.4	16

#	ARTICLE	IF	CITATIONS
19	Myelodysplastic syndromes with single neutropenia or thrombocytopenia are rarely refractory cytopenias with unilineage dysplasia by World Health Organization 2008 criteria and have favourable prognosis. <i>British Journal of Haematology</i> , 2016, 175, 975-979.	1.2	15
20	Intervention effect estimates in cluster randomized versus individually randomized trials: a meta-epidemiological study. <i>International Journal of Epidemiology</i> , 2019, 48, 609-619.	0.9	15
21	Deficits in information transfer between hospital-based and primary-care physicians, the case of kidney disease: a cross-sectional study. <i>Journal of Nephrology</i> , 2015, 28, 563-570.	0.9	14
22	Propensity score to detect baseline imbalance in cluster randomized trials: the role of the c-statistic. <i>BMC Medical Research Methodology</i> , 2016, 16, 9.	1.4	14
23	Dry Care Versus Antiseptics for Umbilical Cord Care: A Cluster Randomized Trial. <i>Pediatrics</i> , 2017, 139, e20161857.	1.0	14
24	Renal resistive index as a new independent risk factor for new-onset diabetes mellitus after kidney transplantation. <i>Transplant International</i> , 2012, 25, 464-470.	0.8	13
25	Better reporting and greater homogeneity in outcome measures are seen in randomized trial protocols when guidelines exist. <i>Journal of Clinical Epidemiology</i> , 2013, 66, 838-846.	2.4	12
26	Use of calcofluor-blue brightener for the diagnosis of <i>Pneumocystis jirovecii</i> pneumonia in bronchial-alveolar lavage fluids: A single-center prospective study. <i>Medical Mycology</i> , 2016, 55, myw068.	0.3	11
27	Proteomic demonstration of the recurrent presence of inter-alpha-inhibitor H4 heavy-chain during aspergillosis induced in an animal model. <i>International Journal of Medical Microbiology</i> , 2014, 304, 327-338.	1.5	10
28	A comparison of imputation strategies in cluster randomized trials with missing binary outcomes. <i>Statistical Methods in Medical Research</i> , 2016, 25, 2650-2669.	0.7	10
29	Narrow resection margins are not associated with mortality or recurrence in patients with Merkel cell carcinoma: A retrospective study. <i>Journal of the American Academy of Dermatology</i> , 2021, 84, 921-929.	0.6	10
30	Dichotomizing a continuous outcome in cluster randomized trials: impact on power. <i>Statistics in Medicine</i> , 2012, 31, 2822-2832.	0.8	9
31	A high neutrophil to lymphocyte ratio prior to BRAF inhibitor treatment is a predictor of poor progression-free survival in patients with metastatic melanoma. <i>European Journal of Dermatology</i> , 2018, 28, 38-43.	0.3	9
32	Peer Review of Grant Applications: A Simple Method to Identify Proposals with Discordant Reviews. <i>PLoS ONE</i> , 2011, 6, e27557.	1.1	7
33	Unbalanced rather than balanced randomized controlled trials are more often positive in favor of the new treatment: an exposed and nonexposed study. <i>Journal of Clinical Epidemiology</i> , 2015, 68, 944-949.	2.4	7
34	Completeness of Descriptions of Repetitive Transcranial Magnetic Stimulation Intervention. <i>Journal of ECT</i> , 2019, 35, 7-13.	0.3	7
35	Meta-analyses frequently include old trials that are associated with a larger intervention effect: a meta-epidemiological study. <i>Journal of Clinical Epidemiology</i> , 2022, 145, 144-153.	2.4	7
36	Methodological review showed that time-to-event outcomes are often inadequately handled in cluster randomized trials. <i>Journal of Clinical Epidemiology</i> , 2021, 134, 125-137.	2.4	6

#	ARTICLE	IF	CITATIONS
37	Combining Trauma Script Exposure With rTMS to Reduce Symptoms of Post-Traumatic Stress Disorder: Randomized Controlled Trial. <i>Neuromodulation</i> , 2022, 25, 549-557.	0.4	6
38	Recruitment and implementation challenges were common in stepped-wedge cluster randomized trials: Results from a methodological review. <i>Journal of Clinical Epidemiology</i> , 2022, 148, 93-103.	2.4	6
39	Drug Exposure during the Periconceptional Period. <i>Paediatric Drugs</i> , 2011, 13, 317-324.	1.3	5
40	Is procalcitonin increased in cases of invasive amoebiasis? A retrospective, observational study. <i>Diagnostic Microbiology and Infectious Disease</i> , 2015, 83, 395-399.	0.8	5
41	Mixing Nulliparous and Multiparous Women in Randomised Controlled Trials of Preeclampsia Prevention Is Debatable: Evidence from a Systematic Review. <i>PLoS ONE</i> , 2013, 8, e66677.	1.1	5
42	Heterogeneous perception of the ethical legitimacy of unbalanced randomization by institutional review board members: a clinical vignette-based survey. <i>Trials</i> , 2018, 19, 440.	0.7	4
43	Research Techniques Made Simple: Randomized Controlled Trials for Topical Drugs in Dermatology: When and How Should We Use a Within-Person Design?. <i>Journal of Investigative Dermatology</i> , 2020, 140, 931-938.e1.	0.3	4
44	Association of intracluster correlation measures with outcome prevalence for binary outcomes in cluster randomised trials. <i>Statistical Methods in Medical Research</i> , 2021, 30, 1988-2003.	0.7	4
45	Search for RAS1 Variants in Capillary Malformations of the Legs in 113 Children: Results from the French National Paediatric Cohort CONAPE. <i>Acta Dermato-Venereologica</i> , 2018, 98, 251-255.	0.6	3
46	Is the R coefficient of interest in cluster randomized trials with a binary outcome?. <i>Statistical Methods in Medical Research</i> , 2020, 29, 2470-2480.	0.7	2
47	A lion with only two legs. <i>Journal of Gynecology Obstetrics and Human Reproduction</i> , 2020, 49, 101686.	0.6	2
48	Merkel cell carcinoma of lymph nodes without a skin primary tumor: A potential metastatic neoplasia associated with a brisk immune response. <i>Journal of the American Academy of Dermatology</i> , 2020, 83, 1789-1792.	0.6	1
49	Response to Is the R coefficient of interest in cluster randomized trials with a binary outcome?. <i>Statistical Methods in Medical Research</i> , 2020, 29, 1765-1766.	0.7	0
50	A Home-Mailed Versus General Practitioner-Delivered Vaginal Self-Sampling Kit for Cervical Cancer Screening: A Cluster Randomized Controlled Trial with a Cost-Effectiveness Analysis. <i>Journal of Women's Health</i> , 0, , .	1.5	0