## Michael B King

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9438946/publications.pdf

Version: 2024-02-01

440 papers

25,213 citations

81 h-index 135

g-index

451 all docs

451 docs citations

451 times ranked

23036 citing authors

#	Article	IF	CITATIONS
1	A systematic review of mental disorder, suicide, and deliberate self harm in lesbian, gay and bisexual people. BMC Psychiatry, 2008, 8, 70.	1.1	1,554
2	Effectiveness of an intervention led by lay health counsellors for depressive and anxiety disorders in primary care in Goa, India (MANAS): a cluster randomised controlled trial. Lancet, The, 2010, 376, 2086-2095.	6.3	566
3	Relative Risk of Cardiovascular and Cancer Mortality in People With Severe Mental Illness From the United Kingdom's General Practice Research Database. Archives of General Psychiatry, 2007, 64, 242.	13.8	527
4	Dementia in the acute hospital: prospective cohort study of prevalence and mortality. British Journal of Psychiatry, 2009, 195, 61-66.	1.7	503
5	How to develop a more accurate risk prediction model when there are few events. BMJ, The, 2015, 351, h3868.	3.0	405
6	Therapist-delivered internet psychotherapy for depression in primary care: a randomised controlled trial. Lancet, The, 2009, 374, 628-634.	6.3	340
7	Stigma: the feelings and experiences of 46 people with mental illness. British Journal of Psychiatry, 2004, 184, 176-181.	1.7	336
8	Effects of suicide bereavement on mental health and suicide risk. Lancet Psychiatry,the, 2014, 1, 86-94.	3.7	322
9	Mortality gap for people with bipolar disorder and schizophrenia: UK-based cohort study 2000–2014. British Journal of Psychiatry, 2017, 211, 175-181.	1.7	302
10	The Healthy Activity Program (HAP), a lay counsellor-delivered brief psychological treatment for severe depression, in primary care in India: a randomised controlled trial. Lancet, The, 2017, 389, 176-185.	6.3	292
11	Detecting common mental disorders in primary care in India: a comparison of five screening questionnaires. Psychological Medicine, 2008, 38, 221-228.	2.7	279
12	Prospective controlled study of psychiatric out-patient non-attendance. British Journal of Psychiatry, 2000, 176, 160-165.	1.7	274
13	The Stigma Scale: development of a standardised measure of the stigma of mental illness. British Journal of Psychiatry, 2007, 190, 248-254.	1.7	266
14	Self stigma in people with intellectual disabilities and courtesy stigma in family carers: A systematic review. Research in Developmental Disabilities, 2012, 33, 2122-2140.	1.2	237
15	Impact of Participant and Physician Intervention Preferences on Randomized Trials. JAMA - Journal of the American Medical Association, 2005, 293, 1089.	3.8	234
16	Sexual orientation and symptoms of common mental disorder or low wellbeing: combined meta-analysis of 12 UK population health surveys. BMC Psychiatry, 2016, 16, 67.	1.1	234
17	Childhood sexual abuse and psychosis: data from a cross-sectional national psychiatric survey in England. British Journal of Psychiatry, 2011, 199, 29-37.	1.7	233
18	Randomised controlled trial of non-directive counselling, cognitive-behaviour therapy, and usual general practitioner care for patients with depression. I: Clinical effectiveness. BMJ: British Medical Journal, 2000, 321, 1383-1388.	2.4	229

#	Article	IF	Citations
19	Prevalence of common mental disorders in general practice attendees across Europe. British Journal of Psychiatry, 2008, 192, 362-367.	1.7	227
20	Mental health of the non-heterosexual population of England. British Journal of Psychiatry, 2011, 198, 143-148.	1.7	216
21	Lay health worker led intervention for depressive and anxiety disorders in India: impact on clinical and disability outcomes over 12 months. British Journal of Psychiatry, 2011, 199, 459-466.	1.7	214
22	Improving the effectiveness of multidisciplinary team meetings for patients with chronic diseases: a prospective observational study. Health Services and Delivery Research, 2014, 2, 1-172.	1.4	212
23	The REACT study: randomised evaluation of assertive community treatment in north London. BMJ: British Medical Journal, 2006, 332, 815-820.	2.4	208
24	Problems with sexual function in people attending London general practitioners: cross sectional study. BMJ: British Medical Journal, 2003, 327, 423-0.	2.4	187
25	At risk drinking among general practice attenders: validation of the CAGE questionnaire. Psychological Medicine, 1986, 16, 213-217.	2.7	185
26	Neuropsychological predictors of clinical outcome in opiate addiction. Drug and Alcohol Dependence, 2008, 94, 82-91.	1.6	179
27	Common mental disorders and ethnicity in England: the EMPIRIC Study. Psychological Medicine, 2004, 34, 1543-1551.	2.7	177
28	Pathways to Care for Patients with a First Episode of Psychosis. British Journal of Psychiatry, 1995, 167, 770-776.	1.7	174
29	Mental health and quality of life of gay men and lesbians in England and Wales. British Journal of Psychiatry, 2003, 183, 552-558.	1.7	164
30	Physical activity, dietary habits and Coronary Heart Disease risk factor knowledge amongst people with severe mental illness. Social Psychiatry and Psychiatric Epidemiology, 2007, 42, 787-793.	1.6	163
31	Clinical Effectiveness of Individual Cognitive Behavioral Therapy for Depressed Older People in Primary Care. Archives of General Psychiatry, 2009, 66, 1332.	13.8	163
32	Living and dying with advanced dementia: A prospective cohort study of symptoms, service use and care at the end of life. Palliative Medicine, 2018, 32, 668-681.	1.3	162
33	Relative risk of diabetes, dyslipidaemia, hypertension and the metabolic syndrome in people with severe mental illnesses: Systematic review and metaanalysis. BMC Psychiatry, 2008, 8, 84.	1.1	161
34	Bereavement by suicide as a risk factor for suicide attempt: a cross-sectional national UK-wide study of 3432 young bereaved adults. BMJ Open, 2016, 6, e009948.	0.8	161
35	Randomised controlled trial of non-directive counselling, cognitive-behaviour therapy, and usual general practitioner care for patients with depression. II: Cost effectiveness. BMJ: British Medical Journal, 2000, 321, 1389-1392.	2.4	160
36	Sexual abuse and psychiatric disorder in England: results from the 2007 Adult Psychiatric Morbidity Survey. Psychological Medicine, 2011, 41, 709-719.	2.7	156

#	Article	IF	CITATIONS
37	Rates and predictors of mental illness in gay men, lesbians and bisexual men and women. British Journal of Psychiatry, 2004, 185, 479-485.	1.7	152
38	Mental health and quality of life of gay men and lesbians in England and Wales. British Journal of Psychiatry, 2003, 183, 552-558.	1.7	147
39	The Patient Health Questionnaire-9 for detection of major depressive disorder in primary care: consequences of current thresholds in a crosssectional study. BMC Family Practice, 2010, 11, 98.	2.9	147
40	The effects of sexual assault on men: a survey of 22 victims. Psychological Medicine, 1989, 19, 205-209.	2.7	138
41	Effectiveness of teaching general practitioners skills in brief cognitive behaviour therapy to treat patients with depression: randomised controlled trial. BMJ: British Medical Journal, 2002, 324, 947-947.	2.4	138
42	Lifetime prevalence, characteristics, and associated problems of non-consensual sex in men: cross sectional survey. BMJ: British Medical Journal, 1999, 318, 846-850.	2.4	137
43	Spiritual beliefs may affect outcome of bereavement: prospective study. BMJ: British Medical Journal, 2002, 324, 1551-1551.	2.4	135
44	Prevalence of dementia in intellectual disability using different diagnostic criteria. British Journal of Psychiatry, 2007, 191, 150-157.	1.7	134
45	Development and Validation of an International Risk Prediction Algorithm for Episodes of Major Depression in General Practice Attendees. Archives of General Psychiatry, 2008, 65, 1368.	13.8	134
46	Religion, spirituality and mental health: results from a national study of English households. British Journal of Psychiatry, 2013, 202, 68-73.	1.7	133
47	Counselling for Alcohol Problems (CAP), a lay counsellor-delivered brief psychological treatment for harmful drinking in men, in primary care in India: a randomised controlled trial. Lancet, The, 2017, 389, 186-195.	6.3	133
48	Randomized, Single-Blind, Controlled Trial of a Specialist Behavior Therapy Team for Challenging Behavior in Adults With Intellectual Disabilities. American Journal of Psychiatry, 2009, 166, 1278-1285.	4.0	128
49	Interventions for supporting informal caregivers of patients in the terminal phase of a disease. The Cochrane Library, 2011, , CD007617.	1.5	128
50	Cardiovascular Risk Prediction Models for People With Severe Mental Illness. JAMA Psychiatry, 2015, 72, 143.	6.0	127
51	Suicide in young men. Lancet, The, 2012, 379, 2383-2392.	6.3	125
52	The Royal Free Interview for Spiritual and Religious Beliefs: development and validation of a self-report version. Psychological Medicine, 2001, 31, 1015-1023.	2.7	120
53	Eating disorders in a general practice population. Prevalence, characteristics and follow-up at 12 to 18 months. Psychological Medicine Monograph Supplement, 1989, 14, 1-34.	2.7	119
54	Religiously integrated cognitive behavioral therapy: A new method of treatment for major depression in patients with chronic medical illness Psychotherapy, 2015, 52, 56-66.	0.7	119

#	Article	IF	Citations
55	The risk for depression conferred by stressful life events is modified by variation at the serotonin transporter 5HTTLPR genotype: evidence from the Spanish PREDICT-Gene cohort. Molecular Psychiatry, 2007, 12, 748-755.	4.1	118
56	Family Size in White Gay and Heterosexual Men. Archives of Sexual Behavior, 2005, 34, 117-122.	1.2	117
57	Mental well-being and mental illness: findings from the Adult Psychiatric Morbidity Survey for England 2007. British Journal of Psychiatry, 2011, 199, 23-28.	1.7	117
58	The Royal Free Interview for Religious and Spiritual Beliefs: development and standardization. Psychological Medicine, 1995, 25, 1125-1134.	2.7	116
59	The Healthy Activity Program lay counsellor delivered treatment for severe depression in India: Systematic development and randomised evaluation. British Journal of Psychiatry, 2016, 208, 381-388.	1.7	115
60	Advance directives for patients compulsorily admitted to hospital with serious mental illness. British Journal of Psychiatry, 2002, 181, 513-519.	1.7	113
61	Psychiatrists' religious attitudes in relation to their clinical practice: a survey of 231 psychiatrists. Acta Psychiatrica Scandinavica, 1993, 88, 420-424.	2.2	109
62	Eating disorders: lessons from a cross-cultural study. Psychological Medicine, 1989, 19, 955-958.	2.7	108
63	Associations between unemployment and major depressive disorder: Evidence from an international, prospective study (the predict cohort). Social Science and Medicine, 2011, 73, 1627-1634.	1.8	105
64	Incidence of dementia in older adults with intellectual disabilities. Research in Developmental Disabilities, 2013, 34, 1881-1885.	1.2	105
65	Randomised controlled assessment of non-directive psychotherapy versus routine general-practitioner care. Lancet, The, 1997, 350, 1662-1665.	6.3	103
66	Palliative assessment and advance care planning in severe dementia: An exploratory randomized controlled trial of a complex intervention. Palliative Medicine, 2011, 25, 197-209.	1.3	102
67	A systematic review of the international published literature relating to quality of institutional care for people with longer term mental health problems. BMC Psychiatry, 2009, 9, 55.	1.1	100
68	Prescribing Trends in Bipolar Disorder: Cohort Study in the United Kingdom THIN Primary Care Database 1995–2009. PLoS ONE, 2011, 6, e28725.	1.1	100
69	Risk for coronary heart disease in people with severe mental illness. British Journal of Psychiatry, 2006, 188, 271-277.	1.7	99
70	Group art therapy as an adjunctive treatment for people with schizophrenia: multicentre pragmatic randomised trial. BMJ: British Medical Journal, 2012, 344, e846-e846.	2.4	99
71	First-onset psychotic illness: Patients'and relatives' satisfaction with services. British Journal of Psychiatry, 1997, 170, 53-57.	1.7	96
72	The stigma perceived by people bereaved by suicide and other sudden deaths: A cross-sectional UK study of 3432 bereaved adults. Journal of Psychosomatic Research, 2016, 87, 22-29.	1.2	96

#	Article	IF	Citations
73	Ten-Year Follow-Up of 50 Patients with Bulimia Nervosa. British Journal of Psychiatry, 1994, 164, 80-87.	1.7	93
74	Women's Views of their Sexual Difficulties: Agreement and Disagreement with Clinical Diagnoses. Archives of Sexual Behavior, 2007, 36, 281-288.	1.2	93
75	Conceptualising spirituality for medical research and health service provision. BMC Health Services Research, 2009, 9, 116.	0.9	93
76	The natural course and outcome of major depressive disorder in primary care: the PREDICT-NL study. Social Psychiatry and Psychiatric Epidemiology, 2012, 47, 87-95.	1.6	92
77	Lithium vs. valproate vs. olanzapine vs. quetiapine as maintenance monotherapy for bipolar disorder: a populationâ€based UK cohort study using electronic health records. World Psychiatry, 2016, 15, 53-58.	4.8	91
78	Psychometric properties of the List of Threatening Experiencesâ€"LTE and its association with psychosocial factors and mental disorders according to different scoring methods. Journal of Affective Disorders, 2013, 150, 931-940.	2.0	90
79	Self-harm, Unintentional Injury, and Suicide in Bipolar Disorder During Maintenance Mood Stabilizer Treatment. JAMA Psychiatry, 2016, 73, 630.	6.0	88
80	Adverse Renal, Endocrine, Hepatic, and Metabolic Events during Maintenance Mood Stabilizer Treatment for Bipolar Disorder: A Population-Based Cohort Study. PLoS Medicine, 2016, 13, e1002058.	3.9	88
81	Reducing emotional distress in people caring for patients receiving specialist palliative care. British Journal of Psychiatry, 2007, 190, 142-147.	1.7	86
82	The effect of spiritual beliefs on outcome from illness. Social Science and Medicine, 1999, 48, 1291-1299.	1.8	85
83	Psychological disorder amongst refugee and migrant schoolchildren in London. Social Psychiatry and Psychiatric Epidemiology, 2004, 39, 191-195.	1.6	85
84	Challenges to sanctuary: The clergy as a resource for mental health care in the community. Social Science and Medicine, 2007, 65, 548-559.	1.8	85
85	Integrating evidenceâ€based treatments for common mental disorders in routine primary care: feasibility and acceptability of the MANAS intervention in Goa, India. World Psychiatry, 2008, 7, 39-46.	4.8	84
86	The 5-HTTLPR s/s genotype at the serotonin transporter gene (SLC6A4) increases the risk for depression in a large cohort of primary care attendees: The PREDICT-gene study. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2006, 141B, 912-917.	1.1	83
87	Psychostimulants for depression. The Cochrane Library, 2008, , CD006722.	1.5	82
88	Psychosocial Interventions for Perinatal Common Mental Disorders Delivered by Providers Who Are Not Mental Health Specialists in Low- and Middle-Income Countries: A Systematic Review and Meta-Analysis. PLoS Medicine, 2013, 10, e1001541.	3.9	81
89	A randomized controlled trial of a brief intervention for families of patients with a first episode of psychosis. Psychological Medicine, 2004, 34, 423-431.	2.7	80
90	Advance Care Planning in Dementia: Do Family Carers Know the Treatment Preferences of People with Early Dementia?. PLoS ONE, 2016, 11, e0159056.	1.1	80

#	Article	IF	Citations
91	Psychotic symptoms in the general population of England. Social Psychiatry and Psychiatric Epidemiology, 2005, 40, 375-381.	1.6	79
92	Ethnicity and religious coping with mental distress. Journal of Mental Health, 2008, 17, 141-151.	1.0	79
93	Sexual dysfunction after treatment for testicular cancer. Journal of Psychosomatic Research, 2001, 51, 735-743.	1.2	78
94	The relationship of dementia prevalence in older adults with intellectual disability (ID) to age and severity of ID. Psychological Medicine, 2009, 39, 13-21.	2.7	78
95	Religious vs. Conventional Cognitive Behavioral Therapy for Major Depression in Persons With Chronic Medical Illness. Journal of Nervous and Mental Disease, 2015, 203, 243-251.	0.5	77
96	Measuring spiritual belief: development and standardization of a Beliefs and Values Scale. Psychological Medicine, 2006, 36, 417-425.	2.7	76
97	Acceptability of an advance care planning interview schedule: a focus group study. Palliative Medicine, 2007, 21, 23-28.	1.3	<b>7</b> 5
98	Body mass index and common mental disorders: exploring the shape of the association and its moderation by age, gender and education. International Journal of Obesity, 2012, 36, 414-421.	1.6	75
99	Maintenance or Discontinuation of Antidepressants in Primary Care. New England Journal of Medicine, 2021, 385, 1257-1267.	13.9	<b>7</b> 5
100	Depression and common mental disorders in lone parents: results of the 2000 National Psychiatric Morbidity Survey. Psychological Medicine, 2008, 38, 335-342.	2.7	74
101	Randomised evaluation of assertive community treatment: 3-year outcomes. British Journal of Psychiatry, 2009, 195, 81-82.	1.7	74
102	British psychiatry and homosexuality. British Journal of Psychiatry, 1999, 175, 106-113.	1.7	73
103	Ethnicity and outcome of psychosis. British Journal of Psychiatry, 1999, 175, 34-42.	1.7	72
104	Prediction of depression in European general practice attendees: the PREDICT study. BMC Public Health, 2006, 6, 6.	1.2	71
105	Cognitive–behavioural therapy for anxiety in dementia: pilot randomised controlled trial. British Journal of Psychiatry, 2015, 206, 509-516.	1.7	71
106	Patient preferences in randomised controlled trials: Conceptual framework and implications for research. Social Science and Medicine, 2005, 61, 685-695.	1.8	70
107	Suicide and severe mental illnesses. Cohort study within the UK general practice research database. Schizophrenia Research, 2008, 99, 134-138.	1.1	69
108	The stigma associated with bereavement by suicide and other sudden deaths: A qualitative interview study. Social Science and Medicine, 2018, 198, 121-129.	1.8	69

#	Article	IF	Citations
109	Sustained effectiveness and cost-effectiveness of the Healthy Activity Programme, a brief psychological treatment for depression delivered by lay counsellors in primary care: 12-month follow-up of a randomised controlled trial. PLoS Medicine, 2017, 14, e1002385.	3.9	68
110	Psychosocial Status of 192 Out-Patients with HIV Infection and AIDS. British Journal of Psychiatry, 1989, 154, 237-242.	1.7	66
111	Clinical and cost-effectiveness of an intervention for reducing cholesterol and cardiovascular risk for people with severe mental illness in English primary care: a cluster randomised controlled trial. Lancet Psychiatry,the, 2018, 5, 145-154.	3.7	66
112	Effectiveness of a volunteer befriending programme for patients with schizophrenia: randomised controlled trial. British Journal of Psychiatry, 2020, 217, 477-483.	1.7	66
113	Spiritual and religious beliefs in acute illnessâ€"Is this a feasible area for study?. Social Science and Medicine, 1994, 38, 631-636.	1.8	65
114	Psychiatrists and their patients: Views on forms of dress and address. British Journal of Psychiatry, 1997, 171, 228-232.	1.7	65
115	Why people do not take their psychotropic drugs as prescribed: results of the 2000 National Psychiatric Morbidity Survey. Acta Psychiatrica Scandinavica, 2007, 116, 47-53.	2.2	65
116	Survival of people with dementia after unplanned acute hospital admission: a prospective cohort study. International Journal of Geriatric Psychiatry, 2013, 28, 1015-1022.	1.3	65
117	What do mental health rehabilitation services do and what are they for? A national survey in England. Journal of Mental Health, 2005, 14, 157-165.	1.0	63
118	Depression in Irish migrants living in London: case-control study. British Journal of Psychiatry, 2006, 188, 560-566.	1.7	63
119	Interventions for sexual dysfunction following treatments for cancer. , 2007, , CD005540.		63
120	Impact of a nurse-led intervention to improve screening for cardiovascular risk factors in people with severe mental illnesses. Phase-two cluster randomised feasibility trial of community mental health teams. BMC Health Services Research, 2010, 10, 61.	0.9	63
121	The impact of cancer on sexual function: a controlled study. Palliative Medicine, 2003, 17, 202-205.	1.3	62
122	The natural history of eating pathology in attenders to primary medical care. International Journal of Eating Disorders, 1991, 10, 379-387.	2.1	61
123	Sexually assaulted males: 115 men consulting a counseling service. Archives of Sexual Behavior, 1997, 26, 579-588.	1.2	61
124	Clinical outcomes of staff training in positive behaviour support to reduce challenging behaviour in adults with intellectual disability: cluster randomised controlled trial. British Journal of Psychiatry, 2018, 212, 161-168.	1.7	61
125	Manualised Individual Cognitive Behavioural Therapy for mood disorders in people with mild to moderate intellectual disability: A feasibility randomised controlled trial. Journal of Affective Disorders, 2013, 151, 186-195.	2.0	59
126	THE "EPIDEMIC" OF ANOREXIA NERVOSA: ANOTHER MEDICAL MYTH?. Lancet, The, 1987, 329, 205-207.	6.3	58

#	Article	IF	CITATIONS
127	Treatments of homosexuality in Britain since the 1950s-an oral history: the experience of patients. BMJ: British Medical Journal, 2004, 328, 427-0.	2.4	58
128	Advance care planning discussions in advanced cancer: Analysis of dialogues between patients and care planning mediators. Palliative and Supportive Care, 2011, 9, 73-79.	0.6	58
129	Quality of life, autonomy, satisfaction, and costs associated with mental health supported accommodation services in England: a national survey. Lancet Psychiatry,the, 2016, 3, 1129-1137.	3.7	58
130	Implementing the compassion intervention, a model for integrated care for people with advanced dementia towards the end of life in nursing homes: a naturalistic feasibility study. BMJ Open, 2017, 7, e015515.	0.8	58
131	What same sex civil partnerships may mean for health. Journal of Epidemiology and Community Health, 2006, 60, 188-191.	2.0	57
132	The Camden Schizophrenia Surveys III: Five-Year Outcome of a Sample of Individuals From a Prevalence Survey and the Importance of Social Relationships. International Journal of Social Psychiatry, 2007, 53, 340-356.	1.6	57
133	Spiritual and religious interventions for well-being of adults in the terminal phase of disease. The Cochrane Library, 2012, , CD007544.	1.5	57
134	The effectiveness and cost-effectiveness of lay counsellor-delivered psychological treatments for harmful and dependent drinking and moderate to severe depression in primary care in India: PREMIUM study protocol for randomized controlled trials. Trials, 2014, 15, 101.	0.7	57
135	Older adults' attitudes to death, palliative treatment and hospice care. Palliative Medicine, 2005, 19, 402-410.	1.3	56
136	Improving the outcomes of primary care attenders with common mental disorders in developing countries: a cluster randomized controlled trial of a collaborative stepped care intervention in Goa, India. Trials, 2008, 9, 4.	0.7	56
137	Service quality and clinical outcomes: an example from mental health rehabilitation services in England. British Journal of Psychiatry, 2013, 202, 28-34.	1.7	56
138	The response of mental health professionals to clients seeking help to change or redirect same-sex sexual orientation. BMC Psychiatry, 2009, 9, 11.	1.1	55
139	Effectiveness of a brief lay counsellor-delivered, problem-solving intervention for adolescent mental health problems in urban, low-income schools in India: a randomised controlled trial. The Lancet Child and Adolescent Health, 2020, 4, 571-582.	2.7	55
140	Self-reported stigma and symptoms of anxiety and depression in people with intellectual disabilities: Findings from a cross sectional study in England. Journal of Affective Disorders, 2015, 187, 224-231.	2.0	54
141	Eating behaviour of male racing jockeys. Psychological Medicine, 1987, 17, 249-253.	2.7	53
142	Prevention of coronary heart disease in people with severe mental illnesses: a qualitative study of patient and professionals' preferences for care. BMC Psychiatry, 2006, 6, 16.	1.1	53
143	Support received after bereavement by suicide and other sudden deaths: a cross-sectional UK study of 3432 young bereaved adults. BMJ Open, 2017, 7, e014487.	0.8	53
144	Effects of psychological therapies in randomized trials and practiceâ€based studies. British Journal of Clinical Psychology, 2008, 47, 397-415.	1.7	52

#	Article	IF	Citations
145	Advance care planning in advanced cancer: Can it be achieved? An exploratory randomized patient preference trial of a care planning discussion. Palliative and Supportive Care, 2011, 9, 3-13.	0.6	52
146	Depression and self-harm from adolescence to young adulthood in sexual minorities compared with heterosexuals in the UK: a population-based cohort study. The Lancet Child and Adolescent Health, 2019, 3, 91-98.	2.7	52
147	A measure of perceived stigma in people with intellectual disability. British Journal of Psychiatry, 2008, 193, 410-415.	1.7	51
148	Determinants of treatment plan implementation in multidisciplinary team meetings for patients with chronic diseases: a mixed-methods study. BMJ Quality and Safety, 2014, 23, 867-876.	1.8	51
149	The development of the Quality Indicator for Rehabilitative Care (QuIRC): a measure of best practice for facilities for people with longer term mental health problems. BMC Psychiatry, 2011, 11, 35.	1.1	50
150	Experiences of end of life amongst family carers of people with advanced dementia: longitudinal cohort study with mixed methods. BMC Geriatrics, 2017, 17, 135.	1.1	50
151	The Hampstead Schizophrenia Survey 1991. British Journal of Psychiatry, 1997, 170, 301-306.	1.7	49
152	The hidden cost of chronic fatigue to patients and their families. BMC Health Services Research, 2010, 10, 56.	0.9	49
153	Sustained effectiveness and cost-effectiveness of Counselling for Alcohol Problems, a brief psychological treatment for harmful drinking in men, delivered by lay counsellors in primary care: 12-month follow-up of a randomised controlled trial. PLoS Medicine, 2017, 14, e1002386.	3.9	49
154	Homosexuals who are Twins. British Journal of Psychiatry, 1992, 160, 407-409.	1.7	48
155	Service use and cost of mental disorder in older adults with intellectual disability. British Journal of Psychiatry, 2010, 196, 133-138.	1.7	48
156	The treatment of common mental disorders across age groups: Results from the 2007 adult psychiatric morbidity survey. Journal of Affective Disorders, 2010, 127, 96-101.	2.0	48
157	Polymorphic variation at the serotonin 1-A receptor gene is associated with comorbid depression and generalized anxiety. Psychiatric Genetics, 2011, 21, 195-201.	0.6	48
158	Perceived Stigma of Sudden Bereavement as a Risk Factor for Suicidal Thoughts and Suicide Attempt: Analysis of British Cross-Sectional Survey Data on 3387 Young Bereaved Adults. International Journal of Environmental Research and Public Health, 2017, 14, 286.	1.2	48
159	Existential needs of people with psychotic disorders in Pôrto Alegre, Brazil. British Journal of Psychiatry, 2005, 186, 141-145.	1.7	47
160	Depression, anxiety and physical function: exploring the strength of causality. Journal of Epidemiology and Community Health, 2012, 66, e25-e25.	2.0	47
161	Patient–practitioner agreement: does it matter?. Psychological Medicine, 2003, 33, 241-251.	2.7	46
162	The health of people classified as lesbian, gay and bisexual attending family practitioners in London: a controlled study. BMC Public Health, 2006, 6, 127.	1.2	46

#	Article	IF	Citations
163	Predictors of psychological distress among postnatal mothers in rural Nepal: A cross-sectional community-based study. Journal of Affective Disorders, 2014, 156, 76-86.	2.0	46
164	Predicting the onset of major depression in primary care: international validation of a risk prediction algorithm from Spain. Psychological Medicine, 2011, 41, 2075-2088.	2.7	45
165	Highâ€activity variants of the uMAOA polymorphism increase the risk for depression in a large primary care sample. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2009, 150B, 395-402.	1.1	44
166	Child sexual abuse reported by an English national sample: characteristics and demography. Social Psychiatry and Psychiatric Epidemiology, 2011, 46, 255-262.	1.6	44
167	Successful engagement: a mixed methods study of the approaches of assertive community treatment and community mental health teams in the REACT trial. Social Psychiatry and Psychiatric Epidemiology, 2009, 44, 532-540.	1.6	43
168	Predictors of outcome in a fatigued population in primary care following a randomized controlled trial. Psychological Medicine, 2003, 33, 283-287.	2.7	42
169	Clinical effectiveness of a staff training intervention in mental health inpatient rehabilitation units designed to increase patients' engagement in activities (the Rehabilitation Effectiveness for Activities) Tj ETQq1 1 38-48.	0,784314 3.7	rgBT /Over
170	Psychometric properties of the Mental Health Recovery Star. British Journal of Psychiatry, 2012, 201, 65-70.	1.7	41
171	The risk for major depression conferred by childhood maltreatment is multiplied by <i>BDNF</i> and <i>SERT</i> genetic vulnerability: a replication study. Journal of Psychiatry and Neuroscience, 2015, 40, 187-196.	1.4	41
172	Interventions for sexual dysfunction following treatments for cancer in women. The Cochrane Library, 2022, 2022, CD005540.	1.5	41
173	Male victims of rape and sexual abuse. Sexual and Relationship Therapy, 1996, 11, 297-308.	0.2	40
174	Palliative care in advanced dementia; A mixed methods approach for the development of a complex intervention. BMC Palliative Care, 2008, 7, 8.	0.8	40
175	The REACT Study: Cost-Effectiveness Analysis of Assertive Community Treatment in North London. Psychiatric Services, 2009, 60, 908-913.	1.1	40
176	Prevalence of Same-Sex Behavior and Orientation in England: Results from a National Survey. Archives of Sexual Behavior, 2012, 41, 631-639.	1.2	40
177	Straight talking: An investigation of the attitudes and practice of psychoanalysts and psychotherapists in relation to gays and lesbians. British Journal of Psychiatry, 2001, 179, 545-549.	1.7	39
178	Help-seeking preferences for psychological distress in primary care:. British Journal of General Practice, 2008, 58, 694-698.	0.7	39
179	Context, mechanisms and outcomes in end of life care for people with advanced dementia. BMC Palliative Care, 2016, 15, 31.	0.8	39
180	The spiritual variable in psychiatric research. Psychological Medicine, 1998, 28, 1259-1262.	2.7	38

#	Article	IF	Citations
181	Meta-analysis of data on costs from trials of counselling in primary care: using individual patient data to overcome sample size limitations in economic analyses. BMJ: British Medical Journal, 2003, 326, 1247-1250.	2.4	38
182	Risky decision-making predicts short-term outcome of community but not residential treatment for opiate addiction. Implications for case management. Drug and Alcohol Dependence, 2011, 118, 12-18.	1.6	38
183	Happiness across age groups: results from the 2007 National Psychiatric Morbidity Survey. International Journal of Geriatric Psychiatry, 2011, 26, 608-614.	1.3	37
184	Description of complex interventions: analysis of changes in reporting in randomised trials since 2002. Trials, 2018, 19, 110.	0.7	37
185	Quality of Longer Term Mental Health Facilities in Europe: Validation of the Quality Indicator for Rehabilitative Care against Service Users' Views. PLoS ONE, 2012, 7, e38070.	1.1	37
186	Clinical and cost effectiveness of staff training in Positive Behaviour Support (PBS) for treating challenging behaviour in adults with intellectual disability: a cluster randomised controlled trial. BMC Psychiatry, 2014, 14, 219.	1.1	36
187	Clinical outcomes and costs for people with complex psychosis; a naturalistic prospective cohort study of mental health rehabilitation service users in England. BMC Psychiatry, 2016, 16, 95.	1.1	36
188	The MATISSE study: a randomised trial of group art therapy for people with schizophrenia. BMC Psychiatry, 2010, 10, 65.	1.1	35
189	Healthcare decision-making: past present and future, in light of a diagnosis of dementia. International Journal of Palliative Nursing, 2017, 23, 4-11.	0.2	35
190	Acceptance and commitment therapy for adults with advanced cancer (CanACT): A feasibility randomised controlled trial. Psycho-Oncology, 2019, 28, 488-496.	1.0	35
191	The Hampstead Schizophrenia Survey 1991. British Journal of Psychiatry, 1997, 170, 307-311.	1.7	34
192	Patient-held shared care records for individuals with mental illness. British Journal of Psychiatry, 2000, 177, 319-324.	1.7	34
193	Sexual molestation of males: Associations with psychological disturbance. British Journal of Psychiatry, 2002, 181, 153-157.	1.7	34
194	Are multiple primary outcomes analysed appropriately in randomised controlled trials? A review. Contemporary Clinical Trials, 2015, 45, 8-12.	0.8	34
195	Development of a model for integrated care at the end of life in advanced dementia: A whole systems UK-wide approach. Palliative Medicine, 2016, 30, 279-295.	1.3	34
196	Religion, mental health and ethnicity. EMPIRIC – A national survey of England. Journal of Mental Health, 2006, 15, 153-162.	1.0	33
197	Cognitive behaviour therapy (CBT) for anxiety and depression in adults with mild intellectual disabilities (ID): a pilot randomised controlled trial. Trials, 2011, 12, 95.	0.7	33
198	Does recognition of depression in primary care affect outcome? The PREDICT-NL study. Family Practice, 2012, 29, 16-23.	0.8	33

#	Article	lF	CITATIONS
199	Support Needs and Experiences of People Bereaved by Suicide: Qualitative Findings from a Cross-Sectional British Study of Bereaved Young Adults. International Journal of Environmental Research and Public Health, 2018, 15, 666.	1.2	33
200	Development and pilot evaluation of a complex intervention to improve experienced continuity of care in patients with cancer. British Journal of Cancer, 2009, 100, 274-280.	2.9	32
201	Mortality and Medical Care after Bereavement: A General Practice Cohort Study. PLoS ONE, 2013, 8, e52561.	1.1	32
202	Attitudes to suicide following the suicide of a friend or relative: a qualitative study of the views of 429 young bereaved adults in the UK. BMC Psychiatry, 2017, 17, 400.	1.1	32
203	What are the barriers to care integration for those at the advanced stages of dementia living in care homes in the UK? Health care professional perspective. Dementia, 2018, 17, 164-179.	1.0	32
204	Alcohol abuse and dementia. International Journal of Geriatric Psychiatry, 1986, 1, 31-36.	1.3	31
205	Sexual molestation of males: Associations with psychological disturbance. British Journal of Psychiatry, 2002, 181, 153-157.	1.7	31
206	Treatments of homosexuality in Britain since the 1950s-an oral history: the experience of professionals. BMJ: British Medical Journal, 2004, 328, 429-0.	2.4	31
207	Factors associated with anxiety in patients attending a sexually transmitted infection clinic: qualitative survey. International Journal of STD and AIDS, 2006, 17, 299-303.	0.5	31
208	Comparison of risk factors for the onset and maintenance of depression. British Journal of Psychiatry, 2010, 196, 13-17.	1.7	31
209	Spiritual beliefs near the end of life: a prospective cohort study of people with cancer receiving palliative care. Psycho-Oncology, 2013, 22, 2505-2512.	1.0	31
210	Community occupational therapy for people with dementia and family carers (COTiD-UK) versus treatment as usual (Valuing Active Life in Dementia [VALID] programme): study protocol for a randomised controlled trial. Trials, 2016, 17, 65.	0.7	31
211	Evaluation of a system of structured, pro-active care for chronic depression in primary care: a randomised controlled trial. BMC Psychiatry, 2010, 10, 61.	1.1	30
212	Self-reported stigma and its association with socio-demographic factors and physical disability in people with intellectual disabilities: results from a cross-sectional study in England. Social Psychiatry and Psychiatric Epidemiology, 2016, 51, 465-474.	1.6	30
213	Attitudes to depression and its treatment in primary care. Psychological Medicine, 2007, 37, 1239-1248.	2.7	29
214	A pilot cluster randomised controlled trial of a support and training intervention to improve the mental health of secondary school teachers and students – the WISE (Wellbeing in Secondary) Tj ETQq0 0 0 rg	gB <b>T./</b> Overlo	oc <b>k</b> 910 Tf 50
215	An international comparison of the deinstitutionalisation of mental health care: Development and findings of the Mental Health Services Deinstitutionalisation Measure (MENDit). BMC Psychiatry, 2016, 16, 54.	1.1	29
216	Predictors of moving on from mental health supported accommodation in England: national cohort study. British Journal of Psychiatry, 2020, 216, 331-337.	1.7	29

#	Article	IF	CITATIONS
217	Treatment of depression in primary care. British Journal of Psychiatry, 2007, 191, 164-169.	1.7	28
218	The devil is in the detail: Partnerships between psychiatry and faith-based organisations. British Journal of Psychiatry, 2007, 191, 97-98.	1.7	28
219	Scripting sexual function: a qualitative investigation. Sociology of Health and Illness, 2011, 33, 540-553.	1.1	28
220	Epidemiological study of eating disorders: time for a change of emphasis. Psychological Medicine, 1991, 21, 287-291.	2.7	27
221	Psychosocial and sociodemographic predictors of attrition in a longitudinal study of major depression in primary care: the predictD-Spain study. Journal of Epidemiology and Community Health, 2010, 64, 874-884.	2.0	27
222	Managing Sexual Difficulties: A Qualitative Investigation of Coping Strategies. Journal of Sex Research, 2011, 48, 325-333.	1.6	27
223	Mixed anxiety and depressive disorder outcomes: prospective cohort study in primary care. British Journal of Psychiatry, 2011, 198, 472-478.	1.7	27
224	The effect of counselling, graded exercise and usual care for people with chronic fatigue in primary care: a randomized trial. Psychological Medicine, 2012, 42, 2217-2224.	2.7	27
225	Psychological Aspects of HIV Infection and AIDS. British Journal of Psychiatry, 1990, 156, 151-156.	1.7	26
226	National survey of UK psychiatrists' attitudes to euthanasia. Lancet, The, 1998, 352, 1360.	6.3	26
227	Explanations of depression among Irish migrants in Britain. Social Science and Medicine, 2007, 65, 231-244.	1.8	26
228	An international risk prediction algorithm for the onset of generalized anxiety and panic syndromes in general practice attendees: predictA. Psychological Medicine, 2011, 41, 1625-1639.	2.7	26
229	Differential Impact of Risk Factors for Women and Men on the Risk of Major Depressive Disorder. Annals of Epidemiology, 2012, 22, 388-396.	0.9	26
230	Acceptance and commitment therapy for adults with advanced cancer (CanACT): study protocol for a feasibility randomised controlled trial. Trials, 2016, 17, 77.	0.7	26
231	Drug users' views on general practitioners. BMJ: British Medical Journal, 1995, 310, 302-302.	2.4	26
232	Evaluating the use of benzodiazepines following recent bereavement. British Journal of Psychiatry, 2001, 178, 36-41.	1.7	25
233	Phosphodiesterase type 5 inhibitors in the management of erectile dysfunction secondary to treatments for prostate cancer: findings from a Cochrane systematic review. BJU International, 2008, 102, 426-431.	1.3	25
234	Study protocol for the development of a European measure of best practice for people with long term mental health problems in institutional care (DEMoBinc). BMC Psychiatry, 2009, 9, 36.	1.1	25

#	Article	IF	CITATIONS
235	Prevalence and treatment of common mental disorders in the English national population, 1993–2007. British Journal of Psychiatry, 2016, 209, 150-156.	1.7	25
236	Adaptation of the Quality Indicator for Rehabilitative Care (QuIRC) for use in mental health supported accommodation services (QuIRC-SA). BMC Psychiatry, 2016, 16, 101.	1.1	25
237	The Impact of Suicide Bereavement on Educational and Occupational Functioning: A Qualitative Study of 460 Bereaved Adults. International Journal of Environmental Research and Public Health, 2018, 15, 643.	1.2	25
238	The Perceived Impact of Suicide Bereavement on Specific Interpersonal Relationships: A Qualitative Study of Survey Data. International Journal of Environmental Research and Public Health, 2019, 16, 1801.	1.2	25
239	Perceived concepts of continuity of care in people with colorectal and breast cancer - a qualitative case study analysis. European Journal of Cancer Care, 2008, 17, 569-77.	0.7	24
240	Attitudes of therapists and other health professionals towards their LGB patients. International Review of Psychiatry, 2015, 27, 396-404.	1.4	24
241	Effectiveness of cognitive–behavioural therapy for depression in advanced cancer: CanTalk randomised controlled trial. British Journal of Psychiatry, 2020, 216, 213-221.	1.7	24
242	Controlled Evaluation of Management of Schizophrenia in One General Practice: A Pilot Study. Family Practice, 1992, 9, 171-172.	0.8	23
243	Monitoring Psychosis in General Practice: A Controlled Trial. British Journal of Psychiatry, 1996, 169, 475-482.	1.7	23
244	Estimating needs in life threatening illness: a feasibility study to assess the views of patients and doctors. Palliative Medicine, 2006, 20, 205-210.	1.3	23
245	Predicting the onset and persistence of episodes of depression in primary health care. The predictD-Spain study: Methodology. BMC Public Health, 2008, 8, 256.	1.2	23
246	Barriers to the sustainability of an intervention designed to improve patient engagement within NHS mental health rehabilitation units: a qualitative study nested within a randomised controlled trial. BMC Psychiatry, 2015, 15, 209.	1.1	23
247	Intervention to Prevent Major Depression in Primary Care. Annals of Internal Medicine, 2016, 164, 656.	2.0	23
248	Advance directives for patients compulsorily admitted to hospital with serious mental disorders: Directive content and feedback from patients and professionals. Journal of Mental Health, 2004, 13, 379-388.	1.0	22
249	A talking control for use in evaluating the effectiveness of cognitive-behavioral therapy. Behaviour Research and Therapy, 2011, 49, 433-440.	1.6	22
250	Heavy Episodic Drinking in Europe: A Cross Section Study in Primary Care in Six European Countries. Alcohol and Alcoholism, 2011, 46, 600-606.	0.9	22
251	Are depression and poor sexual health neglected comorbidities? Evidence from a population sample. BMJ Open, 2016, 6, e010521.	0.8	22
252	Intentions and experiences of effective practice in mental health specific supported accommodation services: a qualitative interview study. BMC Health Services Research, 2017, 17, 471.	0.9	22

#	Article	IF	CITATIONS
253	The use of internet-mediated cross-sectional studies in mental health research. BJ Psych Advances, 2015, 21, 175-184.	0.5	21
254	A personalized intervention to prevent depression in primary care: cost-effectiveness study nested into a clustered randomized trial. BMC Medicine, 2018, 16, 28.	2.3	21
255	Locus of control in women with eating pathology. Psychological Medicine, 1989, 19, 183-187.	2.7	20
256	Using acupuncture to treat depression: A feasibility study. Complementary Therapies in Medicine, 2008, 16, 87-91.	1.3	20
257	Applied behaviour analysis and standard treatment in intellectual disability: 2-year outcomes. British Journal of Psychiatry, 2011, 198, 490-491.	1.7	20
258	Preventing the onset of major depression based on the level and profile of risk of primary care attendees: protocol of a cluster randomised trial (the predictD-CCRT study). BMC Psychiatry, 2013, 13, 171.	1.1	20
259	Process evaluation of a randomised controlled trial of PBS-based staff training for challenging behaviour in adults with intellectual disability. PLoS ONE, 2019, 14, e0221507.	1.1	20
260	Positive behaviour support training for staff for treating challenging behaviour in people with intellectual disabilities: a cluster RCT. Health Technology Assessment, 2018, 22, 1-110.	1.3	20
261	Alcohol abuse in Huntington's disease. Psychological Medicine, 1985, 15, 815-819.	2.7	19
262	At Risk Drinking among General Practice Attenders:. British Journal of Psychiatry, 1986, 148, 533-540.	1.7	19
263	Cultural Aspects of Eating Disorders. International Review of Psychiatry, 1993, 5, 205-216.	1.4	19
264	Psychiatric health in a sexually transmitted infections clinic. Journal of Psychosomatic Research, 2002, 52, 267-272.	1.2	19
265	Recent life events pose greatest risk for onset of major depressive disorder during mid-life. Journal of Affective Disorders, 2012, 136, 505-513.	2.0	19
266	Psychological distress, gender and dietary factors in South Asians: a cross-sectional survey. Public Health Nutrition, 2014, 17, 1538-1546.	1.1	19
267	Conversion therapies and access to transition-related healthcare in transgender people: a narrative systematic review. BMJ Open, 2018, 8, e022425.	0.8	19
268	A controlled comparison of HIV and general medical referrals to a liaison psychiatry service. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 1994, 6, 69-76.	0.6	18
269	The development of a questionnaire to assess the attitudes of older people to end-of-life issues (AEOLI). Palliative Medicine, 2005, 19, 397-401.	1.3	18
270	Are we getting it right? Parents' perceptions of hospice child bereavement support services. Palliative Medicine, 2007, 21, 401-407.	1.3	18

#	Article	IF	Citations
271	Developing mental health services in response to research evidence. Epidemiologia E Psichiatria Sociale, 2008, 17, 47-56.	1.0	18
272	Living With an Older Person Dying From Cancer, Lung Disease, or Dementia: Health Outcomes From a General Practice Cohort Study. Journal of Pain and Symptom Management, 2016, 51, 839-848.	0.6	18
273	Feasibility Randomised Trial Comparing Two Forms of Mental Health Supported Accommodation (Supported Housing and Floating Outreach); a Component of the QuEST (Quality and Effectiveness of) Tj ETQq1	l <b>10</b> 378431	41.8gBT/Ove
274	Is preparation for end of life associated with pre-death grief in caregivers of people with dementia?. International Psychogeriatrics, 2020, 32, 753-763.	0.6	18
275	Manualised cognitive–behavioural therapy in treating depression in advanced cancer: the CanTalk RCT. Health Technology Assessment, 2019, 23, 1-106.	1.3	18
276	A standardized assessment of patients referred to primary care and hospital psychiatric clinics. Psychological Medicine, 1990, 20, 219-224.	2.7	17
277	Dropping the Diagnosis of Homosexuality: Did it Change the Lot of Gays and Lesbians in Britain?. Australian and New Zealand Journal of Psychiatry, 2003, 37, 684-688.	1.3	17
278	Exploration of three stigma scales in 83 users of mental health services: Implications for campaigns to reduce stigma. Journal of Mental Health, 2005, 14, 343-355.	1.0	17
279	A clinical prediction rule for detecting major depressive disorder in primary care: the PREDICT-NL study. Family Practice, 2009, 26, 241-250.	0.8	17
280	Cuestiones existenciales en la esquizofrenia: percepci $\tilde{A}^3$ n de portadores y cuidadores. Revista De Saude Publica, 2011, 45, 401-408.	0.7	17
281	Predicting onset of major depression in general practice attendees in Europe: extending the application of the predictD risk algorithm from 12 to 24 months. Psychological Medicine, 2013, 43, 1929-1939.	2.7	17
282	Examining the relationship between physical illness and depression: Is there a difference between inflammatory and non inflammatory diseases? A cohort study. General Hospital Psychiatry, 2016, 43, 71-77.	1.2	17
283	Evaluating the clinical and cost effectiveness of a behaviour change intervention for lowering cardiovascular disease risk for people with severe mental illnesses in primary care (PRIMROSE study): study protocol for a cluster randomised controlled trial. Trials, 2016, 17, 80.	0.7	17
284	Quality of care and its determinants in longer term mental health facilities across Europe; a cross-sectional analysis. BMC Psychiatry, 2016, 16, 31.	1.1	17
285	Locating the Social Origins of Mental Illness: The Explanatory Models of Mental Illness Among Clergy from Different Ethnic and Faith Backgrounds. Journal of Religion and Health, 2016, 55, 1607-1622.	0.8	17
286	Cost-effectiveness of counselling, graded-exercise and usual care for chronic fatigue: evidence from a randomised trial in primary care. BMC Health Services Research, 2012, 12, 264.	0.9	16
287	Study protocol: cluster randomised controlled trial to assess the clinical and cost effectiveness of a staff training intervention in inpatient mental health rehabilitation units in increasing service users' engagement in activities. BMC Psychiatry, 2013, 13, 216.	1.1	16
288	Effectiveness of one-to-one volunteer support for patients with psychosis: protocol of a randomised controlled trial. BMJ Open, 2016, 6, e011582.	0.8	16

#	Article	IF	Citations
289	Clinical and cost-effectiveness of contingency management for cannabis use in early psychosis: the CIRCLE randomised clinical trial. BMC Medicine, 2019, 17, 161.	2.3	16
290	Community Occupational Therapy for people with dementia and family carers (COTiD-UK) versus treatment as usual (Valuing Active Life in Dementia [VALID]) study: A single-blind, randomised controlled trial. PLoS Medicine, 2021, 18, e1003433.	3.9	16
291	Effectiveness and costs associated with a lay counselor–delivered, brief problem-solving mental health intervention for adolescents in urban, low-income schools in India: 12-month outcomes of a randomized controlled trial. PLoS Medicine, 2021, 18, e1003778.	3.9	16
292	Legal pitfalls of psychiatric research. British Journal of Psychiatry, 2001, 178, 67-70.	1.7	16
293	A contingency management intervention to reduce cannabis use and time to relapse in early psychosis: the CIRCLE RCT. Health Technology Assessment, 2019, 23, 1-108.	1.3	16
294	Alcohol abuse in an inner city elderly population: The gospel oak survey. International Journal of Geriatric Psychiatry, 1993, 8, 511-514.	1.3	15
295	The effects of patients' and practitioners' preferences on randomized clinical trials. Palliative Medicine, 2000, 14, 539-542.	1.3	15
296	The psychological health and quality of life of older lesbians and gay men: a snowball sampling pilot survey. International Journal of Geriatric Psychiatry, 2003, 18, 754-755.	1.3	15
297	Impact of demographic factors on recognition of persons with depression and anxiety in primary care in Slovenia. BMC Psychiatry, 2008, 8, 96.	1.1	15
298	Cost-effectiveness of cognitive behaviour therapy versus talking and usual care for depressed older people in primary care. BMC Health Services Research, 2011, 11, 33.	0.9	15
299	Social validity of randomised controlled trials in health services research and intellectual disabilities: a qualitative exploration of stakeholder views. Trials, 2011, 12, 144.	0.7	15
300	Patients' Opinions about Knowing Their Risk for Depression and What to Do about It. The PredictD-Qualitative Study. PLoS ONE, 2014, 9, e92008.	1.1	15
301	Moderating factors for the effectiveness of group art therapy for schizophrenia: secondary analysis of data from the MATISSE randomised controlled trial. Social Psychiatry and Psychiatric Epidemiology, 2014, 49, 1703-1710.	1.6	15
302	Use of a formal consensus development technique to produce recommendations for improving the effectiveness of adult mental health multidisciplinary team meetings. BMC Psychiatry, 2015, 15, 143.	1.1	15
303	The mental health of lesbian, gay, and bisexual adults compared with heterosexual adults: results of two nationally representative English household probability samples. Psychological Medicine, 2022, 52, 3402-3411.	2.7	15
304	Debt Counselling for Depression in Primary Care: an adaptive randomised controlled pilot trial (DeCoDer study). Health Technology Assessment, 2017, 21, 1-164.	1.3	15
305	Long-term benzodiazepine users-a mixed bag. Addiction, 1994, 89, 1367-1370.	1.7	14
306	Cardiovascular Screening of People With Severe Mental Illness in England: Views of Service Users and Providers. Psychiatric Services, 2011, 62, 1338-1345.	1.1	14

#	Article	IF	CITATIONS
307	Chronic and Recurrent Depression in Primary Care: Socio-Demographic Features, Morbidity, and Costs. International Journal of Family Medicine, 2012, 2012, 1-7.	1.2	14
308	Crossâ€Cultural Validation of a Measure of Felt Stigma in People with Intellectual Disabilities. Journal of Applied Research in Intellectual Disabilities, 2012, 25, 11-19.	1.3	14
309	The effectiveness of a low-intensity problem-solving intervention for common adolescent mental health problems in New Delhi, India: protocol for a school-based, individually randomized controlled trial with an embedded stepped-wedge, cluster randomized controlled recruitment trial. Trials, 2019, 20. 568.	0.7	14
310	Self-Reported Patterns of Use of Alcohol and Drugs After Suicide Bereavement and Other Sudden Losses: A Mixed Methods Study of 1,854 Young Bereaved Adults in the UK. Frontiers in Psychology, 2020, 11, 1024.	1.1	14
311	Evidence-based medicine and the journal club: a cross-sectional survey of participants' views. Psychiatric Bulletin, 1997, 21, 532-534.	0.3	13
312	Spirituality and religion in psychiatric practice: why all the fuss?. The Psychiatrist, 2010, 34, 190-193.	0.3	13
313	Risk factors for onset of multiple or long major depressive episodes versus single and short episodes. Social Psychiatry and Psychiatric Epidemiology, 2013, 48, 1067-1075.	1.6	13
314	The Challenge of Research into Religion and Spirituality (Keynote 1). Journal for the Study of Spirituality, 2014, 4, 106-120.	0.3	13
315	Effectiveness and cost-effectiveness of a cardiovascular risk prediction algorithm for people with severe mental illness (PRIMROSE). BMJ Open, 2017, 7, e018181.	0.8	13
316	Use of Alcohol and Unprescribed Drugs after Suicide Bereavement: Qualitative Study. International Journal of Environmental Research and Public Health, 2019, 16, 4093.	1.2	13
317	Personality disorder and sexual risk taking among homosexually active and heterosexually active men attending a genito-urinary medicine clinic. Journal of Psychosomatic Research, 1995, 39, 901-910.	1.2	12
318	Development of an instrument to measure terminal restlessness. Palliative Medicine, 1998, 12, 99-104.	1.3	12
319	Psychotherapists' approaches to gay and lesbian patients/clients: A qualitative study. The British Journal of Medical Psychology, 2001, 74, 73-84.	0.6	12
320	Ten year outcomes of participants in the REACT (Randomised Evaluation of Assertive Community) Tj ETQq0 0 0	rgBT/Ove	rlock 10 Tf 50
321	Living conditions and quality of care in residential units for people with long-term mental illness in Portugal – a cross-sectional study. BMC Psychiatry, 2016, 16, 34.	1.1	12
322	Effects of religious vs. standard cognitive behavioral therapy on therapeutic alliance: A randomized clinical trial. Psychotherapy Research, 2016, 26, 365-376.	1.1	12
323	A pragmatic randomised controlled trial assessing the non-inferiority of counselling for depression versus cognitive-behaviour therapy for patients in primary care meeting a diagnosis of moderate or severe depression (PRaCTICED): Study protocol for a randomised controlled trial. Trials, 2017, 18, 93.	0.7	12
324	A randomised controlled trial assessing the use of citalopram, sertraline, fluoxetine and mirtazapine in preventing relapse in primary care patients who are taking long-term maintenance antidepressants (ANTLER: ANTidepressants to prevent reLapse in dEpRession): study protocol for a randomised controlled trial. Trials, 2019, 20, 319.	0.7	12

#	Article	IF	Citations
325	The association of loneliness after sudden bereavement with risk of suicide attempt: a nationwide survey of bereaved adults. Social Psychiatry and Psychiatric Epidemiology, 2020, 55, 1081-1092.	1.6	12
326	Person-centred experiential therapy versus cognitive behavioural therapy delivered in the English Improving Access to Psychological Therapies service for the treatment of moderate or severe depression (PRaCTICED): a pragmatic, randomised, non-inferiority trial. Lancet Psychiatry, the, 2021, 8, 487-499.	3.7	12
327	Predicting the Onset of Anxiety Syndromes at 12 Months in Primary Care Attendees. The PredictA-Spain Study. PLoS ONE, 2014, 9, e106370.	1.1	12
328	Naturism and sexuality: Broadening our approach to sexual wellbeing. Health and Place, 2009, 15, 439-446.	1.5	11
329	Death following partner bereavement: A self-controlled case series analysis. PLoS ONE, 2017, 12, e0173870.	1.1	11
330	Effectiveness of a Positive Parental Practices Training Program for Chilean Preschoolers' Families: A Randomized Controlled Trial. Frontiers in Psychology, 2018, 9, 1751.	1.1	11
331	The urethral syndrome: A controlled evaluation. Journal of Psychosomatic Research, 1993, 37, 737-743.	1.2	10
332	Finding common ground: the boundaries and interconnections between faith-based organisations and mental health services. Mental Health, Religion and Culture, 2012, 15, 349-362.	0.6	10
333	Development of a staff training intervention for inpatient mental health rehabilitation units to increase service users' engagement in activities. British Journal of Occupational Therapy, 2016, 79, 144-152.	0.5	10
334	Cigarette smoking as a risk factor for schizophrenia or all non-affective psychoses. Psychological Medicine, 2021, 51, 1373-1381.	2.7	10
335	The experiences of people bereaved by suicide regarding the press reporting of the death: qualitative study. BMC Public Health, 2020, 20, 176.	1.2	10
336	World Tuberculosis Day 2021 Theme $\hat{a} \in \tilde{a}$ The Clock is Ticking $\hat{a} \in \tilde{a}$ and the world is running out of time to deliver the United Nations General Assembly commitments to End TB due to the COVID-19 pandemic. International Journal of Infectious Diseases, 2021, 113, S1-S6.	<b>1.</b> 5	10
337	Treatment of common mental disorders in general practice: Are current guidelines useless?. British Journal of Psychiatry, 2003, 183, 78-78.	1.7	9
338	Treatments of homosexuality in Britain since the 1950sâ€"an oral history: the experience of patients. BMJ: British Medical Journal, 2004, 328, 427.	2.4	9
339	Brief report: Impact of applied behaviour analysis (ABA) on carer burden and community participation in challenging behaviour: results from a randomised controlled trial. Journal of Intellectual Disability Research, 2012, 56, 285-290.	1.2	9
340	Priorities for the development and evaluation of support after suicide bereavement in the UK: results of a discussion group. Bereavement Care, 2016, 35, 109-116.	0.3	9
341	Suicidality in primary care patients who present with sadness and anhedonia: a prospective European study. BMC Psychiatry, 2016, 16, 94.	1.1	9
342	Context, mechanisms and outcomes in end-of-life care for people with advanced dementia: family carers perspective. BMC Palliative Care, 2019, 18, 87.	0.8	9

#	Article	IF	Citations
343	Perceptions of the Use of Alcohol and Drugs after Sudden Bereavement by Unnatural Causes: Analysis of Online Qualitative Data. International Journal of Environmental Research and Public Health, 2020, 17, 677.	1.2	9
344	Non tuberculous mycobacteria pulmonary disease: patients and clinicians working together to improve the evidence base for care. International Journal of Infectious Diseases, 2021, 113, S73-S77.	1.5	9
345	Antidepressant medication to prevent depression relapse in primary care: the ANTLER RCT. Health Technology Assessment, 2021, 25, 1-62.	1.3	9
346	Case finding for at risk drinking in general practice: cost—benefit analysis. Psychological Medicine, 1986, 16, 359-363.	2.7	8
347	The epidemiology of eating disorders. Epidemiologia E Psichiatria Sociale, 1998, 7, 32-41.	1.0	8
348	The Marist $\tilde{A}_i$ n stigma scale: a standardized international measure of the stigma of schizophrenia and other psychoses. BMC Psychiatry, 2014, 14, 182.	1.1	8
349	Practice nurse-led proactive care for chronic depression in primary care: A randomised controlled trial. British Journal of Psychiatry, 2016, 208, 374-380.	1.7	8
350	Development and psychometric properties of the client $\hat{a} \in \mathbb{T}^M$ s assessment of treatment scale for supported accommodation (CAT-SA). BMC Psychiatry, 2016, 16, 43.	1.1	8
351	The clinical and cost effectiveness of cognitive behavioural therapy plus treatment as usual for the treatment of depression in advanced cancer (CanTalk): study protocol for a randomised controlled trial. Trials, 2016, 17, 113.	0.7	8
352	Stigma in psychiatry seen through the lens of sexuality and gender. BJPsych International, 2019, 16, 77-80.	0.8	8
353	Health research on the Irish in Britain: invisible and excluded. Psychiatric Bulletin, 1997, 21, 739-740.	0.3	7
354	Personal psychotherapy in psychiatric training: study of four London training schemes. Psychiatric Bulletin, 2009, 33, 433-436.	0.3	7
355	Measuring perceived racism and psychosis in African-Caribbean patients in the United Kingdom: the modified perceived racism scale. Clinical Practice and Epidemiology in Mental Health, 2009, 5, 10.	0.6	7
356	Discrimination, ethnicity and psychosis â€" a qualitative study. Ethnicity and Inequalities in Health and Social Care, 2009, 2, 18-29.	0.4	7
357	A randomised controlled trial of the clinical and cost-effectiveness of a contingency management intervention compared to treatment as usual for reduction of cannabis use and of relapse in early psychosis (CIRCLE): a study protocol for a randomised controlled trial. Trials, 2016, 17, 515.	0.7	7
358	Family physicians' views on participating in prevention of major depression. The predictD-EVAL qualitative study. PLoS ONE, 2019, 14, e0217621.	1.1	7
359	Randomized cluster trial of a parenting program in Chile: Key mediators in the decrease in behavior problems in preschool children. Clinical Child Psychology and Psychiatry, 2020, 25, 320-332.	0.8	7
360	Counselling services in general practice. Psychiatric Bulletin, 1994, 18, 65-67.	0.3	7

#	Article	IF	CITATIONS
361	Schizophrenia: community care and the family physician. International Review of Psychiatry, 1992, 4, 267-271.	1.4	6
362	Muslim adolescent mental health in the UK: an exploratory cross-sectional school survey. International Journal of Culture and Mental Health, 2012, 5, 202-218.	0.6	6
363	Factors associated with discontinuation of antidepressant treatment after a single prescription among patients aged 55 or over: evidence from English primary care. Social Psychiatry and Psychiatric Epidemiology, 2019, 54, 1545-1553.	1.6	6
364	Development and Validation of a Risk Model for Prediction of Hazardous Alcohol Consumption in General Practice Attendees: The PredictAL Study. PLoS ONE, 2011, 6, e22175.	1.1	6
365	Primary care management of cardiovascular risk for people with severe mental illnesses: the Primrose research programme including cluster RCT. Programme Grants for Applied Research, 2019, 7, 1-98.	0.4	6
366	Cost-Utility Analysis of Discontinuing Antidepressants in England Primary Care Patients Compared with Long-Term Maintenance: The ANTLER Study. Applied Health Economics and Health Policy, 2022, 20, 269-282.	1.0	6
367	Mental illness and removal from general practitioners' lists. Journal of Mental Health, 2002, 11, 97-102.	1.0	5
368	Patient Preference and Validity of Randomized Controlled Trialsâ€"Reply. JAMA - Journal of the American Medical Association, 2005, 294, 41.	3.8	5
369	The queer relationship between psychoanalysts and their gay and lesbian patients. Psychoanalytic Psychotherapy, 2011, 25, 308-318.	0.2	5
370	Pastoral care of mental illness and the accommodation of African Christian beliefs and practices by UK clergy. Transcultural Psychiatry, 2017, 54, 86-106.	0.9	5
371	Staff training in positive behaviour support for behaviour that challenges in people with intellectual disability: cost-utility analysis of a cluster randomised controlled trial. BJPsych Open, 2020, 6, e15.	0.3	5
372	The Rehabilitation Effectiveness for Activities for Life (REAL) study: a national programme of research into NHS inpatient mental health rehabilitation services across England. Programme Grants for Applied Research, 2017, 5, 1-284.	0.4	5
373	BITE: Self-rating Scale for Bulimia. British Journal of Psychiatry, 1987, 150, 714-715.	1.7	4
374	Psychological treatments and their evaluation. International Review of Psychiatry, 1998, 10, 123-126.	1.4	4
375	The College. Psychiatric Bulletin, 2002, 26, 437-438.	0.3	4
376	Duration of psychotherapy has little association with outcome. British Journal of Psychiatry, 2015, 207, 93-94.	1.7	4
377	A manualised weight management programme for adults with mild–moderate intellectual disabilities affected by excess weight: A randomised controlled feasibility trial (Shape <scp>Up‣D</scp> )*. Journal of Applied Research in Intellectual Disabilities, 2022, 35, 112-122.	1.3	4
378	Oxford Textbook of Psychiatry (3rd edition) Edited by M. Gelder, D. Gath, R. Mayou and P. Cowen. Oxford: Oxford Medical Publications. 1996. 944 pp. £60 (hb), £29.50 (pb). British Journal of Psychiatry, 1997, 171, 96-96.	1.7	3

#	Article	IF	Citations
379	Non-directive psychotherapy versus routine general practitioner care. Lancet, The, 1998, 351, 751-752.	6.3	3
380	Homosexuality and the Mental Health Professions: The Impact of Bias Formulated by the Committee on Human Sexuality. Hillsdale, NJ: Analytic Press. 2000. 132 pp. £22.50 (hb). ISBN 0 881 63318 6. British Journal of Psychiatry, 2001, 179, 563-563.	1.7	3
381	Longstanding disease, disability or infirmity and depression in primary care. Wiener Klinische Wochenschrift, 2010, 122, 567-571.	1.0	3
382	The Mental Health Recovery Star: great for care planning but not as a routine outcome measure. The Psychiatrist, 2012, 36, 194-194.	0.3	3
383	Effectiveness of a group-based psychosocial program to prevent depression and anxiety in older people attending primary health care centres: a randomised controlled trial. BMC Geriatrics, 2019, 19, 237.	1.1	3
384	The Association Between Personality Disorder Traits and Suicidality Following Sudden Bereavement: A National Cross-Sectional Survey. Journal of Personality Disorders, 2021, 35, 1-19.	0.8	3
385	Longitudinal Outcomes of Gender Identity in Children (LOGIC): protocol for a prospective longitudinal cohort study of children referred to the UK gender identity development service. BMJ Open, 2021, 11, e045628.	0.8	3
386	Withdrawal of triazolam's product licence: effect on patients 18 months later. Addiction, 1995, 90, 927-934.	1.7	3
387	Supported accommodation for people with mental health problems: the QuEST research programme with feasibility RCT. Programme Grants for Applied Research, 2019, 7, 1-82.	0.4	3
388	Standardised measures of needs, stigma and informal care in schizophrenia using a bottom-up, cross-cultural approach. Mental Health in Family Medicine, 2012, 9, 125-34.	0.2	3
389	Cost-utility analysis of community occupational therapy in dementia (COTiD-UK) versus usual care: Results from VALID, a multi-site randomised controlled trial in the UK. PLoS ONE, 2022, 17, e0262828.	1.1	3
390	Does the impact of bereavement vary between same and different gender partnerships? A representative national, cross-sectional study. Psychological Medicine, 0, , 1-9.	2.7	3
391	The Struck-off Mystery. Journal of the Royal Society of Medicine, 1999, 92, 443-445.	1.1	2
392	Jury is Still Out. British Journal of Psychiatry, 1999, 175, 286-286.	1.7	2
393	Angina in primary care in Goa, India: sex differences and associated risk factors. Heart Asia, 2010, 2, 28-35.	1.1	2
394	Standardization of the MARISTÃN scale to measure needs in people with schizophrenia and related psychoses. International Journal of Social Psychiatry, 2014, 60, 219-226.	1.6	2
395	WHY IS INTEGRATED CARE NOT WORKING IN END OF LIFE CARE FOR THOSE WITH ADVANCED DEMENTIA? FROM THE HEALTH CARE PROFESSIONAL PERSPECTIVE. BMJ Supportive and Palliative Care, 2015, 5, 113.1-113.	0.8	2
396	Predicting the onset of hazardous alcohol drinking in primary care: development and validation of a simple risk algorithm. British Journal of General Practice, 2017, 67, e280-e292.	0.7	2

#	Article	IF	Citations
397	Relationship between national mental health expenditure and quality of care in longer-term psychiatric and social care facilities in Europe: cross-sectional study. British Journal of Psychiatry, 2017, 211, 45-49.	1.7	2
398	A cluster randomised controlled trial of a staff-training intervention in residential units for people with long-term mental illness in Portugal: the PromQual trial. Social Psychiatry and Psychiatric Epidemiology, 2017, 52, 1435-1445.	1.6	2
399	Problem solving treatment for major depression in primary care. BMJ: British Medical Journal, 1995, 310, 1266-1266.	2.4	2
400	Using tranquillising medication after bereavement. Bereavement Care, 1997, 16, 14-15.	0.3	1
401	Treatments of homosexuality in Britain since the 1950s—an oral history: the experience of professionals. BMJ: British Medical Journal, 2004, 328, 429.	2.4	1
402	Authors' reply. British Journal of Psychiatry, 2013, 202, 386-386.	1.7	1
403	A QUALITATIVE ANALYSIS OF BARRIERS TO FUTURE CARE DISCUSSIONS WITH FAMILY MEMBERS OF CARE HOME RESIDENTS WITH ADVANCED DEMENTIA. BMJ Supportive and Palliative Care, 2015, 5, 112.2-113.	0.8	1
404	Reducing the stigma of public health messages. Invited commentary on … Everybody gets stressed. Psychiatric Bulletin, 2009, 33, 443-444.	0.3	1
405	Changes in American Psychiatry: Impressions of a UK Trainee. Bulletin of the Royal College of Psychiatrists, 1984, 8, 102-104.	0.1	1
406	One-to-one befriending for people with intellectual disability and symptoms of depression: protocol for a pilot randomised controlled trial. BMJ Open, 2020, 10, e033989.	0.8	1
407	Pathology of Eating. Psychology and Treatment. By Sara Gilbert. (Pp. 246; £14.95.) Routledge & mp; Kegan Paul: London. 1986 Psychological Medicine, 1987, 17, 786-787.	2.7	0
408	HIV TESTING WITHOUT PERMISSION. Lancet, The, 1988, 332, 395-396.	6.3	0
409	Studies of behaviour in relation to HIV infection. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 1991, 3, 433-437.	0.6	0
410	Men who Beat the Men who Love them. David Island and Patrick Letellier. New York: Haworth Press. 1991. 301 pp. US \$29.95(hb), US \$17.95(pb) British Journal of Psychiatry, 1992, 161, 876-876.	1.7	0
411	Benzodiazepine withdrawal among chronic daytime users in general practice. Psychiatric Bulletin, 1993, 17, 77-78.	0.3	O
412	AIDS Health and Mental Health. By J. Landau-Stanton, C. D. Clements and Associates. (Pp. 370; \$38.95.) Brunner/Mazel: New York. 1993 Psychological Medicine, 1994, 24, 249-250.	2.7	0
413	The Role of Counsellors in General Practice (Occasional Paper 74). By Bonnie Sibbald, Julia Addington-Hall, Douglas Brennemann and Paul Freeling. London: Royal College of General Practitioners. 1996. 19 pp. £9.90. ISBN 0-85084-230-1 Psychiatric Bulletin, 1998, 22, 269-269.	0.3	0
414	Psychotherapy and Counselling in Practice, A Narrative Framework. International Journal of Psychiatry in Clinical Practice, 2004, 8, 65-65.	1.2	0

#	Article	IF	CITATIONS
415	Jonathan Andrews and Anne Digby, eds. Sex and Seclusion, Class and Custody: Perspectives on Gender and Class in the History of British and Irish Psychiatry. (Clio Medica 73). New York, Rodopi, 2004. 338 pp., illus. \$51 (paper) Journal of the History of Medicine and Allied Sciences, 2006, 61, 87-88.	0.1	0
416	Ten books. British Journal of Psychiatry, 2007, 191, 268-270.	1.7	O
417	Invited commentary on … Proposals for massive expansion of psychological therapies would be counterproductive across society. British Journal of Psychiatry, 2008, 192, 331-332.	1.7	0
418	Is Faith Delusion? Why Religion is Good for Your Health. By Andrew Sims. Continuum Books. 2009. £14.99 (pb). 252pp. ISBN: 9781847063403. British Journal of Psychiatry, 2011, 198, 412-412.	1.7	0
419	The LGBT Casebook Edited By Petros Levounis, Jack Drescher & Drescher & American Psychiatric Publishing. 2012. US\$62.00 (pb). 324 pp. ISBN: 9781585624218. British Journal of Psychiatry, 2013, 203, 156-156.	1.7	0
420	USING QUALITATIVE EVIDENCE TO HELP UNDERSTAND COMPLEX PALLIATIVE CARE INTERVENTIONS: A NOVEL EVIDENCE SYNTHESIS APPROACH. BMJ Supportive and Palliative Care, 2014, 4, A41.3-A42.	0.8	0
421	Walking Shadows: Archetype and Psyche in Crisis and Growth By Tim Read Muswell Hill Press. 2014. £17.95. pb. 362 pp. ISBN 9781908995094. British Journal of Psychiatry, 2015, 207, 461-462.	1.7	0
422	Sexual Problems. , 0, , 327-342.		0
423	167â€Methylphenidate for depression in palliative care – what's new?. , 2018, , .		0
424	Commentary on Mental health symptoms and suicidality in Iranian gay men. Psychological Medicine, 2021, 51, 1587-1588.	2.7	0
425	One-to-one volunteer befriending to reduce symptoms of depression in people with intellectual disability: a feasibility RCT. Public Health Research, 2021, 9, 1-80.	0.5	0
426	Sexuality of health practitioners is complex. BMJ: British Medical Journal, 2004, 328, 1567.4-1568.	2.4	0
427	Children's Sexual Encounters with Adults. By C. K. Li, D. L. West and T. P. Woodhouse London: Duckworth. 1990. 343 pp. £39.95 Child Sexual Abuse in Northern Ireland. By The Research Team. Northern Ireland: Greystone Books. 1990. 188 pp. £18.00 British Journal of Psychiatry, 1991, 158, 728-728.	1.7	0
428	Behavioral Aspects of AIDS. Edited by David G. Ostrow New York: Plenum Publishing Corporation. 1990. 414 pp. US\$55.00 British Journal of Psychiatry, 1991, 159, 759-759.	1.7	0
429	Reclaiming the Authentic Self. Dynamic Psychotherapy with Gay Men. By Carlton Cornett. New Jersey: Jason Aronson. 1995. 210 pp. Price not given (hb) British Journal of Psychiatry, 1995, 167, 845-846.	1.7	0
430	Counselling and Psychotherapy. A Consumers Guide. By Windy Dryden and Colin Feltham. London: Sheldon Press. 1995. 160 pp. ţ9.99 (pb) British Journal of Psychiatry, 1995, 167, 845-845.	1.7	0
431	Psychiatry and Religion, Context, Consensus and Controversies. Edited By Dinesh Bhugra. London: Routledge. 1996. 236 pp. £50 (hb). British Journal of Psychiatry, 1997, 170, 93-94.	1.7	0
432	Counselling Difficult Clients. By Kingsley Norton & Gill McGauley. 1997. London: Sage. 153 pp. £35 (hb), £12.99 (pb). ISBN 0-803-97673-9 (hb). British Journal of Psychiatry, 1998, 173, 446-447.	1.7	0

#	Article	IF	CITATIONS
433	Stepped approach to improving sexual function after gynaecological cancer: the SAFFRON feasibility RCT. Health Technology Assessment, 2019, 23, 1-92.	1.3	O
434	Current Research into Alcohol Problems in Primary Care. Bulletin of the Royal College of Psychiatrists, 1986, 10, 33-34.	0.1	0
435	Title is missing!. , 2021, 18, e1003433.		0
436	Title is missing!. , 2021, 18, e1003433.		0
437	Title is missing!. , 2021, 18, e1003433.		O
438	Title is missing!. , 2021, 18, e1003433.		0
439	Title is missing!. , 2021, 18, e1003433.		O
440	Title is missing!. , 2021, 18, e1003433.		0