

Michael B King

List of Publications by Citations

Source: <https://exaly.com/author-pdf/9438946/michael-b-king-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

432
papers

19,483
citations

73
h-index

120
g-index

451
ext. papers

22,273
ext. citations

5.9
avg, IF

6.71
L-index

#	Paper	IF	Citations
432	A systematic review of mental disorder, suicide, and deliberate self harm in lesbian, gay and bisexual people. <i>BMC Psychiatry</i> , 2008 , 8, 70	4.2	1167
431	Relative risk of cardiovascular and cancer mortality in people with severe mental illness from the United Kingdom's General Practice Research Database. <i>Archives of General Psychiatry</i> , 2007 , 64, 242-9		451
430	Effectiveness of an intervention led by lay health counsellors for depressive and anxiety disorders in primary care in Goa, India (MANAS): a cluster randomised controlled trial. <i>Lancet, The</i> , 2010 , 376, 2086-95	4.0	440
429	Dementia in the acute hospital: prospective cohort study of prevalence and mortality. <i>British Journal of Psychiatry</i> , 2009 , 195, 61-6	5.4	416
428	Stigma: the feelings and experiences of 46 people with mental illness. Qualitative study. <i>British Journal of Psychiatry</i> , 2004 , 184, 176-81	5.4	285
427	Therapist-delivered Internet psychotherapy for depression in primary care: a randomised controlled trial. <i>Lancet, The</i> , 2009 , 374, 628-34	4.0	271
426	How to develop a more accurate risk prediction model when there are few events. <i>BMJ, The</i> , 2015 , 351, h3868	5.9	258
425	Detecting common mental disorders in primary care in India: a comparison of five screening questionnaires. <i>Psychological Medicine</i> , 2008 , 38, 221-8	6.9	240
424	Prospective controlled study of psychiatric out-patient non-attendance. Characteristics and outcome. <i>British Journal of Psychiatry</i> , 2000 , 176, 160-5	5.4	225
423	Effects of suicide bereavement on mental health and suicide risk. <i>Lancet Psychiatry, the</i> , 2014 , 1, 86-94	23.3	222
422	The Healthy Activity Program (HAP), a lay counsellor-delivered brief psychological treatment for severe depression, in primary care in India: a randomised controlled trial. <i>Lancet, The</i> , 2017 , 389, 176-185	4.0	202
421	Childhood sexual abuse and psychosis: data from a cross-sectional national psychiatric survey in England. <i>British Journal of Psychiatry</i> , 2011 , 199, 29-37	5.4	200
420	The Stigma Scale: development of a standardised measure of the stigma of mental illness. <i>British Journal of Psychiatry</i> , 2007 , 190, 248-54	5.4	199
419	Impact of participant and physician intervention preferences on randomized trials: a systematic review. <i>JAMA - Journal of the American Medical Association</i> , 2005 , 293, 1089-99	27.4	199
418	Mortality gap for people with bipolar disorder and schizophrenia: UK-based cohort study 2000-2014. <i>British Journal of Psychiatry</i> , 2017 , 211, 175-181	5.4	197
417	Prevalence of common mental disorders in general practice attendees across Europe. <i>British Journal of Psychiatry</i> , 2008 , 192, 362-7	5.4	196
416	Improving the effectiveness of multidisciplinary team meetings for patients with chronic diseases: a prospective observational study. <i>Health Services and Delivery Research</i> , 2014 , 2, 1-172	1.5	191

415	Self stigma in people with intellectual disabilities and courtesy stigma in family carers: a systematic review. <i>Research in Developmental Disabilities</i> , 2012 , 33, 2122-40	2.7	188
414	Randomised controlled trial of non-directive counselling, cognitive-behaviour therapy, and usual general practitioner care for patients with depression. I: clinical effectiveness. <i>BMJ: British Medical Journal</i> , 2000 , 321, 1383-8		176
413	The REACT study: randomised evaluation of assertive community treatment in north London. <i>BMJ, The</i> , 2006 , 332, 815-20	5.9	170
412	Mental health of the non-heterosexual population of England. <i>British Journal of Psychiatry</i> , 2011 , 198, 143-8	5.4	164
411	Neuropsychological predictors of clinical outcome in opiate addiction. <i>Drug and Alcohol Dependence</i> , 2008 , 94, 82-91	4.9	158
410	Lay health worker led intervention for depressive and anxiety disorders in India: impact on clinical and disability outcomes over 12 months. <i>British Journal of Psychiatry</i> , 2011 , 199, 459-66	5.4	156
409	At risk drinking among general practice attenders: validation of the CAGE questionnaire. <i>Psychological Medicine</i> , 1986 , 16, 213-7	6.9	156
408	Pathways to care for patients with a first episode of psychosis. A comparison of ethnic groups. <i>British Journal of Psychiatry</i> , 1995 , 167, 770-6	5.4	152
407	Common mental disorders and ethnicity in England: the EMPIRIC study. <i>Psychological Medicine</i> , 2004 , 34, 1543-51	6.9	149
406	Problems with sexual function in people attending London general practitioners: cross sectional study. <i>BMJ, The</i> , 2003 , 327, 423	5.9	148
405	Physical activity, dietary habits and Coronary Heart Disease risk factor knowledge amongst people with severe mental illness: a cross sectional comparative study in primary care. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007 , 42, 787-93	4.5	144
404	Mental health and quality of life of gay men and lesbians in England and Wales: controlled, cross-sectional study. <i>British Journal of Psychiatry</i> , 2003 , 183, 552-8	5.4	142
403	Sexual orientation and symptoms of common mental disorder or low wellbeing: combined meta-analysis of 12 UK population health surveys. <i>BMC Psychiatry</i> , 2016 , 16, 67	4.2	141
402	Rates and predictors of mental illness in gay men, lesbians and bisexual men and women: Results from a survey based in England and Wales. <i>British Journal of Psychiatry</i> , 2004 , 185, 479-85	5.4	137
401	Relative risk of diabetes, dyslipidaemia, hypertension and the metabolic syndrome in people with severe mental illnesses: systematic review and metaanalysis. <i>BMC Psychiatry</i> , 2008 , 8, 84	4.2	134
400	Clinical effectiveness of individual cognitive behavioral therapy for depressed older people in primary care: a randomized controlled trial. <i>Archives of General Psychiatry</i> , 2009 , 66, 1332-40		131
399	Sexual abuse and psychiatric disorder in England: results from the 2007 Adult Psychiatric Morbidity Survey. <i>Psychological Medicine</i> , 2011 , 41, 709-19	6.9	125
398	Mental health and quality of life of gay men and lesbians in England and Wales: Controlled, cross-sectional study. <i>British Journal of Psychiatry</i> , 2003 , 183, 552-558	5.4	119

397	Effectiveness of teaching general practitioners skills in brief cognitive behaviour therapy to treat patients with depression: randomised controlled trial. <i>BMJ, The</i> , 2002 , 324, 947-50	5.9	119
396	Living and dying with advanced dementia: A prospective cohort study of symptoms, service use and care at the end of life. <i>Palliative Medicine</i> , 2018 , 32, 668-681	5.5	118
395	Development and validation of an international risk prediction algorithm for episodes of major depression in general practice attendees: the PredictD study. <i>Archives of General Psychiatry</i> , 2008 , 65, 1368-76		115
394	The effects of sexual assault on men: a survey of 22 victims. <i>Psychological Medicine</i> , 1989 , 19, 205-9	6.9	114
393	The Patient Health Questionnaire-9 for detection of major depressive disorder in primary care: consequences of current thresholds in a cross-sectional study. <i>BMC Family Practice</i> , 2010 , 11, 98	2.6	111
392	Prevalence of dementia in intellectual disability using different diagnostic criteria. <i>British Journal of Psychiatry</i> , 2007 , 191, 150-7	5.4	108
391	Bereavement by suicide as a risk factor for suicide attempt: a cross-sectional national UK-wide study of 3432 young bereaved adults. <i>BMJ Open</i> , 2016 , 6, e009948	3	108
390	The Royal Free interview for religious and spiritual beliefs: development and standardization. <i>Psychological Medicine</i> , 1995 , 25, 1125-34	6.9	103
389	The risk for depression conferred by stressful life events is modified by variation at the serotonin transporter 5HTTLPR genotype: evidence from the Spanish PREDICT-Gene cohort. <i>Molecular Psychiatry</i> , 2007 , 12, 748-55	15.1	102
388	Family size in white gay and heterosexual men. <i>Archives of Sexual Behavior</i> , 2005 , 34, 117-22	3.5	102
387	Spiritual beliefs may affect outcome of bereavement: prospective study. <i>BMJ, The</i> , 2002 , 324, 1551	5.9	102
386	Randomized, single-blind, controlled trial of a specialist behavior therapy team for challenging behavior in adults with intellectual disabilities. <i>American Journal of Psychiatry</i> , 2009 , 166, 1278-85	11.9	101
385	Interventions for supporting informal caregivers of patients in the terminal phase of a disease. <i>The Cochrane Library</i> , 2011 , CD007617	5.2	100
384	Suicide in young men. <i>Lancet, The</i> , 2012 , 379, 2383-92	40	98
383	Lifetime prevalence, characteristics, and associated problems of non-consensual sex in men: cross sectional survey. <i>BMJ: British Medical Journal</i> , 1999 , 318, 846-50		97
382	Eating disorders in a general practice population. Prevalence, characteristics and follow-up at 12 to 18 months. <i>Psychological Medicine Monograph Supplement</i> , 1989 , 14, 1-34		96
381	Cardiovascular risk prediction models for people with severe mental illness: results from the prediction and management of cardiovascular risk in people with severe mental illnesses (PRIMROSE) research program. <i>JAMA Psychiatry</i> , 2015 , 72, 143-51	14.5	93
380	Counselling for Alcohol Problems (CAP), a lay counsellor-delivered brief psychological treatment for harmful drinking in men, in primary care in India: a randomised controlled trial. <i>Lancet, The</i> , 2017 , 389, 186-195	40	92

379	Risk for coronary heart disease in people with severe mental illness: cross-sectional comparative study in primary care. <i>British Journal of Psychiatry</i> , 2006 , 188, 271-7	5.4	91
378	Advance directives for patients compulsorily admitted to hospital with serious mental illness. Randomised controlled trial. <i>British Journal of Psychiatry</i> , 2002 , 181, 513-9	5.4	91
377	The royal free interview for spiritual and religious beliefs: development and validation of a self-report version. <i>Psychological Medicine</i> , 2001 , 31, 1015-23	6.9	91
376	Religion, spirituality and mental health: results from a national study of English households. <i>British Journal of Psychiatry</i> , 2013 , 202, 68-73	5.4	90
375	Eating disorders: lessons from a cross-cultural study. <i>Psychological Medicine</i> , 1989 , 19, 955-8	6.9	90
374	Prescribing trends in bipolar disorder: cohort study in the United Kingdom THIN primary care database 1995-2009. <i>PLoS ONE</i> , 2011 , 6, e28725	3.7	89
373	The Healthy Activity Program lay counsellor delivered treatment for severe depression in India: systematic development and randomised evaluation. <i>British Journal of Psychiatry</i> , 2016 , 208, 381-8	5.4	88
372	First-onset psychotic illness: patients' and relatives' satisfaction with services. <i>British Journal of Psychiatry</i> , 1997 , 170, 53-7	5.4	87
371	Psychiatrists' religious attitudes in relation to their clinical practice: a survey of 231 psychiatrists. <i>Acta Psychiatrica Scandinavica</i> , 1993 , 88, 420-4	6.5	87
370	Women's views of their sexual difficulties: agreement and disagreement with clinical diagnoses. <i>Archives of Sexual Behavior</i> , 2007 , 36, 281-8	3.5	86
369	Palliative assessment and advance care planning in severe dementia: an exploratory randomized controlled trial of a complex intervention. <i>Palliative Medicine</i> , 2011 , 25, 197-209	5.5	85
368	Ten-year follow-up of 50 patients with bulimia nervosa. <i>British Journal of Psychiatry</i> , 1994 , 164, 80-7	5.4	85
367	Mental well-being and mental illness: findings from the Adult Psychiatric Morbidity Survey for England 2007. <i>British Journal of Psychiatry</i> , 2011 , 199, 23-8	5.4	83
366	Randomised controlled assessment of non-directive psychotherapy versus routine general-practitioner care. <i>Lancet, The</i> , 1997 , 350, 1662-5	4.0	81
365	Associations between unemployment and major depressive disorder: evidence from an international, prospective study (the predict cohort). <i>Social Science and Medicine</i> , 2011 , 73, 1627-34	5.1	80
364	Incidence of dementia in older adults with intellectual disabilities. <i>Research in Developmental Disabilities</i> , 2013 , 34, 1881-5	2.7	78
363	Conceptualising spirituality for medical research and health service provision. <i>BMC Health Services Research</i> , 2009 , 9, 116	2.9	77
362	Reducing emotional distress in people caring for patients receiving specialist palliative care. Randomised trial. <i>British Journal of Psychiatry</i> , 2007 , 190, 142-7	5.4	77

361	Psychological disorder amongst refugee and migrant schoolchildren in London. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004 , 39, 191-5	4.5	76
360	A systematic review of the international published literature relating to quality of institutional care for people with longer term mental health problems. <i>BMC Psychiatry</i> , 2009 , 9, 55	4.2	74
359	The effect of spiritual beliefs on outcome from illness. <i>Social Science and Medicine</i> , 1999 , 48, 1291-9	5.1	73
358	Group art therapy as an adjunctive treatment for people with schizophrenia: multicentre pragmatic randomised trial. <i>BMJ, The</i> , 2012 , 344, e846	5.9	72
357	Integrating evidence-based treatments for common mental disorders in routine primary care: feasibility and acceptability of the MANAS intervention in Goa, India. <i>World Psychiatry</i> , 2008 , 7, 39-46	14.4	72
356	Challenges to sanctuary: the clergy as a resource for mental health care in the community. <i>Social Science and Medicine</i> , 2007 , 65, 548-59	5.1	72
355	The 5-HTTLPR s/s genotype at the serotonin transporter gene (SLC6A4) increases the risk for depression in a large cohort of primary care attendees: the PREDICT-gene study. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2006 , 141B, 912-7	3.5	72
354	The natural course and outcome of major depressive disorder in primary care: the PREDICT-NL study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012 , 47, 87-95	4.5	71
353	Religiously integrated cognitive behavioral therapy: a new method of treatment for major depression in patients with chronic medical illness. <i>Psychotherapy</i> , 2015 , 52, 56-66	2.5	68
352	A randomized controlled trial of a brief intervention for families of patients with a first episode of psychosis. <i>Psychological Medicine</i> , 2004 , 34, 423-31	6.9	68
351	Sexual dysfunction after treatment for testicular cancer: a systematic review. <i>Journal of Psychosomatic Research</i> , 2001 , 51, 735-43	4.1	68
350	Psychotic symptoms in the general population of England—a comparison of ethnic groups (The EMPIRIC study). <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005 , 40, 375-81	4.5	64
349	Ethnicity and outcome of psychosis. <i>British Journal of Psychiatry</i> , 1999 , 175, 34-42	5.4	64
348	Religious vs. conventional cognitive behavioral therapy for major depression in persons with chronic medical illness: a pilot randomized trial. <i>Journal of Nervous and Mental Disease</i> , 2015 , 203, 243-51 ^{1.8}		63
347	The relationship of dementia prevalence in older adults with intellectual disability (ID) to age and severity of ID. <i>Psychological Medicine</i> , 2009 , 39, 13-21	6.9	63
346	Randomised controlled trial of non-directive counselling, cognitive-behaviour therapy, and usual general practitioner care for patients with depression. II: cost effectiveness. <i>BMJ: British Medical Journal</i> , 2000 , 321, 1389-92		63
345	Acceptability of an advance care planning interview schedule: a focus group study. <i>Palliative Medicine</i> , 2007 , 21, 23-8	5.5	62
344	Self-harm, Unintentional Injury, and Suicide in Bipolar Disorder During Maintenance Mood Stabilizer Treatment: A UK Population-Based Electronic Health Records Study. <i>JAMA Psychiatry</i> , 2016 , 73, 630-7	14.5	62

343	Randomised evaluation of assertive community treatment: 3-year outcomes. <i>British Journal of Psychiatry</i> , 2009 , 195, 81-2	5.4	61
342	Psychostimulants for depression. <i>The Cochrane Library</i> , 2008 , CD006722	5.2	61
341	The stigma perceived by people bereaved by suicide and other sudden deaths: A cross-sectional UK study of 3432 bereaved adults. <i>Journal of Psychosomatic Research</i> , 2016 , 87, 22-9	4.1	60
340	Psychosocial status of 192 out-patients with HIV infection and AIDS. <i>British Journal of Psychiatry</i> , 1989 , 154, 237-42	5.4	60
339	Lithium vs. valproate vs. olanzapine vs. quetiapine as maintenance monotherapy for bipolar disorder: a population-based UK cohort study using electronic health records. <i>World Psychiatry</i> , 2016 , 15, 53-8	14.4	60
338	Psychosocial interventions for perinatal common mental disorders delivered by providers who are not mental health specialists in low- and middle-income countries: a systematic review and meta-analysis. <i>PLoS Medicine</i> , 2013 , 10, e1001541	11.6	59
337	The impact of cancer on sexual function: a controlled study. <i>Palliative Medicine</i> , 2003 , 17, 202-5	5.5	59
336	British psychiatry and homosexuality. <i>British Journal of Psychiatry</i> , 1999 , 175, 106-13	5.4	59
335	Impact of a nurse-led intervention to improve screening for cardiovascular risk factors in people with severe mental illnesses. Phase-two cluster randomised feasibility trial of community mental health teams. <i>BMC Health Services Research</i> , 2010 , 10, 61	2.9	58
334	Prediction of depression in European general practice attendees: the PREDICT study. <i>BMC Public Health</i> , 2006 , 6, 6	4.1	58
333	Patient preferences in randomised controlled trials: conceptual framework and implications for research. <i>Social Science and Medicine</i> , 2005 , 61, 685-95	5.1	58
332	Advance Care Planning in Dementia: Do Family Carers Know the Treatment Preferences of People with Early Dementia?. <i>PLoS ONE</i> , 2016 , 11, e0159056	3.7	58
331	Depression in Irish migrants living in London: case-control study. <i>British Journal of Psychiatry</i> , 2006 , 188, 560-6	5.4	57
330	Body mass index and common mental disorders: exploring the shape of the association and its moderation by age, gender and education. <i>International Journal of Obesity</i> , 2012 , 36, 414-21	5.5	56
329	Adverse Renal, Endocrine, Hepatic, and Metabolic Events during Maintenance Mood Stabilizer Treatment for Bipolar Disorder: A Population-Based Cohort Study. <i>PLoS Medicine</i> , 2016 , 13, e1002058	11.6	56
328	Depression and common mental disorders in lone parents: results of the 2000 National Psychiatric Morbidity Survey. <i>Psychological Medicine</i> , 2008 , 38, 335-42	6.9	55
327	Measuring spiritual belief: development and standardization of a Beliefs and Values Scale. <i>Psychological Medicine</i> , 2006 , 36, 417-25	6.9	55
326	Why people do not take their psychotropic drugs as prescribed: results of the 2000 National Psychiatric Morbidity Survey. <i>Acta Psychiatrica Scandinavica</i> , 2007 , 116, 47-53	6.5	54

325	Spiritual and religious beliefs in acute illness--is this a feasible area for study?. <i>Social Science and Medicine</i> , 1994 , 38, 631-6	5.1	54
324	Suicide and severe mental illnesses. Cohort study within the UK general practice research database. <i>Schizophrenia Research</i> , 2008 , 99, 134-8	3.6	53
323	Cognitive-behavioural therapy for anxiety in dementia: pilot randomised controlled trial. <i>British Journal of Psychiatry</i> , 2015 , 206, 509-16	5.4	52
322	Psychometric properties of the List of Threatening Experiences--LTE and its association with psychosocial factors and mental disorders according to different scoring methods. <i>Journal of Affective Disorders</i> , 2013 , 150, 931-40	6.6	52
321	Survival of people with dementia after unplanned acute hospital admission: a prospective cohort study. <i>International Journal of Geriatric Psychiatry</i> , 2013 , 28, 1015-22	3.9	51
320	Sexually assaulted males: 115 men consulting a counseling service. <i>Archives of Sexual Behavior</i> , 1997 , 26, 579-88	3.5	50
319	Interventions for sexual dysfunction following treatments for cancer. <i>Cochrane Database of Systematic Reviews</i> , 2007 , CD005540		50
318	The "epidemic" of anorexia nervosa: another medical myth?. <i>Lancet, The</i> , 1987 , 1, 205-7	4.0	50
317	Ethnicity and religious coping with mental distress. <i>Journal of Mental Health</i> , 2008 , 17, 141-151	2.7	49
316	The natural history of eating pathology in attenders to primary medical care. <i>International Journal of Eating Disorders</i> , 1991 , 10, 379-387	6.3	49
315	The stigma associated with bereavement by suicide and other sudden deaths: A qualitative interview study. <i>Social Science and Medicine</i> , 2018 , 198, 121-129	5.1	48
314	Spiritual and religious interventions for well-being of adults in the terminal phase of disease. <i>The Cochrane Library</i> , 2012 , CD007544	5.2	48
313	Manualised Individual Cognitive Behavioural Therapy for mood disorders in people with mild to moderate intellectual disability: a feasibility randomised controlled trial. <i>Journal of Affective Disorders</i> , 2013 , 151, 186-95	6.6	47
312	What do mental health rehabilitation services do and what are they for? A national survey in England. <i>Journal of Mental Health</i> , 2005 , 14, 157-165	2.7	47
311	Older adults' attitudes to death, palliative treatment and hospice care. <i>Palliative Medicine</i> , 2005 , 19, 402-510	5.1	47
310	Clinical and cost-effectiveness of an intervention for reducing cholesterol and cardiovascular risk for people with severe mental illness in English primary care: a cluster randomised controlled trial. <i>Lancet Psychiatry</i> , 2018 , 5, 145-154	23.3	46
309	Improving the outcomes of primary care attenders with common mental disorders in developing countries: a cluster randomized controlled trial of a collaborative stepped care intervention in Goa, India. <i>Trials</i> , 2008 , 9, 4	2.8	46
308	Sustained effectiveness and cost-effectiveness of the Healthy Activity Programme, a brief psychological treatment for depression delivered by lay counsellors in primary care: 12-month follow-up of a randomised controlled trial. <i>PLoS Medicine</i> , 2017 , 14, e1002385	11.6	46

307	Effectiveness of a volunteer befriending programme for patients with schizophrenia: randomised controlled trial. <i>British Journal of Psychiatry</i> , 2020 , 217, 477-483	5.4	46
306	The effectiveness and cost-effectiveness of lay counsellor-delivered psychological treatments for harmful and dependent drinking and moderate to severe depression in primary care in India: PREMIUM study protocol for randomized controlled trials. <i>Trials</i> , 2014 , 15, 101	2.8	45
305	Implementing the compassion intervention, a model for integrated care for people with advanced dementia towards the end of life in nursing homes: a naturalistic feasibility study. <i>BMJ Open</i> , 2017 , 7, e015515	3	45
304	Psychiatrists and their patients: views on forms of dress and address. <i>British Journal of Psychiatry</i> , 1997 , 171, 228-32	5.4	45
303	The Camden Schizophrenia Surveys. III: Five-year outcome of a sample of individuals from a prevalence survey and the importance of social relationships. <i>International Journal of Social Psychiatry</i> , 2007 , 53, 340-56	8.5	45
302	Quality of life, autonomy, satisfaction, and costs associated with mental health supported accommodation services in England: a national survey. <i>Lancet Psychiatry</i> , 2016 , 3, 1129-1137	23.3	44
301	Service quality and clinical outcomes: an example from mental health rehabilitation services in England. <i>British Journal of Psychiatry</i> , 2013 , 202, 28-34	5.4	43
300	Advance care planning discussions in advanced cancer: analysis of dialogues between patients and care planning mediators. <i>Palliative and Supportive Care</i> , 2011 , 9, 73-9	2.5	43
299	Patient-practitioner agreement: does it matter?. <i>Psychological Medicine</i> , 2003 , 33, 241-51	6.9	43
298	Eating behaviour of male racing jockeys. <i>Psychological Medicine</i> , 1987 , 17, 249-53	6.9	43
297	Determinants of treatment plan implementation in multidisciplinary team meetings for patients with chronic diseases: a mixed-methods study. <i>BMJ Quality and Safety</i> , 2014 , 23, 867-76	5.4	42
296	The development of the Quality Indicator for Rehabilitative Care (QuIRC): a measure of best practice for facilities for people with longer term mental health problems. <i>BMC Psychiatry</i> , 2011 , 11, 35	4.2	42
295	Self-reported stigma and symptoms of anxiety and depression in people with intellectual disabilities: Findings from a cross sectional study in England. <i>Journal of Affective Disorders</i> , 2015 , 187, 224-31	6.6	41
294	Psychometric properties of the Mental Health Recovery Star. <i>British Journal of Psychiatry</i> , 2012 , 201, 65-70	5.4	41
293	Advance care planning in advanced cancer: can it be achieved? An exploratory randomized patient preference trial of a care planning discussion. <i>Palliative and Supportive Care</i> , 2011 , 9, 3-13	2.5	41
292	Service use and cost of mental disorder in older adults with intellectual disability. <i>British Journal of Psychiatry</i> , 2010 , 196, 133-8	5.4	41
291	The treatment of Common Mental Disorders across age groups: results from the 2007 Adult Psychiatric Morbidity Survey. <i>Journal of Affective Disorders</i> , 2010 , 127, 96-101	6.6	41
290	The Hampstead Schizophrenia Survey 1991. I: Prevalence and service use comparisons in an inner London health authority, 1986-1991. <i>British Journal of Psychiatry</i> , 1997 , 170, 301-6	5.4	41

289	What same sex civil partnerships may mean for health. <i>Journal of Epidemiology and Community Health</i> , 2006 , 60, 188-91	5.1	41
288	Homosexuals who are twins. A study of 46 probands. <i>British Journal of Psychiatry</i> , 1992 , 160, 407-9	5.4	41
287	The response of mental health professionals to clients seeking help to change or redirect same-sex sexual orientation. <i>BMC Psychiatry</i> , 2009 , 9, 11	4.2	40
286	Prevention of coronary heart disease in people with severe mental illnesses: a qualitative study of patient and professionals' preferences for care. <i>BMC Psychiatry</i> , 2006 , 6, 16	4.2	40
285	Polymorphic variation at the serotonin 1-A receptor gene is associated with comorbid depression and generalized anxiety. <i>Psychiatric Genetics</i> , 2011 , 21, 195-201	2.9	39
284	The hidden cost of chronic fatigue to patients and their families. <i>BMC Health Services Research</i> , 2010 , 10, 56	2.9	39
283	Effects of psychological therapies in randomized trials and practice-based studies. <i>British Journal of Clinical Psychology</i> , 2008 , 47, 397-415	3.6	39
282	Treatments of homosexuality in Britain since the 1950s--an oral history: the experience of patients. <i>BMJ, The</i> , 2004 , 328, 427	5.9	38
281	Predictors of psychological distress among postnatal mothers in rural Nepal: a cross-sectional community-based study. <i>Journal of Affective Disorders</i> , 2014 , 156, 76-86	6.6	37
280	Successful engagement: a mixed methods study of the approaches of assertive community treatment and community mental health teams in the REACT trial. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009 , 44, 532-40	4.5	37
279	A measure of perceived stigma in people with intellectual disability. <i>British Journal of Psychiatry</i> , 2008 , 193, 410-5	5.4	37
278	The health of people classified as lesbian, gay and bisexual attending family practitioners in London: a controlled study. <i>BMC Public Health</i> , 2006 , 6, 127	4.1	37
277	Predictors of outcome in a fatigued population in primary care following a randomized controlled trial. <i>Psychological Medicine</i> , 2003 , 33, 283-7	6.9	37
276	Existential needs of people with psychotic disorders in Pôrto Alegre, Brazil. <i>British Journal of Psychiatry</i> , 2005 , 186, 141-5	5.4	37
275	Experiences of end of life amongst family carers of people with advanced dementia: longitudinal cohort study with mixed methods. <i>BMC Geriatrics</i> , 2017 , 17, 135	4.1	36
274	High-activity variants of the uMAOA polymorphism increase the risk for depression in a large primary care sample. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2009 , 150B, 395-402	3.5	36
273	Clinical outcomes of staff training in positive behaviour support to reduce challenging behaviour in adults with intellectual disability: cluster randomised controlled trial. <i>British Journal of Psychiatry</i> , 2018 , 212, 161-168	5.4	35
272	Child sexual abuse reported by an English national sample: characteristics and demography. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2011 , 46, 255-62	4.5	35

271	The risk for major depression conferred by childhood maltreatment is multiplied by BDNF and SERT genetic vulnerability: a replication study. <i>Journal of Psychiatry and Neuroscience</i> , 2015 , 40, 187-96	4.5	34
270	Clinical effectiveness of a staff training intervention in mental health inpatient rehabilitation units designed to increase patients' engagement in activities (the Rehabilitation Effectiveness for Activities for Life [REAL] study): single-blind, cluster-randomised controlled trial. <i>Lancet Psychiatry</i> , 2015 , 2, 38-48	23.3	34
269	Palliative care in advanced dementia; A mixed methods approach for the development of a complex intervention. <i>BMC Palliative Care</i> , 2008 , 7, 8	3	34
268	Risky decision-making predicts short-term outcome of community but not residential treatment for opiate addiction. Implications for case management. <i>Drug and Alcohol Dependence</i> , 2011 , 118, 12-8	4.9	33
267	Predicting the onset of major depression in primary care: international validation of a risk prediction algorithm from Spain. <i>Psychological Medicine</i> , 2011 , 41, 2075-88	6.9	33
266	Help-seeking preferences for psychological distress in primary care: effect of current mental state. <i>British Journal of General Practice</i> , 2008 , 58, 694-8	1.6	33
265	Context, mechanisms and outcomes in end of life care for people with advanced dementia. <i>BMC Palliative Care</i> , 2016 , 15, 31	3	32
264	Depression, anxiety and physical function: exploring the strength of causality. <i>Journal of Epidemiology and Community Health</i> , 2012 , 66, e25	5.1	32
263	Meta-analysis of data on costs from trials of counselling in primary care: using individual patient data to overcome sample size limitations in economic analyses. <i>BMJ, The</i> , 2003 , 326, 1247-50	5.9	32
262	Perceived Stigma of Sudden Bereavement as a Risk Factor for Suicidal Thoughts and Suicide Attempt: Analysis of British Cross-Sectional Survey Data on 3387 Young Bereaved Adults. <i>International Journal of Environmental Research and Public Health</i> , 2017 , 14,	4.6	31
261	Prevalence of same-sex behavior and orientation in England: results from a national survey. <i>Archives of Sexual Behavior</i> , 2012 , 41, 631-9	3.5	31
260	Patient-held shared care records for individuals with mental illness. Randomised controlled evaluation. <i>British Journal of Psychiatry</i> , 2000 , 177, 319-24	5.4	31
259	Male victims of rape and sexual abuse. <i>Sexual and Relationship Therapy</i> , 1996 , 11, 297-308		31
258	Happiness across age groups: results from the 2007 National Psychiatric Morbidity Survey. <i>International Journal of Geriatric Psychiatry</i> , 2011 , 26, 608-14	3.9	30
257	Quality of longer term mental health facilities in Europe: validation of the quality indicator for rehabilitative care against service users' views. <i>PLoS ONE</i> , 2012 , 7, e38070	3.7	30
256	Healthcare decision-making: past present and future, in light of a diagnosis of dementia. <i>International Journal of Palliative Nursing</i> , 2017 , 23, 4-11	0.9	29
255	Development of a model for integrated care at the end of life in advanced dementia: A whole systems UK-wide approach. <i>Palliative Medicine</i> , 2016 , 30, 279-95	5.5	29
254	The Hampstead Schizophrenia Survey 1991. II: Incidence and migration in inner London. <i>British Journal of Psychiatry</i> , 1997 , 170, 307-11	5.4	29

253	Sexual molestation of males: associations with psychological disturbance. <i>British Journal of Psychiatry</i> , 2002 , 181, 153-7	5.4	29
252	Alcohol abuse and dementia. <i>International Journal of Geriatric Psychiatry</i> , 1986 , 1, 31-36	3.9	29
251	Interventions for sexual dysfunction following treatments for cancer in women. <i>The Cochrane Library</i> , 2016 , 2, CD005540	5.2	28
250	Clinical and cost effectiveness of staff training in Positive Behaviour Support (PBS) for treating challenging behaviour in adults with intellectual disability: a cluster randomised controlled trial. <i>BMC Psychiatry</i> , 2014 , 14, 219	4.2	28
249	Support received after bereavement by suicide and other sudden deaths: a cross-sectional UK study of 3432 young bereaved adults. <i>BMJ Open</i> , 2017 , 7, e014487	3	28
248	Factors associated with anxiety in patients attending a sexually transmitted infection clinic: qualitative survey. <i>International Journal of STD and AIDS</i> , 2006 , 17, 299-303	1.4	28
247	Religion, mental health and ethnicity. EMPIRIC IA national survey of England. <i>Journal of Mental Health</i> , 2006 , 15, 153-162	2.7	28
246	Mortality and medical care after bereavement: a general practice cohort study. <i>PLoS ONE</i> , 2013 , 8, e52561	3.7	27
245	What are the barriers to care integration for those at the advanced stages of dementia living in care homes in the UK? Health care professional perspective. <i>Dementia</i> , 2018 , 17, 164-179	3	26
244	Does recognition of depression in primary care affect outcome? The PREDICT-NL study. <i>Family Practice</i> , 2012 , 29, 16-23	1.9	26
243	Evaluation of a system of structured, pro-active care for chronic depression in primary care: a randomised controlled trial. <i>BMC Psychiatry</i> , 2010 , 10, 61	4.2	26
242	Attitudes to depression and its treatment in primary care. <i>Psychological Medicine</i> , 2007 , 37, 1239-48	6.9	26
241	Treatment of depression in primary care. Socio-economic status, clinical need and receipt of treatment. <i>British Journal of Psychiatry</i> , 2007 , 191, 164-9	5.4	26
240	Clinical outcomes and costs for people with complex psychosis; a naturalistic prospective cohort study of mental health rehabilitation service users in England. <i>BMC Psychiatry</i> , 2016 , 16, 95	4.2	25
239	Cognitive behaviour therapy (CBT) for anxiety and depression in adults with mild intellectual disabilities (ID): a pilot randomised controlled trial. <i>Trials</i> , 2011 , 12, 95	2.8	25
238	Comparison of risk factors for the onset and maintenance of depression. <i>British Journal of Psychiatry</i> , 2010 , 196, 13-7	5.4	25
237	Development and pilot evaluation of a complex intervention to improve experienced continuity of care in patients with cancer. <i>British Journal of Cancer</i> , 2009 , 100, 274-80	8.7	25
236	The effect of counselling, graded exercise and usual care for people with chronic fatigue in primary care: a randomized trial. <i>Psychological Medicine</i> , 2012 , 42, 2217-24	6.9	25

235	Treatments of homosexuality in Britain since the 1950s--an oral history: the experience of professionals. <i>BMJ, The</i> , 2004 , 328, 429	5.9	25
234	Sexual molestation of males: Associations with psychological disturbance. <i>British Journal of Psychiatry</i> , 2002 , 181, 153-157	5.4	25
233	Community occupational therapy for people with dementia and family carers (COTiD-UK) versus treatment as usual (Valuing Active Life in Dementia [VALID] programme): study protocol for a randomised controlled trial. <i>Trials</i> , 2016 , 17, 65	2.8	24
232	The MATISSE study: a randomised trial of group art therapy for people with schizophrenia. <i>BMC Psychiatry</i> , 2010 , 10, 65	4.2	24
231	Straight talking: an investigation of the attitudes and practice of psychoanalysts and psychotherapists in relation to gays and lesbians. <i>British Journal of Psychiatry</i> , 2001 , 179, 545-9	5.4	24
230	Sustained effectiveness and cost-effectiveness of Counselling for Alcohol Problems, a brief psychological treatment for harmful drinking in men, delivered by lay counsellors in primary care: 12-month follow-up of a randomised controlled trial. <i>PLoS Medicine</i> , 2017 , 14, e1002386	11.6	24
229	Psychological aspects of HIV infection and AIDS. What have we learned?. <i>British Journal of Psychiatry</i> , 1990 , 156, 151-6	5.4	23
228	A pilot cluster randomised controlled trial of a support and training intervention to improve the mental health of secondary school teachers and students - the WISE (Wellbeing in Secondary Education) study. <i>BMC Public Health</i> , 2016 , 16, 1060	4.1	22
227	Spiritual beliefs near the end of life: a prospective cohort study of people with cancer receiving palliative care. <i>Psycho-Oncology</i> , 2013 , 22, 2505-12	3.9	22
226	Managing sexual difficulties: a qualitative investigation of coping strategies. <i>Journal of Sex Research</i> , 2011 , 48, 325-33	4	22
225	Study protocol for the development of a European measure of best practice for people with long term mental health problems in institutional care (DEMoBinc). <i>BMC Psychiatry</i> , 2009 , 9, 36	4.2	22
224	An international risk prediction algorithm for the onset of generalized anxiety and panic syndromes in general practice attendees: predictA. <i>Psychological Medicine</i> , 2011 , 41, 1625-39	6.9	22
223	The REACT study: cost-effectiveness analysis of assertive community treatment in north London. <i>Psychiatric Services</i> , 2009 , 60, 908-13	3.3	22
222	Explanations of depression among Irish migrants in Britain. <i>Social Science and Medicine</i> , 2007 , 65, 231-44	5.1	22
221	Effectiveness of a brief lay counsellor-delivered, problem-solving intervention for adolescent mental health problems in urban, low-income schools in India: a randomised controlled trial. <i>The Lancet Child and Adolescent Health</i> , 2020 , 4, 571-582	14.5	22
220	Depression and self-harm from adolescence to young adulthood in sexual minorities compared with heterosexuals in the UK: a population-based cohort study. <i>The Lancet Child and Adolescent Health</i> , 2019 , 3, 91-98	14.5	22
219	Are multiple primary outcomes analysed appropriately in randomised controlled trials? A review. <i>Contemporary Clinical Trials</i> , 2015 , 45, 8-12	2.3	21
218	Attitudes to suicide following the suicide of a friend or relative: a qualitative study of the views of 429 young bereaved adults in the UK. <i>BMC Psychiatry</i> , 2017 , 17, 400	4.2	21

217	Description of complex interventions: analysis of changes in reporting in randomised trials since 2002. <i>Trials</i> , 2018 , 19, 110	2.8	21
216	Mixed anxiety and depressive disorder outcomes: prospective cohort study in primary care. <i>British Journal of Psychiatry</i> , 2011 , 198, 472-8	5.4	21
215	Perceived concepts of continuity of care in people with colorectal and breast cancer--a qualitative case study analysis. <i>European Journal of Cancer Care</i> , 2008 , 17, 569-77	2.4	21
214	Estimating needs in life threatening illness: a feasibility study to assess the views of patients and doctors. <i>Palliative Medicine</i> , 2006 , 20, 205-10	5.5	21
213	Monitoring psychosis in general practice: a controlled trial. <i>British Journal of Psychiatry</i> , 1996 , 169, 475-83	3.4	21
212	Prevalence and treatment of common mental disorders in the English national population, 1993-2007. <i>British Journal of Psychiatry</i> , 2016 , 209, 150-6	5.4	21
211	Adaptation of the Quality Indicator for Rehabilitative Care (QuIRC) for use in mental health supported accommodation services (QuIRC-SA). <i>BMC Psychiatry</i> , 2016 , 16, 101	4.2	20
210	Scripting sexual function: a qualitative investigation. <i>Sociology of Health and Illness</i> , 2011 , 33, 540-53	3	20
209	Psychosocial and sociodemographic predictors of attrition in a longitudinal study of major depression in primary care: the predictD-Spain study. <i>Journal of Epidemiology and Community Health</i> , 2010 , 64, 874-84	5.1	20
208	National survey of UK psychiatrists' attitudes to euthanasia. <i>Lancet, The</i> , 1998 , 352, 1360	4.0	20
207	Controlled evaluation of management of schizophrenia in one general practice: a pilot study. <i>Family Practice</i> , 1992 , 9, 171-2	1.9	20
206	Are depression and poor sexual health neglected comorbidities? Evidence from a population sample. <i>BMJ Open</i> , 2016 , 6, e010521	3	19
205	Support Needs and Experiences of People Bereaved by Suicide: Qualitative Findings from a Cross-Sectional British Study of Bereaved Young Adults. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	19
204	Barriers to the sustainability of an intervention designed to improve patient engagement within NHS mental health rehabilitation units: a qualitative study nested within a randomised controlled trial. <i>BMC Psychiatry</i> , 2015 , 15, 209	4.2	19
203	Phosphodiesterase type 5 inhibitors in the management of erectile dysfunction secondary to treatments for prostate cancer: findings from a Cochrane systematic review. <i>BJU International</i> , 2008 , 102, 426-31	5.6	19
202	Drug users' views on general practitioners. <i>BMJ: British Medical Journal</i> , 1995 , 310, 302		19
201	Self-reported stigma and its association with socio-demographic factors and physical disability in people with intellectual disabilities: results from a cross-sectional study in England. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016 , 51, 465-74	4.5	19
200	Acceptance and commitment therapy for adults with advanced cancer (CanACT): study protocol for a feasibility randomised controlled trial. <i>Trials</i> , 2016 , 17, 77	2.8	18

199	Applied behaviour analysis and standard treatment in intellectual disability: 2-year outcomes. <i>British Journal of Psychiatry</i> , 2011 , 198, 490-1	5.4	18
198	Evaluating the use of benzodiazepines following recent bereavement. <i>British Journal of Psychiatry</i> , 2001 , 178, 36-41	5.4	18
197	Acceptance and commitment therapy for adults with advanced cancer (CanACT): A feasibility randomised controlled trial. <i>Psycho-Oncology</i> , 2019 , 28, 488-496	3.9	18
196	An international comparison of the deinstitutionalisation of mental health care: Development and findings of the Mental Health Services Deinstitutionalisation Measure (MENDit). <i>BMC Psychiatry</i> , 2016 , 16, 54	4.2	17
195	Living With an Older Person Dying From Cancer, Lung Disease, or Dementia: Health Outcomes From a General Practice Cohort Study. <i>Journal of Pain and Symptom Management</i> , 2016 , 51, 839-48	4.8	17
194	The use of internet-mediated cross-sectional studies in mental health research. <i>BJ Psych Advances</i> , 2015 , 21, 175-184	0.8	17
193	A talking control for use in evaluating the effectiveness of cognitive-behavioral therapy. <i>Behaviour Research and Therapy</i> , 2011 , 49, 433-40	5.2	17
192	A clinical prediction rule for detecting major depressive disorder in primary care: the PREDICT-NL study. <i>Family Practice</i> , 2009 , 26, 241-50	1.9	17
191	Heavy episodic drinking in Europe: a cross section study in primary care in six European countries. <i>Alcohol and Alcoholism</i> , 2011 , 46, 600-6	3.5	17
190	Predicting the onset and persistence of episodes of depression in primary health care. The predictD-Spain study: methodology. <i>BMC Public Health</i> , 2008 , 8, 256	4.1	17
189	Using acupuncture to treat depression: a feasibility study. <i>Complementary Therapies in Medicine</i> , 2008 , 16, 87-91	3.5	17
188	Locus of control in women with eating pathology. <i>Psychological Medicine</i> , 1989 , 19, 183-7	6.9	17
187	Predictors of moving on from mental health supported accommodation in England: national cohort study. <i>British Journal of Psychiatry</i> , 2020 , 216, 331-337	5.4	17
186	Preventing the onset of major depression based on the level and profile of risk of primary care attendees: protocol of a cluster randomised trial (the predictD-CCRT study). <i>BMC Psychiatry</i> , 2013 , 13, 171	4.2	16
185	Psychological distress, gender and dietary factors in South Asians: a cross-sectional survey. <i>Public Health Nutrition</i> , 2014 , 17, 1538-46	3.3	16
184	Differential impact of risk factors for women and men on the risk of major depressive disorder. <i>Annals of Epidemiology</i> , 2012 , 22, 388-96	6.4	16
183	Cost-effectiveness of counselling, graded-exercise and usual care for chronic fatigue: evidence from a randomised trial in primary care. <i>BMC Health Services Research</i> , 2012 , 12, 264	2.9	16
182	Are we getting it right? Parents' perceptions of hospice child bereavement support services. <i>Palliative Medicine</i> , 2007 , 21, 401-7	5.5	16

181	Advance directives for patients compulsorily admitted to hospital with serious mental disorders: Directive content and feedback from patients and professionals. <i>Journal of Mental Health</i> , 2004 , 13, 379-388	2.7	16
180	Psychiatric health in a sexually transmitted infections clinic: effect on reattendance. <i>Journal of Psychosomatic Research</i> , 2002 , 52, 267-72	4.1	16
179	Cultural Aspects of Eating Disorders. <i>International Review of Psychiatry</i> , 1993 , 5, 205-216	3.6	16
178	Intervention to Prevent Major Depression in Primary Care: A Cluster Randomized Trial. <i>Annals of Internal Medicine</i> , 2016 , 164, 656-65	8	16
177	Maintenance or Discontinuation of Antidepressants in Primary Care. <i>New England Journal of Medicine</i> , 2021 , 385, 1257-1267	59.2	16
176	Intentions and experiences of effective practice in mental health specific supported accommodation services: a qualitative interview study. <i>BMC Health Services Research</i> , 2017 , 17, 471	2.9	15
175	A personalized intervention to prevent depression in primary care: cost-effectiveness study nested into a clustered randomized trial. <i>BMC Medicine</i> , 2018 , 16, 28	11.4	15
174	Study protocol: cluster randomised controlled trial to assess the clinical and cost effectiveness of a staff training intervention in inpatient mental health rehabilitation units in increasing service users' engagement in activities. <i>BMC Psychiatry</i> , 2013 , 13, 216	4.2	15
173	A controlled comparison of HIV and general medical referrals to a liaison psychiatry service. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 1994 , 6, 69-76	2.2	15
172	A standardized assessment of patients referred to primary care and hospital psychiatric clinics. <i>Psychological Medicine</i> , 1990 , 20, 219-24	6.9	15
171	Attitudes of therapists and other health professionals towards their LGB patients. <i>International Review of Psychiatry</i> , 2015 , 27, 396-404	3.6	14
170	Quality of care and its determinants in longer term mental health facilities across Europe; a cross-sectional analysis. <i>BMC Psychiatry</i> , 2016 , 16, 31	4.2	14
169	Predicting onset of major depression in general practice attendees in Europe: extending the application of the predictD risk algorithm from 12 to 24 months. <i>Psychological Medicine</i> , 2013 , 43, 1929-39	6.9	14
168	Developing mental health services in response to research evidence. <i>Epidemiologia E Psichiatria Sociale</i> , 2008 , 17, 47-56		14
167	Impact of demographic factors on recognition of persons with depression and anxiety in primary care in Slovenia. <i>BMC Psychiatry</i> , 2008 , 8, 96	4.2	14
166	Dropping the diagnosis of homosexuality: did it change the lot of gays and lesbians in Britain?. <i>Australian and New Zealand Journal of Psychiatry</i> , 2003 , 37, 684-8	2.6	14
165	The psychological health and quality of life of older lesbians and gay men: a snowball sampling pilot survey. <i>International Journal of Geriatric Psychiatry</i> , 2003 , 18, 754-5	3.9	14
164	Alcohol abuse in an inner city elderly population: The gospel oak survey. <i>International Journal of Geriatric Psychiatry</i> , 1993 , 8, 511-514	3.9	14

163	Alcohol abuse in Huntington's disease. <i>Psychological Medicine</i> , 1985 , 15, 815-9	6.9	14
162	At risk drinking among general practice attenders: prevalence, characteristics and alcohol-related problems. <i>British Journal of Psychiatry</i> , 1986 , 148, 533-40	5.4	14
161	Positive behaviour support training for staff for treating challenging behaviour in people with intellectual disabilities: a cluster RCT. <i>Health Technology Assessment</i> , 2018 , 22, 1-110	4.4	14
160	Effectiveness of one-to-one volunteer support for patients with psychosis: protocol of a randomised controlled trial. <i>BMJ Open</i> , 2016 , 6, e011582	3	13
159	Recent life events pose greatest risk for onset of major depressive disorder during mid-life. <i>Journal of Affective Disorders</i> , 2012 , 136, 505-13	6.6	13
158	The development of a questionnaire to assess the attitudes of older people to end-of-life issues (AEOLI). <i>Palliative Medicine</i> , 2005 , 19, 397-401	5.5	13
157	Exploration of three stigma scales in 83 users of mental health services: Implications for campaigns to reduce stigma. <i>Journal of Mental Health</i> , 2005 , 14, 343-355	2.7	13
156	Manualised cognitive-behavioural therapy in treating depression in advanced cancer: the CanTalk RCT. <i>Health Technology Assessment</i> , 2019 , 23, 1-106	4.4	13
155	The effectiveness of a low-intensity problem-solving intervention for common adolescent mental health problems in New Delhi, India: protocol for a school-based, individually randomized controlled trial with an embedded stepped-wedge, cluster randomized controlled recruitment trial. <i>Trials</i> , 2019 , 20, 568	2.8	12
154	Locating the Social Origins of Mental Illness: The Explanatory Models of Mental Illness Among Clergy from Different Ethnic and Faith Backgrounds. <i>Journal of Religion and Health</i> , 2016 , 55, 1607-22	2.6	12
153	Moderating factors for the effectiveness of group art therapy for schizophrenia: secondary analysis of data from the MATISSE randomised controlled trial. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014 , 49, 1703-10	4.5	12
152	The Challenge of Research into Religion and Spirituality (Keynote 1). <i>Journal for the Study of Spirituality</i> , 2014 , 4, 106-120	1.7	12
151	Cross-cultural validation of a measure of felt stigma in people with intellectual disabilities. <i>Journal of Applied Research in Intellectual Disabilities</i> , 2012 , 25, 11-9	2.2	12
150	Cardiovascular screening of people with severe mental illness in England: views of service users and providers. <i>Psychiatric Services</i> , 2011 , 62, 1338-45	3.3	12
149	Cost-effectiveness of cognitive behaviour therapy versus talking and usual care for depressed older people in primary care. <i>BMC Health Services Research</i> , 2011 , 11, 33	2.9	12
148	Spirituality and religion in psychiatric practice: why all the fuss?. <i>The Psychiatrist</i> , 2010 , 34, 190-193		12
147	Evidence-based medicine and the journal club: a cross-sectional survey of participants' views. <i>Psychiatric Bulletin</i> , 1997 , 21, 532-534		12
146	Development of an instrument to measure terminal restlessness. <i>Palliative Medicine</i> , 1998 , 12, 99-104	5.5	12

145	Legal pitfalls of psychiatric research. <i>British Journal of Psychiatry</i> , 2001 , 178, 67-70	5.4	12
144	The Perceived Impact of Suicide Bereavement on Specific Interpersonal Relationships: A Qualitative Study of Survey Data. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	11
143	The Impact of Suicide Bereavement on Educational and Occupational Functioning: A Qualitative Study of 460 Bereaved Adults. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	11
142	Risk factors for onset of multiple or long major depressive episodes versus single and short episodes. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013 , 48, 1067-75	4.5	11
141	Use of a formal consensus development technique to produce recommendations for improving the effectiveness of adult mental health multidisciplinary team meetings. <i>BMC Psychiatry</i> , 2015 , 15, 143	4.2	11
140	Patients' opinions about knowing their risk for depression and what to do about it. The predictD-qualitative study. <i>PLoS ONE</i> , 2014 , 9, e92008	3.7	11
139	Existential questions in schizophrenia: perception of patients and caregivers. <i>Revista De Saude Publica</i> , 2011 , 45, 401-8	2.4	11
138	Social validity of randomised controlled trials in health services research and intellectual disabilities: a qualitative exploration of stakeholder views. <i>Trials</i> , 2011 , 12, 144	2.8	11
137	The effects of patients' and practitioners' preferences on randomized clinical trials. <i>Palliative Medicine</i> , 2000 , 14, 539-42	5.5	11
136	Long-term benzodiazepine users--a mixed bag. <i>Addiction</i> , 1994 , 89, 1367-70	4.6	11
135	Debt Counselling for Depression in Primary Care: an adaptive randomised controlled pilot trial (DeCoDer study). <i>Health Technology Assessment</i> , 2017 , 21, 1-164	4.4	11
134	Effectiveness of cognitive-behavioural therapy for depression in advanced cancer: CanTalk randomised controlled trial. <i>British Journal of Psychiatry</i> , 2020 , 216, 213-221	5.4	11
133	Living conditions and quality of care in residential units for people with long-term mental illness in Portugal--a cross-sectional study. <i>BMC Psychiatry</i> , 2016 , 16, 34	4.2	10
132	Process evaluation of a randomised controlled trial of PBS-based staff training for challenging behaviour in adults with intellectual disability. <i>PLoS ONE</i> , 2019 , 14, e0221507	3.7	10
131	Use of Alcohol and Unprescribed Drugs after Suicide Bereavement: Qualitative Study. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	10
130	The urethral syndrome: a controlled evaluation. <i>Journal of Psychosomatic Research</i> , 1993 , 37, 737-43	4.1	10
129	Examining the relationship between physical illness and depression: Is there a difference between inflammatory and non-inflammatory diseases? A cohort study. <i>General Hospital Psychiatry</i> , 2016 , 43, 71-77	5.6	10
128	Conversion therapies and access to transition-related healthcare in transgender people: a narrative systematic review. <i>BMJ Open</i> , 2018 , 8, e022425	3	10

127	Development of a staff training intervention for inpatient mental health rehabilitation units to increase service users' engagement in activities. <i>British Journal of Occupational Therapy</i> , 2016 , 79, 144-152	1	9
126	Feasibility Randomised Trial Comparing Two Forms of Mental Health Supported Accommodation (Supported Housing and Floating Outreach); a Component of the QuEST (Quality and Effectiveness of Supported Tenancies) Study. <i>Frontiers in Psychiatry</i> , 2019 , 10, 258	5	9
125	Clinical and cost-effectiveness of contingency management for cannabis use in early psychosis: the CIRCLE randomised clinical trial. <i>BMC Medicine</i> , 2019 , 17, 161	11.4	9
124	Is preparation for end of life associated with pre-death grief in caregivers of people with dementia?. <i>International Psychogeriatrics</i> , 2020 , 32, 753-763	3.4	9
123	Evaluating the clinical and cost effectiveness of a behaviour change intervention for lowering cardiovascular disease risk for people with severe mental illnesses in primary care (PRIMROSE study): study protocol for a cluster randomised controlled trial. <i>Trials</i> , 2016 , 17, 80	2.8	9
122	Suicidality in primary care patients who present with sadness and anhedonia: a prospective European study. <i>BMC Psychiatry</i> , 2016 , 16, 94	4.2	9
121	Effectiveness and cost-effectiveness of a cardiovascular risk prediction algorithm for people with severe mental illness (PRIMROSE). <i>BMJ Open</i> , 2017 , 7, e018181	3	9
120	A pragmatic randomised controlled trial assessing the non-inferiority of counselling for depression versus cognitive-behaviour therapy for patients in primary care meeting a diagnosis of moderate or severe depression (PRaCTICED): Study protocol for a randomised controlled trial. <i>Trials</i> , 2017 , 18, 93	2.8	9
119	Ten year outcomes of participants in the REACT (Randomised Evaluation of Assertive Community Treatment in North London) study. <i>BMC Psychiatry</i> , 2014 , 14, 296	4.2	9
118	Chronic and recurrent depression in primary care: socio-demographic features, morbidity, and costs. <i>International Journal of Family Medicine</i> , 2012 , 2012, 316409		9
117	Psychotherapists' approaches to gay and lesbian patients/clients: A qualitative study. <i>The British Journal of Medical Psychology</i> , 2001 , 74, 73-84		9
116	Predicting the onset of anxiety syndromes at 12 months in primary care attendees. The predictA-Spain study. <i>PLoS ONE</i> , 2014 , 9, e106370	3.7	9
115	A contingency management intervention to reduce cannabis use and time to relapse in early psychosis: the CIRCLE RCT. <i>Health Technology Assessment</i> , 2019 , 23, 1-108	4.4	9
114	Death following partner bereavement: A self-controlled case series analysis. <i>PLoS ONE</i> , 2017 , 12, e0173879	3.7	8
113	The clinical and cost effectiveness of cognitive behavioural therapy plus treatment as usual for the treatment of depression in advanced cancer (CanTalk): study protocol for a randomised controlled trial. <i>Trials</i> , 2016 , 17, 113	2.8	8
112	Naturism and sexuality: broadening our approach to sexual wellbeing. <i>Health and Place</i> , 2009 , 15, 439-446	6.6	8
111	Finding common ground: the boundaries and interconnections between faith-based organisations and mental health services. <i>Mental Health, Religion and Culture</i> , 2012 , 15, 349-362	1.1	8
110	Personality disorder and sexual risk taking among homosexually active and heterosexually active men attending a genito-urinary medicine clinic. <i>Journal of Psychosomatic Research</i> , 1995 , 39, 901-10	4.1	8

109	Case finding for at risk drinking in general practice: cost-benefit analysis. <i>Psychological Medicine</i> , 1986 , 16, 359-63	6.9	8
108	A randomised controlled trial assessing the use of citalopram, sertraline, fluoxetine and mirtazapine in preventing relapse in primary care patients who are taking long-term maintenance antidepressants (ANTLER: ANTidepressants to prevent reLapse in dEpResion): study protocol for a randomised controlled trial. <i>BMJ Open</i> , 2018 , 8, e018116	2.8	7
107	Self-Reported Patterns of Use of Alcohol and Drugs After Suicide Bereavement and Other Sudden Losses: A Mixed Methods Study of 1,854 Young Bereaved Adults in the UK. <i>Frontiers in Psychology</i> , 2020 , 11, 1024	3.4	7
106	Development and psychometric properties of the client's assessment of treatment scale for supported accommodation (CAT-SA). <i>BMC Psychiatry</i> , 2016 , 16, 43	4.2	7
105	Effects of religious vs. standard cognitive behavioral therapy on therapeutic alliance: A randomized clinical trial. <i>Psychotherapy Research</i> , 2016 , 26, 365-76	3.6	7
104	Brief report: impact of applied behaviour analysis (ABA) on carer burden and community participation in challenging behaviour: results from a randomised controlled trial. <i>Journal of Intellectual Disability Research</i> , 2012 , 56, 285-90	3.2	7
103	Personal psychotherapy in psychiatric training: study of four London training schemes. <i>Psychiatric Bulletin</i> , 2009 , 33, 433-436		7
102	Health research on the Irish in Britain: invisible and excluded. <i>Psychiatric Bulletin</i> , 1997 , 21, 739-740		7
101	Effectiveness of a Positive Parental Practices Training Program for Chilean Preschoolers' Families: A Randomized Controlled Trial. <i>Frontiers in Psychology</i> , 2018 , 9, 1751	3.4	7
100	Priorities for the development and evaluation of support after suicide bereavement in the UK: results of a discussion group. <i>Bereavement Care</i> , 2016 , 35, 109-116	0.4	6
99	A randomised controlled trial of the clinical and cost-effectiveness of a contingency management intervention compared to treatment as usual for reduction of cannabis use and of relapse in early psychosis (CIRCLE): a study protocol for a randomised controlled trial. <i>Trials</i> , 2016 , 17, 515	2.8	6
98	The Marist stigma scale: a standardized international measure of the stigma of schizophrenia and other psychoses. <i>BMC Psychiatry</i> , 2014 , 14, 182	4.2	6
97	Interventions for supporting informal caregivers of patients in the terminal phase of a disease 2009		6
96	Treatment of common mental disorders in general practice: are current guidelines useless?. <i>British Journal of Psychiatry</i> , 2003 , 183, 78	5.4	6
95	The association of loneliness after sudden bereavement with risk of suicide attempt: a nationwide survey of bereaved adults. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020 , 55, 1081-1092	4.5	6
94	Context, mechanisms and outcomes in end-of-life care for people with advanced dementia: family carers perspective. <i>BMC Palliative Care</i> , 2019 , 18, 87	3	6
93	Randomized cluster trial of a parenting program in Chile: Key mediators in the decrease in behavior problems in preschool children. <i>Clinical Child Psychology and Psychiatry</i> , 2020 , 25, 320-332	2	6
92	Perceptions of the Use of Alcohol and Drugs after Sudden Bereavement by Unnatural Causes: Analysis of Online Qualitative Data. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	5

91	The experiences of people bereaved by suicide regarding the press reporting of the death: qualitative study. <i>BMC Public Health</i> , 2020 , 20, 176	4.1	5
90	Pastoral care of mental illness and the accommodation of African Christian beliefs and practices by UK clergy. <i>Transcultural Psychiatry</i> , 2017 , 54, 86-106	2.7	5
89	Measuring perceived racism and psychosis in African-Caribbean patients in the United Kingdom: the modified perceived racism scale. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2009 , 5, 10	3.2	5
88	Muslim adolescent mental health in the UK: an exploratory cross-sectional school survey. <i>International Journal of Culture and Mental Health</i> , 2012 , 5, 202-218		5
87	Treatments of homosexuality in Britain since the 1950s—An oral history: the experience of patients 2004 , 328, 427		5
86	Mental illness and removal from general practitioners' lists. <i>Journal of Mental Health</i> , 2002 , 11, 97-102	2.7	5
85	Schizophrenia: community care and the family physician. <i>International Review of Psychiatry</i> , 1992 , 4, 267-271	3.6	5
84	Counselling services in general practice: The need for evaluation. <i>Psychiatric Bulletin</i> , 1994 , 18, 65-67		5
83	The Rehabilitation Effectiveness for Activities for Life (REAL) study: a national programme of research into NHS inpatient mental health rehabilitation services across England. <i>Programme Grants for Applied Research</i> , 2017 , 5, 1-284	1.5	5
82	Practice nurse-led proactive care for chronic depression in primary care: a randomised controlled trial. <i>British Journal of Psychiatry</i> , 2016 , 208, 374-80	5.4	5
81	Cigarette smoking as a risk factor for schizophrenia or all non-affective psychoses. <i>Psychological Medicine</i> , 2020 , 1-9	6.9	4
80	Factors associated with discontinuation of antidepressant treatment after a single prescription among patients aged 55 or over: evidence from English primary care. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019 , 54, 1545-1553	4.5	4
79	Patient Preference and Validity of Randomized Controlled Trials—Reply. <i>JAMA - Journal of the American Medical Association</i> , 2005 , 294, 41	27.4	4
78	Community Occupational Therapy for people with dementia and family carers (COTiD-UK) versus treatment as usual (Valuing Active Life in Dementia [VALID]) study: A single-blind, randomised controlled trial. <i>PLoS Medicine</i> , 2021 , 18, e1003433	11.6	4
77	The mental health of lesbian, gay, and bisexual adults compared with heterosexual adults: results of two nationally representative English household probability samples. <i>Psychological Medicine</i> , 2021 , 1-10	6.9	4
76	The queer relationship between psychoanalysts and their gay and lesbian patients. <i>Psychoanalytic Psychotherapy</i> , 2011 , 25, 308-318	0.4	3
75	Longstanding disease, disability or infirmity and depression in primary care. <i>Wiener Klinische Wochenschrift</i> , 2010 , 122, 567-71	2.3	3
74	Non-directive psychotherapy versus routine general practitioner care. <i>Lancet, The</i> , 1998 , 351, 751-752	4.0	3

73	The College. <i>Psychiatric Bulletin</i> , 2002 , 26, 437-438		3
72	Psychological treatments and their evaluation. <i>International Review of Psychiatry</i> , 1998 , 10, 123-126	3.6	3
71	Development and validation of a risk model for prediction of hazardous alcohol consumption in general practice attendees: the predictAL study. <i>PLoS ONE</i> , 2011 , 6, e22175	3.7	3
70	Standardised measures of needs, stigma and informal care in schizophrenia using a bottom-up, cross-cultural approach. <i>Mental Health in Family Medicine</i> , 2012 , 9, 125-34		3
69	Supported accommodation for people with mental health problems: the QuEST research programme with feasibility RCT. <i>Programme Grants for Applied Research</i> , 2019 , 7, 1-82	1.5	3
68	Person-centred experiential therapy versus cognitive behavioural therapy delivered in the English Improving Access to Psychological Therapies service for the treatment of moderate or severe depression (PRaCTICED): a pragmatic, randomised, non-inferiority trial. <i>Lancet Psychiatry</i> , 2021 , 8, 107-116	23.3	3
67	Relationship between national mental health expenditure and quality of care in longer-term psychiatric and social care facilities in Europe: cross-sectional study. <i>British Journal of Psychiatry</i> , 2017 , 211, 45-49	5.4	2
66	Effectiveness of a group-based psychosocial program to prevent depression and anxiety in older people attending primary health care centres: a randomised controlled trial. <i>BMC Geriatrics</i> , 2019 , 19, 237	4.1	2
65	Family physicians' views on participating in prevention of major depression. The predictD-EVAL qualitative study. <i>PLoS ONE</i> , 2019 , 14, e0217621	3.7	2
64	WHY IS INTEGRATED CARE NOT WORKING IN END OF LIFE CARE FOR THOSE WITH ADVANCED DEMENTIA? FROM THE HEALTH CARE PROFESSIONAL PERSPECTIVE. <i>BMJ Supportive and Palliative Care</i> , 2015 , 5, 113.1-113	2.2	2
63	Staff training in positive behaviour support for behaviour that challenges in people with intellectual disability: cost-utility analysis of a cluster randomised controlled trial. <i>BJPsych Open</i> , 2020 , 6, e15	5	2
62	A cluster randomised controlled trial of a staff-training intervention in residential units for people with long-term mental illness in Portugal: the PromQual trial. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017 , 52, 1435-1445	4.5	2
61	Standardization of the MARIST [®] scale to measure needs in people with schizophrenia and related psychoses. <i>International Journal of Social Psychiatry</i> , 2014 , 60, 219-26	8.5	2
60	The Mental Health Recovery Star: great for care planning but not as a routine outcome measure. <i>The Psychiatrist</i> , 2012 , 36, 194-194		2
59	Angina in primary care in Goa, India: sex differences and associated risk factors. <i>Heart Asia</i> , 2010 , 2, 28-35.9		2
58	Discrimination, ethnicity and psychosis: a qualitative study. <i>Ethnicity and Inequalities in Health and Social Care</i> , 2009 , 2, 18-29		2
57	The struck-off mystery. <i>Journal of the Royal Society of Medicine</i> , 1999 , 92, 443-5	2.3	2
56	A Jamaican psychiatrist evaluates diagnoses at a London psychiatric hospital. Jury is still out. <i>British Journal of Psychiatry</i> , 1999 , 175, 286	5.4	2

55	BITE: self-rating scale for bulimia. <i>British Journal of Psychiatry</i> , 1987 , 150, 714-5	5.4	2
54	Withdrawal of triazolam's product licence: effect on patients 18 months later. <i>Addiction</i> , 1995 , 90, 927-934	4.6	2
53	One-to-one befriending for people with intellectual disability and symptoms of depression: protocol for a pilot randomised controlled trial. <i>BMJ Open</i> , 2020 , 10, e033989	3	2
52	Primary care management of cardiovascular risk for people with severe mental illnesses: the Primrose research programme including cluster RCT. <i>Programme Grants for Applied Research</i> , 2019 , 7, 1-98	1.5	2
51	Non tuberculous mycobacteria pulmonary disease: patients and clinicians working together to improve the evidence base for care. <i>International Journal of Infectious Diseases</i> , 2021 ,	10.5	2
50	The Association Between Personality Disorder Traits and Suicidality Following Sudden Bereavement: A National Cross-Sectional Survey. <i>Journal of Personality Disorders</i> , 2021 , 35, 917-935	2.6	2
49	Predicting the onset of hazardous alcohol drinking in primary care: development and validation of a simple risk algorithm. <i>British Journal of General Practice</i> , 2017 , 67, e280-e292	1.6	1
48	A QUALITATIVE ANALYSIS OF BARRIERS TO FUTURE CARE DISCUSSIONS WITH FAMILY MEMBERS OF CARE HOME RESIDENTS WITH ADVANCED DEMENTIA. <i>BMJ Supportive and Palliative Care</i> , 2015 , 5, 112.2-113	2.2	1
47	Author's reply: To PMID 23174516. <i>British Journal of Psychiatry</i> , 2013 , 202, 386	5.4	1
46	Spiritual and religious interventions for adults in the terminal phase of disease 2009 ,		1
45	Using tranquillising medication after bereavement. <i>Bereavement Care</i> , 1997 , 16, 14-15	0.4	1
44	Oxford Textbook of Psychiatry (3rd edition) Edited by M. Gelder, D. Gath, R. Mayou and P. Cowen. Oxford: Oxford Medical Publications. 1996. 944 pp. £60 (hb), £29.50 (pb). <i>British Journal of Psychiatry</i> , 1997 , 171, 96-96	5.4	1
43	Cost-Utility Analysis of Discontinuing Antidepressants in England Primary Care Patients Compared with Long-Term Maintenance: The ANTLER Study. <i>Applied Health Economics and Health Policy</i> , 2021 , 1	3.4	1
42	Changes in American Psychiatry: Impressions of a UK Trainee. <i>Bulletin of the Royal College of Psychiatrists</i> , 1984 , 8, 102-104		1
41	Problem solving treatment for major depression in primary care. Problem solving treatment is time consuming. <i>BMJ: British Medical Journal</i> , 1995 , 310, 1266		1
40	Reducing the stigma of public health messages. Invited commentary on [Everybody gets stressed] <i>Psychiatric Bulletin</i> , 2009 , 33, 443-444		1
39	A manualised weight management programme for adults with mild-moderate intellectual disabilities affected by excess weight: A randomised controlled feasibility trial (Shape Up-LD). <i>Journal of Applied Research in Intellectual Disabilities</i> , 2021 ,	2.2	1
38	Effectiveness and costs associated with a lay counselor-delivered, brief problem-solving mental health intervention for adolescents in urban, low-income schools in India: 12-month outcomes of a randomized controlled trial. <i>PLoS Medicine</i> , 2021 , 18, e1003778	11.6	1

37	Does the impact of bereavement vary between same and different gender partnerships? A representative national, cross-sectional study. <i>Psychological Medicine</i> , 1-9	6.9	1
36	Antidepressant medication to prevent depression relapse in primary care: the ANTLER RCT. <i>Health Technology Assessment</i> , 2021, 25, 1-62	4.4	0
35	Longitudinal Outcomes of Gender Identity in Children (LOGIC): protocol for a prospective longitudinal cohort study of children referred to the UK gender identity development service. <i>BMJ Open</i> , 2021, 11, e045628	3	0
34	USING QUALITATIVE EVIDENCE TO HELP UNDERSTAND COMPLEX PALLIATIVE CARE INTERVENTIONS: A NOVEL EVIDENCE SYNTHESIS APPROACH. <i>BMJ Supportive and Palliative Care</i> , 2014, 4, A41.3-A42	2.2	
33	The LGBT Casebook Edited By Petros Levounis, Jack Drescher & Mary Barber. American Psychiatric Publishing. 2012. US\$62.00 (pb). 324 pp. ISBN: 9781585624218. <i>British Journal of Psychiatry</i> , 2013, 203, 156-156	5.4	
32	Is Faith Delusion? Why Religion is Good for Your Health. By Andrew Sims. Continuum Books. 2009. £14.99 (pb). 252pp. ISBN: 9781847063403. <i>British Journal of Psychiatry</i> , 2011, 198, 412-412	5.4	
31	Invited commentary on: Proposals for massive expansion of psychological therapies would be counterproductive across society. <i>British Journal of Psychiatry</i> , 2008, 192, 331-2	5.4	
30	Ten books. <i>British Journal of Psychiatry</i> , 2007, 191, 268-270	5.4	
29	Psychotherapy and counselling in practice, a narrative framework. <i>International Journal of Psychiatry in Clinical Practice</i> , 2004, 8, 65	2.4	
28	Treatments of homosexuality in Britain since the 1950s—An oral history: the experience of professionals 2004, 328, 429		
27	Homosexuality and the Mental Health Professions: The Impact of Bias Formulated by the Committee on Human Sexuality. Hillsdale, NJ: Analytic Press. 2000. 132 pp. £22.50 (hb). ISBN 0 881 63318 6. <i>British Journal of Psychiatry</i> , 2001, 179, 563-563	5.4	
26	The Role of Counsellors in General Practice (Occasional Paper 74). By Bonnie Sibbald, Julia Addington-Hall, Douglas Brennemann and Paul Freeling. London: Royal College of General Practitioners. 1996. 19 pp. £9.90. ISBN 0-85084-230-1.. <i>Psychiatric Bulletin</i> , 1998, 22, 269-269		
25	Benzodiazepine withdrawal among chronic daytime users in general practice. <i>Psychiatric Bulletin</i> , 1993, 17, 77-78		
24	AIDS Health and Mental Health. By J. Landau-Stanton, C. D. Clements and Associates. (Pp. 370; \$38.95.) Brunner/Mazel: New York. 1993.. <i>Psychological Medicine</i> , 1994, 24, 249-250	6.9	
23	Studies of behaviour in relation to HIV infection. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 1991, 3, 433-7	2.2	
22	Men who Beat the Men who Love them. David Island and Patrick Letellier. New York: Haworth Press. 1991. 301 pp. US 17.95(pb).. <i>British Journal of Psychiatry</i> , 1992, 161, 876-876	5.4	
21	Pathology of Eating. Psychology and Treatment. By Sara Gilbert. (Pp. 246; £14.95.) Routledge & Kegan Paul: London. 1986.. <i>Psychological Medicine</i> , 1987, 17, 786-787	6.9	
20	HIV testing without permission. <i>Lancet, The</i> , 1988, 2, 395-6	4.0	

- 19 Cost-utility analysis of community occupational therapy in dementia (COTiD-UK) versus usual care: Results from VALID, a multi-site randomised controlled trial in the UK.. *PLoS ONE*, **2022**, 17, e0262828 3.7
- 18 Current Research into Alcohol Problems in Primary Care. *Bulletin of the Royal College of Psychiatrists*, **1986**, 10, 33-34
- 17 One-to-one volunteer befriending to reduce symptoms of depression in people with intellectual disability: a feasibility RCT. *Public Health Research*, **2021**, 9, 1-80 1.7
- 16 Sexuality of health practitioners is complex. *BMJ, The*, **2004**, 328, 1567-8 5.9
- 15 Stepped approach to improving sexual function after gynaecological cancer: the SAFFRON feasibility RCT. *Health Technology Assessment*, **2019**, 23, 1-92 4.4
- 14 Children's Sexual Encounters with Adults. By C. K. Li, D. L. West and T. P. Woodhouse London: Duckworth. 1990. 343 pp. £39.95. - Child Sexual Abuse in Northern Ireland. By The Research Team. Northern Ireland: Greystone Books. 1990. 188 pp. £18.00.. *British Journal of Psychiatry*, **1991**, 158, 728-728 5.4
- 13 Behavioral Aspects of AIDS. Edited by David G. Ostrow New York: Plenum Publishing Corporation. 1990. 414 pp. US\$55.00.. *British Journal of Psychiatry*, **1991**, 159, 759-759 5.4
- 12 Reclaiming the Authentic Self. Dynamic Psychotherapy with Gay Men. By Carlton Cornett. New Jersey: Jason Aronson. 1995. 210 pp. Price not given (hb).. *British Journal of Psychiatry*, **1995**, 167, 845-846 5.4
- 11 Counselling and Psychotherapy. A Consumers Guide. By Windy Dryden and Colin Feltham. London: Sheldon Press. 1995. 160 pp. £9.99 (pb).. *British Journal of Psychiatry*, **1995**, 167, 845-845 5.4
- 10 Psychiatry and Religion, Context, Consensus and Controversies. Edited By Dinesh Bhugra. London: Routledge. 1996. 236 pp. £50 (hb). *British Journal of Psychiatry*, **1997**, 170, 93-94 5.4
- 9 Counselling Difficult Clients. By Kingsley Norton & Gill McGauley. 1997. London: Sage. 153 pp. £35 (hb), £12.99 (pb). ISBN 0-803-97673-9 (hb). *British Journal of Psychiatry*, **1998**, 173, 446-447 5.4
- 8 Commentary on Mental health symptoms and suicidality in Iranian gay men. *Psychological Medicine*, **2021**, 51, 1587-1588 6.9
- 7 Sexual Problems 327-342
- 6 Community Occupational Therapy for people with dementia and family carers (COTiD-UK) versus treatment as usual (Valuing Active Life in Dementia [VALID]) study: A single-blind, randomised controlled trial **2021**, 18, e1003433
- 5 Community Occupational Therapy for people with dementia and family carers (COTiD-UK) versus treatment as usual (Valuing Active Life in Dementia [VALID]) study: A single-blind, randomised controlled trial **2021**, 18, e1003433
- 4 Community Occupational Therapy for people with dementia and family carers (COTiD-UK) versus treatment as usual (Valuing Active Life in Dementia [VALID]) study: A single-blind, randomised controlled trial **2021**, 18, e1003433
- 3 Community Occupational Therapy for people with dementia and family carers (COTiD-UK) versus treatment as usual (Valuing Active Life in Dementia [VALID]) study: A single-blind, randomised controlled trial **2021**, 18, e1003433
- 2 Community Occupational Therapy for people with dementia and family carers (COTiD-UK) versus treatment as usual (Valuing Active Life in Dementia [VALID]) study: A single-blind, randomised controlled trial **2021**, 18, e1003433

- 1 Community Occupational Therapy for people with dementia and family carers (COTiD-UK) versus treatment as usual (Valuing Active Life in Dementia [VALID]) study: A single-blind, randomised controlled trial **2021**, 18, e1003433