

James Gelsleichter

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9439347/publications.pdf>

Version: 2024-02-01

41
papers

1,007
citations

430442

18
h-index

433756

31
g-index

41
all docs

41
docs citations

41
times ranked

1079
citing authors

#	ARTICLE	IF	CITATIONS
1	Analysis of Anthropogenic Noise due to Pile Driving Using Computational Fluid Dynamics. , 2022, ,		1
2	Accumulation of the Toxic Metal Mercury in Multiple Tissues of Marine-Associated Birds from South Florida. Archives of Environmental Contamination and Toxicology, 2022, 82, 493-505.	2.1	0
3	Shark tooth collagen stable isotopes ($\delta^{15}\text{N}$ and $\delta^{13}\text{C}$) as ecological proxies. Journal of Animal Ecology, 2021, 90, 2188-2201.	1.3	7
4	Total mercury concentrations in invasive lionfish (<i>Pterois volitans/miles</i>) from the Atlantic coast of Florida. PLoS ONE, 2021, 16, e0234534.	1.1	2
5	Female sperm storage in the bonnethead <i>Sphyrna tiburo</i> oviducal gland: Immunolocalization of steroid hormone receptors in sperm storage tubules. General and Comparative Endocrinology, 2021, 310, 113827.	0.8	1
6	Distribution and relative abundance of scalloped (<i>Sphyrna lewini</i>) and Carolina (<i>S. gilberti</i>) hammerheads in the western North Atlantic Ocean. Fisheries Research, 2021, 242, 106039.	0.9	4
7	Mercury Accumulation and Effects in the Brain of the Atlantic Sharpnose Shark (<i>Rhizoprionodon</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 3	2.1	25
8	Resource-use dynamics of co-occurring chondrichthyans from the First Coast, North Florida, USA. Journal of Fish Biology, 2020, 96, 570-579.	0.7	6
9	Analysis of Trace Element Concentrations and Antioxidant Enzyme Activity in Muscle Tissue of the Atlantic Sharpnose Shark, <i>Rhizoprionodon terraenovae</i> . Archives of Environmental Contamination and Toxicology, 2020, 79, 371-390.	2.1	9
10	Re-evaluation of reproductive cycle and fecundity of finetooth sharks <i>Carcharhinus isodon</i> (V) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 3 reproductive endocrinology of biennially reproducing sharks. Journal of Fish Biology, 2020, 97, 1780-1793.	0.7	4
11	Reproductive cycle and fecundity of the bonnethead <i>Sphyrna tiburo</i> L. from the northwest Atlantic Ocean. Journal of Fish Biology, 2020, 97, 1733-1747.	0.7	6
12	Elevated accumulation of the toxic metal mercury in the Critically Endangered oceanic whitetip shark <i>Carcharhinus longimanus</i> from the northwestern Atlantic Ocean. Endangered Species Research, 2020, 43, 267-279.	1.2	19
13	Stress response and postrelease mortality of blacktip sharks (<i>Carcharhinus limbatus</i>) captured in shore-based and charter-boat-based recreational fisheries. Fishery Bulletin, 2020, 118, 297-314.	0.1	10
14	High Rates of Genetic Polyandry in the Blacknose Shark, <i>Carcharhinus acronotus</i> . Copeia, 2019, 107, 502.	1.4	5
15	Evaluation of the use of portable ultrasonography to determine pregnancy status and fecundity in bonnethead shark <i>Sphyrna tiburo</i> . Journal of Fish Biology, 2018, 93, 1163-1170.	0.7	14
16	Molecular identification and functional characteristics of peptide transporters in the bonnethead shark (<i>Sphyrna tiburo</i>). Journal of Comparative Physiology B: Biochemical, Systemic, and Environmental Physiology, 2016, 186, 855-866.	0.7	22
17	Population structure and cryptic speciation in bonnethead sharks <i>Sphyrna tiburo</i> in the southeastern U.S.A. and Caribbean. Journal of Fish Biology, 2016, 89, 2219-2233.	0.7	23
18	Population structure, gene flow, and historical demography of a small coastal shark (<i>Carcharhinus</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 3 2322-2332.	1.2	22

#	ARTICLE	IF	CITATIONS
19	Selection and sex-biased dispersal in a coastal shark: the influence of philopatry on adaptive variation. <i>Molecular Ecology</i> , 2015, 24, 5877-5885.	2.0	92
20	Androgen receptors in the bonnethead, <i>Sphyrna tiburo</i> : cDNA cloning and tissue-specific expression in the male reproductive tract. <i>General and Comparative Endocrinology</i> , 2015, 224, 235-246.	0.8	6
21	Diet shift and site-fidelity of oceanic whitetip sharks <i>Carcharhinus longimanus</i> along the Great Bahama Bank. <i>Marine Ecology - Progress Series</i> , 2015, 529, 185-197.	0.9	51
22	Evaluation of the use of metallothionein as a biomarker for detecting physiological responses to mercury exposure in the bonnethead, <i>Sphyrna tiburo</i> . <i>Fish Physiology and Biochemistry</i> , 2014, 40, 1361-1371.	0.9	15
23	Contemporary population structure and post-glacial genetic demography in a migratory marine species, the blacknose shark, <i>Carcharhinus acronotus</i> . <i>Molecular Ecology</i> , 2014, 23, 5480-5495.	2.0	49
24	Abundance and Distribution of Sharks in Northeast Florida Waters and Identification of Potential Nursery Habitat. <i>Marine and Coastal Fisheries</i> , 2013, 5, 200-210.	0.6	16
25	Uptake of human pharmaceuticals in bull sharks (<i>Carcharhinus leucas</i>) inhabiting a wastewater-impacted river. <i>Science of the Total Environment</i> , 2013, 456-457, 196-201.	3.9	52
26	Pollutant Exposure and Effects in Sharks and Their Relatives. <i>Marine Biology</i> , 2010, , 491-537.	0.1	18
27	Organochlorine contaminants in bonnethead sharks (<i>Sphyrna tiburo</i>) from Atlantic and Gulf estuaries on the US east coast. <i>Marine Pollution Bulletin</i> , 2008, 56, 359-363.	2.3	11
28	Geographic and ontogenetic variation in the diet and daily ration of the bonnethead shark, <i>Sphyrna tiburo</i> , from the eastern Gulf of Mexico. <i>Marine Biology</i> , 2007, 152, 1009-1020.	0.7	84
29	Organochlorine concentrations, reproductive physiology, and immune function in unique populations of freshwater Atlantic stingrays (<i>Dasyatis sabina</i>) from Florida's St. Johns River. <i>Chemosphere</i> , 2006, 63, 1506-1522.	4.2	33
30	Morphological changes in the clasper gland of the Atlantic stingray, <i>Dasyatis sabina</i> , associated with the seasonal reproductive cycle. <i>Journal of Morphology</i> , 2006, 267, 109-114.	0.6	9
31	Comparative thyroid hormone concentration in maternal serum and yolk of the bonnethead shark (<i>Sphyrna tiburo</i>) from two sites along the coast of Florida. <i>General and Comparative Endocrinology</i> , 2005, 144, 167-173.	0.8	23
32	Organochlorine Concentrations in Bonnethead Sharks (<i>Sphyrna tiburo</i>) from Four Florida Estuaries. <i>Archives of Environmental Contamination and Toxicology</i> , 2005, 48, 474-483.	2.1	50
33	Predominance of genetic monogamy by females in a hammerhead shark, <i>Sphyrna tiburo</i> : implications for shark conservation. <i>Molecular Ecology</i> , 2004, 13, 1965-1974.	2.0	87
34	Maternal serum and yolk hormone concentrations in the placental viviparous bonnethead shark, <i>Sphyrna tiburo</i> . <i>General and Comparative Endocrinology</i> , 2004, 136, 241-247.	0.8	26
35	Morphological and histological changes in the genital ducts of the male Atlantic stingray, <i>Dasyatis sabina</i> , during the seasonal reproductive cycle. <i>Fish Physiology and Biochemistry</i> , 2003, 29, 23-35.	0.9	10
36	Serum relaxin concentrations and reproduction in male bonnethead sharks, <i>Sphyrna tiburo</i> . <i>General and Comparative Endocrinology</i> , 2003, 132, 27-34.	0.8	16

#	ARTICLE	IF	CITATIONS
37	Calcitonin-like immunoreactivity in serum and tissues of the bonnethead shark, <i>Sphyrna tiburo</i> . The Journal of Experimental Zoology, 2003, 298A, 150-161.	1.4	14
38	Serum steroid concentrations and development of reproductive organs during puberty in male bonnethead sharks, <i>Sphyrna tiburo</i> . Fish Physiology and Biochemistry, 2002, 26, 389-401.	0.9	37
39	Food habits of the smooth dogfish, <i>Mustelus canis</i> , dusky shark, <i>Carcharhinus obscurus</i> , Atlantic sharpnose shark, <i>Rhizoprionodon terraenovae</i> , and the sand tiger, <i>Carcharias taurus</i> , from the northwest Atlantic Ocean. Environmental Biology of Fishes, 1999, 54, 205-217.	0.4	85
40	Evaluation of copper, iron and lead substitution techniques in elasmobranch age determination. Journal of Fish Biology, 1998, 53, 465-470.	0.7	9
41	Use of Calcein as a Fluorescent Marker for Elasmobranch Vertebral Cartilage. Transactions of the American Fisheries Society, 1997, 126, 862-865.	0.6	34