

Chengmin Shen

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9439519/chengmin-shen-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

98
papers

4,619
citations

37
h-index

66
g-index

99
ext. papers

5,010
ext. citations

5.7
avg, IF

5.02
L-index

#	Paper	IF	Citations
98	Surface atomic manipulation of low-dimensional structures. <i>Wuli Xuebao/Acta Physica Sinica</i> , 2022 ,	0.6	
97	Observation of magnetic adatom-induced Majorana vortex and its hybridization with field-induced Majorana vortex in an iron-based superconductor. <i>Nature Communications</i> , 2021 , 12, 1348	17.4	7
96	Electrostatic gating of solid-ion-conductor on InSe flakes and InSe/h-BN heterostructures. <i>Chinese Physics B</i> , 2020 , 29, 118501	1.2	1
95	Nearly quantized conductance plateau of vortex zero mode in an iron-based superconductor. <i>Science</i> , 2020 , 367, 189-192	33.3	80
94	Plasmon-induced hot electron transfer in Au-ZnO heterogeneous nanorods for enhanced SERS. <i>Nanoscale</i> , 2019 , 11, 11782-11788	7.7	23
93	Quasi-2D Transport and Weak Antilocalization Effect in Few-layered VSe. <i>Nano Letters</i> , 2019 , 19, 4551-4559	5.9	26
92	Observation of the Kondo Effect in Multilayer Single-Crystalline VTe Nanoplates. <i>Nano Letters</i> , 2019 , 19, 8572-8580	11.5	24
91	Preparation of graphene nanowalls on nickel foam as supercapacitor electrodes. <i>Micro and Nano Letters</i> , 2018 , 13, 842-844	0.9	12
90	A low-temperature scanning probe microscopy system with molecular beam epitaxy and optical access. <i>Review of Scientific Instruments</i> , 2018 , 89, 113705	1.7	2
89	Modulation of field emission by small AC signals. <i>Science China Technological Sciences</i> , 2017 , 60, 1897-1903	9.3	2
88	Impurity-induced formation of bilayered graphene on copper by chemical vapor deposition. <i>Nano Research</i> , 2016 , 9, 2803-2810	10	19
87	Copper vapor-assisted growth of hexagonal graphene domains on silica islands. <i>Applied Physics Letters</i> , 2016 , 109, 023106	3.4	5
86	High-quality graphene grown on polycrystalline PtRh20 alloy foils by low pressure chemical vapor deposition and its electrical transport properties. <i>Applied Physics Letters</i> , 2016 , 108, 063102	3.4	3
85	Low-temperature controllable preparation of vertically standing graphene sheets on indium tin oxide glass and their field emission properties. <i>Chemical Physics Letters</i> , 2016 , 664, 29-32	2.5	3
84	Epitaxy of Ultrathin SnSe Single Crystals on Polydimethylsiloxane: In-Plane Electrical Anisotropy and Gate-Tunable Thermopower. <i>Advanced Electronic Materials</i> , 2016 , 2, 1600292	6.4	23
83	Synthesis of graphene-supported monodisperse AuPd bimetallic nanoparticles for electrochemical oxidation of methanol. <i>Chinese Physics B</i> , 2015 , 24, 078109	1.2	2
82	Room-Temperature, Low-Barrier Boron Doping of Graphene. <i>Nano Letters</i> , 2015 , 15, 6464-8	11.5	18

81	Graphene/Silicon Layered Structures on Single-Crystalline Ir(111) Thin Films. <i>Advanced Materials Interfaces</i> , 2015 , 2, 1400543	4.6	11
80	One-pot synthesis of graphene-supported monodisperse Pd nanoparticles as catalyst for formic acid electro-oxidation. <i>Scientific Reports</i> , 2014 , 4, 4501	4.9	109
79	Synthesis of cubic and spherical Pd nanoparticles on graphene and their electrocatalytic performance in the oxidation of formic acid. <i>Nanoscale</i> , 2014 , 6, 13154-62	7.7	40
78	An innovative way of etching MoS ₂ : Characterization and mechanistic investigation. <i>Nano Research</i> , 2013 , 6, 200-207	10	128
77	Controlled synthesis of large-scale, uniform, vertically standing graphene for high-performance field emitters. <i>Advanced Materials</i> , 2013 , 25, 250-5	24	147
76	Control of Superhydrophilic and Superhydrophobic Graphene Interface. <i>Scientific Reports</i> , 2013 , 3,	4.9	89
75	Synthesis of Pt nanoparticles anchored on graphene-encapsulated Fe ₃ O ₄ magnetic nanospheres and their use as catalysts for methanol oxidation. <i>Carbon</i> , 2013 , 53, 112-119	10.4	54
74	Preparation and electrochemistry of graphene nanosheets/multiwalled carbon nanotubes hybrid nanomaterials as Pd electrocatalyst support for formic acid oxidation. <i>Electrochimica Acta</i> , 2012 , 62, 242-249	6.7	71
73	A facile fabrication of Cu ₂ O nanowire arrays on Cu substrates. <i>Open Engineering</i> , 2012 , 2,	1.7	5
72	Electrodeposition of Sb ₂ Se ₃ on indium-doped tin oxides substrate: Nucleation and growth. <i>Applied Surface Science</i> , 2012 , 258, 2169-2173	6.7	23
71	Local field emission of electrons from an individual boron nanowire at nanometer electrode separation. <i>Applied Surface Science</i> , 2012 , 258, 2149-2152	6.7	4
70	Fabrication of patterned boron carbide nanowires and their electrical, field emission, and flexibility properties. <i>Nano Research</i> , 2012 , 5, 896-902	10	10
69	Influence of Si Co-doping on electrical transport properties of magnesium-doped boron nanowires. <i>Applied Physics Letters</i> , 2012 , 100, 103112	3.4	2
68	Graphene nanosheets-polypyrrole hybrid material as a highly active catalyst support for formic acid electro-oxidation. <i>Nanoscale</i> , 2011 , 3, 3277-84	7.7	79
67	Core-shell Fe ₃ O ₄ @SiO ₂ nanoparticles synthesized with well-dispersed hydrophilic Fe ₃ O ₄ seeds. <i>Nanoscale</i> , 2011 , 3, 701-5	7.7	237
66	Synthesis of monodisperse CoPt ₃ nanocrystals and their catalytic behavior for growth of boron nanowires. <i>Nano Research</i> , 2011 , 4, 780-787	10	10
65	Highly dispersed Pd nanoparticles on chemically modified graphene with aminophenyl groups for formic acid oxidation. <i>Chinese Physics B</i> , 2011 , 20, 113301	1.2	5
64	Surface-enhanced Raman scattering properties of highly ordered self-assemblies of gold nanorods with different aspect ratios. <i>Chinese Physics B</i> , 2011 , 20, 076103	1.2	12

63	Field emission properties of patterned boron nanocones. <i>Nanotechnology</i> , 2010 , 21, 325705	3.4	5
62	Synthesis of monodisperse palladium nanocubes and their catalytic activity for methanol electrooxidation. <i>Chinese Physics B</i> , 2010 , 19, 106104	1.2	29
61	Facile synthesis of hollow nano-spheres and hemispheres of cobalt by polyol reduction. <i>Nanotechnology</i> , 2010 , 21, 375602	3.4	14
60	One-dimensional boron nanostructures: Prediction, synthesis, characterizations, and applications. <i>Nanoscale</i> , 2010 , 2, 1375-89	7.7	56
59	Atomic-scale tuning of self-assembled ZnO microscopic patterns: from dendritic fractals to compact island. <i>Nanoscale</i> , 2010 , 2, 2557-60	7.7	10
58	Organic phase synthesis of monodisperse iron oxide nanocrystals using iron chloride as precursor. <i>Nanoscale</i> , 2010 , 2, 1027-32	7.7	83
57	Metal-like single crystalline boron nanotubes: synthesis and in situ study on electric transport and field emission properties. <i>Journal of Materials Chemistry</i> , 2010 , 20, 2197		139
56	Synthesis and properties of Au ₃ Fe ₃ O ₄ and Ag ₃ Fe ₃ O ₄ heterodimeric nanoparticles. <i>Chinese Physics B</i> , 2010 , 19, 066102	1.2	9
55	Effect of Contact Mode on the Electrical Transport and Field-Emission Performance of Individual Boron Nanowires. <i>Advanced Functional Materials</i> , 2010 , 20, 1994-2003	15.6	17
54	Pressure-induced superconducting state in crystalline boron nanowires. <i>Physical Review B</i> , 2009 , 79,	3.3	15
53	Patterned boron nanowires and field emission properties. <i>Applied Physics Letters</i> , 2009 , 94, 083101	3.4	15
52	Boron Nanowires for Flexible Electronics and Field Emission 2009 ,		1
51	Controllable growth of silver nanostructures by a simple replacement reaction and their SERS studies. <i>Solid State Sciences</i> , 2009 , 11, 1088-1093	3.4	49
50	Solvothermal-assisted exfoliation process to produce graphene with high yield and high quality. <i>Nano Research</i> , 2009 , 2, 706-712	10	198
49	Fabrication and field emission properties of boron nanowire bundles. <i>Ultramicroscopy</i> , 2009 , 109, 447-503.	3.1	9
48	Shape-Controlled Synthesis of Palladium Nanorods and Their Magnetic Properties. <i>Journal of Physical Chemistry C</i> , 2009 , 113, 13466-13469	3.8	44
47	Oleylamine as Both Reducing Agent and Stabilizer in a Facile Synthesis of Magnetite Nanoparticles. <i>Chemistry of Materials</i> , 2009 , 21, 1778-1780	9.6	458
46	Growth of Au Nanowires at the Interface of Air/Water. <i>Journal of Physical Chemistry C</i> , 2009 , 113, 15196-15207	3.1	2007

45	Large-Scale Fe ₃ O ₄ Nanoparticles Soluble in Water Synthesized by a Facile Method. <i>Journal of Physical Chemistry C</i> , 2008 , 112, 11336-11339	3.8	227
44	Monodisperse Noble-Metal Nanoparticles and Their Surface Enhanced Raman Scattering Properties. <i>Chemistry of Materials</i> , 2008 , 20, 6939-6944	9.6	172
43	Probing Field Emission from Boron Carbide Nanowires. <i>Chinese Physics Letters</i> , 2008 , 25, 3463-3466	1.8	8
42	Single crystalline boron carbide nanobelts: synthesis and characterization. <i>Chinese Physics B</i> , 2008 , 17, 4247-4252	1.2	10
41	Anomalous aggregation growth of palladium nanosphere with SPR band in visible range. <i>Chinese Physics B</i> , 2008 , 17, 2066-2071	1.2	10
40	Synthesis and photoluminescence property of boron carbide nanowires. <i>Chinese Physics B</i> , 2008 , 17, 4585-4591	1.2	11
39	Organic molecules modified palladium nanowires arrays prepared by high temperature liquid phase reduction. <i>Chinese Physics B</i> , 2008 , 17, 2191-2196	1.2	2
38	Boron Carbide and Silicon Oxide Hetero-nanonecklaces via Temperature Modulation. <i>Crystal Growth and Design</i> , 2008 , 8, 3160-3164	3.5	15
37	Monodisperse CoPt Nanoparticles Synthesized Using Chemical Reduction Method. <i>Chinese Physics Letters</i> , 2008 , 25, 1479-1481	1.8	20
36	Cathodoluminescent and electrical properties of an individual ZnO nanowire with oxygen vacancies. <i>Chinese Physics B</i> , 2008 , 17, 3444-3447	1.2	14
35	Formation and photoluminescence properties of boron nanocones. <i>Chinese Physics B</i> , 2008 , 17, 3827-3835	1.2	8
34	Boron nanowires for flexible electronics. <i>Applied Physics Letters</i> , 2008 , 93, 122105	3.4	27
33	Fabrication of Vertically Aligned Single-Crystalline Boron Nanowire Arrays and Investigation of Their Field-Emission Behavior. <i>Advanced Materials</i> , 2008 , 20, 2609-2615	24	88
32	Self-assembled synthesis of SERS-active silver dendrites and photoluminescence properties of a thin porous silicon layer. <i>Electrochemistry Communications</i> , 2008 , 10, 625-629	5.1	80
31	Wet chemical synthesis of gold nanoparticles using silver seeds: a shape control from nanorods to hollow spherical nanoparticles. <i>Nanotechnology</i> , 2007 , 18, 115608	3.4	48
30	Single Crystalline Boron Nanocones: Electric Transport and Field Emission Properties. <i>Advanced Materials</i> , 2007 , 19, 4480-4485	24	76
29	A new route to single crystalline vanadium dioxide nanoflakes via thermal reduction. <i>Journal of Materials Research</i> , 2007 , 22, 1921-1926	2.5	15
28	Controlled synthesis of highly ordered CuO nanowire arrays by template-based sol-gel route. <i>Transactions of Nonferrous Metals Society of China</i> , 2007 , 17, 783-786	3.3	59

27	Large scale SiC ₂ N ₂ O _x nanocables: Synthesis, photoluminescence, and field emission properties. <i>Journal of Applied Physics</i> , 2007 , 102, 014309	2.5	33
26	TEM study on hollow and porous Cu ₂ O nanoparticles prepared from solution phase. <i>Chinese Physics B</i> , 2006 , 15, 1290-1295		6
25	Synthesis, characterization and self-assemblies of magnetite nanoparticles. <i>Surface and Interface Analysis</i> , 2006 , 38, 1063-1067	1.5	18
24	Fabrication of gold nanorod self-assemblies from rod and sphere mixtures via shape self-selective behavior. <i>Chemical Physics Letters</i> , 2006 , 432, 222-225	2.5	28
23	Controlled growth of large-scale silver nanowires. <i>Chinese Physics B</i> , 2005 , 14, 2269-2275		24
22	Highly ordered self-assembly with large area of Fe ₃ O ₄ nanoparticles and the magnetic properties. <i>Journal of Physical Chemistry B</i> , 2005 , 109, 23233-6	3.4	206
21	Influence of different deposition potentials on morphology and structure of CdSe films. <i>Applied Surface Science</i> , 2005 , 240, 34-41	6.7	40
20	Well-aligned zinc oxide nanorods and nanowires prepared without catalyst. <i>Journal of Crystal Growth</i> , 2005 , 274, 126-131	1.6	76
19	From aqueous to organic: A step-by-step strategy for shape evolution of gold nanoparticles. <i>Chemical Physics Letters</i> , 2005 , 415, 342-345	2.5	11
18	Synthesis and characterization of aniline and o-toluidine conducting copolymer microtubes with the template-synthesis method. <i>Journal of Applied Polymer Science</i> , 2005 , 96, 1539-1543	2.9	9
17	Novel Nanopyramid Arrays of Magnetite. <i>Advanced Materials</i> , 2005 , 17, 1893-1897	24	75
16	The dependence of Co nanoparticle sizes on the ratio of surfactants and the influence of different crystal sizes on magnetic properties. <i>Applied Physics A: Materials Science and Processing</i> , 2005 , 81, 569-572 ^{2,6}		15
15	Morphologies and microstructures of nano-sized Cu ₂ O particles using a cetyltrimethylammonium template. <i>Nanotechnology</i> , 2005 , 16, 267-72	3.4	61
14	Increase in thermal stability induced by organic coatings on nanoparticles. <i>Physical Review B</i> , 2004 , 70,	3.3	39
13	Synthesis and magnetic properties of Cobalt nanoparticles. <i>Surface and Interface Analysis</i> , 2004 , 36, 155-160	1.5	86
12	The size-dependent phonon frequency of semiconductor nanocrystals. <i>Journal of Physics Condensed Matter</i> , 2004 , 16, 267-272	1.8	27
11	Stable cobalt nanoparticles passivated with oleic acid and triphenylphosphine. <i>Nanotechnology</i> , 2004 , 15, 70-74	3.4	67
10	Preparation and characterization of nanocrystalline Li ₄ Ti ₅ O ₁₂ by sol-gel method. <i>Materials Chemistry and Physics</i> , 2003 , 78, 437-441	4.4	104

9	Synthesis and characterization of n-octadecyl mercaptan-protected palladium nanoparticles. <i>Chemical Physics Letters</i> , 2003 , 373, 39-45	2.5	70
8	Self-assembled stripes on the anodic aluminum oxide by atomic force microscope observation. <i>Applied Surface Science</i> , 2003 , 219, 282-289	6.7	10
7	Self-assembly and magnetic properties of cobalt nanoparticles. <i>Applied Physics Letters</i> , 2003 , 82, 4729-4731	3.1	80
6	Synthesis of highly ordered LiNiO ₂ nanowire arrays in AAO templates and their structural properties. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2002 , 335, 260-267	5.3	19
5	Synthesis of high-ordered LiMn ₂ O ₄ nanowire arrays by AAO template and its structural properties. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2002 , 95, 77-82	3.1	30
4	Synthesis of high-ordered LiCoO ₂ nanowire arrays by AAO template. <i>Solid State Ionics</i> , 2002 , 146, 81-86	3.3	68
3	DC electrochemical deposition of CdSe nanorods array using porous anodic aluminum oxide template. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2001 , 303, 19-23	5.3	40
2	Effect of pH on the electrochemical deposition of cadmium selenide nanocrystal films. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2001 , 84, 265-270	3.1	24
1	Preparation of MnO ₂ /carbon composite material by a wet chemical method. <i>Materials Research Bulletin</i> , 2001 , 36, 541-546	5.1	9