

# Alexandre A S Soares

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9439529/publications.pdf>

Version: 2024-02-01

21  
papers

305  
citations

932766

10  
h-index

887659

17  
g-index

24  
all docs

24  
docs citations

24  
times ranked

588  
citing authors

#	ARTICLE	IF	CITATIONS
1	Dapagliflozin effect on endothelial dysfunction in diabetic patients with atherosclerotic disease: a randomized active-controlled trial. <i>Cardiovascular Diabetology</i> , 2021, 20, 74.	2.7	44
2	Association of systemic inflammatory activity with coronary and carotid atherosclerosis in the very elderly. <i>Atherosclerosis</i> , 2011, 216, 212-216.	0.4	38
3	Timing and Dose of Statin Therapy Define Its Impact on Inflammatory and Endothelial Responses During Myocardial Infarction. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2011, 31, 1240-1246.	1.1	36
4	Low zinc levels is associated with increased inflammatory activity but not with atherosclerosis, arteriosclerosis or endothelial dysfunction among the very elderly. <i>BBA Clinical</i> , 2014, 2, 1-6.	4.1	28
5	Inflammatory Response During Myocardial Infarction. <i>Advances in Clinical Chemistry</i> , 2018, 84, 39-79.	1.8	26
6	HDL acceptor capacities for cholesterol efflux from macrophages and lipid transfer are both acutely reduced after myocardial infarction. <i>Clinica Chimica Acta</i> , 2018, 478, 51-56.	0.5	21
7	Reciprocal Multifaceted Interaction Between HDL (High-Density Lipoprotein) and Myocardial Infarction. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2019, 39, 1550-1564.	1.1	21
8	Enhanced parathyroid hormone levels are associated with left ventricle hypertrophy in very elderly men and women. <i>Journal of the American Society of Hypertension</i> , 2015, 9, 697-704.	2.3	16
9	Thromboelastometry demonstrates endogenous coagulation activation in nonsevere and severe COVID-19 patients and has applicability as a decision algorithm for intervention. <i>PLoS ONE</i> , 2022, 17, e0262600.	1.1	14
10	C-reactive protein is independently associated with coronary atherosclerosis burden among octogenarians. <i>Aging Clinical and Experimental Research</i> , 2014, 26, 19-23.	1.4	12
11	Assessment of dapagliflozin effect on diabetic endothelial dysfunction of brachial artery (ADDENDA-BHS2 trial): rationale, design, and baseline characteristics of a randomized controlled trial. <i>Diabetology and Metabolic Syndrome</i> , 2019, 11, 62.	1.2	9
12	Adverse interaction between HDL and the mass of myocardial infarction. <i>Atherosclerosis</i> , 2019, 281, 9-16.	0.4	8
13	Pregnancy Outcomes and Child Development Effects of SARS-CoV-2 Infection (PROUIDEST Trial): Protocol for a Multicenter, Prospective Cohort Study. <i>JMIR Research Protocols</i> , 2021, 10, e26477.	0.5	8
14	Dapagliflozin increases the lean-to total mass ratio in type 2 diabetes mellitus. <i>Nutrition and Diabetes</i> , 2021, 11, 17.	1.5	8
15	Dapagliflozin increases retinal thickness in type 2 diabetic patients as compared with glibenclamide: A randomized controlled trial. <i>Diabetes and Metabolism</i> , 2021, 47, 101280.	1.4	6
16	Pregnancy in Woman with Kawasaki Disease and Multiple Coronary Artery Aneurysms. <i>Arquivos Brasileiros De Cardiologia</i> , 2017, 110, 97-100.	0.3	4
17	Molecular and Cellular Biomarkers of COVID-19 Prognosis: Protocol for the Prospective Cohort TARGET Study. <i>JMIR Research Protocols</i> , 2021, 10, e24211.	0.5	3
18	Prevalence, treatment, and control of dyslipidemia in diabetic participants of two brazilian cohorts: a place far from heaven. <i>Revista Da Associação Médica Brasileira</i> , 2019, 65, 3-8.	0.3	2

#	ARTICLE	IF	CITATIONS
19	Dapagliflozin reduces adiposity and increases adiponectin in patients with type 2 diabetes and atherosclerotic disease at short-term: an active-controlled randomised trial. <i>Diabetes and Metabolism</i> , 2021, 48, 101304.	1.4	1
20	452 TIMING AND DOSE OF STATIN THERAPY DEFINE ITS IMPACT ON INFLAMMATORY AND ENDOTHELIAL RESPONSES DURING MYOCARDIAL INFARCTION. <i>Atherosclerosis Supplements</i> , 2011, 12, 96.	1.2	0
21	Defective Allele of the Neuronal Nitric Oxide Synthase Gene Increases Insulin Resistance During Acute Phase of Myocardial Infarction. <i>International Journal of General Medicine</i> , 2021, Volume 14, 3669-3676.	0.8	0