

Peter A Vandenberghe

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9440588/publications.pdf>

Version: 2024-02-01

280
papers

19,695
citations

14614

66
h-index

11581

135
g-index

288
all docs

288
docs citations

288
times ranked

20222
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Overactive WASp in X-linked neutropenia leads to aberrant B-cell division and accelerated plasma cell generation. <i>Journal of Allergy and Clinical Immunology</i> , 2022, 149, 1069-1084. | 1.5 | 5 |
| 2 | COVID-19 Vaccination Safety and Tolerability in Patients Allegedly at High Risk for Immediate Hypersensitivity Reactions. <i>Vaccines</i> , 2022, 10, 286. | 2.1 | 8 |
| 3 | Combined lenalidomide/bortezomib for multiple myeloma complicated by fulminant myocarditis: a rare case report of widely used chemotherapy. <i>European Heart Journal - Case Reports</i> , 2022, 6, ytac093. | 0.3 | 4 |
| 4 | Selinexor, Bortezomib and Dexamethasone: An Effective Salvage Regimen for Heavily Pretreated Myeloma Patients. <i>OncoTargets and Therapy</i> , 2022, Volume 15, 243-250. | 1.0 | 4 |
| 5 | Pan-Cancer Detection and Typing by Mining Patterns in Large Genome-Wide Cell-Free DNA Sequencing Datasets. <i>Clinical Chemistry</i> , 2022, 68, 1164-1176. | 1.5 | 6 |
| 6 | Ultra-low coverage whole genome sequencing of ccfDNA in multiple myeloma: A tool for laboratory routine?. <i>Cancer Treatment and Research Communications</i> , 2021, 28, 100380. | 0.7 | 3 |
| 7 | Constitutive activation of WASp leads to abnormal cytotoxic cells with increased granzyme B and degranulation response to target cells. <i>JCI Insight</i> , 2021, 6, . | 2.3 | 7 |
| 8 | BIRD-2, a BH4-domain-targeting peptide of Bcl-2, provokes Bax/Bak-independent cell death in B-cell cancers through mitochondrial Ca ²⁺ -dependent mPTP opening. <i>Cell Calcium</i> , 2021, 94, 102333. | 1.1 | 28 |
| 9 | 14q32 rearrangements deregulating <i>BCL11B</i> mark a distinct subgroup of T and myeloid immature acute leukemia. <i>Blood</i> , 2021, 138, 773-784. | 0.6 | 19 |
| 10 | Case Report: Spontaneous Remission of an Infraorbital Follicular B-Cell Lymphoma: Case Report and Review of the Literature. <i>Pathology and Oncology Research</i> , 2021, 27, 642433. | 0.9 | 0 |
| 11 | The landscape of copy number variations in classical Hodgkin lymphoma: a joint KU Leuven and LYSA study on cell-free DNA. <i>Blood Advances</i> , 2021, 5, 1991-2002. | 2.5 | 15 |
| 12 | Comprehensive genome-wide analysis of routine non-invasive test data allows cancer prediction: A single-center retrospective analysis of over 85,000 pregnancies. <i>EClinicalMedicine</i> , 2021, 35, 100856. | 3.2 | 42 |
| 13 | An Update of Safety and Efficacy Results from Phase 1 Dose-Escalation and Expansion Study of Vodobotinib, a Novel Oral BCR-ABL1 Tyrosine Kinase Inhibitor (TKI), in Patients with Chronic Myeloid Leukemia (CML) and Philadelphia Chromosome Positive Acute Lymphoblastic Leukemia (Ph+ ALL) Failing Prior TKI Therapies. <i>Blood</i> , 2021, 138, 309-309. | 0.6 | 3 |
| 14 | Targeting cytokine- and therapy-induced PIM1 activation in preclinical models of T-cell acute lymphoblastic leukemia and lymphoma. <i>Blood</i> , 2020, 135, 1685-1695. | 0.6 | 28 |
| 15 | Chimeric Antigen Receptor-T-Cell Therapy for B-Cell Hematological Malignancies: An Update of the Pivotal Clinical Trial Data. <i>Pharmaceutics</i> , 2020, 12, 194. | 2.0 | 40 |
| 16 | The complex genetic landscape of familial MDS and AML reveals pathogenic germline variants. <i>Nature Communications</i> , 2020, 11, 1044. | 5.8 | 81 |
| 17 | Trial watch: chemotherapy-induced immunogenic cell death in immuno-oncology. <i>OncolImmunology</i> , 2020, 9, 1703449. | 2.1 | 156 |
| 18 | Ultra-low depth sequencing of plasma cell ccfDNA for the detection of copy number aberrations in multiple myeloma. <i>Genes Chromosomes and Cancer</i> , 2020, 59, 465-471. | 1.5 | 3 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | In-depth characterization of the tumor microenvironment in central nervous system lymphoma reveals implications for immune-checkpoint therapy. <i>Cancer Immunology, Immunotherapy</i> , 2020, 69, 1751-1766. | 2.0 | 36 |
| 20 | FER and FES tyrosine kinase fusions in follicular T-cell lymphoma. <i>Blood</i> , 2020, 135, 584-588. | 0.6 | 16 |
| 21 | Phase 1 Trial of Vodobatinib, a Novel Oral BCR-ABL1 Tyrosine Kinase Inhibitor (TKI): Activity in CML Chronic Phase Patients Failing TKI Therapies Including Ponatinib. <i>Blood</i> , 2020, 136, 51-52. | 0.6 | 20 |
| 22 | Constitutive IP3 signaling underlies the sensitivity of B-cell cancers to the Bcl-2/IP3 receptor disruptor BIRD-2. <i>Cell Death and Differentiation</i> , 2019, 26, 531-547. | 5.0 | 69 |
| 23 | Pre-clinical evaluation of second generation PIM inhibitors for the treatment of T-cell acute lymphoblastic leukemia and lymphoma. <i>Haematologica</i> , 2019, 104, e17-e20. | 1.7 | 18 |
| 24 | Comprehensive analysis of isolated der(1;7)(q10;p10) in a large international homogenous cohort of patients with myelodysplastic syndromes. <i>Genes Chromosomes and Cancer</i> , 2019, 58, 689-697. | 1.5 | 8 |
| 25 | Polycythemia vera and hydroxyurea resistance/intolerance: a monocentric retrospective analysis. <i>Annals of Hematology</i> , 2019, 98, 1421-1426. | 0.8 | 14 |
| 26 | Standardisation and consensus guidelines for minimal residual disease assessment in Philadelphia-positive acute lymphoblastic leukemia (Ph+ ALL) by real-time quantitative reverse transcriptase PCR of e1a2 BCR-ABL1. <i>Leukemia</i> , 2019, 33, 1910-1922. | 3.3 | 54 |
| 27 | FIP1L1â€PDGFRÎ± p.T674Iâ€D842L: A Novel and Ponatinib Resistant Compound Mutation in FIP1L1â€PDGFRÎ± Positive Leukemia. <i>HemaSphere</i> , 2019, 3, e182. | 1.2 | 1 |
| 28 | Genomewide copy number alteration screening of circulating plasma DNA: potential for the detection of incipient tumors. <i>Annals of Oncology</i> , 2019, 30, 85-95. | 0.6 | 35 |
| 29 | A phase II study of the oral JAK1/JAK2 inhibitor ruxolitinib in advanced relapsed/refractory Hodgkin lymphoma. <i>Haematologica</i> , 2018, 103, 840-848. | 1.7 | 45 |
| 30 | Prevalence and clinical association of gene mutations through multiplex mutation testing in patients with NSCLC: results from the ETOP Lungscape Project. <i>Annals of Oncology</i> , 2018, 29, 200-208. | 0.6 | 25 |
| 31 | Clinicopathological characteristics of de novo and secondary myeloid sarcoma: A monocentric retrospective study. <i>European Journal of Haematology</i> , 2018, 100, 603-612. | 1.1 | 32 |
| 32 | Other immunomodulatory agent-related lymphoproliferative diseases: a single-center series of 72 biopsy-confirmed cases. <i>Modern Pathology</i> , 2018, 31, 1457-1469. | 2.9 | 6 |
| 33 | EML1â€ABL1 Is Activated by Coiledâ€Coilâ€Mediated Oligomerization and Induces Tâ€Cell Acute Lymphoblastic Leukemia or Myeloproliferative Disease in a Mouse Bone Marrow Transplant Model. <i>HemaSphere</i> , 2018, 2, e32. | 1.2 | 2 |
| 34 | Coexisting driver mutations in MPN: clinical and molecular characteristics of a series of 11 patients. <i>Hematology</i> , 2018, 23, 785-792. | 0.7 | 23 |
| 35 | Single-cell sequencing reveals the origin and the order of mutation acquisition in T-cell acute lymphoblastic leukemia. <i>Leukemia</i> , 2018, 32, 1358-1369. | 3.3 | 66 |
| 36 | Improved survival after LTx-associated acute GVHD with mAb therapy targeting IL2Rab and soluble TNFAb: Single-center experience and systematic review. <i>American Journal of Transplantation</i> , 2018, 18, 3007-3020. | 2.6 | 2 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | <i>BCR-ABL1</i> positive B-ALL can undergo T-cell lineage shift to become CD19-negative T-ALL. <i>HemaSphere</i> , 2018, 2, e42. | 1.2 | 2 |
| 38 | Constitutive activation of WASp in X-linked neutropenia renders neutrophils hyperactive. <i>Journal of Clinical Investigation</i> , 2018, 128, 4115-4131. | 3.9 | 35 |
| 39 | Unraveling the Landscape of Copy Number Aberrations in Hodgkin Lymphoma: A Joint KU Leuven and Lysa Study on Circulating Cell Free DNA. <i>Blood</i> , 2018, 132, 2836-2836. | 0.6 | 0 |
| 40 | Lymphoma Virome Dynamics Revealed By Cell-Free DNA Sequencing. <i>Blood</i> , 2018, 132, 2861-2861. | 0.6 | 0 |
| 41 | Noninvasive Genotyping and Monitoring of Classical Hodgkin Lymphoma. <i>Blood</i> , 2018, 132, 2838-2838. | 0.6 | 1 |
| 42 | Highly sensitive assays are mandatory for the differential diagnosis of patients presenting with symptoms of mast cell activation: diagnostic work-up of 38 patients. <i>Acta Clinica Belgica</i> , 2017, 72, 123-129. | 0.5 | 2 |
| 43 | Multipotent adult progenitor cells improve the hematopoietic function in myelodysplasia. <i>Cytotherapy</i> , 2017, 19, 744-755. | 0.3 | 3 |
| 44 | RPL5 on 1p22.1 is recurrently deleted in multiple myeloma and its expression is linked to bortezomib response. <i>Leukemia</i> , 2017, 31, 1706-1714. | 3.3 | 49 |
| 45 | An incidental finding of maternal multiple myeloma by non invasive prenatal testing. <i>Prenatal Diagnosis</i> , 2017, 37, 1257-1260. | 1.1 | 13 |
| 46 | Anaplastic lymphoma kinase-positive anaplastic large cell lymphoma with the variant RNF213-, ATIC- and TPM3-ALK fusions is characterized by copy number gain of the rearranged ALK gene. <i>Haematologica</i> , 2017, 102, 1605-1616. | 1.7 | 29 |
| 47 | Axl Blockade by BGB324 Inhibits BCR-ABL Tyrosine Kinase Inhibitor-Sensitive and -Resistant Chronic Myeloid Leukemia. <i>Clinical Cancer Research</i> , 2017, 23, 2289-2300. | 3.2 | 38 |
| 48 | Genomic alterations of the <i>JAK2</i> and <i>PDL</i> loci occur in a broad spectrum of lymphoid malignancies. <i>Genes Chromosomes and Cancer</i> , 2016, 55, 428-441. | 1.5 | 41 |
| 49 | EBV-Positive and EBV-Negative Posttransplant Diffuse Large B Cell Lymphomas Have Distinct Genomic and Transcriptomic Features. <i>American Journal of Transplantation</i> , 2016, 16, 414-425. | 2.6 | 70 |
| 50 | Secondary B-cell lymphoma associated with the Epstein-Barr virus in chronic lymphocytic leukemia patients. <i>Journal of Hematopathology</i> , 2016, 9, 113-120. | 0.2 | 10 |
| 51 | The role of the RAS pathway in iAMP21-ALL. <i>Leukemia</i> , 2016, 30, 1824-1831. | 3.3 | 38 |
| 52 | Circulating cell-free DNA in hematological malignancies. <i>Haematologica</i> , 2016, 101, 997-999. | 1.7 | 16 |
| 53 | A Lysa Phase II Study of Oral JAK1/2 Inhibitor Ruxolitinib in Advanced Relapsed/Refractory (R/R) Hodgkin Lymphoma (HL). <i>Blood</i> , 2016, 128, 4160-4160. | 0.6 | 2 |
| 54 | IGH-Mediated Translocations, Recurrent in Classic Hodgkin Lymphoma, Frequently Correlate with an Aggressive Behavior. <i>Blood</i> , 2016, 128, 2922-2922. | 0.6 | 1 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Post-transplant molecularly defined Burkitt lymphomas are frequently MYC-negative and characterized by the 11q-gain/loss pattern. <i>Haematologica</i> , 2015, 100, e275-e279. | 1.7 | 76 |
| 56 | The H3K27me3 demethylase UTX is a gender-specific tumor suppressor in T-cell acute lymphoblastic leukemia. <i>Blood</i> , 2015, 125, 13-21. | 0.6 | 168 |
| 57 | Hedgehog pathway mutations in T-cell acute lymphoblastic leukemia. <i>Haematologica</i> , 2015, 100, e102-e105. | 1.7 | 35 |
| 58 | Analysis of phenotype and outcome in essential thrombocythemia with CALR or JAK2 mutations. <i>Haematologica</i> , 2015, 100, 893-897. | 1.7 | 49 |
| 59 | t(15;21) translocations leading to the concurrent downregulation of RUNX1 and its transcription factor partner genes SIN3A and TCF12 in myeloid disorders. <i>Molecular Cancer</i> , 2015, 14, 211. | 7.9 | 12 |
| 60 | Validation of a locked nucleic acid based wild-type blocking PCR for the detection of EGFR exon 18/19 mutations. <i>Diagnostic Pathology</i> , 2015, 10, 57. | 0.9 | 6 |
| 61 | Presymptomatic Identification of Cancers in Pregnant Women During Noninvasive Prenatal Testing. <i>JAMA Oncology</i> , 2015, 1, 814. | 3.4 | 180 |
| 62 | NUP98/11p15 translocations affect CD34+ cells in myeloid and T lymphoid leukemias. <i>Leukemia Research</i> , 2015, 39, 769-772. | 0.4 | 12 |
| 63 | Non-invasive detection of genomic imbalances in Hodgkin/Reed-Sternberg cells in early and advanced stage Hodgkin's lymphoma by sequencing of circulating cell-free DNA: a technical proof-of-principle study. <i>Lancet Haematology</i> , 2015, 2, e55-e65. | 2.2 | 115 |
| 64 | Clonal chromosomal abnormalities in Ph-negative cells in chronic myeloid leukemia: an unusual case evolving to secondary acute myeloid leukemia. <i>Cancer Genetics</i> , 2015, 208, 102-104. | 0.2 | 1 |
| 65 | TAF10 Interacts with the GATA1 Transcription Factor and Controls Mouse Erythropoiesis. <i>Molecular and Cellular Biology</i> , 2015, 35, 2103-2118. | 1.1 | 14 |
| 66 | Efficacy of ruxolitinib in myeloid neoplasms with PCM1-JAK2 fusion gene. <i>Annals of Hematology</i> , 2015, 94, 1927-1928. | 0.8 | 51 |
| 67 | Targeted sequencing identifies associations between IL7R-JAK mutations and epigenetic modulators in T-cell acute lymphoblastic leukemia. <i>Haematologica</i> , 2015, 100, 1301-1310. | 1.7 | 151 |
| 68 | Disruption of SF3B1 results in deregulated expression and splicing of key genes and pathways in myelodysplastic syndrome hematopoietic stem and progenitor cells. <i>Leukemia</i> , 2015, 29, 1092-1103. | 3.3 | 161 |
| 69 | RPL5 Is a Candidate Tumor Suppressor on 1p22.1 in Multiple Myeloma of Which the Expression Is Linked to Bortezomib Response. <i>Blood</i> , 2015, 126, 2969-2969. | 0.6 | 0 |
| 70 | Identification of Candidate Oncogenes and Chromosomal Breakpoint Sequencing By Targeted Locus Amplification in T-Cell Acute Lymphoblastic Leukemia. <i>Blood</i> , 2015, 126, 1409-1409. | 0.6 | 0 |
| 71 | ALK-Positive Anaplastic Large Cell Lymphoma with the Variant EEF1G-, RNF213- and Atic-ALK Fusions Is Featured By Copy Number Gain of the Rearranged ALK Gene. <i>Blood</i> , 2015, 126, 3654-3654. | 0.6 | 0 |
| 72 | MPL p.S204P Is a Recurrent Mutation in Essential Thrombocythemia. <i>Blood</i> , 2015, 126, 2837-2837. | 0.6 | 1 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 73 | BGB324 Inhibits BCR-ABL TKI-Resistant Chronic Myeloid Leukemia. <i>Blood</i> , 2015, 126, 1569-1569. | 0.6 | 0 |
| 74 | Non-IG Aberrations of FOXP1 in B-Cell Malignancies Lead to an Aberrant Expression of N-Truncated Isoforms of FOXP1. <i>PLoS ONE</i> , 2014, 9, e85851. | 1.1 | 18 |
| 75 | Integrative Genomic and Transcriptomic Analysis Identified Candidate Genes Implicated in the Pathogenesis of Hepatosplenic T-Cell Lymphoma. <i>PLoS ONE</i> , 2014, 9, e102977. | 1.1 | 48 |
| 76 | Translocation t(1;11)(q21;q23): a new finding in congenital acute myeloid leukemia. <i>Leukemia and Lymphoma</i> , 2014, 55, 1435-1436. | 0.6 | 2 |
| 77 | Identification of a novel, recurrent <i>MBTD1</i> – <i>Xorf67</i> fusion in low-grade endometrial stromal sarcoma. <i>International Journal of Cancer</i> , 2014, 134, 1112-1122. | 2.3 | 117 |
| 78 | Screening of <i>JAK2</i> V617F and <i>MPL</i> W515 K/L negative essential thrombocythaemia patients for mutations in <i>SESN2</i> , <i>DNAJC17</i> , <i>ST13</i> , <i>TOP1</i> , <i>MT</i> , and <i>NTRK1</i> . <i>British Journal of Haematology</i> , 2014, 165, 734-737. | 1.2 | 5 |
| 79 | Suitability of Small Bronchoscopic Tumour Specimens for Lung Cancer Genotyping. <i>Respiration</i> , 2014, 88, 371-377. | 1.2 | 10 |
| 80 | A case with a cytogenetically cryptic variant of the inv(16)(p13q22)/t(16;16)(p13;q22). <i>Cancer Genetics</i> , 2014, 207, 231-232. | 0.2 | 4 |
| 81 | Constitutional and somatic rearrangement of chromosome 21 in acute lymphoblastic leukaemia. <i>Nature</i> , 2014, 508, 98-102. | 13.7 | 261 |
| 82 | An international study of intrachromosomal amplification of chromosome 21 (iAMP21): cytogenetic characterization and outcome. <i>Leukemia</i> , 2014, 28, 1015-1021. | 3.3 | 175 |
| 83 | Rapid and complete hematological response of refractory hairy cell leukemia to the BRAF inhibitor dabrafenib. <i>Annals of Hematology</i> , 2014, 93, 2087-2089. | 0.8 | 26 |
| 84 | Identification of Ponatinib as a potent inhibitor of growth, migration, and activation of neoplastic eosinophils carrying FIP1L1-PDGFR α . <i>Experimental Hematology</i> , 2014, 42, 282-293.e4. | 0.2 | 41 |
| 85 | Cooperativity of RUNX1 and CSF3R mutations in severe congenital neutropenia: a unique pathway in myeloid leukemogenesis. <i>Blood</i> , 2014, 123, 2229-2237. | 0.6 | 135 |
| 86 | In Vitro Characterization of Peripheral Blood Progenitor Cell Differentiation and Platelet Function in Essential Thrombocythemia (ET). <i>Blood</i> , 2014, 124, 1877-1877. | 0.6 | 0 |
| 87 | Analysis of Genotype, Phenotype and Outcome in a Belgian Cohort of Essential Thrombocythemia. <i>Blood</i> , 2014, 124, 5584-5584. | 0.6 | 0 |
| 88 | TAF10 Interacts with GATA1 Transcription Factor and Controls Mouse Erythropoiesis. <i>Blood</i> , 2014, 124, 2912-2912. | 0.6 | 0 |
| 89 | BGB324 Represents an Axl and BCR-ABL1 Inhibitor with Activity in the T315I Mutant. <i>Blood</i> , 2014, 124, 4512-4512. | 0.6 | 1 |
| 90 | Chromosomal translocations involving the IGH@ locus in B-cell precursor acute lymphoblastic leukemia: 29 new cases and a review of the literature. <i>Cancer Genetics</i> , 2013, 206, 162-173. | 0.2 | 29 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Exome sequencing identifies mutation in CNOT3 and ribosomal genes RPL5 and RPL10 in T-cell acute lymphoblastic leukemia. <i>Nature Genetics</i> , 2013, 45, 186-190. | 9.4 | 365 |
| 92 | Deregulated Expression of <i>EVI1</i> Defines a Poor Prognostic Subset of <i>MLL</i> -Rearranged Acute Myeloid Leukemias: A Study of the German-Austrian Acute Myeloid Leukemia Study Group and the Dutch-Belgian-Swiss HOVON/SAKK Cooperative Group. <i>Journal of Clinical Oncology</i> , 2013, 31, 95-103. | 0.8 | 95 |
| 93 | Patients with myelodysplastic syndrome and two clones with different interstitial deletions of the long arm of chromosome 5. <i>Leukemia and Lymphoma</i> , 2013, 54, 2314-2317. | 0.6 | 0 |
| 94 | Comprehensive Analysis of Transcriptome Variation Uncovers Known and Novel Driver Events in T-Cell Acute Lymphoblastic Leukemia. <i>PLoS Genetics</i> , 2013, 9, e1003997. | 1.5 | 110 |
| 95 | <i>BMI1</i> , The polycomb group gene, is recurrently targeted by genomic rearrangements in progressive B-cell leukemia/lymphoma. <i>Genes Chromosomes and Cancer</i> , 2013, 52, 928-944. | 1.5 | 20 |
| 96 | Activation of the mTOR signaling pathway by L-leucine in 5q- syndrome and other RPS14-deficient erythroblasts. <i>Leukemia</i> , 2013, 27, 1760-1763. | 3.3 | 10 |
| 97 | Cooperativity Of RUNX1 and CSF3R Mutations In The Development Of Leukemia In Severe Congenital Neutropenia: A Unique Pathway In Myeloid Leukemogenesis. <i>Blood</i> , 2013, 122, 444-444. | 0.6 | 1 |
| 98 | The Interlaboratory Robustness Of Next-Generation Sequencing (IRON) Study Phase II: Deep-Sequencing Analyses Of Hematological Malignancies Performed In 8,867 Cases By An International Network Involving 27 Laboratories. <i>Blood</i> , 2013, 122, 743-743. | 0.6 | 6 |
| 99 | JAK2 V617F-Negative and MPL W515K/L-Negative Essential Thrombocythemia: A High Resolution SNP Array Study. <i>Blood</i> , 2013, 122, 5258-5258. | 0.6 | 0 |
| 100 | Screening JAK2 V617F-Negative and MPL W515K/L-Negative Essential Thrombocythemia Patients For Mutations In SESN2, DNAJC17, ST13, TOP1MT, and NTRK1. <i>Blood</i> , 2013, 122, 5264-5264. | 0.6 | 0 |
| 101 | Familial AML With Germline CEBPA Mutations: Extended Clinical Outcomes and Analysis Of Secondary Mutations Using Whole Exome Sequencing. <i>Blood</i> , 2013, 122, 740-740. | 0.6 | 0 |
| 102 | Axl Represents a Therapeutic Target In T315I-Mutated and WT Chronic Myeloid Leukemia. <i>Blood</i> , 2013, 122, 1469-1469. | 0.6 | 0 |
| 103 | Ponatinib is active against imatinib-resistant mutants of FIP1L1-PDGFR α and KIT, and against FGFR1-derived fusion kinases. <i>Leukemia</i> , 2012, 26, 1693-1695. | 3.3 | 63 |
| 104 | t(X;14)(p11.4;q32.33) is recurrent in marginal zone lymphoma and up-regulates GPR34. <i>Haematologica</i> , 2012, 97, 184-188. | 1.7 | 39 |
| 105 | The different faces of Janus kinase inhibition. <i>Haematologica</i> , 2012, 97, 475-475. | 1.7 | 0 |
| 106 | Rearrangement of NOTCH1 or BCL3 can independently trigger progression of CLL. <i>Blood</i> , 2012, 119, 3864-3866. | 0.6 | 12 |
| 107 | Ruxolitinib inhibits transforming JAK2 fusion proteins in vitro and induces complete cytogenetic remission in t(8;9)(p22;p24)/PCM1-JAK2-positive chronic eosinophilic leukemia. <i>Blood</i> , 2012, 120, 1529-1531. | 0.6 | 63 |
| 108 | Contemporary consensus proposal on criteria and classification of eosinophilic disorders and related syndromes. <i>Journal of Allergy and Clinical Immunology</i> , 2012, 130, 607-612.e9. | 1.5 | 604 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | ICON: Eosinophil Disorders. World Allergy Organization Journal, 2012, 5, 174-181. | 1.6 | 25 |
| 110 | Recurrent breakpoints in 14q32.13/TCL1A region in mature B-cell neoplasms with villous lymphocytes. Leukemia and Lymphoma, 2012, 53, 2449-2455. | 0.6 | 3 |
| 111 | Pathogenesis and classification of eosinophil disorders: a review of recent developments in the field. Expert Review of Hematology, 2012, 5, 157-176. | 1.0 | 140 |
| 112 | Targeted Therapy with Rituximab in Felty's Syndrome: A Case Report. Open Rheumatology Journal, 2012, 6, 312-314. | 0.1 | 6 |
| 113 | Mutation of the receptor tyrosine phosphatase PTPRC (CD45) in T-cell acute lymphoblastic leukemia. Blood, 2012, 119, 4476-4479. | 0.6 | 96 |
| 114 | Chronic lymphocytic leukemia and prolymphocytic leukemia with MYC translocations: a subgroup with an aggressive disease course. Annals of Hematology, 2012, 91, 863-873. | 0.8 | 65 |
| 115 | PDS5A, a novel translocation partner of MLL in acute myeloid leukemia. Leukemia Research, 2012, 36, e87-e89. | 0.4 | 5 |
| 116 | Will a peripheral blood (PB) sample yield the same diagnostic and prognostic cytogenetic data as the concomitant bone marrow (BM) in myelodysplasia?. Leukemia Research, 2012, 36, 832-840. | 0.4 | 21 |
| 117 | High Accuracy Mutation Detection in Leukemia on a Selected Panel of Cancer Genes. PLoS ONE, 2012, 7, e38463. | 1.1 | 58 |
| 118 | Translocation t(1;6)(p35.3;p25.2) Involves RCC1 and IRF4 and Is Not Restricted to Unmutated Chronic Lymphocytic Leukemia. Blood, 2012, 120, 4584-4584. | 0.6 | 0 |
| 119 | Non-IG Aberrations of FOXP1 in B-Cell Malignancies Result in an Aberrant Expression of N-Truncated FOXP1 Isoforms.. Blood, 2012, 120, 2411-2411. | 0.6 | 0 |
| 120 | Effects of Ponatinib and Other Novel TKI On Growth, Survival, and Function of Neoplastic Eosinophils Carrying FIP1L1/Pdgfra. Blood, 2012, 120, 1760-1760. | 0.6 | 0 |
| 121 | A cooperative microRNA-tumor suppressor gene network in acute T-cell lymphoblastic leukemia (T-ALL). Nature Genetics, 2011, 43, 673-678. | 9.4 | 244 |
| 122 | FOXP1 and PAX5 are rare but recurrent translocations partners in acute lymphoblastic leukemia. Cancer Genetics, 2011, 204, 462-464. | 0.2 | 9 |
| 123 | Amplification of the G allele at SNP rs6983267 in 8q24 amplicons in myeloid malignancies as cause of the lack of MYC overexpression?. Blood Cells, Molecules, and Diseases, 2011, 47, 259-261. | 0.6 | 5 |
| 124 | JAK2 rearrangements, including the novel SEC31A-JAK2 fusion, are recurrent in classical Hodgkin lymphoma. Blood, 2011, 117, 4056-4064. | 0.6 | 103 |
| 125 | Smad4 binds Hoxa9 in the cytoplasm and protects primitive hematopoietic cells against nuclear activation by Hoxa9 and leukemia transformation. Blood, 2011, 117, 5918-5930. | 0.6 | 29 |
| 126 | EV1 mediated down regulation of MIR449A is essential for the survival of EV1 positive leukaemic cells. British Journal of Haematology, 2011, 154, 337-348. | 1.2 | 20 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | PHF6 mutations in adult acute myeloid leukemia. <i>Leukemia</i> , 2011, 25, 130-134. | 3.3 | 142 |
| 128 | Loss or Inhibition of Stromal-Derived PIGF Prolongs Survival of Mice with Imatinib-Resistant Bcr-Abl1+ Leukemia. <i>Cancer Cell</i> , 2011, 19, 740-753. | 7.7 | 124 |
| 129 | PTPN2 negatively regulates oncogenic JAK1 in T-cell acute lymphoblastic leukemia. <i>Blood</i> , 2011, 117, 7090-7098. | 0.6 | 76 |
| 130 | CML with e6a2 BCR-ABL1 transcript: an aggressive entity?. <i>Annals of Hematology</i> , 2011, 90, 1241-1243. | 0.8 | 10 |
| 131 | The Interlaboratory RObustness of Next-generation sequencing (IRON) study: a deep sequencing investigation of TET2, CBL and KRAS mutations by an international consortium involving 10 laboratories. <i>Leukemia</i> , 2011, 25, 1840-1848. | 3.3 | 96 |
| 132 | External Quality Assessment for <i>KRAS</i> Testing Is Needed: Setup of a European Program and Report of the First Joined Regional Quality Assessment Rounds. <i>Oncologist</i> , 2011, 16, 467-478. | 1.9 | 83 |
| 133 | The kinase inhibitor TKI258 is active against the novel CUX1-FGFR1 fusion detected in a patient with T-lymphoblastic leukemia/lymphoma and t(7;8)(q22;p11). <i>Haematologica</i> , 2011, 96, 922-926. | 1.7 | 59 |
| 134 | Severe congenital neutropenia, a genetically heterogeneous disease group with an increased risk of AML/MDS. <i>Mental illness</i> , 2011, 3, e9. | 0.8 | 25 |
| 135 | UPDATE On the RISK of SECONDARY LEUKEMIA In GENETIC SUBGROUPS (ELANE, HAX1, WAS, G6PC3, p14) of CONGENITAL NEUTROPENIA In EUROPE. <i>Blood</i> , 2011, 118, 1106-1106. | 0.6 | 3 |
| 136 | International Standardization of Minimal Residual Disease Assessment for in Philadelphia Chromosome Positive Acute Lymphoblastic Leukemia (Ph+ALL) Expressing m-BCR-ABL Transcripts: Updated Results of Quality Control Procedures by the EWALL and ESG-MRD-ALL Consortia. <i>Blood</i> , 2011, 118, 2535-2535. | 0.6 | 4 |
| 137 | Ponatinib Is Active Against the CUX1-FGFR1 Fusion Kinase and Against Imatinib Resistance Mutations of the FIP1L1-PDGFR± Fusion Kinase and of KIT. <i>Blood</i> , 2011, 118, 3848-3848. | 0.6 | 0 |
| 138 | T(X;14)(p11.4;q32.33) Is Recurrent In Marginal Zone Lymphoma and Upregulates GPR34. <i>Blood</i> , 2011, 118, 1349-1349. | 0.6 | 0 |
| 139 | JAK2, As Well As PDL1 and PDL2, are Recurrently Targeted by 9p24 Structural and Numerical Aberrations in Lymphoid Neoplasms of Both B- and T-Cell Origin. <i>Blood</i> , 2011, 118, 2460-2460. | 0.6 | 0 |
| 140 | ALK-positive large B-cell lymphomas with cryptic SEC31A-ALK and NPM1-ALK fusions. <i>Haematologica</i> , 2010, 95, 509-513. | 1.7 | 89 |
| 141 | Interphase fluorescence in situ hybridization on selected plasma cells is superior in the detection of cytogenetic aberrations in plasma cell dyscrasia. <i>Genes Chromosomes and Cancer</i> , 2010, 49, 991-997. | 1.5 | 11 |
| 142 | The t(14;20)(q32;q12): a rare cytogenetic change in multiple myeloma associated with poor outcome. <i>British Journal of Haematology</i> , 2010, 149, 901-904. | 1.2 | 9 |
| 143 | Deletion of the protein tyrosine phosphatase gene PTPN2 in T-cell acute lymphoblastic leukemia. <i>Nature Genetics</i> , 2010, 42, 530-535. | 9.4 | 162 |
| 144 | Somatic mutations of the histone methyltransferase gene EZH2 in myelodysplastic syndromes. <i>Nature Genetics</i> , 2010, 42, 665-667. | 9.4 | 708 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | Coactivated Platelet-Derived Growth Factor Receptor $\hat{\pm}$ and Epidermal Growth Factor Receptor Are Potential Therapeutic Targets in Intimal Sarcoma. <i>Cancer Research</i> , 2010, 70, 7304-7314. | 0.4 | 80 |
| 146 | Activating WASP mutations associated with X-linked neutropenia result in enhanced actin polymerization, altered cytoskeletal responses, and genomic instability in lymphocytes. <i>Journal of Experimental Medicine</i> , 2010, 207, 1145-1152. | 4.2 | 67 |
| 147 | Clinical, Molecular, and Prognostic Significance of WHO Type inv(3)(q21q26.2)/t(3;3)(q21;q26.2) and Various Other 3q Abnormalities in Acute Myeloid Leukemia. <i>Journal of Clinical Oncology</i> , 2010, 28, 3890-3898. | 0.8 | 217 |
| 148 | The Kinase Inhibitor TKI258 Is Active Against the Novel CUX1-FGFR1 Fusion Detected In a Patient with T-Lymphoblastic Leukemia/Lymphoma and t(7;8)(q22;p11). <i>Blood</i> , 2010, 116, 2715-2715. | 0.6 | 1 |
| 149 | Results of An International Study of Quantitative BCR/ABL Assays Using Defined RNA Samples. <i>Blood</i> , 2010, 116, 2742-2742. | 0.6 | 7 |
| 150 | SMAD4 Sequesters HOXA9 to Protect Hematopoietic Stem Cells Against Leukemia Transformation. <i>Blood</i> , 2010, 116, 3153-3153. | 0.6 | 3 |
| 151 | Activating WASP mutations associated with X-linked neutropenia result in enhanced actin polymerization, altered cytoskeletal responses, and genomic instability in lymphocytes. <i>Journal of Cell Biology</i> , 2010, 189, i13-i13. | 2.3 | 0 |
| 152 | The Interlaboratory RObustness of Next-Generation Sequencing (IRON) Study: Deep-Sequencing Investigating TET2, CBL, and KRAS Mutations In 4464 Amplicons by An International Group Involving 8 Laboratories.. <i>Blood</i> , 2010, 116, 1665-1665. | 0.6 | 0 |
| 153 | Harmonized Testing for BCR-ABL Kinase Domain Mutations In CML: Results of a Survey and First Control Round within 28 National Reference Laboratories In Europe. <i>Blood</i> , 2010, 116, 894-894. | 0.6 | 1 |
| 154 | G-CSF receptor (CSF3R) mutations in X-linked neutropenia evolving to acute myeloid leukemia or myelodysplasia. <i>Haematologica</i> , 2009, 94, 1449-1452. | 1.7 | 36 |
| 155 | Methylation analysis of the imprintedDLK1-GTL2domain supports the random parental origin of theIGH-involving del(14q) in B-cell malignancies. <i>Epigenetics</i> , 2009, 4, 469-475. | 1.3 | 5 |
| 156 | Recipient-derived chronic lymphocytic leukaemia diagnosed shortly after kidney transplantation on protocol biopsy. <i>Nephrology Dialysis Transplantation</i> , 2009, 24, 3886-3890. | 0.4 | 6 |
| 157 | Improved detection of chromosomal abnormalities in chronic lymphocytic leukemia by conventional cytogenetics using CpG oligonucleotide and interleukin $\hat{\epsilon}$ 2 stimulation: A Belgian multicentric study. <i>Genes Chromosomes and Cancer</i> , 2009, 48, 843-853. | 1.5 | 54 |
| 158 | Hepatosplenic $\hat{\beta}$ T-cell lymphoma after liver transplantation: Report of the first 2 cases and review of the literature. <i>Liver Transplantation</i> , 2009, 15, 686-692. | 1.3 | 23 |
| 159 | P052 Acquired mutations in TET2 are common in myelodysplastic syndromes. <i>Leukemia Research</i> , 2009, 33, S88-S89. | 0.4 | 3 |
| 160 | Neonatal acute myeloid leukemia in an infant whose mother was exposed to diethylstilboestrol in utero. <i>Pediatric Blood and Cancer</i> , 2009, 53, 220-222. | 0.8 | 12 |
| 161 | A large kindred with X $\hat{\epsilon}$ linked neutropenia with an I294T mutation of the Wiskott $\hat{\epsilon}$ Aldrich syndrome gene. <i>British Journal of Haematology</i> , 2009, 144, 120-126. | 1.2 | 90 |
| 162 | Heterogeneous patterns of amplification of the NUP214-ABL1 fusion gene in T-cell acute lymphoblastic leukemia. <i>Leukemia</i> , 2009, 23, 125-133. | 3.3 | 65 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | FIP1L1-PDGFR \hat{I} ± D842V, a novel panresistant mutant, emerging after treatment of FIP1L1-PDGFR \hat{I} ± T6741 eosinophilic leukemia with single agent sorafenib. <i>Leukemia</i> , 2009, 23, 845-851. | 3.3 | 123 |
| 164 | Translocation t(14;18) is not associated with inferior outcome in chronic lymphocytic leukemia. <i>Leukemia</i> , 2009, 23, 1201-1204. | 3.3 | 35 |
| 165 | Acquired mutations in TET2 are common in myelodysplastic syndromes. <i>Nature Genetics</i> , 2009, 41, 838-842. | 9.4 | 680 |
| 166 | Reduction of BCR-ABL1 mutant clones after discontinuation of TKI therapy. <i>Leukemia Research</i> , 2009, 33, 1703-1705. | 0.4 | 4 |
| 167 | The fusion proteins TEL-PDGFR \hat{A} and FIP1L1-PDGFR \hat{A} escape ubiquitination and degradation. <i>Haematologica</i> , 2009, 94, 1085-1093. | 1.7 | 43 |
| 168 | New flow cytometry in hematologic malignancies. <i>Haematologica</i> , 2009, 94, 1639-1641. | 1.7 | 3 |
| 169 | JAK2 Rearrangements, Including the Novel SEC31A-JAK2 Fusion, Are Recurrent in Classical Hodgkin Lymphoma.. <i>Blood</i> , 2009, 114, 140-140. | 0.6 | 7 |
| 170 | Update On the Risk of Leukemia in Genetic Subgroups of Congenital Neutropenia (CN): Comparison of Patients with Known Gene Mutations (ELA2, HAX1, WASP, G6PC3, p14).. <i>Blood</i> , 2009, 114, 3597-3597. | 0.6 | 1 |
| 171 | Deletion of the Protein Tyrosine Phosphatase Gene PTPN2 in T-Cell Acute Lymphoblastic Leukemia.. <i>Blood</i> , 2009, 114, 141-141. | 0.6 | 0 |
| 172 | Placental Growth Factor: a Novel, Stromal-Derived Target in Human CML.. <i>Blood</i> , 2009, 114, 42-42. | 0.6 | 0 |
| 173 | BMI1, the Polycomb-Group Gene, Is Recurrently Targeted by Genomic Rearrangements in Progressive B-Cell Leukemia/Lymphoma.. <i>Blood</i> , 2009, 114, 1099-1099. | 0.6 | 13 |
| 174 | Downregulation of MiR-449a Is Essential for the Survival of EVI1 Positive Leukemic Cells through Modulation of NOTCH1 and BCL2.. <i>Blood</i> , 2009, 114, 361-361. | 0.6 | 0 |
| 175 | The clinical significance of activated lymphocytes in patients with myelodysplastic syndromes: A single centre study of 131 patients. <i>Leukemia Research</i> , 2008, 32, 1026-1035. | 0.4 | 29 |
| 176 | Translocations targeting CCND2, CCND3, and MYCN do occur in t(11;14)-negative mantle cell lymphomas. <i>Blood</i> , 2008, 111, 5683-5690. | 0.6 | 116 |
| 177 | Activity of Dasatinib, a Dual SRC/ABL Kinase Inhibitor, and IPI-504, a Heat Shock Protein 90 Inhibitor, against Gastrointestinal Stromal Tumor \hat{A} Associated PDGFRAD842V Mutation. <i>Clinical Cancer Research</i> , 2008, 14, 5749-5758. | 3.2 | 116 |
| 178 | Positron emission tomography in mantle cell lymphoma. <i>Leukemia and Lymphoma</i> , 2008, 49, 1693-1701. | 0.6 | 55 |
| 179 | EVI1 overexpression in t(3;17) positive myeloid malignancies results from juxtaposition of EVI1 to the MSI2 locus at 17q22. <i>Haematologica</i> , 2008, 93, 1903-1907. | 1.7 | 29 |
| 180 | In vitro validation of \hat{A} -secretase inhibitors alone or in combination with other anti-cancer drugs for the treatment of T-cell acute lymphoblastic leukemia. <i>Haematologica</i> , 2008, 93, 533-542. | 1.7 | 77 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 181 | t(3;11)(q12;p15)/NUP98-LOC348801 fusion transcript in acute myeloid leukemia. <i>Haematologica</i> , 2008, 93, 1398-1401. | 1.7 | 22 |
| 182 | High-Dose Therapy in AL Amyloidosis: A Prospective Phase II Study by the Dutch-Belgian Cooperative Group (HOVON). <i>Blood</i> , 2008, 112, 163-163. | 0.6 | 2 |
| 183 | The T(14;20)(q32;q12) : A Rare Cytogenetic Change in Multiple Myeloma Associated with Poor Outcome. <i>Blood</i> , 2008, 112, 2718-2718. | 0.6 | 0 |
| 184 | A Myelodysplastic Syndrome Associated with a Clonal GATA1 Mutation.. <i>Blood</i> , 2008, 112, 1243-1243. | 0.6 | 0 |
| 185 | MicroRNA signatures in Genetic Subtypes of T-Cell Acute Lymphoblastic Leukemia.. <i>Blood</i> , 2008, 112, 3360-3360. | 0.6 | 1 |
| 186 | Improved Detection of Chromosomal Abnormalities in CLL by Conventional Cytogenetics Using CpG Oligonucleotide and Interleukin-2 Stimulation. A Belgian Multicentric Study. <i>Blood</i> , 2008, 112, 3118-3118. | 0.6 | 0 |
| 187 | Telomeric IGH Losses Detectable by Fluorescence in Situ Hybridization in Chronic Lymphocytic Leukemia Reflect Somatic VH Recombination Events. <i>Journal of Molecular Diagnostics</i> , 2007, 9, 47-54. | 1.2 | 37 |
| 188 | Hodgkin lymphoma: Response assessment by Revised International Workshop Criteria. <i>Leukemia and Lymphoma</i> , 2007, 48, 1539-1547. | 0.6 | 68 |
| 189 | Aggressive and indolent non-Hodgkin's lymphoma: Response assessment by Integrated International Workshop Criteria. <i>Leukemia and Lymphoma</i> , 2007, 48, 1522-1530. | 0.6 | 43 |
| 190 | Is there a difference in childhood T-cell acute lymphoblastic leukaemia and T-cell lymphoblastic lymphoma?. <i>Leukemia and Lymphoma</i> , 2007, 48, 1745-1754. | 0.6 | 46 |
| 191 | Array CGH analysis in primary gastrointestinal stromal tumors: Cytogenetic profile correlates with anatomic site and tumor aggressiveness, irrespective of mutational status. <i>Genes Chromosomes and Cancer</i> , 2007, 46, 261-276. | 1.5 | 106 |
| 192 | Fusion gene-mediated truncation of RUNX1 as a potential mechanism underlying disease progression in the 8p11 myeloproliferative syndrome. <i>Genes Chromosomes and Cancer</i> , 2007, 46, 635-643. | 1.5 | 48 |
| 193 | Immature and mature monocyte-derived dendritic cells in myelodysplastic syndromes of subtypes refractory anemia or refractory anemia with ringed sideroblasts display an altered cytokine profile. <i>Leukemia Research</i> , 2007, 31, 1373-1382. | 0.4 | 33 |
| 194 | Duplication of the MYB oncogene in T cell acute lymphoblastic leukemia. <i>Nature Genetics</i> , 2007, 39, 593-595. | 9.4 | 252 |
| 195 | FIP1L1-PDGFR α in chronic eosinophilic leukemia and BCR-ABL1 in chronic myeloid leukemia affect different leukemic cells. <i>Leukemia</i> , 2007, 21, 397-402. | 3.3 | 21 |
| 196 | A new disease categorization of low-grade myelodysplastic syndromes based on the expression of cytopenia and dysplasia in one versus more than one lineage improves on the WHO classification. <i>Leukemia</i> , 2007, 21, 668-677. | 3.3 | 62 |
| 197 | CTLA-4 blockade in murine bone marrow chimeras induces a host-derived antileukemic effect without graft-versus-host disease. <i>Leukemia</i> , 2007, 21, 1451-1459. | 3.3 | 50 |
| 198 | Interstitial del(14)(q) involving IGH: a novel recurrent aberration in B-NHL. <i>Leukemia</i> , 2007, 21, 2079-2083. | 3.3 | 39 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 199 | Chromosomal translocations independently predict treatment failure, treatment-free survival and overall survival in B-cell chronic lymphocytic leukemia patients treated with cladribine. <i>Leukemia</i> , 2007, 21, 1715-1722. | 3.3 | 83 |
| 200 | Bone morphogenetic protein antagonist gene NOG is involved in myeloproliferative disease associated with myelofibrosis. <i>Cancer Genetics and Cytogenetics</i> , 2007, 178, 11-16. | 1.0 | 13 |
| 201 | Multiple Myeloma with IGH-Involving del(14q): Report of 34 Cases.. <i>Blood</i> , 2007, 110, 991-991. | 0.6 | 1 |
| 202 | Identification of Novel Genetic Lesions in Myelodysplastic Syndromes Using High Density SNP-Arrays.. <i>Blood</i> , 2007, 110, 2430-2430. | 0.6 | 0 |
| 203 | Efficacy and safety of rituximab in B-cell post-transplantation lymphoproliferative disorders: results of a prospective multicenter phase 2 study. <i>Blood</i> , 2006, 107, 3053-3057. | 0.6 | 390 |
| 204 | Sorafenib is a potent inhibitor of FIP1L1-PDGFR $\hat{I}\pm$ and the imatinib-resistant FIP1L1-PDGFR $\hat{I}\pm$ T674I mutant. <i>Blood</i> , 2006, 108, 1374-1376. | 0.6 | 128 |
| 205 | Coexistence of light chain disease and chronic lymphocytic leukaemia, a complex karyotype with a rapid fatal outcome. <i>International Journal of Laboratory Hematology</i> , 2006, 28, 138-140. | 0.2 | 0 |
| 206 | CTLA-4 interacts with STAT5 and inhibits STAT5-mediated transcription. <i>Immunology</i> , 2006, 117, 396-401. | 2.0 | 12 |
| 207 | Cytogenetics and molecular genetics of T-cell acute lymphoblastic leukemia: from thymocyte to lymphoblast. <i>Leukemia</i> , 2006, 20, 1496-1510. | 3.3 | 250 |
| 208 | Transition from EML1-ABL1 to NUP214-ABL1 positivity in a patient with acute T-lymphoblastic leukemia. <i>Leukemia</i> , 2006, 20, 2202-2204. | 3.3 | 10 |
| 209 | Gain-of-Function WASP Mutations in Pediatric and Adult Patients with Myelodysplasia or AML.. <i>Blood</i> , 2006, 108, 4516-4516. | 0.6 | 1 |
| 210 | Genetics of t(11;14)(q13;q32)-Negative MCL.. <i>Blood</i> , 2006, 108, 2071-2071. | 0.6 | 0 |
| 211 | The CD40-Receptor Is Upregulated on Monocytes from Patients with Low-Risk Myelodysplastic Syndromes and Its Inhibition by a Monoclonal Anti-CD40 Antibody Can Increase Colony Formation.. <i>Blood</i> , 2006, 108, 2640-2640. | 0.6 | 0 |
| 212 | Involvement of the NOTCH1 and NOTCH2 Genes in B-Cell Lymphomagenesis.. <i>Blood</i> , 2006, 108, 2072-2072. | 0.6 | 8 |
| 213 | X-Linked Neutropenia with a I294T Mutation of the Wiskott-Aldrich Syndrome Gene.. <i>Blood</i> , 2006, 108, 1278-1278. | 0.6 | 0 |
| 214 | PAD Is a Highly Effective Regimen for the Treatment of Patients with Relapsed Refractory Multiple Myeloma.. <i>Blood</i> , 2006, 108, 5095-5095. | 0.6 | 0 |
| 215 | Fusion of EML1 to ABL1 in T-cell acute lymphoblastic leukemia with cryptic t(9;14)(q34;q32). <i>Blood</i> , 2005, 105, 4849-4852. | 0.6 | 119 |
| 216 | Real-time reverse transcription-PCR and fluorescence in-situ hybridization are complementary to understand the mechanisms involved in HER-2/neu overexpression in human breast carcinomas. <i>Histopathology</i> , 2005, 46, 431-441. | 1.6 | 50 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 217 | CD34+ marrow progenitors from MDS patients with high levels of intramedullary apoptosis have reduced expression of β 4 β 1 and β 5 β 1 integrins. <i>Leukemia</i> , 2005, 19, 57-63. | 3.3 | 28 |
| 218 | A new recurrent inversion, inv(7)(p15q34), leads to transcriptional activation of HOXA10 and HOXA11 in a subset of T-cell acute lymphoblastic leukemias. <i>Leukemia</i> , 2005, 19, 358-366. | 3.3 | 106 |
| 219 | Identification of e19a2 BCR β -ABL fusions (β 4-BCR breakpoints) at the DNA level by ligation-mediated PCR. <i>Leukemia</i> , 2005, 19, 1292-1295. | 3.3 | 11 |
| 220 | FOXP1, a gene highly expressed in a subset of diffuse large B-cell lymphoma, is recurrently targeted by genomic aberrations. <i>Leukemia</i> , 2005, 19, 1299-1305. | 3.3 | 141 |
| 221 | Quantification of CFBF-MYH11 fusion gene levels in paired peripheral blood and bone marrow samples by real-time PCR. <i>Leukemia</i> , 2005, 19, 1988-1990. | 3.3 | 13 |
| 222 | Deletion of the inositide-specific phospholipase c β 1 gene is a rare event in myelodysplastic syndrome and thus of limited value to predict leukemic progression. <i>Leukemia</i> , 2005, 19, 2011-2013. | 3.3 | 5 |
| 223 | Leukemic recombinations involving heterochromatin in myeloproliferative disorders with t(1;9). <i>Cancer Genetics and Cytogenetics</i> , 2005, 162, 45-49. | 1.0 | 9 |
| 224 | Activating mutation in the tyrosine kinase JAK2 in polycythemia vera, essential thrombocythemia, and myeloid metaplasia with myelofibrosis. <i>Cancer Cell</i> , 2005, 7, 387-397. | 7.7 | 2,695 |
| 225 | NOTCH1 Is Targeted by Ig Translocations in NHL.. <i>Blood</i> , 2005, 106, 4339-4339. | 0.6 | 7 |
| 226 | Fusion of NUP214 to ABL1 on amplified episomes in T-cell acute lymphoblastic leukemia. <i>Nature Genetics</i> , 2004, 36, 1084-1089. | 9.4 | 393 |
| 227 | Clinical and molecular features of FIP1L1-PDFGRA (+) chronic eosinophilic leukemias. <i>Leukemia</i> , 2004, 18, 734-742. | 3.3 | 188 |
| 228 | Circulating myeloid and lymphoid precursor dendritic cells are clonally involved in myelodysplastic syndromes. <i>Leukemia</i> , 2004, 18, 1451-1456. | 3.3 | 57 |
| 229 | A flow cytometric method for determination of absolute counts of myeloid precursor dendritic cells in peripheral blood. <i>Journal of Immunological Methods</i> , 2004, 285, 215-221. | 0.6 | 17 |
| 230 | A male with angioimmunoblastic T-cell lymphoma and proliferative glomerulonephritis. <i>Annals of Hematology</i> , 2004, 83, 455-459. | 0.8 | 14 |
| 231 | Case of megaloblastic anemia caused by intestinal taeniasis. <i>Annals of Hematology</i> , 2004, 83, 487-488. | 0.8 | 27 |
| 232 | FOXP1, a Highly Expressed Gene in a Subset of DLBCL, Is Targeted by a Recurrent t(3;14)(p13;q32).. <i>Blood</i> , 2004, 104, 2891-2891. | 0.6 | 1 |
| 233 | Fusion of NUP214 to ABL1 on Amplified Extrachromosomal Elements in T-ALL.. <i>Blood</i> , 2004, 104, 141-141. | 0.6 | 3 |
| 234 | Chromosomal Rearrangements Affecting ABL1 in T-Cell Acute Lymphoblastic Leukemia.. <i>Blood</i> , 2004, 104, 2894-2894. | 0.6 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 235 | Imatinib mesylate induces durable complete remission of advanced CML persisting after allogeneic bone marrow transplantation. <i>Leukemia</i> , 2003, 17, 458-460. | 3.3 | 6 |
| 236 | A Tyrosine Kinase Created by Fusion of the PDGFRA and FIP1L1 Genes as a Therapeutic Target of Imatinib in Idiopathic Hypereosinophilic Syndrome. <i>New England Journal of Medicine</i> , 2003, 348, 1201-1214. | 13.9 | 1,655 |
| 237 | Prognostic value of pretransplantation positron emission tomography using fluorine 18-fluorodeoxyglucose in patients with aggressive lymphoma treated with high-dose chemotherapy and stem cell transplantation. <i>Blood</i> , 2003, 102, 53-59. | 0.6 | 217 |
| 238 | ALK activation by the CLTC-ALK fusion is a recurrent event in large B-cell lymphoma. <i>Blood</i> , 2003, 102, 2638-2641. | 0.6 | 174 |
| 239 | Early restaging positron emission tomography with 18F-fluorodeoxyglucose predicts outcome in patients with aggressive non-Hodgkin's lymphoma. <i>Annals of Oncology</i> , 2002, 13, 1356-1363. | 0.6 | 376 |
| 240 | Comparative Genomic Hybridization Pattern Distinguishes T-Cell/Histiocyte-Rich B-Cell Lymphoma from Nodular Lymphocyte Predominance Hodgkin's Lymphoma. <i>American Journal of Pathology</i> , 2002, 161, 1861-1867. | 1.9 | 67 |
| 241 | Successful treatment with rituximab of lymphoproliferative disorder in a child after cardiac transplantation. <i>Journal of Heart and Lung Transplantation</i> , 2002, 21, 1304-1309. | 0.3 | 21 |
| 242 | Blockade of CTLA-4 enhances allergic sensitization and eosinophilic airway inflammation in genetically predisposed mice. <i>European Journal of Immunology</i> , 2002, 32, 585-594. | 1.6 | 81 |
| 243 | Aplastic anemia after transplantation for non-A, non-B, non-C fulminant hepatic failure: case report and review of the literature. <i>Transplant International</i> , 2002, 15, 117-123. | 0.8 | 13 |
| 244 | Lymphocyte predominance Hodgkin disease is characterized by recurrent genomic imbalances. <i>Blood</i> , 2001, 97, 1845-1853. | 0.6 | 75 |
| 245 | Prognostic Value of Positron Emission Tomography (PET) With Fluorine-18 Fluorodeoxyglucose (¹⁸ F)FDG) After First-Line Chemotherapy in Non-Hodgkin's Lymphoma: Is ¹⁸ F)FDG-PET a Valid Alternative to Conventional Diagnostic Methods?. <i>Journal of Clinical Oncology</i> , 2001, 19, 414-419. | 0.8 | 455 |
| 246 | Autoimmune haemolytic anaemia triggered by Bartonella henselae infection: a case report. <i>British Journal of Haematology</i> , 2001, 115, 924-925. | 1.2 | 27 |
| 247 | Can positron emission tomography with [18 F]-fluorodeoxyglucose after first-line treatment distinguish Hodgkin's disease patients who need additional therapy from others in whom additional therapy would mean avoidable toxicity?. <i>British Journal of Haematology</i> , 2001, 115, 272-278. | 1.2 | 159 |
| 248 | NF- κ B is involved in the regulation of CD154 (CD40 ligand) expression in primary human T cells. <i>Clinical and Experimental Immunology</i> , 2001, 125, 229-236. | 1.1 | 36 |
| 249 | Catheter-related bacteremia due to Ewingella americana. <i>Clinical Microbiology and Infection</i> , 2001, 7, 103-104. | 2.8 | 17 |
| 250 | Constitutively activating mutation in WASP causes X-linked severe congenital neutropenia. <i>Nature Genetics</i> , 2001, 27, 313-317. | 9.4 | 401 |
| 251 | Interaction of CTLA-4 (CD152) with CD80 or CD86 inhibits human T-cell activation. <i>Immunology</i> , 1999, 98, 413-421. | 2.0 | 77 |
| 252 | CD57 ⁺ /CD28 ⁺ T cells in untreated hemato-oncological patients are expanded and display a Th1-type cytokine secretion profile, ex vivo cytolytic activity and enhanced tendency to apoptosis. <i>Leukemia</i> , 1998, 12, 1573-1582. | 3.3 | 57 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 253 | Peripheral blood lymphocyte subset shifts in patients with untreated hematological tumors: Evidence for systemic activation of the T cell compartment. <i>Leukemia Research</i> , 1998, 22, 175-184. | 0.4 | 64 |
| 254 | Lymphocyte profiles in multiple myeloma and monoclonal gammopathy of undetermined significance: flow-cytometric characterization and analysis in a two-dimensional correlation biplot. <i>Annals of Hematology</i> , 1998, 76, 249-256. | 0.8 | 11 |
| 255 | Patients with high-risk myelodysplastic syndrome can have polyclonal or clonal haemopoiesis in complete haematological remission. <i>British Journal of Haematology</i> , 1998, 102, 486-494. | 1.2 | 38 |
| 256 | Human CTLA-4 is expressed in situ on T lymphocytes in germinal centers, in cutaneous graft-versus-host disease, and in Hodgkin's disease. <i>American Journal of Pathology</i> , 1998, 152, 963-73. | 1.9 | 18 |
| 257 | A single course of remission reinduction chemotherapy for acute myelogenous leukemia relapsing after allogeneic bone marrow transplantation is complicated by graft-versus-host disease and followed by sustained complete remission. <i>Leukemia</i> , 1997, 11, 1775-1778. | 3.3 | 6 |
| 258 | Multivariate reconstruction of lymphocyte profiles in a two-dimensional graphical model as a tool for the investigation of lymphocyte subset distribution in health and disease. , 1997, 28, 220-227. | | 6 |
| 259 | Successful control of refractory and life-threatening autoimmune hemolytic anemia with intravenous immunoglobulins in a man with the primary antiphospholipid syndrome. <i>Annals of Hematology</i> , 1996, 73, 253-256. | 0.8 | 10 |
| 260 | Feasibility of peripheral blood progenitor cell harvest and transplantation in patients with poor-risk myelodysplastic syndromes. <i>British Journal of Haematology</i> , 1996, 92, 351-359. | 1.2 | 53 |
| 261 | CD80, CD86 and CD40 Provide Accessory Signals in a Multiple-Step T-Cell Activation Model. <i>Immunological Reviews</i> , 1996, 153, 47-83. | 2.8 | 219 |
| 262 | Comparative study of peripheral blood progenitor cell collection in patients with multiple myeloma after single-dose cyclophosphamide combined with rhGM-CSF or rhG-CSF. <i>British Journal of Haematology</i> , 1995, 90, 384-392. | 1.2 | 31 |
| 263 | An update on peripheral blood progenitor cell transplantation. <i>Annals of Hematology</i> , 1995, 71, 29-33. | 0.8 | 11 |
| 264 | Graft-versus-leukemia and graft-versus-lymphoma effects of allogeneic bone marrow transplantation and of allogeneic donor leukocyte transfusions. <i>Annals of Hematology</i> , 1995, 71, 209-217. | 0.8 | 8 |
| 265 | Therapy-related acute myeloid leukemia with t(8;16)(p11;p13) following anthracycline-based therapy for nonmetastatic osteosarcoma. <i>Cancer Genetics and Cytogenetics</i> , 1995, 82, 103-105. | 1.0 | 5 |
| 266 | Polyclonal primitive hematopoietic progenitors can be detected in mobilized peripheral blood from patients with high-risk myelodysplastic syndromes. <i>Blood</i> , 1995, 86, 3660-3667. | 0.6 | 71 |
| 267 | CD80 (B7-1) and CD86 (B7-2): Potential targets for immunotherapy?. <i>Research in Immunology</i> , 1995, 146, 183-196. | 0.9 | 16 |
| 268 | The CD28 and CTLA-4 Receptor Family (Part 1 of 2). <i>Chemical Immunology and Allergy</i> , 1994, 59, 62-76. | 1.7 | 12 |
| 269 | Ligation of B7 with CD28/CTLA-4 on T cells results in CD40 ligand expression, interleukin-4 secretion and efficient help for antibody production by B cells. <i>European Journal of Immunology</i> , 1993, 23, 3120-3125. | 1.6 | 147 |
| 270 | In situ expression of B7/BB1 on antigenpresenting cells and activated B cells: an immunohistochemical study. <i>International Immunology</i> , 1993, 5, 317-321. | 1.8 | 63 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 271 | The B7/BB1 antigen is expressed by Reed-Sternberg cells of Hodgkin's disease and contributes to the stimulating capacity of Hodgkin's disease-derived cell lines. <i>Blood</i> , 1993, 82, 2845-2852. | 0.6 | 73 |
| 272 | The B7/BB1 antigen is expressed by Reed-Sternberg cells of Hodgkin's disease and contributes to the stimulating capacity of Hodgkin's disease-derived cell lines. <i>Blood</i> , 1993, 82, 2845-2852. | 0.6 | 0 |
| 273 | Ligation of the CD5 or CD28 molecules on resting human T cells induces expression of the early activation antigen CD69 by a calcium- and tyrosine kinase-dependent mechanism. <i>Immunology</i> , 1993, 78, 210-7. | 2.0 | 31 |
| 274 | Status report of the Leuven isotope separator on-line (LISOL). <i>Nuclear Instruments & Methods in Physics Research B</i> , 1992, 70, 50-55. | 0.6 | 22 |
| 275 | Immobilized anti-CD5 together with prolonged activation of protein kinase C induce interleukin 2-dependent T cell growth: evidence for signal transduction through CD5. <i>European Journal of Immunology</i> , 1991, 21, 251-259. | 1.6 | 41 |
| 276 | Crosslinking of the CD5 antigen on human T cells induces functional IL2 receptors. <i>Cellular Immunology</i> , 1990, 131, 109-119. | 1.4 | 13 |
| 277 | Flow cytometric measurement of cytoplasmic free calcium in human peripheral blood T lymphocytes with fluo-3, a new fluorescent calcium indicator. <i>Journal of Immunological Methods</i> , 1990, 127, 197-205. | 0.6 | 176 |
| 278 | Cat-scratch disease with reversible encephalopathy. <i>European Journal of Pediatrics</i> , 1989, 149, 24-25. | 1.3 | 5 |
| 279 | Characterization of ATP-driven calcium uptake in renal basal-lateral and renal endoplasmic reticulum membrane vesicles. <i>Cell Calcium</i> , 1985, 6, 413-429. | 1.1 | 18 |
| 280 | Genetics of Chronic Lymphocytic Leukemia: Practical Aspects and Prognostic Significance. , 0, , . | | 2 |