

Etsushi Kumagai

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9443203/publications.pdf>

Version: 2024-02-01

37
papers

690
citations

567144

15
h-index

580701

25
g-index

37
all docs

37
docs citations

37
times ranked

830
citing authors

#	ARTICLE	IF	CITATIONS
1	Predicting biochemical acclimation of leaf photosynthesis in soybean under in-field canopy warming using hyperspectral reflectance. <i>Plant, Cell and Environment</i> , 2022, 45, 80-94.	2.8	19
2	A strong negative trade-off between seed number and 100-seed weight stalls genetic yield gains in northern Japanese soybean cultivars in comparison with Midwestern US cultivars. <i>Field Crops Research</i> , 2022, 283, 108539.	2.3	2
3	High-throughput characterization, correlation, and mapping of leaf photosynthetic and functional traits in the soybean (<i>Glycine max</i>) nested association mapping population. <i>Genetics</i> , 2022, , .	1.2	8
4	Agronomic responses of soybean cultivars to narrow intra-row spacing in a cool region of northern Japan. <i>Plant Production Science</i> , 2021, 24, 29-40.	0.9	5
5	Quantifying high-temperature stress on soybean canopy photosynthesis: The unique role of sun-induced chlorophyll fluorescence. <i>Global Change Biology</i> , 2021, 27, 2403-2415.	4.2	36
6	Dry matter partitioning to leaves differentiates African and Asian rice genotypes exposed to elevated CO ₂ . <i>Journal of Agronomy and Crop Science</i> , 2021, 207, 120-127.	1.7	2
7	Effects of elevated atmospheric CO ₂ concentration on growth and photosynthesis in eddo at two different air temperatures. <i>Plant Production Science</i> , 2021, 24, 363-373.	0.9	1
8	Is the yield change due to warming affected by photoperiod sensitivity? Effects of the soybean E4 locus. <i>Food and Energy Security</i> , 2020, 9, e186.	2.0	5
9	Conversion of soil particle size distribution and texture classification from ISSS system to FAO/USDA system in Japanese paddy soils. <i>Soil Science and Plant Nutrition</i> , 2020, 66, 407-414.	0.8	10
10	Soybean (<i>Glycine max</i> (L.) Merr.) Yield Reduction due to Late Sowing as a Function of Radiation Interception and Use in a Cool Region of Northern Japan. <i>Agronomy</i> , 2020, 10, 66.	1.3	24
11	Effect of early sowing on growth and yield of determinate and indeterminate soybean (<i>Glycine</i>) Tj ETQq1 1 0.784314 rgBT /Overlook 18-28.	0.8	12
12	Effects of elevated atmospheric CO ₂ concentration on morphology of leaf blades in Chinese yam. <i>Plant Production Science</i> , 2018, 21, 311-321.	0.9	7
13	Relationship between Soybean Yield and Drought in Long-term Continuous Performance Test at Tohoku Agricultural Research Center, NARO. <i>Japanese Journal of Crop Science</i> , 2018, 87, 233-241.	0.1	2
14	Genome-wide association mapping for phenotypic plasticity in rice. <i>Plant, Cell and Environment</i> , 2017, 40, 1565-1575.	2.8	45
15	Effects of elevated CO ₂ concentration on growth and photosynthesis of Chinese yam under different temperature regimes. <i>Plant Production Science</i> , 2017, 20, 227-236.	0.9	13
16	Effects of elevated CO ₂ concentration on bulbil germination and early seedling growth in Chinese yam under different air temperatures. <i>Plant Production Science</i> , 2017, 20, 313-322.	0.9	13
17	Finlay's Wilkinson's regression coefficient as a pre-screening criterion for yield responsiveness to elevated atmospheric CO ₂ concentration in crops. <i>Physiologia Plantarum</i> , 2016, 158, 312-317.	2.6	13
18	Modeling of Phenological Development Stages and Impact of Elevated Air Temperature on the Phenological Development of Soybean Cultivars in Japan. <i>Japanese Journal of Crop Science</i> , 2015, 84, 408-417.	0.1	10

#	ARTICLE	IF	CITATIONS
19	Phenotypic plasticity conditions the response of soybean seed yield to elevated atmospheric CO ₂ concentration. <i>Plant Physiology</i> , 2015, 169, pp.00980.2015.	2.3	32
20	Leaf Photosynthesis and Its Genetic Improvement from the Perspective of Energy Flow and CO ₂ Diffusion. <i>Plant Production Science</i> , 2014, 17, 111-123.	0.9	11
21	Planting geometry as a pre-screening technique for identifying CO ₂ responsive rice genotypes: a case study of panicle number. <i>Physiologia Plantarum</i> , 2014, 152, 520-528.	2.6	16
22	Genotypic differences in soybean yield responses to increasing temperature in a cool climate are related to maturity group. <i>Agricultural and Forest Meteorology</i> , 2014, 198-199, 265-272.	1.9	51
23	Dorsoventral asymmetry of photosynthesis and photoinhibition in flag leaves of two rice cultivars that differ in nitrogen response and leaf angle. <i>Physiologia Plantarum</i> , 2014, 151, 533-543.	2.6	26
24	The effects of increased temperature on crop growth and yield of soybean grown in a temperature gradient chamber. <i>Field Crops Research</i> , 2013, 154, 74-81.	2.3	77
25	Genetic Variations in Dry Matter Production, Nitrogen Uptake, and Nitrogen Use Efficiency in the AA Genome <i>Oryza</i> Species Grown under Different Nitrogen Conditions. <i>Plant Production Science</i> , 2013, 16, 107-116.	0.9	21
26	Probabilistic Risk Assessment of the Rice Cropping Schedule for Central Hokkaido, Japan. <i>Journal of Applied Meteorology and Climatology</i> , 2012, 51, 1253-1264.	0.6	5
27	Effects of elevated CO ₂ concentration and temperature on seed production and nitrogen concentration in soybean (<i>Glycine max</i> (L.) Merr.). <i>J Agricultural Meteorology</i> , 2012, 68, 1-13.	0.8	7
28	The response of soybean seed growth characteristics to increased temperature under near-field conditions in a temperature gradient chamber. <i>Field Crops Research</i> , 2012, 131, 26-31.	2.3	35
29	Interactive Effects of Soil Salinity and Temperature on Vegetative Growth of Rice after Flooded by TSUNAMI 11 March 2011. <i>Japanese Journal of Crop Science</i> , 2012, 81, 441-448.	0.1	0
30	Ammonia Emission from Leaves of Different Rice (<i>Oryza sativa</i> L.) Cultivars. <i>Plant Production Science</i> , 2011, 14, 249-253.	0.9	5
31	Ammonia emission from rice leaves in relation to photorespiration and genotypic differences in glutamine synthetase activity. <i>Annals of Botany</i> , 2011, 108, 1381-1386.	1.4	49
32	Experimental open-field day-length-extension method and estimation of the effective light period using solar altitude. <i>J Agricultural Meteorology</i> , 2011, 67, 307-312.	0.8	6
33	Assessment of paddy rice heading date under projected climate change conditions for Hokkaido region based on the field experiment. <i>J Agricultural Meteorology</i> , 2011, 67, 275-284.	0.8	5
34	Comparison of Susceptibility to Photoinhibition and Energy Partitioning of Absorbed Light in Photosystem II in Flag Leaves of Two Rice (<i>Oryza sativa</i> L.) Cultivars that Differ in Their Responses to Nitrogen-Deficiency. <i>Plant Production Science</i> , 2010, 13, 11-20.	0.9	14
35	Effect of nitrogen-deficiency on midday photoinhibition in flag leaves of different rice (<i>Oryza sativa</i>)	0.9	17
36	Correlation of Chlorophyll Meter Readings with Gas exchange and Chlorophyll Fluorescence in Flag Leaves of Rice (<i>Oryza sativa</i> L.) Plants. <i>Plant Production Science</i> , 2009, 12, 50-53.	0.9	60

#	ARTICLE	IF	CITATIONS
37	Characteristics of Gas Exchange and Chlorophyll Fluorescence during Senescence of Flag Leaf in Different Rice (<i>Oryza sativa</i> L.) Cultivars Grown under Nitrogen-Deficient Condition. <i>Plant Production Science</i> , 2009, 12, 285-292.	0.9	26