Giuseppe Pelosi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9443677/publications.pdf Version: 2024-02-01

| | 14655 | 14759 |
|----------------|--|---|
| 19,446 | 66 | 127 |
| citations | h-index | g-index |
| | | |
| | | |
| | | |
| 339 | 339 | 19233 |
| docs citations | times ranked | citing authors |
| | | |
| | 19,446 citations 339 docs citations | 19,44666citationsh-index339339docs citations1000000000000000000000000000000000000 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | The 2015 World Health Organization Classification of Lung Tumors. Journal of Thoracic Oncology, 2015, 10, 1243-1260. | 1.1 | 3,313 |
| 2 | PD-L1 Immunohistochemistry Comparability Study in Real-Life Clinical Samples: Results of Blueprint Phase 2 Project. Journal of Thoracic Oncology, 2018, 13, 1302-1311. | 1.1 | 589 |
| 3 | Pulmonary neuroendocrine (carcinoid) tumors: European Neuroendocrine Tumor Society expert consensus and recommendations for best practice for typical and atypical pulmonary carcinoids. Annals of Oncology, 2015, 26, 1604-1620. | 1.2 | 514 |
| 4 | Quantification of Free Circulating DNA As a Diagnostic Marker in Lung Cancer. Journal of Clinical Oncology, 2003, 21, 3902-3908. | 1.6 | 510 |
| 5 | Early lung-cancer detection with spiral CT and positron emission tomography in heavy smokers: 2-year results. Lancet, The, 2003, 362, 593-597. | 13.7 | 422 |
| 6 | Annual or biennial CT screening versus observation in heavy smokers. European Journal of Cancer Prevention, 2012, 21, 308-315. | 1.3 | 381 |
| 7 | Alterations of the Notch pathway in lung cancer. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 22293-22298. | 7.1 | 350 |
| 8 | p40 (ΔNp63) is superior to p63 for the diagnosis of pulmonary squamous cell carcinoma. Modern Pathology, 2012, 25, 405-415. | 5.5 | 343 |
| 9 | A serum circulating miRNA diagnostic test to identify asymptomatic highâ€risk individuals with early stage lung cancer. EMBO Molecular Medicine, 2011, 3, 495-503. | 6.9 | 322 |
| 10 | Clinical Response of Carcinomas Harboring the BRD4–NUT Oncoprotein to the Targeted Bromodomain Inhibitor OTX015/MK-8628. Cancer Discovery, 2016, 6, 492-500. | 9.4 | 319 |
| 11 | Endocrine tumors of the pancreas: Ki-67 immunoreactivity on paraffin sections is an independent predictor for malignancy: A comparative study with proliferating-cell nuclear antigen and progesterone receptor protein immunostaining, mitotic index, and other clinicopathologic variables. Human Pathology, 1996, 27, 1124-1134. | 2.0 | 251 |
| 12 | A Grading System for Invasive Pulmonary Adenocarcinoma: A Proposal From the International Association for the Study of Lung Cancer Pathology Committee. Journal of Thoracic Oncology, 2020, 15, 1599-1610. | 1.1 | 234 |
| 13 | Typical and Atypical Pulmonary Carcinoid Tumor Overdiagnosed as Small-Cell Carcinoma on Biopsy Specimens. American Journal of Surgical Pathology, 2005, 29, 179-187. | 3.7 | 226 |
| 14 | Best Practices Recommendations for Diagnostic Immunohistochemistry in Lung Cancer. Journal of Thoracic Oncology, 2019, 14, 377-407. | 1.1 | 212 |
| 15 | Reproducibility of histopathological subtypes and invasion in pulmonary adenocarcinoma. An international interobserver study. Modern Pathology, 2012, 25, 1574-1583. | 5.5 | 206 |
| 16 | IASLC Multidisciplinary Recommendations for Pathologic Assessment of Lung Cancer Resection Specimens After Neoadjuvant Therapy. Journal of Thoracic Oncology, 2020, 15, 709-740. | 1.1 | 205 |
| 17 | PD-L1 Testing for Lung Cancer in 2019: Perspective From the IASLC Pathology Committee. Journal of Thoracic Oncology, 2020, 15, 499-519. | 1.1 | 203 |
| 18 | Grading the neuroendocrine tumors of the lung: an evidence-based proposal. Endocrine-Related Cancer, 2014, 21, 1-16. | 3.1 | 192 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 19 | A Randomized Trial of Low-Dose Tamoxifen on Breast Cancer Proliferation and Blood Estrogenic Biomarkers. Journal of the National Cancer Institute, 2003, 95, 779-790. | 6.3 | 190 |
| 20 | Tamoxifen and Metabolite Concentrations in Serum and Breast Cancer Tissue during Three Dose Regimens in a Randomized Preoperative Trial. Clinical Cancer Research, 2004, 10, 2336-2343. | 7.0 | 182 |
| 21 | The Promises and Challenges of Tumor Mutation Burden as an Immunotherapy Biomarker: A Perspective from the International Association for the Study of Lung Cancer Pathology Committee. Journal of Thoracic Oncology, 2020, 15, 1409-1424. | 1.1 | 182 |
| 22 | Lung neuroendocrine tumours: deep sequencing of the four World Health Organization histotypes reveals chromatinâ€remodelling genes as major players and a prognostic role for <i><scp>TERT</scp></i> , <i><scp>RB1</scp></i> , <i><scp>MEN1</scp></i> and <scp><i>KMT2D</i></scp> . Journal of Pathology, 2017, 241, 488-500. | 4.5 | 179 |
| 23 | Immunoreactivity for Thyroid Transcription Factor-1 in Stage I Non–Small Cell Carcinomas of the Lung. American Journal of Surgical Pathology, 2001, 25, 363-372. | 3.7 | 174 |
| 24 | Independent prognostic value of fascin immunoreactivity in stage I nonsmall cell lung cancer. British Journal of Cancer, 2003, 88, 537-547. | 6.4 | 169 |
| 25 | Lung cancer screening with low-dose computed tomography: A non-invasive diagnostic protocol for baseline lung nodules. Lung Cancer, 2008, 61, 340-349. | 2.0 | 166 |
| 26 | Ki-67 Antigen in Lung Neuroendocrine Tumors: Unraveling a Role in Clinical Practice. Journal of Thoracic Oncology, 2014, 9, 273-284. | 1.1 | 162 |
| 27 | TNM Staging System of Colorectal Carcinoma: A Critical Appraisal of Challenging Issues. Archives of Pathology and Laboratory Medicine, 2010, 134, 837-852. | 2.5 | 147 |
| 28 | Review Article: Pulmonary Sarcomatoid Carcinomas: A Practical Overview. International Journal of Surgical Pathology, 2010, 18, 103-120. | 0.8 | 144 |
| 29 | Somatostatin receptor tissue distribution in lung neuroendocrine tumours: a clinicopathologic and immunohistochemical study of 218 †clinically aggressive' cases. Annals of Oncology, 2010, 21, 548-555. | 1.2 | 144 |
| 30 | Large cell neuroendocrine carcinoma of the lung: A retrospective analysis of 144 surgical cases. Lung Cancer, 2006, 53, 111-115. | 2.0 | 143 |
| 31 | p63 immunoreactivity in lung cancer: yet another player in the development of squamous cell carcinomas?. Journal of Pathology, 2002, 198, 100-109. | 4.5 | 134 |
| 32 | Integrative and comparative genomic analyses identify clinicallyÂrelevant pulmonary carcinoidÂgroups and unveil the supra-carcinoids. Nature Communications, 2019, 10, 3407. | 12.8 | 132 |
| 33 | ΔNp63 (p40) and Thyroid Transcription Factor-1 Immunoreactivity on Small Biopsies or Cellblocks for Typing Non-small Cell Lung Cancer: A Novel Two-Hit, Sparing-Material Approach. Journal of Thoracic Oncology, 2012, 7, 281-290. | 1.1 | 126 |
| 34 | Immunohistochemical subtyping of nonsmall cell lung cancer not otherwise specified in fineâ€needle aspiration cytology. Cancer, 2011, 117, 3416-3423. | 4.1 | 124 |
| 35 | Conversion to stemâ€cell state in response to microenvironmental cues is regulated by balance between epithelial and mesenchymal features in lung cancer cells. Molecular Oncology, 2016, 10, 253-271. | 4.6 | 120 |
| 36 | The Use of Immunohistochemistry Improves the Diagnosis of Small Cell Lung Cancer and Its Differential Diagnosis. An International Reproducibility Study in a Demanding Set of Cases. Journal of Thoracic Oncology, 2017, 12, 334-346. | 1.1 | 113 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Pathological assessment of pericolonic tumor deposits in advanced colonic carcinoma: relevance to prognosis and tumor staging. Modern Pathology, 2007, 20, 843-855. | 5.5 | 108 |
| 38 | Lung Cancer Risk Prediction to Select Smokers for Screening CT—a Model Based on the Italian COSMOS Trial. Cancer Prevention Research, 2011, 4, 1778-1789. | 1.5 | 104 |
| 39 | Classification of pulmonary neuroendocrine tumors: new insights. Translational Lung Cancer Research, 2017, 6, 513-529. | 2.8 | 104 |
| 40 | Randomized Double-Blind 2 × 2 Trial of Low-Dose Tamoxifen and Fenretinide for Breast Cancer Prevention in High-Risk Premenopausal Women. Journal of Clinical Oncology, 2009, 27, 3749-3756. | 1.6 | 98 |
| 41 | Ki-67 immunostaining in 322 primary breast cancers: Associations with clinical and pathological variables and prognosis. International Journal of Cancer, 1997, 74, 433-437. | 5.1 | 96 |
| 42 | Prognostic implications of neuroendocrine differentiation and hormone production in patients with Stage I nonsmall cell lung carcinoma. Cancer, 2003, 97, 2487-2497. | 4.1 | 96 |
| 43 | Microallelotyping Defines the Monoclonal or the Polyclonal Origin of Mixed and Collision Endocrine-Exocrine Tumors of the Gut. Laboratory Investigation, 2003, 83, 963-971. | 3.7 | 96 |
| 44 | Alterations of ubiquitin ligases in human cancer and their association with the natural history of the tumor. Oncogene, 2009, 28, 2959-2968. | 5.9 | 96 |
| 45 | Desmocollin-3: a new marker of squamous differentiation in undifferentiated large-cell carcinoma of the lung. Modern Pathology, 2009, 22, 709-717. | 5.5 | 91 |
| 46 | Angiogenin and the MMP9â€TIMP2 axis are upâ€regulated in proangiogenic, decidual NKâ€like cells from patients with colorectal cancer. FASEB Journal, 2018, 32, 5365-5377. | 0.5 | 91 |
| 47 | Large cell carcinoma of the lung: clinically oriented classification integrating immunohistochemistry and molecular biology. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2014, 464, 61-68. | 2.8 | 88 |
| 48 | Expression of progesterone receptors in solid-cystic tumour of the pancreas. Virchows Archiv A, Pathological Anatomy and Histopathology, 1993, 423, 425-431. | 1.4 | 87 |
| 49 | Pleomorphic Carcinomas of the Lung Show a Selective Distribution of Gene Products Involved in Cell Differentiation, Cell Cycle Control, Tumor Growth, and Tumor Cell Motility. American Journal of Surgical Pathology, 2003, 27, 1203-1215. | 3.7 | 86 |
| 50 | Review Article: A Reevaluation of the Clinical Significance of Histological Subtyping of Non—Small-Cell Lung Carcinoma: Diagnostic Algorithms in the Era of Personalized Treatments. International Journal of Surgical Pathology, 2009, 17, 206-218. | 0.8 | 84 |
| 51 | Mammalian target of rapamycin signaling activation patterns in neuroendocrine tumors of the lung. Endocrine-Related Cancer, 2010, 17, 977-987. | 3.1 | 84 |
| 52 | Independent value of fascin immunoreactivity for predicting lymph node metastases in typical and atypical pulmonary carcinoids. Lung Cancer, 2003, 42, 203-213. | 2.0 | 83 |
| 53 | Immunodetection of Proliferating Cell Nuclear Antigen Assesses the Growth Fraction and Predicts Malignancy in Endocrine Tumors of the Pancreas. American Journal of Surgical Pathology, 1992, 16, 1215-1225. | 3.7 | 82 |
| 54 | A comparative analysis of three different techniques for the detection of breast cancer cells in bone marrow. Cancer, 1991, 67, 1033-1036. | 4.1 | 78 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Detecting lung cancer in plasma with the use of multiple genetic markers. International Journal of Cancer, 2004, 108, 91-96. | 5.1 | 78 |
| 56 | Fluorodeoxyglucose positron emission tomography improves preoperative staging of resectable lung metastasis. Journal of Thoracic and Cardiovascular Surgery, 2003, 126, 1906-1910. | 0.8 | 77 |
| 57 | Extended Pneumonectomy With Partial Resection of the Left Atrium, Without Cardiopulmonary Bypass, for Lung Cancer. Annals of Thoracic Surgery, 2005, 79, 234-240. | 1.3 | 77 |
| 58 | Complex engagement of DNA damage response pathways in human cancer and in lung tumor progression. Carcinogenesis, 2007, 28, 2082-2088. | 2.8 | 74 |
| 59 | CDX2 immunoreactivity in primary and metastatic ovarian mucinous tumours. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2003, 443, 782-786. | 2.8 | 73 |
| 60 | Gene Expression Profiling of Lung Atypical Carcinoids and Large Cell Neuroendocrine Carcinomas Identifies Three Transcriptomic Subtypes with Specific Genomic Alterations. Journal of Thoracic Oncology, 2019, 14, 1651-1661. | 1.1 | 73 |
| 61 | Role of Positron Emission Tomography Scanning in the Management of Lung Nodules Detected at Baseline Computed Tomography Screening. Annals of Thoracic Surgery, 2007, 84, 959-966. | 1.3 | 72 |
| 62 | Frequent mutations in the neurotrophic tyrosine receptor kinase gene family in large cell neuroendocrine carcinoma of the lung. Human Mutation, 2008, 29, 609-616. | 2.5 | 72 |
| 63 | Tumor deposits are encountered in advanced colorectal cancer and other adenocarcinomas: an expanded classification with implications for colorectal cancer staging system including a unifying concept of in-transit metastases. Modern Pathology, 2009, 22, 410-415. | 5.5 | 72 |
| 64 | Pancreatic endocrine tumours: evidence for a tumour suppressor pathogenesis and for a tumour suppressor gene on chromosome 17p. Journal of Pathology, 1998, 186, 41-50. | 4.5 | 70 |
| 65 | Circulating microRNA signature as liquid-biopsy to monitor lung cancer in low-dose computed tomography screening. Oncotarget, 2015, 6, 32868-32877. | 1.8 | 69 |
| 66 | Bone marrow micrometastases in 109 breast cancer patients: Correlations with clinical and pathological features and prognosis. Breast Cancer Research and Treatment, 1997, 42, 23-30. | 2.5 | 67 |
| 67 | Ki-67 labeling index of neuroendocrine tumors of the lung has a high level of correspondence between biopsy samples and surgical specimens when strict counting guidelines are applied. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2017, 470, 153-164. | 2.8 | 67 |
| 68 | Comorbidities in idiopathic pulmonary fibrosis: an underestimated issue. European Respiratory Review, 2019, 28, 190044. | 7.1 | 66 |
| 69 | Pulmonary Epithelial-Myoepithelial Tumor of Unproven Malignant Potential: Report of a Case and Review of the Literature. Modern Pathology, 2001, 14, 521-526. | 5.5 | 65 |
| 70 | Methylation-associated down-regulation of RASSF1A and up-regulation of RASSF1Cin pancreatic endocrine tumors. BMC Cancer, 2011, 11, 351. | 2.6 | 65 |
| 71 | Lung Cancers Detected by Screening with Spiral Computed Tomography Have a Malignant Phenotype when Analyzed by cDNA Microarray. Clinical Cancer Research, 2004, 10, 6023-6028. | 7.0 | 64 |
| 72 | Randomized Dose-Ranging Trial of Tamoxifen at Low Doses in Hormone Replacement Therapy Users. Journal of Clinical Oncology, 2007, 25, 4201-4209. | 1.6 | 64 |

| # | Article | IF | CITATIONS |
|----|--|-------------------|--------------------|
| 73 | Multiparametric molecular characterization of pulmonary sarcomatoid carcinoma reveals a nonrandom amplification of anaplastic lymphoma kinase (ALK) gene. Lung Cancer, 2012, 77, 507-514. | 2.0 | 64 |
| 74 | Distinctive pathological and clinical features of lung carcinoids with high proliferation index. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2017, 471, 713-720. | 2.8 | 64 |
| 75 | Most high-grade neuroendocrine tumours of the lung are likely to secondarily develop from pre-existing carcinoids: innovative findings skipping the current pathogenesis paradigm. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2018, 472, 567-577. | 2.8 | 64 |
| 76 | Expression of p63 in Thymomas and Normal Thymus. American Journal of Clinical Pathology, 2007, 127, 415-420. | 0.7 | 62 |
| 77 | Prognostic role of lymph node involvement in lung metastasectomy. Journal of Thoracic and Cardiovascular Surgery, 2007, 133, 967-972. | 0.8 | 60 |
| 78 | Immunhistochemistry by Means of Widely Agreed-Upon Markers (Cytokeratins 5/6 and 7, p63, Thyroid) Tj ETQq Parallels the Corresponding Profiling and Eventual Diagnoses on Surgical Specimens. Journal of Thoracic Oncology, 2011, 6, 1039-1049. | 0 0 0 rgBT 1.1 | /Overlock 10 60 |
| 79 | Solid and cystic papillary neoplasm of the pancreas: A clinico-cytopathologic and immunocytochemical study of five new cases diagnosed by fine-needle aspiration cytology and a review of the literature. Diagnostic Cytopathology, 1995, 13, 233-246. | 1.0 | 59 |
| 80 | Inference on germline <i>BAP1</i> mutations and asbestos exposure from the analysis of familial and sporadic mesothelioma in a highâ€risk area. Genes Chromosomes and Cancer, 2015, 54, 51-62. | 2.8 | 55 |
| 81 | K-ras gene mutational analysis supports a monoclonal origin of biphasic pleomorphic carcinoma of the lung. Modern Pathology, 2004, 17, 538-546. | 5.5 | 54 |
| 82 | Molecular Classification of Neuroendocrine Tumors of the Thymus. Journal of Thoracic Oncology, 2019, 14, 1472-1483. | 1.1 | 53 |
| 83 | Paraneoplastic Antigen Ma2 Autoantibodies as Specific Blood Biomarkers for Detection of Early Recurrence of Small Intestine Neuroendocrine Tumors. PLoS ONE, 2010, 5, e16010. | 2.5 | 53 |
| 84 | High-affinity monomeric 67-kd laminin receptors and prognosis in pancreatic endocrine tumours. , 1997, 183, 62-69. | | 52 |
| 85 | Randomized Phase II Trial of Inhaled Budesonide versus Placebo in High-Risk Individuals with CT Screen–Detected Lung Nodules. Cancer Prevention Research, 2011, 4, 34-42. | 1.5 | 52 |
| 86 | CD117 immunoreactivity in high-grade neuroendocrine tumors of the lung: a comparative study of 39 large-cell neuroendocrine carcinomas and 27 surgically resected small-cell carcinomas. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2004, 445, 449-455. | 2.8 | 51 |
| 87 | Brief Report: Activity of Imatinib in a Patient with Platelet-Derived-Growth-Factor Receptor Positive Malignant Solitary Fibrous Tumor of the Pleura. Journal of Thoracic Oncology, 2008, 3, 938-941. | 1.1 | 51 |
| 88 | ΔNp63 (p40) Distribution Inside Lung Cancer. International Journal of Surgical Pathology, 2013, 21, 229-239. | 0.8 | 51 |
| 89 | Alteration of the E-cadherin/?-catenin cell adhesion system is common in pulmonary neuroendocrine tumors and is an independent predictor of lymph node metastasis in atypical carcinoids. Cancer, 2005, 103, 1154-1164. | 4.1 | 50 |
| 90 | Stopping Smoking Reduces Mortality in Low-Dose Computed Tomography Screening Participants. Journal of Thoracic Oncology, 2016, 11, 693-699. | 1.1 | 50 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | The differential diagnosis between pleural sarcomatoid mesothelioma and spindle cell/pleomorphic (sarcomatoid) carcinomas of the lung: evidence-based guidelines from the International Mesothelioma Panel and the MESOPATH National Reference Center. Human Pathology, 2017, 67, 160-168. | 2.0 | 50 |
| 92 | Recommendations for Implementing Lung Cancer Screening with Low-Dose Computed Tomography in Europe. Cancers, 2020, 12, 1672. | 3.7 | 50 |
| 93 | Low morbidity of bronchoplastic procedures after chemotherapy for lung cancer. Lung Cancer, 2002, 36, 91-97. | 2.0 | 48 |
| 94 | Heterogeneity of Large Cell Carcinoma of the Lung. American Journal of Clinical Pathology, 2011, 136, 773-782. | 0.7 | 48 |
| 95 | Olfactory receptor 51E1 as a novel target for diagnosis in somatostatin receptor-negative lung carcinoids. Journal of Molecular Endocrinology, 2013, 51, 277-286. | 2.5 | 48 |
| 96 | FOLFOX-4 Chemotherapy for Patients With Unresectable or Relapsed Peritoneal Pseudomyxoma. Oncologist, 2014, 19, 845-850. | 3.7 | 48 |
| 97 | Peripheral giant cell granuloma: Evidence for osteoclastic differentiation. Oral Surgery, Oral Medicine, and Oral Pathology, 1990, 70, 471-475. | 0.6 | 47 |
| 98 | Difficulties encountered managing nodules detected during a computed tomography lung cancer screening program. Journal of Thoracic and Cardiovascular Surgery, 2008, 136, 611-617. | 0.8 | 47 |
| 99 | miR-205 Expression Levels in Nonsmall Cell Lung CancerDo Not Always Distinguish Adenocarcinomas From Squamous Cell Carcinomas. American Journal of Surgical Pathology, 2011, 35, 268-275. | 3.7 | 47 |
| 100 | CD117 immunoreactivity in stage I adenocarcinoma and squamous cell carcinoma of the lung: relevance to prognosis in a subset of adenocarcinoma patients. Modern Pathology, 2004, 17, 711-721. | 5.5 | 46 |
| 101 | Independent prognostic value of fascin immunoreactivity in stage Ill–IV colonic adenocarcinoma. British Journal of Cancer, 2007, 96, 1118-1126. | 6.4 | 45 |
| 102 | Results of chest wall resection for recurrent or locally advanced breast malignancies. Breast, 2007, 16, 297-302. | 2.2 | 45 |
| 103 | Imaging of Lung Hamartomas by Multidetector Computed Tomography and Positron Emission Tomography. Annals of Thoracic Surgery, 2008, 86, 1769-1772. | 1.3 | 45 |
| 104 | Epigenetic Silencing of the Proapoptotic Gene BIM in Anaplastic Large Cell Lymphoma through an MeCP2/SIN3a Deacetylating Complex. Neoplasia, 2013, 15, 511-IN17. | 5.3 | 44 |
| 105 | Unraveling Tumor Grading and Genomic Landscape in Lung Neuroendocrine Tumors. Endocrine Pathology, 2014, 25, 151-164. | 9.0 | 44 |
| 106 | Morphologic and molecular classification of lung neuroendocrine neoplasms. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2021, 478, 5-19. | 2.8 | 44 |
| 107 | High pathological response rate in locally advanced esophageal cancer after neoadjuvant combined modality therapy: dose finding of a weekly chemotherapy schedule with protracted venous infusion of 5-fluorouracil and dose escalation of cisplatin, docetaxel and concurrent radiotherapy. Annals of Oncology, 2005, 16, 1133-1139. | 1.2 | 43 |
| 108 | Jaw avascular bone necrosis associated with long-term use of biphosphonates. Annals of Oncology, 2005, 16, 1207-1208. | 1.2 | 43 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Screening-Detected Lung Cancers: Is Systematic Nodal Dissection Always Essential?. Journal of Thoracic Oncology, 2011, 6, 525-530. | 1.1 | 43 |
| 110 | Histidine Decarboxylase, DOPA Decarboxylase, and Vesicular Monoamine Transporter 2 Expression in Neuroendocrine Tumors: Immunohistochemical Study and Gene Expression Analysis. Journal of Histochemistry and Cytochemistry, 2006, 54, 863-875. | 2.5 | 42 |
| 111 | Acetyl-L-Carnitine downregulates invasion (CXCR4/CXCL12, MMP-9) and angiogenesis (VEGF, CXCL8) pathways in prostate cancer cells: rationale for prevention and interception strategies. Journal of Experimental and Clinical Cancer Research, 2019, 38, 464. | 8.6 | 42 |
| 112 | CD99 immunoreactivity in gastrointestinal and pulmonary neuroendocrine tumours. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2000, 437, 270-274. | 2.8 | 41 |
| 113 | Morphology and a Limited Number of Immunohistochemical Markers May Efficiently Subtype Non–Small-Cell Lung Cancer. Journal of Clinical Oncology, 2009, 27, e141-e142. | 1.6 | 41 |
| 114 | Screening with Low-Dose Computed Tomography Does Not Improve Survival of Small Cell Lung Cancer. Journal of Thoracic Oncology, 2016, 11, 187-193. | 1.1 | 41 |
| 115 | Preliminary Results on Safety and Activity of a Randomized, Double-Blind, 2 × 2 Trial of Low-Dose Tamoxifen and Fenretinide for Breast Cancer Prevention in Premenopausal Women. Journal of Clinical Oncology, 2006, 24, 129-135. | 1.6 | 40 |
| 116 | Long-term endoscopic and clinical follow-up of untreated type 1 gastric neuroendocrine tumours. Digestive and Liver Disease, 2007, 39, 537-543. | 0.9 | 40 |
| 117 | Large cell carcinoma of the lung: A tumor in search of an author. A clinically oriented critical reappraisal. Lung Cancer, 2015, 87, 226-231. | 2.0 | 39 |
| 118 | Recent advances in the molecular landscape of lung neuroendocrine tumors. Expert Review of Molecular Diagnostics, 2019, 19, 281-297. | 3.1 | 38 |
| 119 | Classification of Lymph Node Metastases from Carcinoma of the Stomach: Comparison of the Old (1987) and New (1997) TNM Systems. World Journal of Surgery, 1999, 23, 664-669. | 1.6 | 37 |
| 120 | Osteopontin, E-cadherin, and β-catenin expression as prognostic biomarkers in patients with radically resected gastric cancer. Gastric Cancer, 2016, 19, 412-420. | 5.3 | 37 |
| 121 | Superior vena cava replacement for lung cancer using a heterologous (bovine) prosthesis: Preliminary results. Journal of Thoracic and Cardiovascular Surgery, 2006, 131, 490-491. | 0.8 | 36 |
| 122 | Lung cancer screening with low-dose spiral computed tomography: evidence from a pooled analysis of two Italian randomized trials. European Journal of Cancer Prevention, 2017, 26, 324-329. | 1.3 | 36 |
| 123 | A Primary Pure Yolk Sac Tumor of the Lung Exhibiting CDX-2 Immunoreactivity and Increased Serum Levels of Alkaline Phosphatase Intestinal Isoenzyme. International Journal of Surgical Pathology, 2006, 14, 247-251. | 0.8 | 35 |
| 124 | Subtyping Non–Small Cell Lung Cancer. International Journal of Surgical Pathology, 2013, 21, 326-336. | 0.8 | 35 |
| 125 | Diagnosis and management of typical and atypical lung carcinoids. Critical Reviews in Oncology/Hematology, 2016, 100, 167-176. | 4.4 | 35 |
| 126 | Establishment of patient derived xenografts as functional testing of lung cancer aggressiveness. Scientific Reports, 2017, 7, 6689. | 3.3 | 35 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Estrogen receptors in 699 primary breast cancers: A comparison of immunohistochemical and biochemical methods. Breast Cancer Research and Treatment, 1995, 34, 221-228. | 2.5 | 34 |
| 128 | Prognostic Significance of 67-kDa Laminin Receptor Expression in Advanced Gastric Cancer. Oncology, 1998, 55, 456-460. | 1.9 | 34 |
| 129 | Reproducibility of Histopathological Diagnosis in Poorly Differentiated NSCLC: An International Multiobserver Study. Journal of Thoracic Oncology, 2014, 9, 1354-1362. | 1.1 | 34 |
| 130 | Study on Ki-67 Immunoreactivity as a Prognostic Indicator in Patients with Advanced Gastric Cancer. Japanese Journal of Clinical Oncology, 1998, 28, 534-537. | 1.3 | 33 |
| 131 | Lack of prognostic implications of HER-2/neu abnormalities in 345 stage I nonsmall cell carcinomas (NSCLC) and 207 stage I-III neuroendocrine tumours (NET) of the lung. International Journal of Cancer, 2005, 113, 101-108. | 5.1 | 33 |
| 132 | Interobserver Variation among Pathologists and Refinement of Criteria in Distinguishing Separate Primary Tumors from Intrapulmonary Metastases in Lung. Journal of Thoracic Oncology, 2018, 13, 205-217. | 1.1 | 33 |
| 133 | Expression of proliferating cell nuclear antigen, Ki-67 antigen, estrogen receptor protein, and tumor suppressor p53 gene in cytologic samples of breast cancer: An immunochemical study with clinical, pathobiological, and histologic correlations. Diagnostic Cytopathology, 1994, 11, 131-140. | 1.0 | 32 |
| 134 | Structural lung damage after chemotherapy. Lung Cancer, 2010, 67, 306-310. | 2.0 | 32 |
| 135 | Dual role of RASSF1 as a tumor suppressor and an oncogene in neuroendocrine tumors of the lung. Anticancer Research, 2010, 30, 4269-81. | 1.1 | 32 |
| 136 | Progesterone receptor immunoreactivity in minute meningothelioid nodules of the lung. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2002, 440, 543-546. | 2.8 | 31 |
| 137 | Modulation of Epidermal Growth Factor Receptor Status by Chemotherapy in Patients With Locally Advanced Non–Small-Cell Lung Cancer Is Rare. Journal of Clinical Oncology, 2004, 22, 4966-4970. | 1.6 | 31 |
| 138 | Thymus neuroendocrine tumors with CTNNB1 gene mutations, disarrayed ß-catenin expression, and dual intra-tumor Ki-67 labeling index compartmentalization challenge the concept of secondary high-grade neuroendocrine tumor: a paradigm shift. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin. 2017. 471. 31-47. | 2.8 | 31 |
| 139 | Increased frequency of bronchiolar histotypes in lung carcinomas associated with idiopathic pulmonary fibrosis. Histopathology, 2017, 71, 725-735. | 2.9 | 31 |
| 140 | Detection of the neural cell adhesion molecule (NCAM) in serum of patients with small-cell lung cancer (SCLC) with "limited―or "extensive―disease, and bone-marrow infiltration. International Journal of Cancer, 1994, 57, 49-52. | 5.1 | 29 |
| 141 | Video-assisted management of malignant pleural effusion in breast carcinoma. Cancer, 2006, 106, 271-276. | 4.1 | 29 |
| 142 | 3q26 Amplification and Polysomy of Chromosome 3 in Squamous Cell Lesions of the Lung: A Fluorescence In situ Hybridization Study. Clinical Cancer Research, 2007, 13, 1995-2004. | 7.0 | 28 |
| 143 | Immunohistochemical identification of the uncoupling protein in human hibernoma. Biology of the Cell, 1994, 80, 75-78. | 2.0 | 27 |
| 144 | What clinicians are asking pathologists when dealing with lung neuroendocrine neoplasms?. Seminars in Diagnostic Pathology, 2015, 32, 469-479. | 1.5 | 27 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Pathologic Grading of Malignant Pleural Mesothelioma: An Evidence-Based Proposal. Journal of Thoracic Oncology, 2018, 13, 1750-1761. | 1.1 | 27 |
| 146 | Grading lung neuroendocrine tumors: Controversies in search of a solution. Histology and Histopathology, 2017, 32, 223-241. | 0.7 | 27 |
| 147 | <scp>CDKN</scp> 2A and <scp>MC</scp> 1R variants influence dermoscopic and confocal features of benign melanocytic lesions in multiple melanoma patients. Experimental Dermatology, 2013, 22, 411-416. | 2.9 | 26 |
| 148 | Dissecting Pulmonary Large-Cell Carcinoma by Targeted Next Generation Sequencing of Several Cancer Genes Pushes Genotypic-Phenotypic Correlations to Emerge. Journal of Thoracic Oncology, 2015, 10, 1560-1569. | 1.1 | 26 |
| 149 | Genetic alterations in combined neuroendocrine neoplasms of the lung. Modern Pathology, 2008, 21, 414-422. | 5.5 | 25 |
| 150 | Pathologic and molecular features of screening low-dose computed tomography (LDCT)-detected lung cancer: A baseline and 2-year repeat study. Lung Cancer, 2008, 62, 202-214. | 2.0 | 25 |
| 151 | Molecular Pathology of Well-Differentiated Pulmonary and Thymic Neuroendocrine Tumors: What Do Pathologists Need to Know?. Endocrine Pathology, 2021, 32, 154-168. | 9.0 | 25 |
| 152 | Proliferation markers and their uses in the study of endocrine tumors. Endocrine Pathology, 1996, 7, 103-119. | 9.0 | 24 |
| 153 | Ki-67 Evaluation for Clinical Decision in Metastatic Lung Carcinoids: A Proof of Concept. BMC Clinical Pathology, 2019, 12, 2632010X1982925. | 1.7 | 24 |
| 154 | Poorly differentiated synovial sarcoma of the vagina: first reported case with immunohistochemical, molecular and ultrastructural data. Histopathology, 2007, 50, 808-810. | 2.9 | 23 |
| 155 | The Classification of Lung Carcinoma: Time to Change the Morphology-Based Approach?. International Journal of Surgical Pathology, 2010, 18, 161-172. | 0.8 | 23 |
| 156 | Bone marrow micrometastases in breast cancer patients. Breast Cancer Research and Treatment, 1999, 58, 123-130. | 2.5 | 22 |
| 157 | Expression of gemcitabine- and cisplatin-related genes in non-small-cell lung cancer. Pharmacogenomics Journal, 2010, 10, 180-190. | 2.0 | 22 |
| 158 | Study of Inorganic Particles, Fibers, and Asbestos Bodies by Variable Pressure Scanning Electron Microscopy with Annexed Energy Dispersive Spectroscopy and Micro-Raman Spectroscopy in Thin Sections of Lung and Pleural Plaque. Applied Spectroscopy, 2010, 64, 571-577. | 2.2 | 22 |
| 159 | Receptor tyrosine kinase pathway analysis sheds light on similarities between clearâ€cell sarcoma and metastatic melanoma. Genes Chromosomes and Cancer, 2012, 51, 111-126. | 2.8 | 22 |
| 160 | Uterine Inflammatory Myofibroblastic Tumor in a 10-Year-Old Girl Presenting As Polypoid Mass. Journal of Clinical Oncology, 2015, 33, e7-e10. | 1.6 | 22 |
| 161 | Synergistic Activation upon MET and ALK Coamplification Sustains Targeted Therapy in Sarcomatoid Carcinoma, a Deadly Subtype of Lung Cancer. Journal of Thoracic Oncology, 2016, 11, 718-728. | 1.1 | 22 |
| 162 | Pulmonary adenocarcinoma with mucin production modulates phenotype according to common genetic traits: a reappraisal of mucinous adenocarcinoma and colloid adenocarcinoma. Journal of Pathology: Clinical Research, 2017, 3, 139-151. | 3.0 | 22 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | Late events and clinical prognostic factors in stage I non small cell lung cancer. Lung Cancer, 2002, 37, 171-177. | 2.0 | 21 |
| 164 | Fluoro-deoxi-glucose uptake and angiogenesis are independent biological features in lung metastases. British Journal of Cancer, 2002, 86, 1391-1395. | 6.4 | 21 |
| 165 | Persistent excess mortality from lung cancer in patients with stage I non-small-cell lung cancer, disease-free after 5 years. British Journal of Cancer, 2003, 88, 1666-1668. | 6.4 | 21 |
| 166 | Salivary Gland-Type Tumors With Myoepithelial Differentiation Arising in Pulmonary Hamartoma. American Journal of Surgical Pathology, 2006, 30, 375-387. | 3.7 | 21 |
| 167 | Randomized Biomarker Trial of Anastrozole or Low-Dose Tamoxifen or Their Combination in Subjects with Breast Intraepithelial Neoplasia. Clinical Cancer Research, 2009, 15, 7053-7060. | 7.0 | 21 |
| 168 | Available evidence and new biological perspectives on medical treatment of advanced thymic epithelial tumors. Annals of Oncology, 2015, 26, 838-847. | 1.2 | 21 |
| 169 | An open-label, single-arm, phase 2 study of the Aurora kinase A inhibitor alisertib in patients with advanced urothelial cancer. Investigational New Drugs, 2016, 34, 236-242. | 2.6 | 21 |
| 170 | The SARS-CoV-2 receptor, ACE-2, is expressed on many different cell types: implications for ACE-inhibitor- and angiotensin II receptor blocker-based antihypertensive therapies—reply. Internal and Emergency Medicine, 2020, 15, 1583-1584. | 2.0 | 21 |
| 171 | A modified vimentin histological score helps recognize pulmonary sarcomatoid carcinoma in small biopsy samples. Anticancer Research, 2012, 32, 1463-73. | 1.1 | 21 |
| 172 | ecancermedicalscience. Ecancermedicalscience, 2011, 5, 201. | 1.1 | 20 |
| 173 | The presence of bone marrow cytokeratin-immunoreactive cells does not predict outcome in gastric cancer patients. British Journal of Cancer, 2002, 86, 1047-1051. | 6.4 | 20 |
| 174 | Malignancy-associated X chromosome allelic losses in foregut endocrine neoplasms: further evidence from lung tumors. Modern Pathology, 2005, 18, 795-805. | 5.5 | 20 |
| 175 | Giant Alveolar Adenoma Causing Severe Dyspnoea. Journal of Thoracic Oncology, 2010, 5, 1088-1090. | 1.1 | 20 |
| 176 | Challenging Lung Carcinoma with Coexistent ΔNp63/p40 and Thyroid Transcription Factor-1 Labeling Within the Same Individual Tumor Cells. Journal of Thoracic Oncology, 2015, 10, 1500-1502. | 1.1 | 20 |
| 177 | Peptide receptors in neuroendocrine tumors of the lung as potential tools for radionuclide diagnosis and therapy. Quarterly Journal of Nuclear Medicine and Molecular Imaging, 2006, 50, 272-87. | 0.7 | 20 |
| 178 | Ewing sarcoma of the small bowel: a study of seven cases, including one with the uncommonly reported <i><scp>EWSR</scp>1–<scp>FEV</scp></i> translocation. Histopathology, 2014, 64, 1014-1026. | 2.9 | 19 |
| 179 | Pulmonary hypertension and chronic lung disease: where are we headed?. European Respiratory Review, 2019, 28, 190065. | 7.1 | 19 |
| 180 | Surgical Resections of Superinfected Pneumatoceles in a COVID-19 Patient. Annals of Thoracic Surgery, 2021, 111, e23-e25. | 1.3 | 19 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 181 | Gain of ALK Gene Copy Number May Predict Lack of Benefit from Anti-EGFR Treatment in Patients with Advanced Colorectal Cancer and RAS-RAF-PI3KCA Wild-Type Status. PLoS ONE, 2014, 9, e92147. | 2.5 | 18 |
| 182 | The role of multimodal treatment in patients with advanced lung neuroendocrine tumors. Journal of Thoracic Disease, 2017, 9, S1501-S1510. | 1.4 | 18 |
| 183 | Early hilar lung cancer — clinical aspects and long term survival. Identification of a subgroup of stage IA patients with more favorable prognosis. Lung Cancer, 2000, 27, 119-124. | 2.0 | 17 |
| 184 | Pulsed Dose-Rate Perioperative Interstitial Brachytherapy for Soft Tissue Sarcomas of the Extremities and Skeletal Muscles of the Trunk. Annals of Surgical Oncology, 2005, 12, 935-942. | 1.5 | 17 |
| 185 | Tumour CEA as predictor of better outcome in squamous cell carcinoma of the lung. Lung Cancer, 2005, 48, 233-240. | 2.0 | 17 |
| 186 | Detecting cell-free circulating hTERT mRNA in the plasma may identify a subset of nonsmall cell lung cancer patients. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2006, 448, 7-15. | 2.8 | 17 |
| 187 | Erlotinib-Induced Breast Cancer Regression. Annals of Pharmacotherapy, 2006, 40, 2043-2047. | 1.9 | 17 |
| 188 | Absence of epidermal growth factor receptor gene mutations in patients with hormone refractory prostate cancer not responding to gefitinib. Prostate, 2007, 67, 603-604. | 2.3 | 17 |
| 189 | In vitro and in silico studies of MDM2/MDMX isoforms predict Nutlin-3A sensitivity in well/de-differentiated liposarcomas. Laboratory Investigation, 2013, 93, 1232-1240. | 3.7 | 17 |
| 190 | Are two better than one? A novel doubleâ€mutant KIT in GIST that responds to Imatinib. Molecular Oncology, 2013, 7, 756-762. | 4.6 | 17 |
| 191 | Lung Adenocarcinoma Patient Refractory to Gefitinib and Responsive to Crizotinib, with Concurrent Rare Mutation of the Epidermal Growth Factor Receptor (L861Q) and Increased ALK/MET/ROS1 Gene Copy Number. Journal of Thoracic Oncology, 2013, 8, e105-e106. | 1.1 | 17 |
| 192 | Neuroendocrine neoplasms of the biliary tree, liver and pancreas: a pathological approach. Pathologica, 2021, 113, 28-38. | 3.4 | 17 |
| 193 | Adjuvant Surgery after Carboplatin and VP16 in Resectable Small Cell Lung Cancer. Journal of Thoracic Oncology, 2007, 2, 131-134. | 1.1 | 16 |
| 194 | Localised thoracic sarcomas: Outcome improvement over time at a single institution. European Journal of Cancer, 2013, 49, 2689-2697. | 2.8 | 16 |
| 195 | New developments in the management of advanced melanoma – role of pembrolizumab. OncoTargets and Therapy, 2015, 8, 2535. | 2.0 | 16 |
| 196 | Germline polymorphisms and survival of lung adenocarcinoma patients: A genomeâ€wide study in two European patient series. International Journal of Cancer, 2015, 136, E262-71. | 5.1 | 16 |
| 197 | The impact of immunohistochemistry on the classification of lung tumors. Expert Review of Respiratory Medicine, 2016, 10, 1105-1121. | 2.5 | 16 |
| 198 | A Subset of Large Cell Neuroendocrine Carcinomas in the Gastroenteropancreatic Tract May Evolve from Pre-existing Well-Differentiated Neuroendocrine Tumors. Endocrine Pathology, 2021, 32, 396-407. | 9.0 | 16 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 199 | A subset of high-grade pulmonary neuroendocrine carcinomas shows up-regulation of matrix metalloproteinase-7 associated with nuclear β-catenin immunoreactivity, independent of EGFR and HER-2 gene amplification or expression. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2005, 447, 969-977. | 2.8 | 15 |
| 200 | Optimizing Pemetrexed-Gemcitabine Combination in Patients with Advanced Non-small Cell Lung Cancer: A Pharmacogenetic Approach. Journal of Thoracic Oncology, 2011, 6, 768-773. | 1.1 | 14 |
| 201 | Chromosome 3p alterations in pancreatic endocrine neoplasia. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2011, 458, 39-45. | 2.8 | 14 |
| 202 | Napsin-A, TTF-1, EGFR, and ALK Status Determination in Lung Primary and Metastatic Mucin-Producing Adenocarcinomas. International Journal of Surgical Pathology, 2014, 22, 401-407. | 0.8 | 14 |
| 203 | <i>EGFR</i> -Driven Behavior and Intrapatient T790M Mutation Heterogeneity of Non–Small-Cell Carcinoma With Squamous Histology. Journal of Clinical Oncology, 2015, 33, e115-e118. | 1.6 | 14 |
| 204 | Deciphering intra-tumor heterogeneity of lung adenocarcinoma confirms that dominant, branching, and private gene mutations occur within individual tumor nodules. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2016, 468, 651-662. | 2.8 | 14 |
| 205 | Immunohistochemical neuroendocrine marker expression in primary pulmonary NUT carcinoma: a diagnostic pitfall. Histopathology, 2020, 77, 508-510. | 2.9 | 14 |
| 206 | Two-Year Survival After Multiple Bilateral Lung Metastasectomies for Cranial Meningioma. Annals of Thoracic Surgery, 2005, 80, 1129-1130. | 1.3 | 13 |
| 207 | Alpha–fetoprotein elevation in NUT midline carcinoma: a case report. BMC Cancer, 2017, 17, 266. | 2.6 | 13 |
| 208 | OA03.03 Phase 2B of Blueprint PD-L1 Immunohistochemistry Assay Comparability Study. Journal of Thoracic Oncology, 2018, 13, S325. | 1.1 | 13 |
| 209 | Lung Cryobiopsy for the Diagnosis of Interstitial Lung Diseases: A Series Contribution to a Debated Procedure. Medicina (Lithuania), 2019, 55, 606. | 2.0 | 13 |
| 210 | Clinical and molecular practice of European thoracic pathology laboratories during the COVID-19 pandemic. The past and the near future. ESMO Open, 2021, 6, 100024. | 4.5 | 13 |
| 211 | The International Association for the Study of Lung Cancer Global Survey on Programmed Death-Ligand 1 Testing for NSCLC. Journal of Thoracic Oncology, 2021, 16, 686-696. | 1.1 | 13 |
| 212 | ecancermedicalscience. Ecancermedicalscience, 2010, 4, 186. | 1.1 | 12 |
| 213 | Immunocytochemical assessment of bone marrow aspirates for monitoring response to chemotherapy in small-cell lung cancer patients. British Journal of Cancer, 1999, 81, 1213-1221. | 6.4 | 12 |
| 214 | TIPS allowing for an endoscopic mucosal resection of early gastric cancer in a cirrhotic patient with severe hypertensive gastropathy: Report of a case. Surgery Today, 1999, 29, 902-905. | 1.5 | 12 |
| 215 | Expression of amino acid sequences of the chromogranin A molecule and synaptic vesicle protein 2 in neuroendocrine tumors of the lung. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2005, 446, 604-612. | 2.8 | 12 |
| 216 | Immunoreactivity for Sex Steroid Hormone Receptors in Pulmonary Hamartomas. American Journal of Surgical Pathology, 2006, 30, 819-827. | 3.7 | 12 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 217 | Thyroid-Type Papillary Microcarcinoma in Ovarian Strumal Carcinoid. International Journal of Surgical Pathology, 2008, 16, 435-437. | 0.8 | 12 |
| 218 | A critical appraisal of the adjuvant chemotherapy guidelines for patients with completely resected T3NO non-small-cell lung cancer. Acta Oncológica, 2010, 49, 480-484. | 1.8 | 12 |
| 219 | Therapeutic Biomarkers in Lung Neuroendocrine Neoplasia. Endocrine Pathology, 2014, 25, 371-377. | 9.0 | 12 |
| 220 | The utility of Ki-67 as a prognostic biomarker in pulmonary neuroendocrine tumours: protocol for a systematic review and meta-analysis. BMJ Open, 2019, 9, e031531. | 1.9 | 12 |
| 221 | First-line gefitinib combined with simplified FOLFOX-6 in patients with epidermal growth factor receptor-positive advanced colorectal cancer. Journal of Clinical Oncology, 2005, 23, 3659-3659. | 1.6 | 12 |
| 222 | 5'-nucleotidase cN-II emerges as a new predictive biomarker of response to gemcitabine/platinum combination chemotherapy in non-small cell lung cancer. Oncotarget, 2018, 9, 16437-16450. | 1.8 | 12 |
| 223 | Overcoming Resistance to Checkpoint Inhibitors: Natural Killer Cells in Non-Small Cell Lung Cancer. Frontiers in Oncology, 0, 12, . | 2.8 | 12 |
| 224 | Detection at diagnosis of tumor cells in bone marrow aspirates of patients with small-cell lung cancer (SCLC) and clinical correlations. Annals of Oncology, 1995, 6, 86-88. | 1.2 | 11 |
| 225 | Peptide receptor radiotherapy: a new option for the management of aggressive fibromatosis on behalf of the Italian Sarcoma Group. British Journal of Cancer, 2003, 88, 645-647. | 6.4 | 11 |
| 226 | Immunocytochemical detection of cell proliferation-related antigens in cytologic smears of human malignant neoplasms using PC10, reactive with proliferating cell nuclear antigen, and Ki-67. A comparative study. Archives of Pathology and Laboratory Medicine, 1994, 118, 510-6. | 2.5 | 11 |
| 227 | Does bone marrow involvement affect prognosis in small-cell lung cancer?. Annals of Oncology, 1998, 9, 247-250. | 1.2 | 10 |
| 228 | Treatment of pulmonary metastases from primary intraosseous odontogenic carcinoma. Lancet Oncology, The, 2006, 7, 272-273. | 10.7 | 10 |
| 229 | Benign Hyperplastic Mesothelial Cells in Lymph Node. International Journal of Surgical Pathology, 2007, 15, 297-299. | 0.8 | 10 |
| 230 | Controversial issues and new discoveries in lung neuroendocrine tumors. Diagnostic Histopathology, 2014, 20, 392-397. | 0.4 | 10 |
| 231 | Applicability of Under Vacuum Fresh Tissue Sealing and Cooling to Omics Analysis of Tumor Tissues. Biopreservation and Biobanking, 2016, 14, 480-490. | 1.0 | 10 |
| 232 | Uncommon Somatic Mutations in Metastatic NUT Midline Carcinoma. Tumori, 2017, 103, S5-S8. | 1.1 | 10 |
| 233 | Serum Steroid Ratio Profiles in Prostate Cancer: A New Diagnostic Tool Toward a Personalized Medicine Approach. Frontiers in Endocrinology, 2018, 9, 110. | 3.5 | 10 |
| 234 | Spread of hyperplastic pulmonary neuroendocrine cells into air spaces (S.H.I.P.M.E.N.T.S): A proof for artifact. Lung Cancer, 2019, 137, 43-47. | 2.0 | 10 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 235 | Clinical management of patients with thymic epithelial tumors: the recommendations endorsed by the Italian Association of Medical Oncology (AIOM). ESMO Open, 2021, 6, 100188. | 4.5 | 10 |
| 236 | The Ki-67 antigen in the new 2021 World Health Organization classification of lung neuroendocrine neoplasms. Pathologica, 2021, 113, 377-387. | 3.4 | 10 |
| 237 | Detection of small-cell-lung-cancer cells in bone-marrow aspirates by monoclonal antibodies NCC-LU-243, NCC-LU-246 and MLuCl. International Journal of Cancer, 1994, 57, 53-56. | 5.1 | 9 |
| 238 | Fat body of the frogRana esculenta: An ultrastructural study. , 1996, 227, 321-334. | | 9 |
| 239 | Positive immunostaining with MLuC1 of bone marrow aspirate predicts poor outcome in patients with small-cell lung cancer. Annals of Oncology, 1998, 9, 181-185. | 1.2 | 9 |
| 240 | The New Taxonomy of Lung Adenocarcinoma Stemming from a Multidisciplinary Integrated Approach: Novel Pathology Concepts and Perspectives. Journal of Thoracic Oncology, 2011, 6, 241-243. | 1.1 | 9 |
| 241 | Pulmonary Resections: Cytostructural Effects of Different-Wavelength Lasers versus Electrocautery. Tumori, 2012, 98, 90-93. | 1.1 | 9 |
| 242 | Genetic profiling of advanced radioactive iodine-resistant differentiated thyroid cancer and correlation with axitinib efficacy. Cancer Letters, 2015, 359, 269-274. | 7.2 | 9 |
| 243 | Bcl-10, trypsin and synaptophysin helps recognize acinar cell and mixed acinar neuroendocrine cell carcinoma of the pancreas on both preoperative cytological samples and needle biopsy specimens. Pathology Research and Practice, 2021, 226, 153593. | 2.3 | 9 |
| 244 | Effects of Different Immunolabeling Techniques on the Detection of Small-cell Lung Cancer Cells in Bone Marrow. Journal of Histochemistry and Cytochemistry, 1999, 47, 1075-1088. | 2.5 | 8 |
| 245 | Synchronous bilateral lung carcinoid tumors: a rare entity?. European Journal of Cardio-thoracic Surgery, 2003, 24, 334. | 1.4 | 8 |
| 246 | Combined small-cell carcinoma of the lung with quadripartite differentiation of epithelial, neuroendocrine, skeletal muscle, and myofibroblastic type. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2011, 458, 497-503. | 2.8 | 8 |
| 247 | Intravascular Papillary Endothelial Hyperplasia of the Renal Vein. International Journal of Surgical Pathology, 2011, 19, 518-520. | 0.8 | 8 |
| 248 | Does Immunohistochemistry Affect Response to Therapy and Survival of Inoperable Non–Small Cell Lung Carcinoma Patients? A Survey of 145 Stage III-IV Consecutive Cases. International Journal of Surgical Pathology, 2014, 22, 136-148. | 0.8 | 8 |
| 249 | Systemic Approach to Malignant Pleural Mesothelioma: What News of Chemotherapy, Targeted Agents and Immunotherapy?. Tumori, 2016, 102, 18-30. | 1.1 | 8 |
| 250 | Improving Survival in LymphangioleioÂ m yomatosis: A 16-Year Observational Study in a Large Cohort of Patients. Respiration, 2021, 100, 989-999. | 2.6 | 8 |
| 251 | Aggressive early-stage lung adenocarcinoma is characterized by epithelial cell plasticity with acquirement of stem-like traits and immune evasion phenotype. Oncogene, 2021, 40, 4980-4991. | 5.9 | 8 |
| 252 | Coexpression of ΔNp63/p40 and TTF1 Within Most of the Same Individual Cells Identifies Life-Threatening NSCLC Featuring Squamous and Glandular Biphenotypic Differentiation: Clinicopathologic Correlations. JTO Clinical and Research Reports, 2021, 2, 100222. | 1.1 | 8 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 253 | Effects of raloxifene on sex steroid hormones and C-telopeptide in postmenopausal women with primary breast cancer. Breast Cancer Research and Treatment, 2006, 98, 167-172. | 2.5 | 7 |
| 254 | Successful chemotherapy and90Y-DOTATOC in a patient with mediastinal highly aggressive neuroendocrine carcinoma. Acta OncolÃ ³ gica, 2006, 45, 627-629. | 1.8 | 7 |
| 255 | Challenging Diagnosis of an Unusual Solitary Pulmonary Nodule. Thoracic and Cardiovascular Surgeon, 2007, 55, 123-125. | 1.0 | 7 |
| 256 | Genomic characterization of asymptomatic CT-detected lung cancers. Oncogene, 2011, 30, 1117-1126. | 5.9 | 7 |
| 257 | Gene Signatures Stratify Computed Tomography Screening Detected Lung Cancer in High-Risk Populations. EBioMedicine, 2015, 2, 831-840. | 6.1 | 7 |
| 258 | Automated Analysis of Proliferating Cells Spatial Organisation Predicts Prognosis in Lung Neuroendocrine Neoplasms. Cancers, 2021, 13, 4875. | 3.7 | 7 |
| 259 | Recent advances and current controversies in lung neuroendocrine neoplasms✺. Seminars in Diagnostic Pathology, 2021, 38, 90-97. | 1.5 | 7 |
| 260 | Decreased Immunoreactivity of CD99 Is an Independent Predictor of Regional Lymph Node Metastases in Pulmonary Carcinoid Tumors. Journal of Thoracic Oncology, 2006, 1, 468-477. | 1.1 | 6 |
| 261 | Decreased Immunoreactivity of CD99 Is an Independent Predictor of Regional Lymph Node Metastases in Pulmonary Carcinoid Tumors. Journal of Thoracic Oncology, 2006, 1, 468-477. | 1.1 | 6 |
| 262 | Primary thoracic synovial sarcoma: Factors affecting long-term survival. Journal of Thoracic and Cardiovascular Surgery, 2007, 134, 808-809.e1. | 0.8 | 6 |
| 263 | Erlotinib Combined with Cyclosporine in a Liver-Transplant Recipient with Epidermal Growth Factor Receptor-Mutated Non-small Cell Lung Cancer. Journal of Thoracic Oncology, 2009, 4, 138-139. | 1.1 | 6 |
| 264 | Succinate Dehydrogenase B Subunit Immunohistochemical Expression Predicts Aggressiveness in Well Differentiated Neuroendocrine Tumors of the lleum. Cancers, 2012, 4, 808-820. | 3.7 | 6 |
| 265 | Biological insights into BRAF ^{V600} mutations in melanoma patient. Oncolmmunology, 2013, 2, e25594. | 4.6 | 6 |
| 266 | Gingival Metastasis as First Sign of Multiorgan Dissemination of Epithelioid Malignant Mesothelioma. Journal of Thoracic Oncology, 2014, 9, 1226-1229. | 1.1 | 6 |
| 267 | Distinguishing multiple lung primaries from intra-pulmonary metastases and treatment implications. Expert Review of Anticancer Therapy, 2020, 20, 985-995. | 2.4 | 6 |
| 268 | Thulium laser versus staplers for anatomic pulmonary resections with incomplete fissures: negative results of a randomized trial. Tumori, 2014, 100, 259-64. | 1.1 | 6 |
| 269 | Utility of KI-67 as a prognostic biomarker in pulmonary neuroendocrine neoplasms: a systematic review and meta-analysis. BMJ Open, 2022, 12, e041961. | 1.9 | 6 |
| 270 | Immunohistochemical Detection of HER1/HER2 Can Be Considered a Predictive Marker of Gefitinib Activity in Non-Small-Cell Lung Cancer?. Journal of Clinical Oncology, 2005, 23, 921-922. | 1.6 | 5 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 271 | Differentiating neuroblastoma arising in mediastinal germ cell tumour. Histopathology, 2008, 53, 350-352. | 2.9 | 5 |
| 272 | Different clinical effects upon separate inhibition of coexisting EGFR and PI3KCA mutations in a lung adenocarcinoma patient. Lung Cancer, 2015, 87, 204-206. | 2.0 | 5 |
| 273 | Primary MiNEN of the urinary bladder: an hitherto undescribed entity composed of large cell neuroendocrine carcinoma and adenocarcinoma with a distinct clinical behavior. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2021, 479, 69-78. | 2.8 | 5 |
| 274 | Low dose spiral computed tomography for early diagnosis of lung cancer. Results of baseline screening in 5,000 high-risk volunteers. Journal of Clinical Oncology, 2006, 24, 7029-7029. | 1.6 | 5 |
| 275 | KEAP1 and TP53 (Co)mutation in Lung Adenocarcinoma: Another Bullet for Immunotherapy?. Journal of Thoracic Oncology, 2021, 16, 1979-1983. | 1.1 | 5 |
| 276 | Pulmonary resections: cytostructural effects of different-wavelength lasers versus electrocautery. Tumori, 2012, 98, 90-3. | 1.1 | 5 |
| 277 | High-dose Chemotherapy in Small Cell Lung Cancer. Tumori, 2002, 88, 179-186. | 1.1 | 4 |
| 278 | Mediastinal-like growing teratoma syndrome. Journal of Thoracic and Cardiovascular Surgery, 2005, 130, 228-229. | 0.8 | 4 |
| 279 | Invited commentary. Annals of Thoracic Surgery, 2007, 83, 214-215. | 1.3 | 4 |
| 280 | Pericolonic tumour deposits in colorectal cancer patients: the challenge is on-going. Histopathology, 2008, 52, 767-768. | 2.9 | 4 |
| 281 | Poorly differentiated synovial sarcoma of the vagina: A case report and a clinical literature review. Ecancermedicalscience, 2009, 3, 99. | 1.1 | 4 |
| 282 | Spindle Cell Nuclear in Testis Carcinoma of the Lung: A Challenging Tumor. Journal of Thoracic Oncology, 2019, 14, 311-313. | 1.1 | 4 |
| 283 | Clinical implications of lung neuroendocrine neoplasm classification. Expert Review of Anticancer Therapy, 2021, 21, 377-387. | 2.4 | 4 |
| 284 | Decreased immunoreactivity of CD99 is an independent predictor of regional lymph node metastases in pulmonary carcinoid tumors. Journal of Thoracic Oncology, 2006, 1, 468-77. | 1.1 | 4 |
| 285 | Methodological aspects of the immunostaining of proliferating cell nuclear antigen (PCNA) in cytospin preparations of MCF-7 cell line. Diagnostic Cytopathology, 1994, 10, 82-85. | 1.0 | 3 |
| 286 | Re: Akt Phosphorylation and Gefitinib Efficacy in Patients With Advanced Non-Small-Cell Lung Cancer. Journal of the National Cancer Institute, 2005, 97, 461-462. | 6.3 | 3 |
| 287 | A FOLFIRI-induced complete tumor response in a patient with FOLFOX-refractory metastatic duodenal adenocarcinoma. Acta Oncológica, 2010, 49, 123-124. | 1.8 | 3 |
| 288 | Peritoneal Malignant Mesothelioma Metastatic to Supraclavicular Lymph Nodes. International Journal of Surgical Pathology, 2014, 22, 552-554. | 0.8 | 3 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 289 | Over-Time Risk of Lung Cancer Is Largely Owing to Continuing Smoking Exposition: A Good Reason to Quit. Journal of Thoracic Oncology, 2021, 16, e57-e59. | 1.1 | 3 |
| 290 | Epithelial–Myoepithelial Carcinomas of the Bronchus. American Journal of Surgical Pathology, 2002, 26, 950-951. | 3.7 | 3 |
| 291 | Immunodetection of Breast Cancer Cells in Bone Marrow for Monitoring High-dose Sequential Chemotherapy. Applied Immunohistochemistry & Molecular Morphology, 1997, 5, 67-70. | 2.0 | 3 |
| 292 | The Natural History in Lung Neuroendocrine Neoplasms: The Stone Guest Who Matters. Journal of Thoracic Oncology, 2022, 17, e5-e8. | 1.1 | 3 |
| 293 | Target-Treatment and Patients' Selection: Can We Still Neglect the Timing of Tissue Collection?. Journal of Clinical Oncology, 2005, 23, 6274-6275. | 1.6 | 2 |
| 294 | Langerhans' cell histiocytosis. Lancet, The, 2005, 365, 598. | 13.7 | 2 |
| 295 | Images in Pathology. International Journal of Surgical Pathology, 2006, 14, 73-74. | 0.8 | 2 |
| 296 | Doing more with less: fluorescence in situ hybridization and gene sequencing assays can be reliably performed on archival stained tumor tissue sections. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2016, 468, 451-461. | 2.8 | 2 |
| 297 | RE: Spread Through Air Spaces (STAS) is Prognostic in Atypical Carcinoid, Large Cell Neuroendocrine Carcinoma, and Small Cell Carcinoma of the Lung. Journal of Thoracic Oncology, 2020, 15, e116-e117. | 1.1 | 2 |
| 298 | Highâ€resolution CT in smokingâ€related interstitial lung diseases. International Journal of Tuberculosis and Lung Disease, 2021, 25, 106-112. | 1.2 | 2 |
| 299 | SMARCA2 Deficiency While Preserving SMARCA4 and SMARCB1 in Lung Neuroendocrine Carcinomas. Journal of Thoracic Oncology, 2021, 16, e32-e35. | 1.1 | 2 |
| 300 | Neuroendocrine neoplasms of the lung: aÂpathology update. Memo - Magazine of European Medical Oncology, 2021, 14, 381-385. | 0.5 | 2 |
| 301 | Thoracic (Lung/Thymus) Neuroendocrine Neoplasms. , 2021, , 151-206. | | 2 |
| 302 | Isomerism of the left atrial appendages associated with absence of the spleen. International Journal of Cardiology, 1990, 27, 380-382. | 1.7 | 1 |
| 303 | T Cells in Ovarian Cancer. New England Journal of Medicine, 2003, 348, 1814-1814. | 27.0 | 1 |
| 304 | Subclavicular recurrence of breast cancer: Does surgery play a role?. Breast, 2006, 15, 649-653. | 2.2 | 1 |
| 305 | Computer-assisted image analysis of breast fine needle aspiration in a randomized chemoprevention trial of fenretinide vs. placebo in HRT users. Breast, 2008, 17, 91-97. | 2.2 | 1 |
| 306 | Colorectal Adenocarcinoma Spread Through Small Vessels. International Journal of Surgical Pathology, 2008, 16, 438-439. | 0.8 | 1 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 307 | Towards personalised medicine in lung and thymus neuroendocrine tumours. Lancet Oncology, The, 2017, 18, 1563-1565. | 10.7 | 1 |
| 308 | To Do Is Better: Prompt Surgery Is Indicated in COVID-19 Patients With Complicated Pneumatocele. Annals of Thoracic Surgery, 2022, 113, 1390. | 1.3 | 1 |
| 309 | Intratumor Distribution of Ki-67 Antigen Beyond Labeling Index for Clinical Decision-Making: A New Way of Counting. JTO Clinical and Research Reports, 2021, 2, 100207. | 1.1 | 1 |
| 310 | Morbidity and mortality after surgical treatment of screening detected lung cancer. Journal of Clinical Oncology, 2008, 26, 7531-7531. | 1.6 | 1 |
| 311 | Genomic characterization of early-stage asymptomatic lung cancers. Journal of Clinical Oncology, 2008, 26, 11106-11106. | 1.6 | 1 |
| 312 | pTNM Stage Distribution in Breast Cancer: A Population-Based Survey in Northern Italy. Tumori, 1994, 80, 263-268. | 1.1 | 0 |
| 313 | Bronchioloalveolar Carcinoma. New England Journal of Medicine, 2002, 346, 1671-1672. | 27.0 | 0 |
| 314 | Invited Commentary. Annals of Thoracic Surgery, 2008, 86, 1090-1091. | 1.3 | 0 |
| 315 | Right pelvic mass in a patient with a radically resected carcinoid of the appendix. Gut, 2009, 58, 1200-1200. | 12.1 | 0 |
| 316 | Unusual giant cell tumor of a floating rib: A case report. Tumori, 2011, 97, e34-e35. | 1.1 | 0 |
| 317 | 209P: SMO mutation is a strong negative prognostic factor in malignant pleural mesothelioma. Journal of Thoracic Oncology, 2016, 11, S147. | 1.1 | 0 |
| 318 | Classification of Abdominal Neuroendocrine Tumors. Updates in Surgery Series, 2018, , 21-32. | 0.1 | 0 |
| 319 | Giant Secondary Overgrowth of Type-1 Pulmonary Cystic Airway Malformation Upon Development of Anaplastic Lymphoma Kinase–Rearranged Adenocarcinoma. Journal of Thoracic Oncology, 2019, 14, 2019-2022. | 1.1 | 0 |
| 320 | Parietal Pleura-Based Malignant Perivascular Epithelioid Cell Neoplasm Protruding Into Serous Cavity: A Hitherto Unrecognized Occurrence. Journal of Thoracic Oncology, 2020, 15, 462-466. | 1.1 | 0 |
| 321 | Induction of gemcitabine (GCB)-related genes by pemetrexed (MTA): Assessment of the best time interval between MTA and GCB administration. Journal of Clinical Oncology, 2007, 25, 14145-14145. | 1.6 | 0 |
| 322 | Results of annual screening of lung cancer with low dose computed tomography in 5,000 high-risk individuals. Journal of Clinical Oncology, 2007, 25, 7566-7566. | 1.6 | 0 |
| 323 | Assessment of overdiagnosis in CT screening for lung cancer Journal of Clinical Oncology, 2010, 28, 1516-1516. | 1.6 | 0 |
| 324 | Incidence and Prognostic Value of Bone Marrow Involvement in Small Cell Lung Cancer. Applied Immunohistochemistry and Molecular Morphology, 1999, 7, 21-28. | 1.2 | 0 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 325 | Is the Pathologist Indispensable in Gastrointestinal Stromal Tumors and Neuroendocrine Tumors?. The Journal of Oncopathology, 2014, 2, 9-31. | 0.1 | 0 |
| 326 | Sarcomatoid Carcinomas, Lung. Encyclopedia of Pathology, 2018, , 395-398. | 0.0 | 0 |
| 327 | Carcinosarcoma, Lung. Encyclopedia of Pathology, 2018, , 114-117. | 0.0 | 0 |
| 328 | Pathological Analysis of Abdominal Neuroendocrine Tumors. Updates in Surgery Series, 2018, , 123-135. | 0.1 | 0 |
| 329 | Typical Carcinoid. Encyclopedia of Pathology, 2020, , 1-6. | 0.0 | 0 |
| 330 | Thymic Carcinoids (Typical and Atypical). Encyclopedia of Pathology, 2020, , 1-4. | 0.0 | 0 |
| 331 | Large Cell Neuroendocrine Carcinoma, Lung, Endocrine. Encyclopedia of Pathology, 2020, , 1-6. | 0.0 | 0 |
| 332 | Labeling Lung Neuroendocrine Neoplasms for Ki-67 Antigen to Score a Bull's-Eye, Not Shoot in the Dark. Journal of Thoracic Oncology, 2022, 17, e41-e44. | 1.1 | 0 |