

Barbara Blonska-Fajfrowska

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9444496/barbara-blonska-fajfrowska-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

35
papers

184
citations

9
h-index

12
g-index

41
ext. papers

241
ext. citations

3
avg, IF

2.65
L-index

#	Paper	IF	Citations
35	Sweet, Salty, and Umami Taste Sensitivity and the Hedonic Perception of Taste Sensations in Adolescent Females with Anorexia Nervosa.. <i>Nutrients</i> , 2022 , 14,	6.7	1
34	Assessment of Psoriatic Skin Features Using Non-Invasive Imaging Technique. <i>Processes</i> , 2022 , 10, 985	2.9	1
33	The use of light in the treatment of acne vulgaris-a review. <i>Journal of Cosmetic Dermatology</i> , 2021 , 20, 3788-3792	2.5	
32	How reliable is BMI? Bioimpedance analysis of body composition in underweight, normal weight, overweight, and obese women. <i>Irish Journal of Medical Science</i> , 2021 , 190, 993-998	1.9	2
31	The Influence of Stochastic Resonance Whole-Body Vibration on Women over 50 Years of Age—Preliminary Studies Based on Patients' Own Experiences. <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 3980	2.6	0
30	Influence of Kinesio Taping on pain, anthropometric, static and dynamic parameters of feet in patients with posterior tibial enthesopathy—case studies. <i>Annales Academiae Medicae Silesiensis</i> , 2021 , 75, 62-68	0.1	
29	Analysis of the effectiveness of chemical peelings in the treatment of acne vulgaris assessed using high-frequency ultrasound-A comparative study. <i>Journal of Cosmetic Dermatology</i> , 2021 , 20, 2810-2815	2.5	0
28	The short-term effectiveness of Kinesiology Taping on foot biomechanics in patients with hallux valgus. <i>Journal of Back and Musculoskeletal Rehabilitation</i> , 2021 , 34, 715-721	1.4	
27	The Impact of Kinesiology Taping on a Greek Foot with a Hammertoe-A Case Report. <i>Healthcare (Switzerland)</i> , 2021 , 9,	3.4	
26	The use of microtomographic imaging in the identification of counterfeit medicines. <i>Talanta</i> , 2019 , 195, 870-875	6.2	3
25	CO laser treatment for pearly penile papules - personal experience. <i>Journal of Cosmetic and Laser Therapy</i> , 2019 , 21, 152-157	1.8	2
24	Metatarsalgia as osteoarticular cause of foot dysfunction. <i>Annales Academiae Medicae Silesiensis</i> , 2019 , 73, 134-143	0.1	0
23	Osteoarticular lesions of lesser toes as cause of dermatological problems within the foot. <i>Annales Academiae Medicae Silesiensis</i> , 2019 , 73, 144-149	0.1	
22	The prevention of dental caries and dental health of 12-year-old children in Włocławek District in Silesian Voivodeship—Polish experience. <i>Annales Academiae Medicae Silesiensis</i> , 2019 , 73, 163-173	0.1	
21	Thermographic mapping of the skin surface in biometric evaluation of cellulite treatment effectiveness. <i>Skin Research and Technology</i> , 2017 , 23, 61-69	1.9	8
20	The Use of Directional Reflectance Measurement for in vivo Assessment of Protective Properties of Cosmetics in the Infrared Radiation Range. <i>Photochemistry and Photobiology</i> , 2017 , 93, 1303-1311	3.6	0
19	Verification of the authenticity of drugs by means of NMR relaxometry-Viagra as an example. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2017 , 135, 199-205	3.5	11

18	High-resolution Manometry in Patients with Gastroesophageal Reflux Disease Before and After Fundoplication. <i>Journal of Neurogastroenterology and Motility</i> , 2017 , 23, 55-63	4.4	14
17	Alterations in the ability to maintain balance as a result of stochastic resonance whole body vibration in women. <i>PLoS ONE</i> , 2017 , 12, e0185179	3.7	3
16	Image-guided automatic triggering of a fractional CO2 laser in aesthetic procedures. <i>Computers in Biology and Medicine</i> , 2016 , 76, 1-6	7	
15	Directional reflectance analysis for identifying counterfeit drugs: Preliminary study. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016 , 124, 341-346	3.5	9
14	The use of hyperspectral imaging in the VNIR (400-1000nm) and SWIR range (1000-2500nm) for detecting counterfeit drugs with identical API composition. <i>Talanta</i> , 2016 , 160, 1-8	6.2	14
13	Microtomographic studies of subdivision of modified-release tablets. <i>International Journal of Pharmaceutics</i> , 2016 , 511, 899-912	6.5	6
12	Alterations in taste perception as a result of hyperbaric oxygen therapy. <i>Appetite</i> , 2016 , 107, 159-165	4.5	2
11	Justified granulation aided noninvasive liver fibrosis classification system. <i>BMC Medical Informatics and Decision Making</i> , 2015 , 15, 64	3.6	2
10	Automatic method for the dermatological diagnosis of selected hand skin features in hyperspectral imaging. <i>BioMedical Engineering OnLine</i> , 2014 , 13, 47	4.1	18
9	Dynamic thermal imaging analysis in the effectiveness evaluation of warming and cooling formulations. <i>Computers in Biology and Medicine</i> , 2014 , 54, 129-36	7	1
8	Calibration and segmentation of skin areas in hyperspectral imaging for the needs of dermatology. <i>BioMedical Engineering OnLine</i> , 2014 , 13, 113	4.1	18
7	Reproducibility of two $^{13}\text{CO}_2$ breath tests dedicated to assess pancreatic exocrine function. <i>Isotopes in Environmental and Health Studies</i> , 2013 , 49, 219-31	1.5	0
6	Comparison of two dosage regimens of the substrate for the ^{13}C methacetin breath test. <i>Isotopes in Environmental and Health Studies</i> , 2013 , 49, 109-21	1.5	4
5	Interference of acute cigarette smoking with ^{13}C methacetin breath test. <i>Isotopes in Environmental and Health Studies</i> , 2011 , 47, 34-41	1.5	16
4	C-methacetin breath test reproducibility study reveals persistent CYP1A2 stimulation on repeat examinations. <i>World Journal of Gastroenterology</i> , 2011 , 17, 4979-86	5.6	16
3	Exact profiles of $^{13}\text{CO}_2$ recovery in breath air after per oral administration of ^{13}C methacetin in two groups of different ages. <i>Isotopes in Environmental and Health Studies</i> , 2008 , 44, 295-303	1.5	9
2	A systematic study of a neutral meal suitable for subjects undergoing $^{13}\text{CO}_2$ breath tests. <i>Medical Science Monitor</i> , 2008 , 14, CR543-6	3.2	9
1	^{13}C -alpha-Ketoisocaproic acid breath test revisited: an in-depth reproducibility study advocates an extended breath sampling period. <i>Digestive Diseases and Sciences</i> , 2007 , 52, 3481-7	4	13

