Nurcan eyler

List of Publications by Citations

Source: https://exaly.com/author-pdf/944511/nurcan-uceyler-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

163
papers6,638
citations44
h-index77
g-index188
ext. papers8,100
ext. citations5.2
avg, IF5.91
L-index

#	Paper	IF	Citations
163	Quantitative sensory testing in the German Research Network on Neuropathic Pain (DFNS): somatosensory abnormalities in 1236 patients with different neuropathic pain syndromes. <i>Pain</i> , 2010 , 150, 439-450	8	659
162	Small fibre pathology in patients with fibromyalgia syndrome. <i>Brain</i> , 2013 , 136, 1857-67	11.2	297
161	Treatment of fibromyalgia syndrome with antidepressants: a meta-analysis. <i>JAMA - Journal of the American Medical Association</i> , 2009 , 301, 198-209	27.4	225
160	Differential expression of cytokines in painful and painless neuropathies. <i>Neurology</i> , 2007 , 69, 42-9	6.5	219
159	Differential expression patterns of cytokines in complex regional pain syndrome. <i>Pain</i> , 2007 , 132, 195-2	035	185
158	Reduced levels of antiinflammatory cytokines in patients with chronic widespread pain. <i>Arthritis and Rheumatism</i> , 2006 , 54, 2656-64		166
157	Systematic review with meta-analysis: cytokines in fibromyalgia syndrome. <i>BMC Musculoskeletal Disorders</i> , 2011 , 12, 245	2.8	162
156	Comparative efficacy and acceptability of amitriptyline, duloxetine and milnacipran in fibromyalgia syndrome: a systematic review with meta-analysis. <i>Rheumatology</i> , 2011 , 50, 532-43	3.9	160
155	Cutaneous neuropathy in Parkinsonß disease: a window into brain pathology. <i>Acta Neuropathologica</i> , 2014 , 128, 99-109	14.3	157
154	Treatment of fibromyalgia syndrome with gabapentin and pregabalina meta-analysis of randomized controlled trials. <i>Pain</i> , 2009 , 145, 69-81	8	156
153	Inflammation in the pathophysiology of neuropathic pain. <i>Pain</i> , 2018 , 159, 595-602	8	156
152	Stiff person syndrome-associated autoantibodies to amphiphysin mediate reduced GABAergic inhibition. <i>Brain</i> , 2010 , 133, 3166-80	11.2	144
151	Emotional, physical, and sexual abuse in fibromyalgia syndrome: a systematic review with meta-analysis. <i>Arthritis Care and Research</i> , 2011 , 63, 808-20	4.7	140
150	Elevated proinflammatory cytokine expression in affected skin in small fiber neuropathy. <i>Neurology</i> , 2010 , 74, 1806-13	6.5	124
149	Safety and efficacy of repeated injections of botulinum toxin A in peripheral neuropathic pain (BOTNEP): a randomised, double-blind, placebo-controlled trial. <i>Lancet Neurology, The</i> , 2016 , 15, 555-65	^{24.1}	118
148	Mode of action of cytokines on nociceptive neurons. Experimental Brain Research, 2009, 196, 67-78	2.3	106
147	Transient receptor potential channel polymorphisms are associated with the somatosensory function in neuropathic pain patients. <i>PLoS ONE</i> , 2011 , 6, e17387	3.7	102

(2013-2009)

146	A key role for gp130 expressed on peripheral sensory nerves in pathological pain. <i>Journal of Neuroscience</i> , 2009 , 29, 13473-83	6.6	100
145	The role of antidepressants in the management of fibromyalgia syndrome: a systematic review and meta-analysis. <i>CNS Drugs</i> , 2012 , 26, 297-307	6.7	99
144	A systematic review on the effectiveness of treatment with antidepressants in fibromyalgia syndrome. <i>Arthritis and Rheumatism</i> , 2008 , 59, 1279-98		93
143	Early cytokine expression in mouse sciatic nerve after chronic constriction nerve injury depends on calpain. <i>Brain, Behavior, and Immunity</i> , 2007 , 21, 553-60	16.6	93
142	Sensory phenotype and risk factors for painful diabetic neuropathy: a cross-sectional observational study. <i>Pain</i> , 2017 , 158, 2340-2353	8	88
141	Differences in inflammatory pain in nNOS-, iNOS- and eNOS-deficient mice. <i>European Journal of Pain</i> , 2007 , 11, 810-8	3.7	77
140	Sodium channel Na(v)1.7 is essential for lowering heat pain threshold after burn injury. <i>Journal of Neuroscience</i> , 2012 , 32, 10819-32	6.6	72
139	Serotonin and noradrenaline reuptake inhibitors (SNRIs) for fibromyalgia syndrome. <i>The Cochrane Library</i> , 2013 , CD010292	5.2	71
138	TNF-In CRPS and MormalPtraumasignificant differences between tissue and serum. <i>Pain</i> , 2011 , 152, 285-290	8	70
137	Local cytokine changes in complex regional pain syndrome type I (CRPS I) resolve after 6 months. <i>Pain</i> , 2013 , 154, 2142-2149	8	69
136	Small fibers in Fabry disease: baseline and follow-up data under enzyme replacement therapy. <i>Journal of the Peripheral Nervous System</i> , 2011 , 16, 304-14	4.7	69
135	Characterization of pain in fabry disease. Clinical Journal of Pain, 2014, 30, 915-20	3.5	67
134	Cytokine regulation in animal models of neuropathic pain and in human diseases. <i>Neuroscience Letters</i> , 2008 , 437, 194-8	3.3	67
133	A systematic review and meta-analysis of the prevalence of small fiber pathology in fibromyalgia: Implications for a new paradigm in fibromyalgia etiopathogenesis. <i>Seminars in Arthritis and Rheumatism</i> , 2019 , 48, 933-940	5.3	66
132	CD8+ T-cell immunity in chronic inflammatory demyelinating polyradiculoneuropathy. <i>Neurology</i> , 2012 , 78, 402-8	6.5	63
131	Nitric oxide synthase modulates CFA-induced thermal hyperalgesia through cytokine regulation in mice. <i>Molecular Pain</i> , 2010 , 6, 13	3.4	62
130	Increased miR-132-3p expression is associated with chronic neuropathic pain. <i>Experimental Neurology</i> , 2016 , 283, 276-86	5.7	59
129	Impaired small fiber conduction in patients with Fabry disease: a neurophysiological case-control study. <i>BMC Neurology</i> , 2013 , 13, 47	3.1	59

128	microRNAs in nociceptive circuits as predictors of future clinical applications. <i>Frontiers in Molecular Neuroscience</i> , 2013 , 6, 33	6.1	55
127	Reduction of skin innervation is associated with a severe fibromyalgia phenotype. <i>Annals of Neurology</i> , 2019 , 86, 504-516	9.4	54
126	Pain in Fabry Disease: Practical Recommendations for Diagnosis and Treatment. <i>CNS Neuroscience and Therapeutics</i> , 2016 , 22, 568-76	6.8	50
125	Anticonvulsants for fibromyalgia. Cochrane Database of Systematic Reviews, 2013, CD010782		46
124	Skin biopsy as an additional diagnostic tool in non-systemic vasculitic neuropathy. <i>Acta Neuropathologica</i> , 2010 , 120, 109-16	14.3	46
123	Increased cutaneous miR-let-7d expression correlates with small nerve fiber pathology in patients with fibromyalgia syndrome. <i>Pain</i> , 2016 , 157, 2493-2503	8	45
122	Increased cortical activation upon painful stimulation in fibromyalgia syndrome. <i>BMC Neurology</i> , 2015 , 15, 210	3.1	45
121	IL-4 deficiency is associated with mechanical hypersensitivity in mice. <i>PLoS ONE</i> , 2011 , 6, e28205	3.7	43
120	OCD-like behavior is caused by dysfunction of thalamo-amygdala circuits and upregulated TrkB/ERK-MAPK signaling as a result of SPRED2 deficiency. <i>Molecular Psychiatry</i> , 2018 , 23, 444-458	15.1	35
119	Lidocaine patch (5%) in treatment of persistent inguinal postherniorrhaphy pain: a randomized, double-blind, placebo-controlled, crossover trial. <i>Anesthesiology</i> , 2013 , 119, 1444-52	4.3	35
118	Organ manifestations and long-term outcome of Fabry disease in patients with the GLA haplotype D313Y. <i>BMJ Open</i> , 2016 , 6, e010422	3	34
117	Sensory profiles and skin innervation of patients with painful and painless neuropathies. <i>Pain</i> , 2018 , 159, 1867-1876	8	33
116	Patients with Fabry Disease after Enzyme Replacement Therapy Dose Reduction and Switch-2-Year Follow-Up. <i>Journal of the American Society of Nephrology: JASN</i> , 2016 , 27, 952-62	12.7	32
115	Differential gene expression of cytokines and neurotrophic factors in nerve and skin of patients with peripheral neuropathies. <i>Journal of Neurology</i> , 2015 , 262, 203-12	5.5	32
114	High-Dose Capsaicin for the Treatment of Neuropathic Pain: What We Know and What We Need to Know. <i>Pain and Therapy</i> , 2014 , 3, 73-84	3.6	32
113	Serotonin and noradrenaline reuptake inhibitors (SNRIs) for fibromyalgia. <i>The Cochrane Library</i> , 2018 , 2, CD010292	5.2	31
112	Aberrant microRNA expression in patients with painful peripheral neuropathies. <i>Journal of the Neurological Sciences</i> , 2017 , 380, 242-249	3.2	31
111	Lack of the serotonin transporter in mice reduces locomotor activity and leads to gender-dependent late onset obesity. <i>International Journal of Obesity</i> , 2010 , 34, 701-11	5.5	31

(2016-2011)

110	Genetic evidence for an essential role of neuronally expressed IL-6 signal transducer gp130 in the induction and maintenance of experimentally induced mechanical hypersensitivity in vivo and in vitro. <i>Molecular Pain</i> , 2011 , 7, 73	3.4	30	
109	Early cytokine gene expression in mouse CNS after peripheral nerve lesion. <i>Neuroscience Letters</i> , 2008 , 436, 259-64	3.3	29	
108	A capsaicin (8%) patch in the treatment of severe persistent inguinal postherniorrhaphy pain: a randomized, double-blind, placebo-controlled trial. <i>PLoS ONE</i> , 2014 , 9, e109144	3.7	29	
107	Serotonin transporter deficiency protects mice from mechanical allodynia and heat hyperalgesia in vincristine neuropathy. <i>Neuroscience Letters</i> , 2011 , 495, 93-7	3.3	28	
106	The cardiomyopathy in Friedreich ataxia - New biomarker for staging cardiac involvement. <i>International Journal of Cardiology</i> , 2015 , 194, 50-7	3.2	27	
105	Characterization of small fiber pathology in a mouse model of Fabry disease. <i>ELife</i> , 2018 , 7,	8.9	27	
104	Non-systemic vasculitic neuropathy: single-center follow-up of 60 patients. <i>Journal of Neurology</i> , 2015 , 262, 2092-100	5.5	26	
103	Objective evidence that small-fiber polyneuropathy underlies some illnesses currently labeled as fibromyalgia. <i>Pain</i> , 2013 , 154, 2569	8	26	
102	Clinical, histological, and biochemical predictors of postsurgical neuropathic pain. <i>Pain</i> , 2015 , 156, 2390-	2 398	26	
101	Heterozygous P0 deficiency protects mice from vincristine-induced polyneuropathy. <i>Journal of Neuroscience Research</i> , 2006 , 84, 37-46	4.4	26	
100	Increased arterial diameters in the posterior cerebral circulation in men with Fabry disease. <i>PLoS ONE</i> , 2014 , 9, e87054	3.7	24	
99	Treatment of Fabryß Disease With Migalastat: Outcome From a Prospective Observational Multicenter Study (FAMOUS). <i>Clinical Pharmacology and Therapeutics</i> , 2020 , 108, 326-337	6.1	23	
98	Multicenter Female Fabry Study (MFFS) - clinical survey on current treatment of females with Fabry disease. <i>Orphanet Journal of Rare Diseases</i> , 2016 , 11, 88	4.2	23	
97	Deficiency of the negative immune regulator B7-H1 enhances inflammation and neuropathic pain after chronic constriction injury of mouse sciatic nerve. <i>Experimental Neurology</i> , 2010 , 222, 153-60	5.7	22	
96	EGalactosidase A Genotype N215S Induces a Specific Cardiac Variant of Fabry Disease. <i>Circulation:</i> Cardiovascular Genetics, 2017 , 10,		20	
95	Glucosylceramide synthase inhibition with lucerastat lowers globotriaosylceramide and lysosome staining in cultured fibroblasts from Fabry patients with different mutation types. <i>Human Molecular Genetics</i> , 2018 , 27, 3392-3403	5.6	20	
94	Small fiber pathologya culprit for many painful disorders?. <i>Pain</i> , 2016 , 157 Suppl 1, S60-S66	8	19	
93	Severe Epidermal Nerve Fiber Loss in Diabetic Neuropathy Is Not Reversed by Long-Term Normoglycemia After Simultaneous Pancreas and Kidney Transplantation. <i>American Journal of</i> Transplantation 2016, 16, 2196, 201	8.7	19	

92	There is no functional small-fibre neuropathy in prurigo nodularis despite neuroanatomical alterations. <i>Experimental Dermatology</i> , 2017 , 26, 969-971	4	18
91	Vasculitis-like neuropathy in amyotrophic lateral sclerosis unresponsive to treatment. <i>Acta Neuropathologica</i> , 2011 , 122, 343-52	14.3	18
90	Idiopathic distal sensory polyneuropathy: ACTTION diagnostic criteria. <i>Neurology</i> , 2020 , 95, 1005-1014	6.5	18
89	Sensory profiles and immune-related expression patterns of patients with and without neuropathic pain after peripheral nerve lesion. <i>Pain</i> , 2019 , 160, 2316-2327	8	18
88	Increased pro-inflammatory cytokine gene expression in peripheral blood mononuclear cells of patients with polyneuropathies. <i>Journal of Neurology</i> , 2018 , 265, 618-627	5.5	17
87	A comprehensive Fabry-related pain questionnaire for adult patients. <i>Pain</i> , 2014 , 155, 2301-5	8	17
86	Comprehensive and differential long-term characterization of the alpha-galactosidase A deficient mouse model of Fabry disease focusing on the sensory system and pain development. <i>Molecular Pain</i> , 2016 , 12,	3.4	16
85	High-Resolution Ultrasonography of the Superficial Peroneal Motor and Sural Sensory Nerves May Be a Non-invasive Approach to the Diagnosis of Vasculitic Neuropathy. <i>Frontiers in Neurology</i> , 2016 , 7, 48	4.1	16
84	Antipsychotics for fibromyalgia in adults. <i>The Cochrane Library</i> , 2016 , CD011804	5.2	16
83	Fabry disease under enzyme replacement therapy-new insights in efficacy of different dosages. <i>Nephrology Dialysis Transplantation</i> , 2018 , 33, 1362-1372	4.3	15
82	Amplitudes of Pain-Related Evoked Potentials Are Useful to Detect Small Fiber Involvement in Painful Mixed Fiber Neuropathies in Addition to Quantitative Sensory Testing - An Electrophysiological Study. <i>Frontiers in Neurology</i> , 2015 , 6, 244	4.1	15
81	Increased gene expression of growth associated protein-43 in skin of patients with early-stage peripheral neuropathies. <i>Journal of the Neurological Sciences</i> , 2015 , 355, 131-7	3.2	15
80	Can self-reported pain characteristics and bedside test be used for the assessment of pain mechanisms? An analysis of results of neuropathic pain questionnaires and quantitative sensory testing. <i>Pain</i> , 2019 , 160, 2093-2104	8	15
79	Cellular infiltrates in skin and sural nerve of patients with polyneuropathies. <i>Muscle and Nerve</i> , 2017 , 55, 884-893	3.4	14
78	Pain during and after COVID-19 in Germany and worldwide: a narrative review of current knowledge. <i>Pain Reports</i> , 2021 , 6, e893	3.5	14
77	Differential Impact of miR-21 on Pain and Associated Affective and Cognitive Behavior after Spared Nerve Injury in B7-H1 ko Mouse. <i>Frontiers in Molecular Neuroscience</i> , 2017 , 10, 219	6.1	13
76	Wallerian degeneration and neuropathic pain. <i>Drug Discovery Today Disease Mechanisms</i> , 2006 , 3, 351-3	56	13
75	Local and systemic cytokine expression in patients with postherpetic neuralgia. <i>PLoS ONE</i> , 2014 , 9, e10	53,69	12

(2011-2016)

74	Endoneurial edema in sural nerve may indicate recent onset inflammatory neuropathy. <i>Muscle and Nerve</i> , 2016 , 53, 705-10	3.4	12	
73	Tumor necrosis factor-links heat and inflammation with Fabry pain. <i>Molecular Genetics and Metabolism</i> , 2019 , 127, 200-206	3.7	11	
72	ALS and MMN mimics in patients with BSCL2 mutations: the expanding clinical spectrum of SPG17 hereditary spastic paraplegia. <i>Journal of Neurology</i> , 2017 , 264, 11-20	5.5	11	
71	Status of immune mediators in painful neuropathies. Current Pain and Headache Reports, 2008, 12, 159	-6 <u>4</u> .2	11	
70	Reduced association between dendritic cells and corneal sub-basal nerve fibers in patients with fibromyalgia syndrome. <i>Journal of the Peripheral Nervous System</i> , 2020 , 25, 9-18	4.7	11	
69	Enhanced spinal neuronal responses as a mechanism for the increased nociceptive sensitivity of interleukin-4 deficient mice. <i>Experimental Neurology</i> , 2015 , 271, 198-204	5.7	10	
68	Affective and cognitive behavior in the alpha-galactosidase A deficient mouse model of Fabry disease. <i>PLoS ONE</i> , 2017 , 12, e0180601	3.7	10	
67	Detection of blood Gb3 deposits as a new tool for diagnosis and therapy monitoring in patients with classic Fabry disease. <i>Journal of Internal Medicine</i> , 2018 , 284, 427-438	10.8	10	
66	Cutaneous activation of rage in nonsystemic vasculitic and diabetic neuropathy. <i>Muscle and Nerve</i> , 2014 , 50, 377-83	3.4	10	
65	Neuropathic pain in two-generation twins carrying the sodium channel Nav1.7 functional variant R1150W. <i>Pain</i> , 2014 , 155, 2199-203	8	10	
64	Skin cytokine expression in patients with fibromyalgia syndrome is not different from controls. <i>BMC Neurology</i> , 2014 , 14, 185	3.1	10	
63	Cytokine-Induced Pain: Basic Science and Clinical Implications. <i>Reviews in Analgesia</i> , 2007 , 9, 87-103		10	
62	Self-administered version of the Fabry-associated pain questionnaire for adult patients. <i>Orphanet Journal of Rare Diseases</i> , 2015 , 10, 113	4.2	9	
61	Skin Globotriaosylceramide 3 Load Is Increased in Men with Advanced Fabry Disease. <i>PLoS ONE</i> , 2016 , 11, e0166484	3.7	9	
60	New treatment options for fibromyalgia: critical appraisal of duloxetine. <i>Neuropsychiatric Disease and Treatment</i> , 2008 , 4, 525-9	3.1	8	
59	Capsaicin 8% patch reversibly reduces A-delta fiber evoked potential amplitudes. <i>Pain Reports</i> , 2018 , 3, e644	3.5	8	
58	Cytokine-related and histological biomarkers for neuropathic pain assessment. <i>Pain Management</i> , 2012 , 2, 391-8	2.3	7	
57	Neuropathic Pain Assessment - An Overview of Existing Guidelines and Discussion Points for the Future. <i>European Neurological Review</i> , 2011 , 6, 128	0.5	7	

56	Differential impact of keratinocytes and fibroblasts on nociceptor degeneration and sensitization in small fiber neuropathy. <i>Pain</i> , 2021 , 162, 1262-1272	8	7
55	Globotriaosylceramide-induced reduction of K1.1 channel activity and activation of the Notch1 signaling pathway in skin fibroblasts of male Fabry patients with pain. <i>Experimental Neurology</i> , 2020 , 324, 113134	5.7	7
54	Pain-associated Mediators and Axon Pathfinders in Fibromyalgia Skin Cells. <i>Journal of Rheumatology</i> , 2020 , 47, 140-148	4.1	7
53	Diagnosing small fiber neuropathy in clinical practice: a deep phenotyping study. <i>Therapeutic Advances in Neurological Disorders</i> , 2021 , 14, 17562864211004318	6.6	7
52	MDL-28170 has no analgesic effect on CCI induced neuropathic pain in mice. <i>Molecules</i> , 2010 , 15, 3038-	47 .8	6
51	Cerebral blood flow in patients with Fabry disease as measured by Doppler sonography is not different from that in healthy individuals and is unaffected by treatment. <i>Journal of Ultrasound in Medicine</i> , 2012 , 31, 463-8	2.9	6
50	Pain-related evoked potentials in patients with large, mixed, and small fiber neuropathy. <i>Clinical Neurophysiology</i> , 2020 , 131, 635-641	4.3	6
49	Quantification of sweat gland innervation in patients with Fabry disease: A case-control study. Journal of the Neurological Sciences, 2018 , 390, 135-138	3.2	6
48	Affective and cognitive behavior is not altered by chronic constriction injury in B7-H1 deficient and wildtype mice. <i>BMC Neuroscience</i> , 2019 , 20, 16	3.2	5
47	Dyshidrosis is associated with reduced amplitudes in electrically evoked pain-related potentials in women with Fabry disease. <i>Clinical Neurophysiology</i> , 2019 , 130, 528-536	4.3	5
46	Characterization of dermal skin innervation in fibromyalgia syndrome. <i>PLoS ONE</i> , 2020 , 15, e0227674	3.7	5
45	Patient-derived in vitro skin models for investigation of small fiber pathology. <i>Annals of Clinical and Translational Neurology</i> , 2019 , 6, 1797-1806	5.3	5
44	Methylprednisolone prevents nerve injury-induced hyperalgesia in neprilysin knockout mice. <i>Pain</i> , 2014 , 155, 574-580	8	5
43	Generation of the human induced pluripotent stem cell line (UKWNLi001-A) from skin fibroblasts of a woman with Fabry disease carrying the X-chromosomal heterozygous c.708 G > C (W236C) missense mutation in exon 5 of the alpha-galactosidase-A gene. <i>Stem Cell Research</i> , 2018 , 31, 222-226	1.6	4
42	Small-Fiber-Neuropathien. Klinische Neurophysiologie, 2017 , 48, 63-72	0.2	4
41	Reply: Small fibre neuropathy, fibromyalgia and dorsal root ganglia sodium channels. <i>Brain</i> , 2013 , 136, e247	11.2	4
40	Non-coding RNA regulators of diabetic polyneuropathy. <i>Neuroscience Letters</i> , 2020 , 731, 135058	3.3	4
39	Treatment of fabry disease with migalastat-outcome from a prospective 24 months observational multicenter study (FAMOUS). European Heart Journal - Cardiovascular Pharmacotherapy, 2021,	6.4	4

(2021-2018)

38	Preserved Expression of Skin Neurotrophic Factors in Advanced Diabetic Neuropathy Does Not Lead to Neural Regeneration despite Pancreas and Kidney Transplantation. <i>Journal of Diabetes Research</i> , 2018 , 2018, 2309108	3.9	4
37	Pain: from new perspectives to novel treatments. <i>Lancet Neurology, The</i> , 2015 , 14, 22-3	24.1	3
36	Cortical Binding Potential of Opioid Receptors in Patients With Fibromyalgia Syndrome and Reduced Systemic Interleukin-4 Levels - A Pilot Study. <i>Frontiers in Neuroscience</i> , 2020 , 14, 512	5.1	3
35	Clinical impact of the alpha-galactosidase A gene single nucleotide polymorphism -10C>T: A single-center observational study. <i>Medicine (United States)</i> , 2018 , 97, e10669	1.8	3
34	Reduced gene expression of netrin family members in skin and sural nerve specimens of patients with painful peripheral neuropathies. <i>Journal of Neurology</i> , 2019 , 266, 2812-2820	5.5	3
33	Fibromyalgia vs small fiber neuropathy: diverse keratinocyte transcriptome signature. <i>Pain</i> , 2021 , 162, 2569-2577	8	3
32	Generation of two induced pluripotent stem cell lines from skin fibroblasts of sisters carrying a c.1094C>A variation in the SCN10A gene potentially associated with small fiber neuropathy. <i>Stem Cell Research</i> , 2019 , 35, 101396	1.6	3
31	Stratification of Fabry mutations in clinical practice: a closer look at Egalactosidase A-3D structure. <i>Journal of Internal Medicine</i> , 2020 , 288, 593-604	10.8	2
30	Clustering fibromyalgia patients: A combination of psychosocial and somatic factors leads to resilient coping in a subgroup of fibromyalgia patients. <i>PLoS ONE</i> , 2020 , 15, e0243806	3.7	2
29	Mechanisms of small nerve fiber pathology. <i>Neuroscience Letters</i> , 2020 , 737, 135316	3.3	2
28	MiR103a-3p and miR107 are related to adaptive coping in a cluster of fibromyalgia patients. <i>PLoS ONE</i> , 2020 , 15, e0239286	3.7	2
27	Generation of the human induced pluripotent stem cell line UKWNLi002-A from dermal fibroblasts of a woman with a heterozygous c.608 C>T (p.Thr203Met) mutation in exon 3 of the nerve growth factor gene potentially associated with hereditary sensory and autonomic neuropathy type 5. Stem	1.6	2
26	Unbiased immune profiling reveals a natural killer cell-peripheral nerve axis in fibromyalgia <i>Pain</i> , 2021 ,	8	2
25	Schmerzbehandlung bei diabetischer Polyneuropathie. <i>Diabetologe</i> , 2019 , 15, 647-652	0.2	1
24	Reply. <i>Pain</i> , 2017 , 158, 989-990	8	1
23	Clustering fibromyalgia patients: A combination of psychosocial and somatic factors leads to resilient coping in a subgroup of fibromyalgia patients		1
22	English version of the self-administered Fabry Pain Questionnaire for adult patients. <i>Orphanet Journal of Rare Diseases</i> , 2020 , 15, 296	4.2	1
21	Complex regional pain syndrome: role of contralateral sensitisation. <i>British Journal of Anaesthesia</i> , 2021 , 127, e1-e3	5.4	1

20	Risk factors for depression and anxiety in painful and painless diabetic polyneuropathy: A multicentre observational cross-sectional study. <i>European Journal of Pain</i> , 2021 ,	3.7	1
19	Dysregulation of Immune Response Mediators and Pain-Related Ion Channels Is Associated with Pain-like Behavior in the GLA KO Mouse Model of Fabry Disease. <i>Cells</i> , 2022 , 11, 1730	7.9	1
18	Small Fiber Pathology in Pain Syndromes 2019 , 121-129		О
17	A translational study: Involvement of miR-21-5p in development and maintenance of neuropathic pain via immune-related targets CCL5 and YWHAE. <i>Experimental Neurology</i> , 2022 , 347, 113915	5.7	Ο
16	ALS or ALS mimic by neuroborreliosis-A case report. Clinical Case Reports (discontinued), 2020, 8, 86-91	0.7	О
15	Relevance of Religiosity for Coping Strategies and Disability in Patients with Fibromyalgia Syndrome. <i>Journal of Religion and Health</i> , 2021 , 1	2.6	Ο
14	Gene variants of unknown significance in Fabry disease: Clinical characteristics of c.376A>G (p.Ser126Gly) <i>Molecular Genetics & Enomic Medicine</i> , 2022 , e1912	2.3	0
13	CNS imaging characteristics in fibromyalgia patients with and without peripheral nerve involvement <i>Scientific Reports</i> , 2022 , 12, 6707	4.9	Ο
12	Morbus Fabry. <i>Kardiologe</i> , 2015 , 9, 265-276	0.6	
11	Biomarkers in fibromyalgia 2014 , 72-82		
10	Biomarkers in fibromyalgia 2014 , 72-82 Small Fiber Neuropathien. <i>Aktuelle Neurologie</i> , 2013 , 40, 96-100		
10	Small Fiber Neuropathien. <i>Aktuelle Neurologie</i> , 2013 , 40, 96-100 212 DEFICIENCY OF THE NEGATIVE IMMUNE REGULATOR B7H1 ENHANCES INFLAMMATION AND NEUROPATHIC PAIN AFTER CHRONIC CONSTRICTION INJURY OF MOUSE SCIATIC NERVE.	3.7	
10	Small Fiber Neuropathien. Aktuelle Neurologie, 2013, 40, 96-100 212 DEFICIENCY OF THE NEGATIVE IMMUNE REGULATOR B7H1 ENHANCES INFLAMMATION AND NEUROPATHIC PAIN AFTER CHRONIC CONSTRICTION INJURY OF MOUSE SCIATIC NERVE. European Journal of Pain Supplements, 2010, 4, 62-62 354 POTENTIAL INVOLVEMENT OF THE TETRODOTOXIN-INSENSITIVE SODIUM CHANNEL Nav 1.8	3·7 3·7	
10 9 8	Small Fiber Neuropathien. Aktuelle Neurologie, 2013, 40, 96-100 212 DEFICIENCY OF THE NEGATIVE IMMUNE REGULATOR B7H1 ENHANCES INFLAMMATION AND NEUROPATHIC PAIN AFTER CHRONIC CONSTRICTION INJURY OF MOUSE SCIATIC NERVE. European Journal of Pain Supplements, 2010, 4, 62-62 354 POTENTIAL INVOLVEMENT OF THE TETRODOTOXIN-INSENSITIVE SODIUM CHANNEL Nav 1.8 IN MUSCLE PAIN. European Journal of Pain, 2009, 13, S107c 231 DIFFERENTIAL EXPRESSION PATTERNS OF CYTOKINES IN CRPS I. European Journal of Pain,		
10 9 8 7	Small Fiber Neuropathien. Aktuelle Neurologie, 2013, 40, 96-100 212 DEFICIENCY OF THE NEGATIVE IMMUNE REGULATOR B7H1 ENHANCES INFLAMMATION AND NEUROPATHIC PAIN AFTER CHRONIC CONSTRICTION INJURY OF MOUSE SCIATIC NERVE. European Journal of Pain Supplements, 2010, 4, 62-62 354 POTENTIAL INVOLVEMENT OF THE TETRODOTOXIN-INSENSITIVE SODIUM CHANNEL Nav 1.8 IN MUSCLE PAIN. European Journal of Pain, 2009, 13, S107c 231 DIFFERENTIAL EXPRESSION PATTERNS OF CYTOKINES IN CRPS I. European Journal of Pain, 2007, 11, S101-S102	<i>3.</i> 7	
10 9 8 7 6	Small Fiber Neuropathien. Aktuelle Neurologie, 2013, 40, 96-100 212 DEFICIENCY OF THE NEGATIVE IMMUNE REGULATOR B7H1 ENHANCES INFLAMMATION AND NEUROPATHIC PAIN AFTER CHRONIC CONSTRICTION INJURY OF MOUSE SCIATIC NERVE. European Journal of Pain Supplements, 2010, 4, 62-62 354 POTENTIAL INVOLVEMENT OF THE TETRODOTOXIN-INSENSITIVE SODIUM CHANNEL Nav 1.8 IN MUSCLE PAIN. European Journal of Pain, 2009, 13, S107c 231 DIFFERENTIAL EXPRESSION PATTERNS OF CYTOKINES IN CRPS I. European Journal of Pain, 2007, 11, S101-S102 Polyneuropathien im Alter. Geriatrie Up2date, 2020, 2, 47-67	<i>3.</i> 7	

- Generation of the induced pluripotent stem cell line UKWNLi005-A derived from a patient with the GLA mutation c.376AI>IG of unknown pathogenicity in Fabry disease.. Stem Cell Research, 2022, 61, 102747
- Understanding and modifying Fabry disease: Rationale and design of a pivotal Phase 3 study and results from a patient-reported outcome validation study. *Molecular Genetics and Metabolism Reports*, **2022**, 31, 100862

1.8