

Christiane Branlant

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9445161/publications.pdf>

Version: 2024-02-01

109
papers

5,509
citations

76031

42
h-index

100535

70
g-index

113
all docs

113
docs citations

113
times ranked

4620
citing authors

#	ARTICLE	IF	CITATIONS
1	The interaction between RPAP3 and TRBP reveals a possible involvement of the HSP90/R2TP chaperone complex in the regulation of miRNA activity. <i>Nucleic Acids Research</i> , 2022, 50, 2172-2189.	6.5	4
2	Implication of repeat insertion domains in the <i>trans</i> -activity of the long non-coding RNA ANRIL. <i>Nucleic Acids Research</i> , 2021, 49, 4954-4970.	6.5	6
3	Tat IRES modulator of tat mRNA (TIM-TAM): a conserved RNA structure that controls Tat expression and acts as a switch for HIV productive and latent infection. <i>Nucleic Acids Research</i> , 2020, 48, 2643-2660.	6.5	13
4	Synergistic defects in pre-rRNA processing from mutations in the U3-specific protein Rrp9 and U3 snoRNA. <i>Nucleic Acids Research</i> , 2020, 48, 3848-3868.	6.5	14
5	Specific G-quadruplex ligands modulate the alternative splicing of Bcl-X. <i>Nucleic Acids Research</i> , 2018, 46, 886-896.	6.5	64
6	Contribution of protein Gar1 to the RNA-guided and RNA-independent rRNA:Î-synthase activities of the archaeal Cbf5 protein. <i>Scientific Reports</i> , 2018, 8, 13815.	1.6	7
7	Implication of the box C/D snoRNP assembly factor Rsa1p in U3 snoRNP assembly. <i>Nucleic Acids Research</i> , 2017, 45, 7455-7473.	6.5	17
8	Identification of G-quadruplexes in long functional RNAs using 7-deazaguanine RNA. <i>Nature Chemical Biology</i> , 2017, 13, 18-20.	3.9	59
9	MicroRNA-29b Contributes to Collagens Imbalance in Human Osteoarthritic and Dedifferentiated Articular Chondrocytes. <i>BioMed Research International</i> , 2017, 2017, 1-12.	0.9	17
10	Enhanced SRSF5 Protein Expression Reinforces Lamin A mRNA Production in HeLa Cells and Fibroblasts of Progeria Patients. <i>Human Mutation</i> , 2016, 37, 280-291.	1.1	11
11	NUFIP and the HSP90/R2TP chaperone bind the SMN complex and facilitate assembly of U4-specific proteins. <i>Nucleic Acids Research</i> , 2015, 43, 8973-8989.	6.5	49
12	Combining native MS approaches to decipher archaeal box H/ACA ribonucleoprotein particle structure and activity. <i>Proteomics</i> , 2015, 15, 2851-2861.	1.3	9
13	RNA size is a critical factor for U-containing substrate selectivity and permanent pseudouridylated product release during the RNA:Î-synthase reaction catalyzed by box H/ACA sRNP enzyme at high temperature. <i>Biochimie</i> , 2015, 113, 134-142.	1.3	2
14	Quantification and Quality Control of a Small Non-Coding RNA Preparation. <i>Methods in Molecular Biology</i> , 2015, 1296, 17-28.	0.4	1
15	Structure/Function Analysis of Protein-Protein Interactions Developed by the Yeast Pih1 Platform Protein and Its Partners in Box C/D snoRNP Assembly. <i>Journal of Molecular Biology</i> , 2015, 427, 2816-2839.	2.0	22
16	¹ H, ¹⁵ N and ¹³ C resonance assignments of the two TPR domains from the human RPAP3 protein. <i>Biomolecular NMR Assignments</i> , 2015, 9, 99-102.	0.4	7
17	Probing Small Non-Coding RNAs Structures. <i>Methods in Molecular Biology</i> , 2015, 1296, 119-136.	0.4	4
18	Fluorescence In Situ Hybridization of Small Non-Coding RNAs. <i>Methods in Molecular Biology</i> , 2015, 1296, 73-83.	0.4	11

#	ARTICLE	IF	CITATIONS
19	Protein Hit1, a novel box C/D snoRNP assembly factor, controls cellular concentration of the scaffolding protein Rsa1 by direct interaction. <i>Nucleic Acids Research</i> , 2014, 42, 10731-10747.	6.5	37
20	Characterization of the interaction between protein Snu13p/15.5K and the Rsa1p/NUFIP factor and demonstration of its functional importance for snoRNP assembly. <i>Nucleic Acids Research</i> , 2014, 42, 2015-2036.	6.5	34
21	Proteomic and 3D structure analyses highlight the C/D box snoRNP assembly mechanism and its control. <i>Journal of Cell Biology</i> , 2014, 207, 463-480.	2.3	57
22	High-Resolution Structural Analysis Shows How Tah1 Tethers Hsp90 to the R2TP Complex. <i>Structure</i> , 2013, 21, 1834-1847.	1.6	42
23	Implication of the SMN complex in the biogenesis and steady state level of the Signal Recognition Particle. <i>Nucleic Acids Research</i> , 2013, 41, 1255-1272.	6.5	35
24	Comparative Study of Two Box H/ACA Ribonucleoprotein Pseudouridine-Synthases: Relation between Conformational Dynamics of the Guide RNA, Enzyme Assembly and Activity. <i>PLoS ONE</i> , 2013, 8, e70313.	1.1	11
25	The sRNA RyhB Regulates the Synthesis of the Escherichia coli Methionine Sulfoxide Reductase MsrB but Not MsrA. <i>PLoS ONE</i> , 2013, 8, e63647.	1.1	29
26	Translational control mechanism of HIV-1 tat1 mRNA. <i>Retrovirology</i> , 2011, 8, .	0.9	1
27	Identification of protein partners of the human immunodeficiency virus 1 <i>tat</i> rev exon 3 leads to the discovery of a new HIV-1 splicing regulator, protein hnRNP K. <i>RNA Biology</i> , 2011, 8, 325-342.	1.5	39
28	A second base pair interaction between U3 small nucleolar RNA and the 5' ETS region is required for early cleavage of the yeast pre-ribosomal RNA. <i>Nucleic Acids Research</i> , 2011, 39, 9731-9745.	6.5	51
29	A conserved splicing mechanism of the LMNA gene controls premature aging. <i>Human Molecular Genetics</i> , 2011, 20, 4540-4555.	1.4	77
30	Structural and functional analysis of the Rous Sarcoma virus negative regulator of splicing and demonstration of its activation by the 9G8 SR protein. <i>Nucleic Acids Research</i> , 2011, 39, 3388-3403.	6.5	6
31	Analysis of Exonic Regions Involved in Nuclear Localization, Splicing Activity, and Dimerization of Muscleblind-like-1 Isoforms. <i>Journal of Biological Chemistry</i> , 2011, 286, 16435-16446.	1.6	62
32	Alternative splicing: regulation of HIV-1 multiplication as a target for therapeutic action. <i>FEBS Journal</i> , 2010, 277, 867-876.	2.2	74
33	Antagonistic factors control the unproductive splicing of SC35 terminal intron. <i>Nucleic Acids Research</i> , 2010, 38, 1353-1366.	6.5	39
34	2-D Structure of the A Region of Xist RNA and Its Implication for PRC2 Association. <i>PLoS Biology</i> , 2010, 8, e1000276.	2.6	212
35	Role of RNA structure and protein factors in the control of HIV-1 splicing. <i>Frontiers in Bioscience - Landmark</i> , 2009, Volume, 2714.	3.0	28
36	Deficiency of the tRNA Tyr ³⁵ -synthase aPus7 in Archaea of the Sulfolobales order might be rescued by the H/ACA sRNA-guided machinery. <i>Nucleic Acids Research</i> , 2009, 37, 1308-1322.	6.5	19

#	ARTICLE	IF	CITATIONS
37	RNA Sequence and Two-dimensional Structure Features Required for Efficient Substrate Modification by the <i>Saccharomyces cerevisiae</i> RNA:Î-Synthase Pus7p. <i>Journal of Biological Chemistry</i> , 2009, 284, 5845-5858.	1.6	28
38	In Vitro and in Cellulo Evidences for Association of the Survival of Motor Neuron Complex with the Fragile X Mental Retardation Protein. <i>Journal of Biological Chemistry</i> , 2008, 283, 5598-5610.	1.6	80
39	Combined in silico and experimental identification of the <i>Pyrococcus abyssi</i> H/ACA sRNAs and their target sites in ribosomal RNAs. <i>Nucleic Acids Research</i> , 2008, 36, 2459-2475.	6.5	44
40	The Hsp90 chaperone controls the biogenesis of L7Ae RNPs through conserved machinery. <i>Journal of Cell Biology</i> , 2008, 180, 579-595.	2.3	196
41	Small-Molecule Inhibition of HIV pre-mRNA Splicing as a Novel Antiretroviral Therapy to Overcome Drug Resistance. <i>PLoS Pathogens</i> , 2007, 3, e159.	2.1	73
42	A Dedicated Computational Approach for the Identification of Archaeal H/ACA sRNAs. <i>Methods in Enzymology</i> , 2007, 425, 355-387.	0.4	13
43	Reconstitution of Archaeal H/ACA sRNPs and Test of their Activity. <i>Methods in Enzymology</i> , 2007, 425, 389-405.	0.4	10
44	Identification of Modified Residues in RNAs by Reverse Transcriptionâ€Based Methods. <i>Methods in Enzymology</i> , 2007, 425, 21-53.	0.4	203
45	Identification of determinants in the protein partners aCBF5 and aNOP10 necessary for the tRNA:Â55-synthase and RNA-guided RNA:Â-synthase activities. <i>Nucleic Acids Research</i> , 2007, 35, 5610-5624.	6.5	35
46	The <i>Saccharomyces cerevisiae</i> Pus2 protein encoded by <i>YGL063w</i> ORF is a mitochondrial tRNA:Î27/28-synthase. <i>Rna</i> , 2007, 13, 1641-1647.	1.6	21
47	A previously unidentified activity of yeast and mouse RNA:pseudouridine synthases 1 (Pus1p) on tRNAs. <i>Rna</i> , 2006, 12, 1583-1593.	1.6	40
48	Crystal structure determination and site-directed mutagenesis of the <i>Pyrococcus abyssi</i> aCBF5-aNOP10 complex reveal crucial roles of the C-terminal domains of both proteins in H/ACA sRNP activity. <i>Nucleic Acids Research</i> , 2006, 34, 826-839.	6.5	72
49	Biochemical and NMR Study on the Competition between Proteins SC35, SRp40, and Heterogeneous Nuclear Ribonucleoprotein A1 at the HIV-1 Tat Exon 2 Splicing Site. <i>Journal of Biological Chemistry</i> , 2006, 281, 37159-37174.	1.6	50
50	Reconstitution of archaeal H/ACA small ribonucleoprotein complexes active in pseudouridylation. <i>Nucleic Acids Research</i> , 2005, 33, 3133-3144.	6.5	115
51	Characterization of the molecular mechanisms involved in the differential production of erythrose-4-phosphate dehydrogenase, 3-phosphoglycerate kinase and class II fructose-1,6-bisphosphate aldolase in <i>Escherichia coli</i> . <i>Molecular Microbiology</i> , 2005, 57, 1265-1287.	1.2	22
52	Differential Effects of the SR Proteins 9G8, SC35, ASF/SF2, and SRp40 on the Utilization of the A1 to A5 Splicing Sites of HIV-1 RNA. <i>Journal of Biological Chemistry</i> , 2004, 279, 29963-29973.	1.6	66
53	Pseudouridylation at Position 32 of Mitochondrial and Cytoplasmic tRNAs Requires Two Distinct Enzymes in <i>Saccharomyces cerevisiae</i> . <i>Journal of Biological Chemistry</i> , 2004, 279, 52998-53006.	1.6	46
54	Purification, crystallization and preliminary X-ray diffraction data of L7Ae sRNP core protein from <i>Pyrococcus abyssi</i> . <i>Acta Crystallographica Section D: Biological Crystallography</i> , 2004, 60, 122-124.	2.5	12

#	ARTICLE	IF	CITATIONS
55	A multi-scale constraint programming model of alternative splicing regulation. <i>Theoretical Computer Science</i> , 2004, 325, 3-24.	0.5	7
56	The strong efficiency of the <i>Escherichia coli</i> gapA P1 promoter depends on a complex combination of functional determinants. <i>Biochemical Journal</i> , 2004, 383, 371-382.	1.7	38
57	A structural, phylogenetic, and functional study of 15.5-kD/Snu13 protein binding on U3 small nucleolar RNA. <i>Rna</i> , 2003, 9, 821-838.	1.6	59
58	The <i>Saccharomyces cerevisiae</i> U2 snRNA:pseudouridine-synthase Pus7p is a novel multisite-multisubstrate RNA:Â-synthase also acting on tRNAs. <i>Rna</i> , 2003, 9, 1371-1382.	1.6	96
59	A 3'â€²-Terminal Minihelix in the Precursor of Human Spliceosomal U2 Small Nuclear RNA. <i>Journal of Biological Chemistry</i> , 2002, 277, 23137-23142.	1.6	2
60	RNomics in Archaea reveals a further link between splicing of archaeal introns and rRNA processing. <i>Nucleic Acids Research</i> , 2002, 30, 921-930.	6.5	124
61	Direct probing of RNA structure and RNA-protein interactions in purified HeLa cellâ€™s and yeast spliceosomal U4/U6.U5 tri-snRNP particles 1 Edited by J. Doudna. <i>Journal of Molecular Biology</i> , 2002, 317, 631-649.	2.0	39
62	A Janus Splicing Regulatory Element Modulates HIV-1 tat and rev mRNA Production by Coordination of hnRNP A1 Cooperative Binding. <i>Journal of Molecular Biology</i> , 2002, 323, 629-652.	2.0	87
63	Both pH and Carbon Flux Influence the Level of Rubredoxin in <i>Clostridium butyricum</i> . <i>Current Microbiology</i> , 2001, 43, 434-439.	1.0	0
64	Identification and Characterization of the tRNA:Î³31-Synthase (Pus6p) of <i>Saccharomyces cerevisiae</i> . <i>Journal of Biological Chemistry</i> , 2001, 276, 34934-34940.	1.6	46
65	A Second Exon Splicing Silencer within Human Immunodeficiency Virus Type 1 tat Exon 2 Represses Splicing of Tat mRNA and Binds Protein hnRNP H. <i>Journal of Biological Chemistry</i> , 2001, 276, 40464-40475.	1.6	118
66	A Common Core RNP Structure Shared between the Small Nucleolar Box C/D RNPs and the Spliceosomal U4 snRNP. <i>Cell</i> , 2000, 103, 457-466.	13.5	318
67	A limited number of pseudouridine residues in the human atac spliceosomal UsnRNAs as compared to human major spliceosomal UsnRNAs. <i>Rna</i> , 1999, 5, 1495-1503.	1.6	26
68	Effects of pulse addition of carbon sources on continuous cultivation of <i>Escherichia coli</i> containing a recombinant <i>E. coli</i> gapA gene. , 1999, 63, 712-720.		12
69	The first determination of pseudouridine residues in 23S ribosomal RNA from hyperthermophilic Archaea <i>Sulfolobus acidocaldarius</i> . <i>FEBS Letters</i> , 1999, 462, 94-100.	1.3	19
70	An unusual chemical reactivity of Sm site adenosines strongly correlates with proper assembly of core U snRNP particles 1 Edited by K. Nagai. <i>Journal of Molecular Biology</i> , 1999, 285, 133-147.	2.0	32
71	Pseudouridine Mapping in the <i>Saccharomyces cerevisiae</i> Spliceosomal U Small Nuclear RNAs (snRNAs) Reveals that Pseudouridine Synthase Pus1p Exhibits a Dual Substrate Specificity for U2 snRNA and tRNA. <i>Molecular and Cellular Biology</i> , 1999, 19, 2142-2154.	1.1	143
72	Conserved Loop I of U5 Small Nuclear RNA Is Dispensable for Both Catalytic Steps of Pre-mRNA Splicing in HeLa Nuclear Extracts. <i>Molecular and Cellular Biology</i> , 1999, 19, 2782-2790.	1.1	47

#	ARTICLE	IF	CITATIONS
73	Primary and secondary structures of rRNA spacer regions in enterococci. <i>Microbiology (United Kingdom)</i> 197, 107-114. Edited by M. Yaniv. <i>Oxford Journals</i> , 1997, 237, 182-187.	0.7	48
74	The D1-A2 and D2-A2 Pairs of Splice Sites from Human Immunodeficiency Virus Type 1 Are Highly Efficient <i>In Vitro</i> , in Spite of an Unusual Branch Site. <i>Biochemical and Biophysical Research Communications</i> , 1997, 237, 182-187.	1.0	23
75	An <i>in vivo</i> and <i>in vitro</i> structure-function analysis of the <i>Saccharomyces cerevisiae</i> U3A snoRNP: protein-RNA contacts and base-pair interaction with the pre-ribosomal RNA 1. Edited by M. Yaniv. <i>Journal of Molecular Biology</i> , 1997, 273, 552-571.	2.0	105
76	Characteristics and Genetic Determinants of Bacteriocin Activities Produced by <i>Carnobacterium piscicola</i> CP5 Isolated from Cheese. <i>Current Microbiology</i> , 1997, 35, 319-326.	1.0	56
77	Circular permutation within the coenzyme binding domain of the tetrameric glyceraldehyde-3-phosphate dehydrogenase from <i>Bacillus stearothermophilus</i> . <i>Protein Science</i> , 1995, 4, 994-1000.	3.1	17
78	The expression of the penicillin G amidase gene of <i>Escherichia coli</i> by primer extension analysis. <i>Current Microbiology</i> , 1994, 29, 263-268.	1.0	9
79	Nucleotide sequence of U1 RNA from a green alga, <i>Chlamydomonas reinhardtii</i> . <i>Nucleic Acids Research</i> , 1993, 21, 2255-2255.	6.5	4
80	An experimental study of <i>Saccharomyces cerevisiae</i> U3 snRNA conformation in solution. <i>Nucleic Acids Research</i> , 1992, 20, 3443-3451.	6.5	34
81	A structural analysis of <i>Polycephalum</i> U1 RNA at the RNA and gene levels. Are there differentially expressed U1 RNA genes in <i>Polycephalum</i> ? U1 RNA evolution. <i>Nucleic Acids Research</i> , 1989, 17, 1019-1034.	6.5	14
82	Nucleotide sequence of the <i>Escherichia coli</i> gap gene. Different evolutionary behavior of the NAD ⁺ -binding domain and of the catalytic domain of D-glyceraldehyde-3-phosphate dehydrogenase. <i>FEBS Journal</i> , 1985, 150, 61-66.	0.2	147
83	The small nuclear RNAs of <i>Drosophila</i> . <i>Journal of Molecular Biology</i> , 1984, 180, 927-945.	2.0	49
84	High evolutionary conservation of the secondary structure and of certain nucleotide sequences of US RNA. <i>Nucleic Acids Research</i> , 1983, 11, 8359-8367.	6.5	44
85	Accessibility of U1 RNA to base pairing with a single-stranded DNA fragment mimicking the intron extremities at the splice junction. <i>Nucleic Acids Research</i> , 1982, 10, 1193-1201.	6.5	31
86	The primary and secondary structure of yeast 26S rRNA. <i>Nucleic Acids Research</i> , 1981, 9, 6935-6952.	6.5	275
87	The nuclear 5S RNAs from chicken, rat and man. US RNAs are encoded by multiple genes. <i>Nucleic Acids Research</i> , 1981, 9, 769-787.	6.5	96
88	Primary and secondary structures of <i>Escherichia coli</i> MRE 600 23S ribosomal RNA. Comparison with models of secondary structure for maize chloroplast 23S rRNA and for large portions of mouse and human 16S mitochondrial rRNAs. <i>Nucleic Acids Research</i> , 1981, 9, 4303-4324.	6.5	239
89	The 3'-terminal region of bacterial 23S ribosomal RNA: structure and homology with the 3'-terminal region of eukaryotic 28S rRNA and with chloroplast 4.5S rRNA. <i>Nucleic Acids Research</i> , 1981, 9, 1533-1549.	6.5	56
90	The secondary structure of the protein L1 binding region of ribosomal 23S RNA. Homologies with putative secondary structures of the L11 mRNA and of a region of mitochondrial 16S rRNA. <i>Nucleic Acids Research</i> , 1981, 9, 293-307.	6.5	67

#	ARTICLE	IF	CITATIONS
91	The conformation of chicken, rat and human U1A RNAs in solution. <i>Nucleic Acids Research</i> , 1981, 9, 841-858.	6.5	102
92	Properties of Ribosomes and Ribosomal RNAs Synthesized by <i>Escherichia coli</i> , Grown in the Presence of Ethionine. <i>FEBS Journal</i> , 1981, 115, 627-634.	0.2	15
93	Characterization of the <i>Escherichia coli</i> 23S ribosomal RNA region associated with ribosomal protein L1. Evidence for homologies with the 5' end region of the L11 operon. <i>Nucleic Acids Research</i> , 1980, 8, 5567-5577.	6.5	7
94	Nucleotide sequences of nuclear U1A RNAs from chicken, rat and man. <i>Nucleic Acids Research</i> , 1980, 8, 4143-4154.	6.5	156
95	Studies on the primary structure of <i>Escherichia coli</i> 23S rRNA. <i>Biochimie</i> , 1979, 61, 869-876.	1.3	6
96	RNA-RNA interactions in the binding site of protein L24 on 23S ribosomal RNA of <i>Escherichia coli</i> : 1. Evidence for their occurrence between widely separated sequence regions. <i>Nucleic Acids Research</i> , 1978, 5, 3503-3514.	6.5	19
97	Studies on the primary structure of the ribosomal 23S RNA of <i>Escherichia coli</i> : II. A characterisation and an alignment of 24 sections spanning the entire molecule and its application to the localisation of specific fragments. <i>Nucleic Acids Research</i> , 1977, 4, 4323-4346.	6.5	19
98	Recognition of RNA by ribosomal protein S1: Interaction of S1 with 23 S rRNA of <i>Escherichia coli</i> . <i>FEBS Letters</i> , 1977, 80, 255-260.	1.3	9
99	Studies on the primary structure of <i>Escherichia coli</i> 23 S RNA. <i>Journal of Molecular Biology</i> , 1977, 111, 215-256.	2.0	20
100	Characterization of ribonucleoprotein subparticles from 50 S ribosomal subunits of <i>Escherichia coli</i> . <i>Journal of Molecular Biology</i> , 1977, 116, 443-467.	2.0	15
101	RNA Sequences in Ribonucleoprotein Fragments of the Complex Formed from Ribosomal 23-S RNA and Ribosomal Protein L24 of <i>Escherichia coli</i> . <i>FEBS Journal</i> , 1977, 74, 155-170.	0.2	38
102	The Binding Site of Protein L1 on 23-S Ribosomal RNA of <i>Escherichia coli</i> . 2. Identification of the RNA Region Contained in the L1 Ribonucleoproteins and Determination of the Order of the RNA Subfragments within this Region. <i>FEBS Journal</i> , 1976, 70, 457-469.	0.2	28
103	The Binding Site of Protein L1 on 23-S Ribosomal RNA from <i>Escherichia coli</i> . 3. Nucleotide Sequence. <i>FEBS Journal</i> , 1976, 70, 471-482.	0.2	35
104	RNA Sequences Associated with Proteins L1, L9, and L5, L18, L25, in Ribonucleoprotein Fragments Isolated from the 50-S Subunit of <i>Escherichia coli</i> Ribosomes. <i>FEBS Journal</i> , 1976, 70, 483-492.	0.2	46
105	Nucleotide sequences of the T1 and pancreatic ribonuclease digestion products from some large fragments of the 23S RNA of <i>Escherichia coli</i> . <i>Biochimie</i> , 1975, 57, 175-225.	1.3	30
106	A partial localisation of the binding sites of the 50 S subunit proteins L1, L20 and L23 on 23 S ribosomal RNA of <i>Escherichia coli</i> . <i>FEBS Letters</i> , 1975, 52, 195-201.	1.3	28
107	The identification of the RNA binding site for a 50 s ribosomal protein by a new technique. <i>FEBS Letters</i> , 1973, 35, 265-272.	1.3	45
108	Study of RNA-Protein Interactions and RNA Structure in Ribonucleoprotein Particles. , 0, , 172-204.		2

#	ARTICLE	IF	CITATIONS
109	Posttranscriptional Modifications in the U Small Nuclear RNAs. , 0, , 201-227.		63