Yibing Xie

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9445236/publications.pdf

Version: 2024-02-01

| 103 papers | 4,321 citations | 38 h-index | 1 | 59 g-index |
|-----------------|-----------------------|---------------------|---|------------------------|
| 103 all docs | 103 docs citations | 103 times ranked | | 4045 citing authors |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Electrochemical properties of sodium manganese oxide/nickel foam supercapacitor electrode material. Inorganic and Nano-Metal Chemistry, 2022, 52, 548-555. | 1.6 | 10 |
| 2 | Electrochemical and Hydrothermal Activation of Carbon Fiber Supercapacitor Electrode. Fibers and Polymers, 2022, 23, 10-17. | 2.1 | 27 |
| 3 | Electrochemical investigation of free-standing reduced graphene oxide hydrogel. Fullerenes Nanotubes and Carbon Nanostructures, 2022, 30, 619-625. | 2.1 | 12 |
| 4 | Electrochemical Performance of Polyaniline Support on Electrochemical Activated Carbon Fiber. Journal of Materials Engineering and Performance, 2022, 31, 1949-1955. | 2.5 | 14 |
| 5 | Preparation and capacitance performance of few-layer graphene. Materials Research Innovations, 2022, 26, 382-388. | 2.3 | 1 |
| 6 | Hydrogen bond enforced polyaniline grown on activated carbon fibers substrate for wearable bracelet supercapacitor. Journal of Energy Storage, 2022, 52, 105042. | 8.1 | 23 |
| 7 | Fabrication and electrical double-layer capacitance performance of interconnected and independent titania nanotube array. Materials Research Innovations, 2021, 25, 8-15. | 2.3 | 2 |
| 8 | Fabrication and electrochemical properties of flow-through polypyrrole and polypyrrole/polypyrrole nanoarrays. Chemical Papers, 2021, 75, 1831-1840. | 2,2 | 20 |
| 9 | Electrochemical performance of the homologous molybdenum(<scp>vi</scp>) redox-active gel polymer electrolyte system. New Journal of Chemistry, 2021, 45, 3418-3431. | 2.8 | 12 |
| 10 | Fabrication of Highly Ordered Ag/TiO. Australian Journal of Chemistry, 2021, 74, 715-721. | 0.9 | 9 |
| 11 | Experimental and computational investigation of Cu–N coordination bond strengthened polyaniline for stable energy storage. Journal of Materials Science, 2021, 56, 10135-10153. | 3.7 | 20 |
| 12 | Synthesis and electrochemical performance of an electroactive nitrogen-doping SnO ₂ nanoarray supported on carbon fiber. Journal of Chemical Research, 2021, 45, 738-746. | 1.3 | 17 |
| 13 | Dual-defects induced band edge reconstruction of tin dioxide via cobalt and nitrogen Co-Doping for wearable supercapacitor application. Journal of Power Sources, 2021, 493, 229685. | 7.8 | 21 |
| 14 | Photoelectrochemical performance of tubewallâ€separated titanium dioxide nanotube array photoelectrode. Asia-Pacific Journal of Chemical Engineering, 2021, 16, e2688. | 1.5 | 10 |
| 15 | Interface Mo-N coordination bonding MoSxNy@Polyaniline for stable structured supercapacitor electrode. Electrochimica Acta, 2021, 391, 138953. | 5.2 | 27 |
| 16 | Capacitive Performance of Reduced Graphene Oxide Modified Sodium Ion-Intercalated Manganese Oxide Composite Electrode. Journal of Electrochemical Energy Conversion and Storage, 2021, 18, . | 2.1 | 19 |
| 17 | Fabrication and charge storage capacitance of PPY/TiO ₂ /PPY jacket nanotube array. Journal of Polymer Engineering, 2021, 41, 137-143. | 1.4 | 14 |
| 18 | Preparation and electrochemical performance of chemicalâ€activated carbon foam. Micro and Nano Letters, 2021, 16, 164-170. | 1.3 | 2 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Electrochemical performance of hybrid membrane of polyaniline layer/full carbon layer coating on nickel foam. Progress in Organic Coatings, 2020, 139, 105455. | 3.9 | 29 |
| 20 | Supercapacitive performance of CoMoO4 with oxygen vacancy porous nanosheet. Electrochimica Acta, 2020, 330, 135334. | 5.2 | 74 |
| 21 | Electrochemical performance of activated carbon fiber with hydrogen bond-induced high sulfur/nitrogen doping. RSC Advances, 2020, 10, 37631-37643. | 3.6 | 24 |
| 22 | Electronic structure and electrochemical performance of CoS2/MoS2 nanosheet composite: Simulation calculation and experimental investigation. Electrochimica Acta, 2020, 364, 137224. | 5.2 | 30 |
| 23 | Fabrication and electrochemical performance of nickel oxide nanoparticles anchored titanium dioxide nanotube array hybrid electrode. Functional Materials Letters, 2020, 13, 2051017. | 1.2 | 4 |
| 24 | S or N-monodoping and S,N-codoping effect on electronic structure and electrochemical performance of tin dioxide: Simulation calculation and experiment validation. Electrochimica Acta, 2020, 340, 135950. | 5.2 | 26 |
| 25 | Enhancement of electrochemical performance of cobalt (II) coordinated polyaniline: A combined experimental and theoretical study. Electrochimica Acta, 2020, 338, 135881. | 5.2 | 36 |
| 26 | Electroactive FeS2-modified MoS2 nanosheet for high-performance supercapacitor. Journal of Alloys and Compounds, 2020, 824, 153936. | 5.5 | 65 |
| 27 | Capacitive Behavior of Sodium Ion Pre-Intercalation Manganese Dioxide Supported on Titanium Nitride Substrate. Nano, 2020, 15, 2050152. | 1.0 | 14 |
| 28 | Enhanced capacitive performance of activated carbon paper electrode material. Journal of Materials Research, 2019, 34, 2472-2481. | 2.6 | 41 |
| 29 | Theoretical and Experimental Comparison of Electrical Properties of Nickel(II) Coordinated and Protonated Polyaniline. Journal of Physical Chemistry C, 2019, 123, 18232-18239. | 3.1 | 34 |
| 30 | Electrochemical Performance of Manganese Coordinated Polyaniline. Advanced Electronic Materials, 2019, 5, 1900816. | 5.1 | 35 |
| 31 | A high-performance asymmetric supercapacitor electrode based on a three-dimensional ZnMoO ₄ /CoO nanohybrid on nickel foam. Nanoscale, 2019, 11, 13639-13649. | 5.6 | 69 |
| 32 | Excessive nitrogen doping of tin dioxide nanorod array grown on activated carbon fibers substrate for wire-shaped microsupercapacitor. Chemical Engineering Journal, 2019, 378, 122064. | 12.7 | 35 |
| 33 | Electrochemical performance of carbon paper supercapacitor using sodium molybdate gel polymer electrolyte and nickel molybdate electrode. Journal of Solid State Electrochemistry, 2019, 23, 1911-1927. | 2.5 | 33 |
| 34 | Electrochemical Performance of Transition Metalâ€Coordinated Polypyrrole: A Mini Review. Chemical Record, 2019, 19, 2370-2384. | 5.8 | 58 |
| 35 | Enhanced capacitive performance of CoO-modified NiMoO4 nanohybrid as advanced electrodes for asymmetric supercapacitor. Journal of Alloys and Compounds, 2019, 791, 152-165. | 5.5 | 55 |
| 36 | Electrochemical performance of RuO ₂ -TiO ₂ nanotube hybrid electrode material. Materials Research Express, 2019, 6, 125550. | 1.6 | 28 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Activation of carbon fiber for enhancing electrochemical performance. Inorganic Chemistry Frontiers, 2019, 6, 3583-3597. | 6.0 | 28 |
| 38 | Phosphomolybdic acid cluster bridging carbon dots and polyaniline nanofibers for effective electrochemical energy storage. Journal of Materials Science, 2019, 54, 4842-4858. | 3.7 | 42 |
| 39 | Enhanced electrochemical stability of carbon quantum dots-incorporated and ferrous-coordinated polypyrrole for supercapacitor. Journal of Solid State Electrochemistry, 2018, 22, 2515-2529. | 2.5 | 34 |
| 40 | Electrochemical cycling stability of nickel (II) coordinated polyaniline. Synthetic Metals, 2018, 237, 29-39. | 3.9 | 47 |
| 41 | Improved electrochemical stability of NixCo2x(OH)6x/NiCo2O4 electrode material. Journal of Alloys and Compounds, 2018, 731, 903-913. | 5.5 | 34 |
| 42 | Enhanced electrochemical stability of CuCo bimetallic-coordinated polypyrrole. Electrochimica Acta, 2018, 290, 419-428. | 5.2 | 31 |
| 43 | Capacitance performance of carbon paper supercapacitor using redox-mediated gel polymer electrolyte. Journal of Sol-Gel Science and Technology, 2018, 86, 760-772. | 2.4 | 34 |
| 44 | Electrochemical performance of interspace-expanded molybdenum disulfide few-layer. Journal of Nanoparticle Research, 2018, 20, 1. | 1.9 | 23 |
| 45 | Electrochemical performance of polyaniline-derivated nitrogen-doped carbon nanowires. Electrochimica Acta, 2018, 283, 1618-1631. | 5.2 | 33 |
| 46 | Electrochemical supercapacitor performance of boron and nitrogen co-doped porous carbon nanowires. Journal of Power Sources, 2018, 400, 264-276. | 7.8 | 117 |
| 47 | Electrochemical capacitance performance of polyaniline/tin oxide nanorod array for supercapacitor. Journal of Solid State Electrochemistry, 2017, 21, 1675-1685. | 2.5 | 41 |
| 48 | Capacitive performance of molybdenum nitride/titanium nitride nanotube array for supercapacitor. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 2017, 215, 64-70. | 3.5 | 77 |
| 49 | Electrochemical capacitance of titanium nitride modified lithium titanate nanotube array. Journal of Alloys and Compounds, 2017, 725, 1-13. | 5.5 | 22 |
| 50 | Capacitive performance of ruthenium-coordinated polypyrrole. New Journal of Chemistry, 2017, 41, 10312-10323. | 2.8 | 22 |
| 51 | Enhanced electrochemical performance of carbon quantum dots-polyaniline hybrid. Journal of Power Sources, 2017, 337, 54-64. | 7.8 | 94 |
| 52 | Fabrication and supercapacitor behavior of phosphomolybdic acid/polyaniline/titanium nitride core–shell nanowire array. New Journal of Chemistry, 2017, 41, 335-346. | 2.8 | 49 |
| 53 | Visibleâ€lightâ€driven selfâ€cleaning SERS substrate of silver nanoparticles and graphene oxide decorated nitrogenâ€doped titania nanotube array. Surface and Interface Analysis, 2016, 48, 334-340. | 1.8 | 26 |
| 54 | Preparation and capacitance performance of nitrided lithium titanate nanoarrays. Ceramics International, 2016, 42, 9717-9727. | 4.8 | 14 |

| # | Article | IF | CITATIONS |
|----|---|--------------|-----------|
| 55 | Synthesis and capacitance performance of MnO ₂ /RGO double-shelled hollow microsphere. Journal of Materials Research, 2016, 31, 1423-1432. | 2.6 | 19 |
| 56 | Bioelectrocatalytic performance of glucose oxidase/nitrogen-doped titania nanotube array enzyme electrode. Journal of Chemical Technology and Biotechnology, 2016, 91, 1403-1412. | 3.2 | 14 |
| 57 | Preparation and Supercapacitor Performance of Freestanding Polypyrrole/Polyaniline Coaxial Nanoarrays. Energy Technology, 2016, 4, 714-721. | 3.8 | 37 |
| 58 | Supercapacitance performance of polypyrrole/titanium nitride/polyaniline coaxial nanotube hybrid. Journal of Alloys and Compounds, 2016, 665, 323-332. | 5 . 5 | 56 |
| 59 | Photoelectrochemical performance of cadmium sulfide quantum dots modified titania nanotube arrays. Thin Solid Films, 2016, 598, 115-125. | 1.8 | 23 |
| 60 | Preparation and capacitive properties of lithium manganese oxide intercalation compound. Journal of Nanoparticle Research, 2015, 17, 1. | 1.9 | 8 |
| 61 | Ternary nanocomposite of polyaniline/manganese dioxide/titanium nitride nanowire array for supercapacitor electrode. Journal of Nanoparticle Research, 2015, 17, 1. | 1.9 | 46 |
| 62 | Enhanced electrochemical performance of polyaniline/carbon/titanium nitride nanowire array for flexible supercapacitor. Journal of Power Sources, 2015, 286, 561-570. | 7.8 | 116 |
| 63 | Electrochemical capacitance of porous reduced graphene oxide/nickel foam. Journal of Porous Materials, 2015, 22, 403-412. | 2.6 | 31 |
| 64 | Electrochemical capacitance of a carbon quantum dots–polypyrrole/titania nanotube hybrid. RSC Advances, 2015, 5, 89689-89697. | 3.6 | 97 |
| 65 | Preparation of carbon-coated lithium iron phosphate/titanium nitride for a lithium-ion supercapacitor. New Journal of Chemistry, 2015, 39, 604-613. | 2.8 | 37 |
| 66 | Porous poly(3,4-ethylenedioxythiophene) nanoarray used for flexible supercapacitor. Microporous and Mesoporous Materials, 2015, 204, 163-172. | 4.4 | 54 |
| 67 | Preparation of a flexible polypyrrole nanoarray and its capacitive performance. Materials Letters, 2014, 132, 417-420. | 2.6 | 33 |
| 68 | Glucose biosensor based on glucose oxidase immobilized on unhybridized titanium dioxide nanotube arrays. Mikrochimica Acta, 2014, 181, 381-387. | 5.0 | 49 |
| 69 | Fabrication and electrochemical capacitance of polyaniline/titanium nitride core–shell nanowire arrays. Synthetic Metals, 2014, 192, 93-100. | 3.9 | 41 |
| 70 | SERS performance of graphene oxide decorated silver nanoparticle/titania nanotube array. RSC Advances, 2014, 4, 41734-41743. | 3.6 | 54 |
| 71 | Electrochemical capacitance of polypyrrole–titanium nitride and polypyrrole–titania nanotube hybrids. New Journal of Chemistry, 2014, 38, 1284. | 2.8 | 85 |
| 72 | Preparation and electrochemical capacitance of graphene/titanium nitride nanotube array. RSC Advances, 2014, 4, 41856-41863. | 3.6 | 37 |

| # | Article | IF | CITATIONS |
|----|---|------|------------|
| 73 | Supercapacitance of polypyrrole/titania/polyaniline coaxial nanotube hybrid. Synthetic Metals, 2014, 198, 59-66. | 3.9 | 26 |
| 74 | Titanium dioxide nanotube arrays modified with a nanocomposite of silver nanoparticles and reduced graphene oxide for electrochemical sensing. Mikrochimica Acta, 2014, 181, 1325-1331. | 5.0 | 45 |
| 75 | Electrochemical flexible supercapacitor based on manganese dioxide-titanium nitride nanotube hybrid. Electrochimica Acta, 2014, 120, 273-283. | 5.2 | 83 |
| 76 | SERS activity of self-cleaning silver/titania nanoarray. Applied Surface Science, 2014, 313, 549-557. | 6.1 | 60 |
| 77 | Electrochemical capacitance performance of titanium nitride nanoarray. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 2013, 178, 1443-1451. | 3.5 | 97 |
| 78 | Preparation and capacitance performance of polyaniline/titanium nitride nanotube hybrid. Journal of Applied Electrochemistry, 2013, 43, 1225-1233. | 2.9 | 38 |
| 79 | Electrochemical biosensing based on polypyrrole/titania nanotube hybrid. Materials Science and Engineering C, 2013, 33, 5028-5035. | 7.3 | 30 |
| 80 | Electrochemical capacitance performance of polypyrrole–titania nanotube hybrid. Journal of Solid State Electrochemistry, 2012, 16, 2683-2689. | 2.5 | 49 |
| 81 | Covalently immobilized biosensor based on gold nanoparticles modified TiO2 nanotube arrays. Journal of Electroanalytical Chemistry, 2011, 650, 241-247. | 3.8 | 62 |
| 82 | Photoelectrocatalysis reactivity of independent titania nanotubes. Journal of Applied Electrochemistry, 2010, 40, 1281-1291. | 2.9 | 18 |
| 83 | Supercapacitance of ruthenium oxide deposited on titania and titanium substrates. Materials Chemistry and Physics, 2010, 122, 23-29. | 4.0 | 37 |
| 84 | Photochemical performance and electrochemical capacitance of titania nanocomplexes. Materials Research Bulletin, 2010, 45, 628-635. | 5.2 | 23 |
| 85 | Photoelectrochemical behavior of titania nanotube array grown on nanocrystalline titanium. Journal of Materials Science, 2009, 44, 2907-2915. | 3.7 | 45 |
| 86 | Supercapacitor application of nickel oxide–titania nanocomposites. Composites Science and Technology, 2009, 69, 2108-2114. | 7.8 | 96 |
| 87 | Fabrication of nickel oxide-embedded titania nanotube array for redox capacitance application. Electrochimica Acta, 2008, 53, 3643-3649. | 5.2 | 95 |
| 88 | Microstructure promoted photosensitization activity of dye-titania/titanium composites. Composites Part A: Applied Science and Manufacturing, 2008, 39, 690-696. | 7.6 | 8 |
| 89 | Bioelectrocatalytic application of titania nanotube array for molecule detection. Biosensors and Bioelectronics, 2007, 22, 2812-2818. | 10.1 | 7 5 |
| 90 | Enhanced photoelectrocatalytic performance of polyoxometalate-titania nanocomposite photoanode. Applied Catalysis B: Environmental, 2007, 76, 15-23. | 20.2 | 26 |

| # | Article | IF | Citations |
|-----|--|------|-----------|
| 91 | Photoelectrochemical application of nanotubular titania photoanode. Electrochimica Acta, 2006, 51, 3399-3406. | 5.2 | 103 |
| 92 | Enhanced photoelectrochemical current response of titania nanotube array. Materials Letters, 2006, 60, 3558-3560. | 2.6 | 27 |
| 93 | Photoelectrochemical reactivity of polyoxophosphotungstates embedded in titania tubules. Nanotechnology, 2006, 17, 3340-3346. | 2.6 | 22 |
| 94 | Photocatalytic degradation of X-3B dye by visible light using lanthanide ion modified titanium dioxide hydrosol system. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2005, 252, 87-94. | 4.7 | 60 |
| 95 | Photocatalytic and photoelectrochemical performance of crystallized titanium dioxide sol with neodymium ion modification. Journal of Chemical Technology and Biotechnology, 2005, 80, 954-963. | 3.2 | 20 |
| 96 | Photosensitized and photocatalyzed degradation of azo dye using Lnn+-TiO2 sol in aqueous solution under visible light irradiation. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 2005, 117, 325-333. | 3.5 | 94 |
| 97 | Transparent TiO2 sol nanocrystallites mediated homogeneous-like photocatalytic reaction and hydrosol recycling process. Journal of Materials Science, 2005, 40, 6375-6383. | 3.7 | 28 |
| 98 | Characterization and photocatalysis of Eu3+–TiO2 sol in the hydrosol reaction system. Materials Research Bulletin, 2004, 39, 533-543. | 5.2 | 62 |
| 99 | Study on the Binding Characteristic of S-Naproxen Imprinted Polymer and the Interactions between Templates and Monomers. Journal of Analytical Chemistry, 2004, 59, 939-944. | 0.9 | 26 |
| 100 | Photocatalysis of neodymium ion modified TiO2 sol under visible light irradiation. Applied Surface Science, 2004, 221, 17-24. | 6.1 | 99 |
| 101 | Visible-light responsive cerium ion modified titania sol and nanocrystallites for X-3B dye photodegradation. Applied Catalysis B: Environmental, 2003, 46, 251-259. | 20.2 | 282 |
| 102 | Photocatalytic activity and recycle application of titanium dioxide sol for X-3B photodegradation. Journal of Molecular Catalysis A, 2003, 206, 419-428. | 4.8 | 27 |
| 103 | Enhancement effect of silver nanoparticles decorated titania nanotube array acting as active SERS substrate. Inorganic and Nano-Metal Chemistry, 0, , 1-7. | 1.6 | 3 |