

Anita Mangia

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9445413/publications.pdf>

Version: 2024-02-01

76
papers

2,202
citations

218381

26
h-index

253896

43
g-index

81
all docs

81
docs citations

81
times ranked

3683
citing authors

#	ARTICLE	IF	CITATIONS
1	Cytoskeleton and paclitaxel sensitivity in breast cancer: The role of β -tubulins. <i>International Journal of Cancer</i> , 2007, 120, 2078-2085.	2.3	132
2	The NHERF1 PDZ2 Domain Regulates PKA \rightarrow Rho \rightarrow p38-mediated NHE1 Activation and Invasion in Breast Tumor Cells. <i>Molecular Biology of the Cell</i> , 2007, 18, 1768-1780.	0.9	121
3	Angiogenesis and Antiangiogenesis in Triple-Negative Breast cancer. <i>Translational Oncology</i> , 2016, 9, 453-457.	1.7	113
4	Liver X Receptors Inhibit Proliferation of Human Colorectal Cancer Cells and Growth of Intestinal Tumors in Mice. <i>Gastroenterology</i> , 2013, 144, 1497-1507.e13.	0.6	85
5	High density of tryptase \rightarrow positive mast cells in human colorectal cancer: a poor prognostic factor related to protease \rightarrow activated receptor 2 expression. <i>Journal of Cellular and Molecular Medicine</i> , 2013, 17, 1025-1037.	1.6	80
6	Comparative Proteome Analysis Revealing an 11-Protein Signature for Aggressive Triple-Negative Breast Cancer. <i>Journal of the National Cancer Institute</i> , 2014, 106, djt376.	3.0	77
7	3p Microsatellite Alterations in Exhaled Breath Condensate from Patients with Non \rightarrow Small Cell Lung Cancer. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2005, 172, 738-744.	2.5	75
8	Tissue remodelling in breast cancer: human mast cell tryptase as an initiator of myofibroblast differentiation. <i>Histopathology</i> , 2011, 58, 1096-1106.	1.6	75
9	Cell kinetics and hormonal receptor status in inflammatory breast carcinoma. Comparison with locally advanced disease. <i>Cancer</i> , 1989, 64, 1922-1927.	2.0	70
10	Role of miR-27a, miR-181a and miR-20b in gastric cancer hypoxia-induced chemoresistance. <i>Cancer Biology and Therapy</i> , 2016, 17, 400-406.	1.5	67
11	VEGF, HIF-1 \rightarrow Expression and MVD as an Angiogenic Network in Familial Breast Cancer. <i>PLoS ONE</i> , 2013, 8, e53070.	1.1	64
12	Biological role of NHERF1 protein expression in breast cancer. <i>Histopathology</i> , 2009, 55, 600-608.	1.6	54
13	Aurora B kinase inhibitor AZD1152: determinants of action and ability to enhance chemotherapeutics effectiveness in pancreatic and colon cancer. <i>British Journal of Cancer</i> , 2011, 104, 769-780.	2.9	52
14	HER-2 Expression and Cell Proliferation: Prognostic Markers in Patients With Node-Negative Breast Cancer. <i>Journal of Clinical Oncology</i> , 2003, 21, 2708-2712.	0.8	48
15	Prognostic Relevance of Mitotic Activity in Patients with Node-Negative Breast Cancer. <i>Modern Pathology</i> , 2003, 16, 1067-1075.	2.9	46
16	Immune Prophets of Lung Cancer: The Prognostic and Predictive Landscape of Cellular and Molecular Immune Markers. <i>Translational Oncology</i> , 2018, 11, 825-835.	1.7	45
17	Topoisomerase-I, thymidylate synthase primary tumour expression and clinical efficacy of 5-FU/CPT-11 chemotherapy in advanced colorectal cancer patients. <i>International Journal of Cancer</i> , 2004, 111, 252-258.	2.3	42
18	Overexpression of nuclear NHERF1 in advanced colorectal cancer: Association with hypoxic microenvironment and tumor invasive phenotype. <i>Experimental and Molecular Pathology</i> , 2012, 92, 296-303.	0.9	40

#	ARTICLE	IF	CITATIONS
19	Delineation of HER2 Gene Status in Breast Carcinoma by Silver in Situ Hybridization is Reproducible among Laboratories and Pathologists. <i>Journal of Molecular Diagnostics</i> , 2008, 10, 527-536.	1.2	39
20	Randomized Clinical Trial of Adjuvant Fluorouracil, Epirubicin, and Cyclophosphamide Chemotherapy for Patients With Fast-Proliferating, Node-Negative Breast Cancer. <i>Journal of Clinical Oncology</i> , 2001, 19, 3929-3937.	0.8	38
21	Prognostic relevance of histological grade and its components in node-negative breast cancer patients. <i>Modern Pathology</i> , 2004, 17, 1038-1044.	2.9	37
22	Intratumoral, rather than stromal, CD8+ T cells could be a potential negative prognostic marker in invasive breast cancer patients. <i>Translational Oncology</i> , 2019, 12, 585-595.	1.7	36
23	NHERF1/EBP50 in Breast Cancer: Clinical Perspectives. <i>Breast Care</i> , 2010, 5, 86-90.	0.8	33
24	Nuclear NHERF1 expression as a prognostic marker in breast cancer. <i>Cell Death and Disease</i> , 2013, 4, e904-e904.	2.7	32
25	Nuclear PARP1 expression and its prognostic significance in breast cancer patients. <i>Tumor Biology</i> , 2016, 37, 6143-6153.	0.8	32
26	Tissue expression of Squamous Cellular Carcinoma Antigen (SCCA) is inversely correlated to tumor size in HCC. <i>Molecular Cancer</i> , 2009, 8, 29.	7.9	28
27	Is immunohistochemistry of BRAF V600E useful as a screening tool and during progression disease of melanoma patients?. <i>BMC Cancer</i> , 2016, 16, 905.	1.1	25
28	Involvement of nuclear NHERF1 in colorectal cancer progression. <i>Oncology Reports</i> , 2012, 28, 889-894.	1.2	22
29	Irradiation-induced angiosarcoma and anti-angiogenic therapy: A therapeutic hope?. <i>Experimental Cell Research</i> , 2014, 321, 240-247.	1.2	21
30	SELDI-TOF serum proteomics and breast cancer: which perspective?. <i>Expert Review of Proteomics</i> , 2008, 5, 779-785.	1.3	20
31	CES2, ABCG2, TS and Topo-I Primary and Synchronous Metastasis Expression and Clinical Outcome in Metastatic Colorectal Cancer Patients Treated with First-Line FOLFIRI Regimen. <i>International Journal of Molecular Sciences</i> , 2014, 15, 15767-15777.	1.8	20
32	Time to initiation of adjuvant chemotherapy in patients with rapidly proliferating early breast cancer. <i>European Journal of Cancer</i> , 2015, 51, 1874-1881.	1.3	20
33	Impact of body mass index (BMI) on the prognosis of high-risk early breast cancer (EBC) patients treated with adjuvant chemotherapy. <i>Breast Cancer Research and Treatment</i> , 2016, 159, 79-86.	1.1	20
34	Na+/H+ exchanger regulatory factor 1 expression levels in blood and tissue predict breast tumour clinical behaviour. <i>Histopathology</i> , 2011, 58, 1086-1095.	1.6	19
35	NLRP3 Inflammasome From Bench to Bedside: New Perspectives for Triple Negative Breast Cancer. <i>Frontiers in Oncology</i> , 2020, 10, 1587.	1.3	19
36	Gonadotropin releasing hormone receptor expression in primary breast cancer: comparison of immunohistochemical, radioligand and Western blot analyses. <i>Oncology Reports</i> , 2002, 9, 1127-32.	1.2	19

#	ARTICLE	IF	CITATIONS
37	Benefit from anthracyclines in relation to biological profiles in early breast cancer. <i>Breast Cancer Research and Treatment</i> , 2014, 144, 307-318.	1.1	18
38	NHERF1 Between Promises and Hopes: Overview on Cancer and Prospective Openings. <i>Translational Oncology</i> , 2018, 11, 374-390.	1.7	18
39	Fine Needle Aspiration Cytology: A Tool to Study NHERF1 Expression as a Potential Marker of Aggressiveness in Lung Cancer. <i>Molecular Biotechnology</i> , 2015, 57, 549-557.	1.3	16
40	NHERF1 and tumor microenvironment: a new scene in invasive breast carcinoma. <i>Journal of Experimental and Clinical Cancer Research</i> , 2018, 37, 96.	3.5	16
41	Frizzled-10 and cancer progression: Is it a new prognostic marker?. <i>Oncotarget</i> , 2018, 9, 824-830.	0.8	16
42	Gene Copy Number Variation in Male Breast Cancer by aCGH. <i>Analytical Cellular Pathology</i> , 2010, 33, 113-119.	0.7	15
43	The prognostic value of the Na ⁺ /H ⁺ exchanger regulatory factor 1 (NHERF1) protein in cancer. <i>Cancer Biomarkers</i> , 2014, 14, 177-184.	0.8	15
44	Prognostic Value of NLRP3 Inflammasome and TLR4 Expression in Breast Cancer Patients. <i>Frontiers in Oncology</i> , 2021, 11, 705331.	1.3	15
45	Chromogenic in situ hybridization to detect EGFR gene copy number in cell blocks from fine-needle aspirates of non small cell lung carcinomas and lung metastases from colo-rectal cancer. <i>Journal of Experimental and Clinical Cancer Research</i> , 2010, 29, 125.	3.5	14
46	Human epidermal growth factor receptor 2, Na ⁺ /H ⁺ exchanger regulatory factor 1, and breast cancer susceptibility gene-1 as new biomarkers for familial breast cancers. <i>Human Pathology</i> , 2011, 42, 1589-1595.	1.1	14
47	β-catenin interaction with NHERF1 and RASSF1A methylation in metastatic colorectal cancer patients. <i>Oncotarget</i> , 2016, 7, 67841-67850.	0.8	14
48	Bcl6/p53 expression, macrophages/mast cells infiltration and microvascular density in invasive breast carcinoma. <i>Oncotarget</i> , 2018, 9, 22727-22740.	0.8	14
49	Old and new concepts in histopathological characterization of familial breast cancer. <i>Annals of Oncology</i> , 2011, 22, i24-i30.	0.6	13
50	FISH testing of HER2 immunohistochemistry 1+ invasive breast cancer with unfavorable characteristics. <i>Oncology Letters</i> , 2016, 12, 3115-3122.	0.8	13
51	Expression of proteins involved in DNA damage response in familial and sporadic breast cancer patients. <i>International Journal of Cancer</i> , 2016, 138, 110-120.	2.3	13
52	Should Tumor Infiltrating Lymphocytes, Androgen Receptor, and FOXA1 Expression Predict the Clinical Outcome in Triple Negative Breast Cancer Patients?. <i>Cancers</i> , 2019, 11, 1393.	1.7	13
53	NHERF1 together with PARP1 and BRCA1 expression as a new potential biomarker to stratify breast cancer patients. <i>Oncotarget</i> , 2017, 8, 65730-65742.	0.8	13
54	Phosphatidylinositol 3-Kinase in Breast Cancer: Where from Here?. <i>Clinical Cancer Research</i> , 2007, 13, 5988-5990.	3.2	12

#	ARTICLE	IF	CITATIONS
55	Genetic heterogeneity by comparative genomic hybridization in BRCAx breast cancers. <i>Cancer Genetics and Cytogenetics</i> , 2008, 182, 75-83.	1.0	12
56	Gene copy number variation in male breast cancer by aCGH. <i>Cellular Oncology (Dordrecht)</i> , 2011, 34, 467-473.	2.1	12
57	The potential predictive role of nuclear NHERF1 expression in advanced gastric cancer patients treated with epirubicin/oxaliplatin/capecitabine first line chemotherapy. <i>Cancer Biology and Therapy</i> , 2015, 16, 1140-1147.	1.5	12
58	Independent Negative Prognostic Role of TCF1 Expression within the Wnt/ β -Catenin Signaling Pathway in Primary Breast Cancer Patients. <i>Cancers</i> , 2019, 11, 1035.	1.7	12
59	Predictability of Monthly and Yearly Rhythms of Breast Cancer Features. <i>Breast Cancer Research and Treatment</i> , 2001, 67, 41-49.	1.1	10
60	Biomarkers for Early Cancer Detection – Methodological Aspects. <i>Breast Care</i> , 2010, 5, 62-65.	0.8	10
61	Characterization of a serum protein pattern from NSCLC patients treated with Gefitinib. <i>Clinical Biochemistry</i> , 2011, 44, 936-940.	0.8	10
62	VEGF and TWIST1 in a 16-gene biomarker immunoprofile useful for prognosis of breast cancer patients. <i>International Journal of Cancer</i> , 2017, 141, 1901-1911.	2.3	10
63	Touch Imprint Cytology in Tumor Tissue Banks for the Confirmation of Neoplastic Cellularity and for DNA Extraction. <i>Archives of Pathology and Laboratory Medicine</i> , 2008, 132, 974-978.	1.2	10
64	<i>H. pylori</i> status and angiogenesis factors in human gastric carcinoma. <i>World Journal of Gastroenterology</i> , 2006, 12, 5465.	1.4	9
65	Cytosolic Levels of Estrogen-Regulated pS2 Protein in Breast Cancer: Correlation with Tumor Proliferative Activity. <i>Tumor Biology</i> , 1993, 14, 30-37.	0.8	8
66	Cytosol cathepsin-D content and proliferative activity of human breast cancer. <i>Breast Cancer Research and Treatment</i> , 1992, 23, 63-70.	1.1	7
67	Sister chromatid exchange: A possible approach to characterize familial breast cancer patients. <i>Oncology Reports</i> , 2015, 33, 930-934.	1.2	7
68	The impact of progesterone receptor expression on prognosis of patients with rapidly proliferating, hormone receptor-positive early breast cancer: a post hoc analysis of the IBIS 3 trial. <i>Therapeutic Advances in Medical Oncology</i> , 2020, 12, 175883591988899.	1.4	7
69	Tumor Infiltrating Lymphocytes and NHERF1 Impact on Prognosis of Breast Cancer Patients. <i>Translational Oncology</i> , 2020, 13, 186-192.	1.7	6
70	The Integrated Oncology Program of the Italian Ministry of Health. Analytical and clinical validation of new biomarkers for early diagnosis: network, resources, methodology, quality control, and data analysis. <i>International Journal of Biological Markers</i> , 2009, 24, 119-129.	0.7	6
71	Mammographic Aspect, Cell Kinetics and Hormone Receptor Status of Operable Breast Cancer. <i>Oncology</i> , 1993, 50, 104-109.	0.9	5
72	Failure of primary breast cancer neoangiogenesis to predict pattern of distant metastasis. <i>Clinical and Experimental Medicine</i> , 2001, 1, 127-132.	1.9	5

#	ARTICLE	IF	CITATIONS
73	Histological features of extratumoral breast lesions as a predictive factor of familial breast cancer. <i>Oncology Reports</i> , 2010, 23, 1641-5.	1.2	5
74	Immunoprofile from tissue microarrays to stratify familial breast cancer patients. <i>Oncotarget</i> , 2015, 6, 27865-27879.	0.8	5
75	Hierarchical clustering analysis identifies metastatic colorectal cancers patients with more aggressive phenotype. <i>Oncotarget</i> , 2017, 8, 87782-87794.	0.8	4
76	Research Trends for Early Cancer Biomarker Detection in Italy: An Integrated Program in Oncology (PIO) Survey. <i>Tumori</i> , 2010, 96, 721-725.	0.6	0