Jun Tu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9446183/publications.pdf

Version: 2024-02-01

		566801	580395
51	737	15	25
papers	citations	h-index	25 g-index
			0.0.5
51	51	51	995
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Incidence and predictors of progression of carotid atherosclerosis in a low-income Chinese population—a prospective cohort study. Postgraduate Medicine, 2022, 134, 85-95.	0.9	1
2	Prevalence and Risk Factors for Unruptured Intracranial Aneurysms in the Population at High Risk for Aneurysm in the Rural Areas of Tianjin. Frontiers in Neurology, 2022, 13, 853054.	1.1	3
3	Hearing impairment prevalence and risk factors among adults in rural China: a population-based cross-sectional study. Postgraduate Medicine, 2021, 133, 369-376.	0.9	4
4	Relationship Between Metabolic Syndrome and Cognitive Function: A Population-Based Study of Middle-Aged and Elderly Adults in Rural China. Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy, 2021, Volume 14, 1927-1935.	1.1	4
5	Health care reform and stroke prognosis in low-income Chinese populations from 1992 to 2018. Journal of Global Health, 2021, 11, 08002.	1.2	6
6	Sex Differences in the Association Between Obesity and Cognitive Impairment in a Low-Income Elderly Population in Rural China: A Population-Based Cross-Sectional Study. Frontiers in Neurology, 2021, 12, 669174.	1.1	5
7	Sex -Specific Differences in the Association Between Metabolic Syndrome and Carotid Intima-Media Thickness Among a Low-Income Population in China: A Cross-Sectional Study. Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy, 2021, Volume 14, 3263-3272.	1.1	O
8	Association of Hearing Acuity and Cognitive Function Among a Low-Income Elderly Population in Rural China: A Population-Based Cross-Sectional Study. Frontiers in Neuroscience, 2021, 15, 704871.	1.4	4
9	Epidemiology of Isolated Impaired Glucose Tolerance Among Adults Aged Above 50 Years in Rural China. Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy, 2021, Volume 14, 4067-4078.	1.1	0
10	Long-Term Trends in the Stroke Prognosis Among Rural Residents in China: A Population-Based Surveillance Study. Risk Management and Healthcare Policy, 2021, Volume 14, 4013-4021.	1.2	6
11	Alcohol Consumption and Stroke Risk in Men: A Population-Based Cohort Study in Rural Tianjin, China. Neuroepidemiology, 2021, 55, 266-274.	1.1	3
12	Long-Term Trends in Stroke Management and Burden Among Low-Income Women in a Rural Area From China (1992–2019): A Prospective Population-Based Study. Frontiers in Neurology, 2021, 12, 720962.	1.1	2
13	Association of Carotid Intima Media Thickness With Metabolic Syndrome Among Low-Income Middle-Aged and Elderly Chinese: A Population-Based Cross-Sectional Study. Frontiers in Cardiovascular Medicine, 2021, 8, 669245.	1.1	2
14	Sex-related associations between body height and cognitive impairment among low-income elderly adults in rural China: a population-based cross-sectional study. Biology of Sex Differences, 2021, 12, 65.	1.8	0
15	Trends in the prevalence, awareness, treatment and control of diabetes in rural areas of northern China from 1992 to 2011. Journal of Diabetes Investigation, 2020, 11, 241-249.	1.1	14
16	Association Between Pulse Pressure and Carotid Intima-Media Thickness Among Low-Income Adults Aged 45 Years and Older: A Population-Based Cross-Sectional Study in Rural China. Frontiers in Cardiovascular Medicine, 2020, 7, 547365.	1,1	5
17	Epidemiological Features of Glycemic Levels and Relative Determinants at Different Altitudes Among Tibetans in China: A Cross-Sectional Population-Based Study. Frontiers in Public Health, 2020, 8, 472.	1.3	1
18	Sex-specific differences in the prevalence of and risk factors for hyperuricemia among a low-income population in China: a cross-sectional study. Postgraduate Medicine, 2020, 132, 559-567.	0.9	20

#	Article	IF	CITATIONS
19	Macroeconomic Development and Dramatic Increase in Stroke Burden in Rural China: A 25-Year Population-Based Study. Frontiers in Neurology, 2020, 11, 385.	1.1	3
20	Obesity at a young age is associated with development of diabetes mellitus: A prospective cohort study in rural China. Postgraduate Medicine, 2020, 132, 709-713.	0.9	3
21	Rate and Determinants of Recurrence at 1 Year and 5 Years After Stroke in a Low-Income Population in Rural China. Frontiers in Neurology, 2020, 11, 2.	1.1	27
22	Association of Carotid Atherosclerosis With Lipid Components in Asymptomatic Low-Income Chinese: A Population-Based Cross-Sectional Study. Frontiers in Neurology, 2020, 11, 276.	1.1	10
23	A Sharp Decline in Burden of Stroke in Rural China During COVID-19 Pandemic. Frontiers in Neurology, 2020, 11, 596871.	1.1	2
24	Sex Differences in the Prevalence of and Risk Factors for Abnormal Glucose Regulation in Adults Aged 50 Years or Older With Normal Fasting Plasma Glucose Levels. Frontiers in Endocrinology, 2020, 11, 531796.	1.5	7
25	Trends in the incidence of recurrent stroke at 5 years after the first-ever stroke in rural China: a population-based stroke surveillance from 1992 to 2017. Aging, 2019, 11, 1686-1694.	1.4	10
26	Sex-Based Differences in Diabetes Prevalence and Risk Factors: A Population-Based Cross-Sectional Study Among Low-Income Adults in China. Frontiers in Endocrinology, 2019, 10, 658.	1.5	19
27	Age- and Sex-Associated Impacts of Body Mass Index on Stroke Type Risk: A 27-Year Prospective Cohort Study in a Low-Income Population in China. Frontiers in Neurology, 2019, 10, 456.	1.1	10
28	Association of Blood Pressure With Stroke Risk, Stratified by Age and Stroke Type, in a Low-Income Population in China: A 27-Year Prospective Cohort Study. Frontiers in Neurology, 2019, 10, 564.	1.1	8
29	Sex Differences in the Prevalence, Awareness, Treatment, and Control of Diabetes Mellitus Among Adults Aged 45 Years and Older in Rural Areas of Northern China: A Cross-Sectional, Population-Based Study. Frontiers in Endocrinology, 2019, 10, 147.	1.5	20
30	Determinants of Developing Stroke Among Low-Income, Rural Residents: A 27-Year Population-Based, Prospective Cohort Study in Northern China. Frontiers in Neurology, 2019, 10, 57.	1.1	7
31	Association between blood pressure components and the presence of carotid plaque among adults aged 45 years and older. Blood Pressure Monitoring, 2019, 24, 234-240.	0.4	5
32	Strict target blood pressure management for reducing the stroke risk according to 2017 ACC/AHA blood pressure guideline. Aging, 2019, 11, 6522-6534.	1.4	2
33	Prevalence of and Risk Factors for Cognitive Impairment Among Elderly Without Cardio- and Cerebrovascular Diseases: A Population-Based Study in Rural China. Frontiers in Aging Neuroscience, 2018, 10, 62.	1.7	26
34	Sex Differences in the Prevalence of and Risk Factors for Nonvascular Cognitive Function in Rural, Low-Income Elderly in Tianjin, China. Neuroepidemiology, 2018, 51, 138-148.	1.1	4
35	Correlation between hypertension and common carotid artery intima-media thickness in rural China: a population-based study. Journal of Human Hypertension, 2018, 32, 548-554.	1.0	13
36	Trends in stroke incidence among elderly low-income residents of rural China: a population-based study from 1992 to 2016. Aging, 2018, 10, 3438-3449.	1.4	11

#	Article	IF	CITATIONS
37	Carotid Intima-media Thickness and its Association with Conventional Risk Factors in Low-income Adults: A Population-based Cross-Sectional Study in China. Scientific Reports, 2017, 7, 41500.	1.6	19
38	Association between carotid intimaâ€media thickness and fasting blood glucose level: A populationâ€based crossâ€sectional study among lowâ€income adults in rural China. Journal of Diabetes Investigation, 2017, 8, 788-797.	1.1	15
39	Increased Stroke Burdens Among the Low-Income Young and Middle Aged in Rural China. Stroke, 2017, 48, 77-83.	1.0	46
40	Features and risk factors of carotid atherosclerosis in a population with high stroke incidence in China. Oncotarget, 2017, 8, 57477-57488.	0.8	24
41	Association between body mass index and presence of carotid plaque among low-income adults aged 45 years and older: a population-based cross-sectional study in rural China. Oncotarget, 2017, 8, 81261-81272.	0.8	5
42	The association between elevated fasting plasma glucose levels and carotid intima-media thickness in non-diabetic adults: a population-based cross-sectional study. Oncotarget, 2017, 8, 111053-111063.	0.8	4
43	CTA Characteristics of the Circle of Willis and Intracranial Aneurysm in a Chinese Crowd with Family History of Stroke. BioMed Research International, 2016, 2016, 1-11.	0.9	14
44	Cardiovascular Risk Factors Among Low-Income Women: A Population-Based Study in China from 1991 to 2011. Journal of Women's Health, 2016, 25, 1276-1281.	1.5	2
45	Prevalence and Risk Factors of Carotid Plaque Among Middle-aged and Elderly Adults in Rural Tianjin, China. Scientific Reports, 2016, 6, 23870.	1.6	42
46	Sex Differences in Prevalence of and Risk Factors for Carotid Plaque among Adults: A Population-based Cross-Sectional Study in Rural China. Scientific Reports, 2016, 6, 38618.	1.6	16
47	Trends in Age of First-Ever Stroke Following Increased Incidence and Life Expectancy in a Low-Income Chinese Population. Stroke, 2016, 47, 929-935.	1.0	58
48	Increasing stroke incidence and prevalence of risk factors in a low-income Chinese population. Neurology, 2015, 84, 374-381.	1.5	93
49	Sex Differences in Outcomes and Associated Risk Factors After Acute Ischemic Stroke in Elderly Patients: A Prospective Follow-up Study. Journal of Stroke and Cerebrovascular Diseases, 2015, 24, 2277-2284.	0.7	26
50	Secular Trends in Prevalence of Overweight and Obesity among Adults in Rural Tianjin, China from 1991 to 2011: A Population-Based Study. PLoS ONE, 2014, 9, e116019.	1.1	28
51	Sex Differences in Trends of Incidence and Mortality of First-Ever Stroke in Rural Tianjin, China, From 1992 to 2012. Stroke, 2014, 45, 1626-1631.	1.0	78