

Naohiko Seki

List of Publications by Citations

Source: <https://exaly.com/author-pdf/9446675/naohiko-seki-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

248
papers

11,740
citations

60
h-index

95
g-index

256
ext. papers

12,997
ext. citations

4.8
avg, IF

5.87
L-index

#	Paper	IF	Citations
248	Hereditary progressive dystonia with marked diurnal fluctuation caused by mutations in the GTP cyclohydrolase I gene. <i>Nature Genetics</i> , 1994 , 8, 236-42	36.3	707
247	miR-145, miR-133a and miR-133b: Tumor-suppressive miRNAs target FSCN1 in esophageal squamous cell carcinoma. <i>International Journal of Cancer</i> , 2010 , 127, 2804-14	7.5	383
246	Identification of novel microRNA targets based on microRNA signatures in bladder cancer. <i>International Journal of Cancer</i> , 2009 , 125, 345-52	7.5	342
245	Influence of hepatitis B virus genotypes on the progression of chronic type B liver disease. <i>Hepatology</i> , 2003 , 37, 19-26	11.2	318
244	Genistein inhibits prostate cancer cell growth by targeting miR-34a and oncogenic HOTAIR. <i>PLoS ONE</i> , 2013 , 8, e70372	3.7	207
243	microRNA-1/133a and microRNA-206/133b clusters: dysregulation and functional roles in human cancers. <i>Oncotarget</i> , 2012 , 3, 9-21	3.3	196
242	Molecular cloning and chromosomal localization of the human thrombopoietin gene. <i>FEBS Letters</i> , 1994 , 353, 57-61	3.8	175
241	Aberrant expression of microRNAs in bladder cancer. <i>Nature Reviews Urology</i> , 2013 , 10, 396-404	5.5	164
240	MiR-96 and miR-183 detection in urine serve as potential tumor markers of urothelial carcinoma: correlation with stage and grade, and comparison with urinary cytology. <i>Cancer Science</i> , 2011 , 102, 522-9 ^{6.9}	6.9	164
239	Tumor suppressive microRNA-1285 regulates novel molecular targets: aberrant expression and functional significance in renal cell carcinoma. <i>Oncotarget</i> , 2012 , 3, 44-57	3.3	162
238	Identification of high-molecular-weight proteins with multiple EGF-like motifs by motif-trap screening. <i>Genomics</i> , 1998 , 51, 27-34	4.3	149
237	miR-1 as a tumor suppressive microRNA targeting TAGLN2 in head and neck squamous cell carcinoma. <i>Oncotarget</i> , 2011 , 2, 29-42	3.3	148
236	The microRNA expression signature of bladder cancer by deep sequencing: the functional significance of the miR-195/497 cluster. <i>PLoS ONE</i> , 2014 , 9, e84311	3.7	123
235	The functional significance of miR-1 and miR-133a in renal cell carcinoma. <i>European Journal of Cancer</i> , 2012 , 48, 827-36	7.5	119
234	A second p53-related protein, p73L, with high homology to p73. <i>Biochemical and Biophysical Research Communications</i> , 1998 , 248, 603-7	3.4	115
233	Genistein up-regulates tumor suppressor microRNA-574-3p in prostate cancer. <i>PLoS ONE</i> , 2013 , 8, e58929 ^{3.7}	3.7	114
232	p73 at chromosome 1p36.3 is lost in advanced stage neuroblastoma but its mutation is infrequent. <i>Oncogene</i> , 1999 , 18, 1061-6	9.2	111

231	Gene expression of periostin in the early stage of fracture healing detected by cDNA microarray analysis. <i>Journal of Orthopaedic Research</i> , 2004 , 22, 520-5	3.8	108
230	Prediction of the coding sequences of unidentified human genes. V. The coding sequences of 40 new genes (KIAA0161-KIAA0200) deduced by analysis of cDNA clones from human cell line KG-1. <i>DNA Research</i> , 1996 , 3, 17-24	4.5	106
229	Identification of a human cDNA clone for lysosomal type Ca ²⁺ -independent phospholipase A2 and properties of the expressed protein. <i>Journal of Biological Chemistry</i> , 1997 , 272, 2542-50	5.4	105
228	Dual tumor-suppressors miR-139-5p and miR-139-3p targeting matrix metalloprotease 11 in bladder cancer. <i>Cancer Science</i> , 2016 , 107, 1233-42	6.9	104
227	Tumor-suppressive microRNA-143/145 cluster targets hexokinase-2 in renal cell carcinoma. <i>Cancer Science</i> , 2013 , 104, 1567-74	6.9	104
226	The tumor-suppressive microRNA-143/145 cluster inhibits cell migration and invasion by targeting GOLM1 in prostate cancer. <i>Journal of Human Genetics</i> , 2014 , 59, 78-87	4.3	101
225	The microRNA-23b/27b/24-1 cluster is a disease progression marker and tumor suppressor in prostate cancer. <i>Oncotarget</i> , 2014 , 5, 7748-59	3.3	101
224	Tumor suppressive microRNA-218 inhibits cancer cell migration and invasion through targeting laminin-332 in head and neck squamous cell carcinoma. <i>Oncotarget</i> , 2012 , 3, 1386-400	3.3	99
223	Tumor suppressive microRNA-375 regulates oncogene AEG-1/MTDH in head and neck squamous cell carcinoma (HNSCC). <i>Journal of Human Genetics</i> , 2011 , 56, 595-601	4.3	99
222	Tumor-suppressive microRNA-223 inhibits cancer cell migration and invasion by targeting ITGA3/ITGB1 signaling in prostate cancer. <i>Cancer Science</i> , 2016 , 107, 84-94	6.9	99
221	Tumor suppressive microRNA-133a regulates novel molecular networks in lung squamous cell carcinoma. <i>Journal of Human Genetics</i> , 2012 , 57, 38-45	4.3	96
220	Tumor-suppressive microRNA-29a inhibits cancer cell migration and invasion via targeting HSP47 in cervical squamous cell carcinoma. <i>International Journal of Oncology</i> , 2013 , 43, 1855-63	4.4	90
219	Functional role of LASP1 in cell viability and its regulation by microRNAs in bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2012 , 30, 434-43	2.8	90
218	MicroRNA expression signature of castration-resistant prostate cancer: the microRNA-221/222 cluster functions as a tumour suppressor and disease progression marker. <i>British Journal of Cancer</i> , 2015 , 113, 1055-65	8.7	88
217	Cathepsin D is a potential serum marker for poor prognosis in glioma patients. <i>Cancer Research</i> , 2005 , 65, 5190-4	10.1	87
216	Regulation of UHRF1 by dual-strand tumor-suppressor microRNA-145 (miR-145-5p and miR-145-3p): Inhibition of bladder cancer cell aggressiveness. <i>Oncotarget</i> , 2016 , 7, 28460-87	3.3	87
215	Tumor-suppressive microRNA-218 inhibits cancer cell migration and invasion via targeting of LASP1 in prostate cancer. <i>Cancer Science</i> , 2014 , 105, 802-11	6.9	86
214	Tumor suppressive microRNAs (miR-222 and miR-31) regulate molecular pathways based on microRNA expression signature in prostate cancer. <i>Journal of Human Genetics</i> , 2012 , 57, 691-9	4.3	86

213	Identification of genes up-regulated by histone deacetylase inhibition with cDNA microarray and exploration of epigenetic alterations on hepatoma cells. <i>Journal of Hepatology</i> , 2004 , 41, 436-45	13.4	86
212	MicroRNA-218 inhibits cell migration and invasion in renal cell carcinoma through targeting caveolin-2 involved in focal adhesion pathway. <i>Journal of Urology</i> , 2013 , 190, 1059-68	2.5	85
211	Tumor suppressive microRNA-218 inhibits cancer cell migration and invasion by targeting focal adhesion pathways in cervical squamous cell carcinoma. <i>International Journal of Oncology</i> , 2013 , 42, 1523-32	4.4	85
210	Tumor-suppressive microRNA-29s inhibit cancer cell migration and invasion via targeting LAMC1 in prostate cancer. <i>International Journal of Oncology</i> , 2014 , 45, 401-10	4.4	82
209	Human ULK1, a novel serine/threonine kinase related to UNC-51 kinase of <i>Caenorhabditis elegans</i> : cDNA cloning, expression, and chromosomal assignment. <i>Genomics</i> , 1998 , 51, 76-85	4.3	81
208	Regulation of ITGA3 by the anti-tumor miR-199 family inhibits cancer cell migration and invasion in head and neck cancer. <i>Cancer Science</i> , 2017 , 108, 1681-1692	6.9	79
207	Functional significance of aberrantly expressed microRNAs in prostate cancer. <i>International Journal of Urology</i> , 2015 , 22, 242-52	2.3	79
206	N-Terminally extended human ubiquitin-conjugating enzymes (E2s) mediate the ubiquitination of RING-finger proteins, ARA54 and RNF8. <i>FEBS Journal</i> , 2001 , 268, 2725-32		79
205	Differential expression of the L-plastin gene in human colorectal cancer progression and metastasis. <i>Biochemical and Biophysical Research Communications</i> , 2001 , 289, 876-81	3.4	78
204	Identification and characterization of a 500-kb homozygously deleted region at 1p36.2-p36.3 in a neuroblastoma cell line. <i>Oncogene</i> , 2000 , 19, 4302-7	9.2	76
203	Tumor-suppressive microRNA-135a inhibits cancer cell proliferation by targeting the c-MYC oncogene in renal cell carcinoma. <i>Cancer Science</i> , 2013 , 104, 304-12	6.9	75
202	Impact of novel miR-145-3p regulatory networks on survival in patients with castration-resistant prostate cancer. <i>British Journal of Cancer</i> , 2017 , 117, 409-420	8.7	74
201	Dual regulation of receptor tyrosine kinase genes EGFR and c-Met by the tumor-suppressive microRNA-23b/27b cluster in bladder cancer. <i>International Journal of Oncology</i> , 2015 , 46, 487-96	4.4	74
200	MiR-133a induces apoptosis through direct regulation of GSTP1 in bladder cancer cell lines. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2013 , 31, 115-23	2.8	72
199	Restoration of miR-145 expression suppresses cell proliferation, migration and invasion in prostate cancer by targeting FSCN1. <i>International Journal of Oncology</i> , 2011 , 38, 1093-101	4.4	70
198	Dual-strand tumor-suppressor microRNA-145 (miR-145-5p and miR-145-3p) coordinately targeted MTDH in lung squamous cell carcinoma. <i>Oncotarget</i> , 2016 , 7, 72084-72098	3.3	70
197	Tumor-suppressive microRNA-1291 directly regulates glucose transporter 1 in renal cell carcinoma. <i>Cancer Science</i> , 2013 , 104, 1411-9	6.9	69
196	Smad4-independent regulation of p21/WAF1 by transforming growth factor-beta. <i>Oncogene</i> , 2004 , 23, 1043-51	9.2	69

195	Epithelial-mesenchymal transition-related microRNA-200s regulate molecular targets and pathways in renal cell carcinoma. <i>Journal of Human Genetics</i> , 2013 , 58, 508-16	4.3	68
194	cDNA microarray analysis of Helicobacter pylori-mediated alteration of gene expression in gastric cancer cells. <i>Biochemical and Biophysical Research Communications</i> , 2001 , 284, 443-9	3.4	68
193	Characterization of RGS5 in regulation of G protein-coupled receptor signaling. <i>Life Sciences</i> , 2001 , 68, 1457-69	6.8	68
192	Regulation of antitumor miR-144-5p targets oncogenes: Direct regulation of syndecan-3 and its clinical significance. <i>Cancer Science</i> , 2018 , 109, 2919-2936	6.9	66
191	Tumor suppressive microRNA-1 mediated novel apoptosis pathways through direct inhibition of splicing factor serine/arginine-rich 9 (SRSF9/SRp30c) in bladder cancer. <i>Biochemical and Biophysical Research Communications</i> , 2012 , 417, 588-93	3.4	62
190	The microRNA signature of patients with sunitinib failure: regulation of UHRF1 pathways by microRNA-101 in renal cell carcinoma. <i>Oncotarget</i> , 2016 , 7, 59070-59086	3.3	61
189	Caveolin-1 mediates tumor cell migration and invasion and its regulation by miR-133a in head and neck squamous cell carcinoma. <i>International Journal of Oncology</i> , 2011 , 38, 209-17	4.4	61
188	Gene expression profiling reveals the mechanism and pathophysiology of mouse liver regeneration. <i>Journal of Biological Chemistry</i> , 2003 , 278, 29813-8	5.4	60
187	Isolation of novel mouse genes differentially expressed in brain using cDNA microarray. <i>Biochemical and Biophysical Research Communications</i> , 2000 , 275, 532-7	3.4	60
186	Regulation of the collagen cross-linking enzymes LOXL2 and PLOD2 by tumor-suppressive microRNA-26a/b in renal cell carcinoma. <i>International Journal of Oncology</i> , 2016 , 48, 1837-46	4.4	59
185	Identification of novel molecular targets regulated by tumor suppressive miR-375 induced by histone acetylation in esophageal squamous cell carcinoma. <i>International Journal of Oncology</i> , 2012 , 41, 985-94	4.4	59
184	p73, a gene related to p53, is not mutated in esophageal carcinomas. <i>International Journal of Cancer</i> , 1998 , 78, 437-40	7.5	59
183	Tumour-suppressive microRNA-29s directly regulate LOXL2 expression and inhibit cancer cell migration and invasion in renal cell carcinoma. <i>FEBS Letters</i> , 2015 , 589, 2136-45	3.8	57
182	MicroRNA-26a/b directly regulate La-related protein 1 and inhibit cancer cell invasion in prostate cancer. <i>International Journal of Oncology</i> , 2015 , 47, 710-8	4.4	56
181	Tumour-suppressive microRNA-224 inhibits cancer cell migration and invasion via targeting oncogenic TPD52 in prostate cancer. <i>FEBS Letters</i> , 2014 , 588, 1973-82	3.8	56
180	Cloning, expression analysis, and chromosomal localization of BH-protocadherin (PCDH7), a novel member of the cadherin superfamily. <i>Genomics</i> , 1998 , 49, 458-61	4.3	56
179	Downregulation of the microRNA-1/133a cluster enhances cancer cell migration and invasion in lung-squamous cell carcinoma via regulation of Coronin1C. <i>Journal of Human Genetics</i> , 2015 , 60, 53-61	4.3	55
178	MicroRNAs function as tumor suppressors or oncogenes: aberrant expression of microRNAs in head and neck squamous cell carcinoma. <i>Auris Nasus Larynx</i> , 2013 , 40, 143-9	2.2	53

177	Deep sequencing-based microRNA expression signatures in head and neck squamous cell carcinoma: dual strands of pre-miR-150 as antitumor miRNAs. <i>Oncotarget</i> , 2017 , 8, 30288-30304	3.3	53
176	Structure, chromosomal location, and expression profile of EXTR1 and EXTR2, new members of the multiple exostoses gene family. <i>Biochemical and Biophysical Research Communications</i> , 1998 , 243, 61-6	3.4	52
175	Regulation of MMP13 by antitumor microRNA-375 markedly inhibits cancer cell migration and invasion in esophageal squamous cell carcinoma. <i>International Journal of Oncology</i> , 2016 , 49, 2255-2264	4.4	52
174	Tumor suppressive microRNA-133a regulates novel targets: moesin contributes to cancer cell proliferation and invasion in head and neck squamous cell carcinoma. <i>Biochemical and Biophysical Research Communications</i> , 2012 , 418, 378-83	3.4	50
173	Tumor-suppressive microRNA-29 family inhibits cancer cell migration and invasion directly targeting LOXL2 in lung squamous cell carcinoma. <i>International Journal of Oncology</i> , 2016 , 48, 450-60	4.4	49
172	MicroRNAs in non-small cell lung cancer and idiopathic pulmonary fibrosis. <i>Journal of Human Genetics</i> , 2017 , 62, 57-65	4.3	49
171	The galanin signaling cascade is a candidate pathway regulating oncogenesis in human squamous cell carcinoma. <i>Genes Chromosomes and Cancer</i> , 2009 , 48, 132-42	5	49
170	Tumour-suppressive microRNA-24-1 inhibits cancer cell proliferation through targeting FOXM1 in bladder cancer. <i>FEBS Letters</i> , 2014 , 588, 3170-9	3.8	48
169	Histone deacetylase inhibitor FK228 activates tumor suppressor Prdx1 with apoptosis induction in esophageal cancer cells. <i>Clinical Cancer Research</i> , 2005 , 11, 7945-52	12.9	47
168	The microRNA expression signature of small cell lung cancer: tumor suppressors of miR-27a-5p and miR-34b-3p and their targeted oncogenes. <i>Journal of Human Genetics</i> , 2017 , 62, 671-678	4.3	46
167	Expression of the tumor suppressive miRNA-23b/27b cluster is a good prognostic marker in clear cell renal cell carcinoma. <i>Journal of Urology</i> , 2014 , 192, 1822-30	2.5	46
166	Bcl6 controls granzyme B expression in effector CD8+ T cells. <i>European Journal of Immunology</i> , 2006 , 36, 3146-56	6.1	46
165	Tumor-suppressive microRNAs (miR-26a/b, miR-29a/b/c and miR-218) concertedly suppressed metastasis-promoting LOXL2 in head and neck squamous cell carcinoma. <i>Journal of Human Genetics</i> , 2016 , 61, 109-18	4.3	45
164	Regulation of NCAPG by miR-99a-3p (passenger strand) inhibits cancer cell aggressiveness and is involved in CRPC. <i>Cancer Medicine</i> , 2018 , 7, 1988-2002	4.8	44
163	A human homolog of the mitochondrial protein import receptor Mom19 can assemble with the yeast mitochondrial receptor complex. <i>FEBS Letters</i> , 1995 , 375, 307-10	3.8	44
162	Glutathione S-transferase P1 (GSTP1) suppresses cell apoptosis and its regulation by miR-133 in head and neck squamous cell carcinoma (HNSCC). <i>International Journal of Molecular Medicine</i> , 2011 , 27, 345-52	4.4	43
161	SWAP70, actin-binding protein, function as an oncogene targeting tumor-suppressive miR-145 in prostate cancer. <i>Prostate</i> , 2011 , 71, 1559-67	4.2	43
160	Regulation of spindle and kinetochore-associated protein 1 by antitumor miR-10a-5p in renal cell carcinoma. <i>Cancer Science</i> , 2017 , 108, 2088-2101	6.9	42

159	Regulation of actin-binding protein ANLN by antitumor inhibits cancer cell aggressiveness in pancreatic ductal adenocarcinoma. <i>Oncotarget</i> , 2017 , 8, 53180-53193	3.3	42
158	Regulation of E3 ubiquitin ligase-1 (WWP1) by microRNA-452 inhibits cancer cell migration and invasion in prostate cancer. <i>British Journal of Cancer</i> , 2016 , 114, 1135-44	8.7	42
157	Cloning, expression analysis, and chromosomal localization of HIP1R, an isolog of huntingtin interacting protein (HIP1). <i>Journal of Human Genetics</i> , 1998 , 43, 268-71	4.3	41
156	Actin-related protein 2/3 complex subunit 5 (ARPC5) contributes to cell migration and invasion and is directly regulated by tumor-suppressive microRNA-133a in head and neck squamous cell carcinoma. <i>International Journal of Oncology</i> , 2012 , 40, 1770-8	4.4	40
155	Identification of novel molecular targets regulated by tumor suppressive miR-1/miR-133a in maxillary sinus squamous cell carcinoma. <i>International Journal of Oncology</i> , 2011 , 39, 1099-107	4.4	40
154	Elevation of galectin-9 as an inflammatory response in the periodontal ligament cells exposed to Porphyromonas gingivalis lipopolysaccharide in vitro and in vivo. <i>International Journal of Biochemistry and Cell Biology</i> , 2005 , 37, 397-408	5.6	40
153	Differential cellular gene expression induced by hepatitis B and C viruses. <i>Biochemical and Biophysical Research Communications</i> , 2003 , 300, 443-7	3.4	40
152	Direct regulation of LAMP1 by tumor-suppressive microRNA-320a in prostate cancer. <i>International Journal of Oncology</i> , 2016 , 49, 111-22	4.4	40
151	Regulation of LOXL2 and SERPINH1 by antitumor microRNA-29a in lung cancer with idiopathic pulmonary fibrosis. <i>Journal of Human Genetics</i> , 2016 , 61, 985-993	4.3	40
150	Dual-receptor (EGFR and c-MET) inhibition by tumor-suppressive miR-1 and miR-206 in head and neck squamous cell carcinoma. <i>Journal of Human Genetics</i> , 2017 , 62, 113-121	4.3	39
149	Dual Strands of Pre-miR-149 Inhibit Cancer Cell Migration and Invasion through Targeting FOXM1 in Renal Cell Carcinoma. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	39
148	Aberrantly expressed microRNAs in bladder cancer and renal cell carcinoma. <i>Journal of Human Genetics</i> , 2017 , 62, 49-56	4.3	38
147	Identification of a novel therapeutic target for head and neck squamous cell carcinomas: a role for the neurotensin-neurotensin receptor 1 oncogenic signaling pathway. <i>International Journal of Cancer</i> , 2008 , 123, 1816-23	7.5	38
146	Gene expression profiles in liver regeneration with oval cell induction. <i>Biochemical and Biophysical Research Communications</i> , 2004 , 317, 370-6	3.4	38
145	The microRNA expression signature of pancreatic ductal adenocarcinoma by RNA sequencing: anti-tumour functions of the cluster. <i>Oncotarget</i> , 2017 , 8, 70097-70115	3.3	38
144	Dual strands of the miR-223 duplex (miR-223-5p and miR-223-3p) inhibit cancer cell aggressiveness: targeted genes are involved in bladder cancer pathogenesis. <i>Journal of Human Genetics</i> , 2018 , 63, 657-668	4.3	37
143	The microRNA signatures: aberrantly expressed microRNAs in head and neck squamous cell carcinoma. <i>Journal of Human Genetics</i> , 2017 , 62, 3-13	4.3	37
142	Regulation of TPD52 by antitumor microRNA-218 suppresses cancer cell migration and invasion in lung squamous cell carcinoma. <i>International Journal of Oncology</i> , 2016 , 49, 1870-1880	4.4	37

141	Identification of differentially expressed genes in human bladder cancer through genome-wide gene expression profiling. <i>Oncology Reports</i> , 2006 , 16, 521-31	3.5	37
140	Tumor-suppressive microRNA-206 as a dual inhibitor of MET and EGFR oncogenic signaling in lung squamous cell carcinoma. <i>International Journal of Oncology</i> , 2015 , 46, 1039-50	4.4	36
139	Novel molecular targets regulated by tumor suppressors microRNA-1 and microRNA-133a in bladder cancer. <i>International Journal of Oncology</i> , 2012 , 40, 1821-30	4.4	36
138	Serum osteopontin levels in patients with acute liver dysfunction. <i>Scandinavian Journal of Gastroenterology</i> , 2006 , 41, 102-10	2.4	36
137	Antitumor miR-150-5p and miR-150-3p inhibit cancer cell aggressiveness by targeting SPOCK1 in head and neck squamous cell carcinoma. <i>Auris Nasus Larynx</i> , 2018 , 45, 854-865	2.2	36
136	Changes in X-ray sensitivity of mouse eggs from fertilization to the early pronuclear stage, and their repair capacity. <i>International Journal of Radiation Biology</i> , 1989 , 55, 233-56	2.9	35
135	Regulation of HMGB3 by antitumor miR-205-5p inhibits cancer cell aggressiveness and is involved in prostate cancer pathogenesis. <i>Journal of Human Genetics</i> , 2018 , 63, 195-205	4.3	34
134	Relevance network between chemosensitivity and transcriptome in human hepatoma cells. <i>Molecular Cancer Therapeutics</i> , 2003 , 2, 199-205	6.1	34
133	Restoration of miR-517a expression induces cell apoptosis in bladder cancer cell lines. <i>Oncology Reports</i> , 2011 , 25, 1661-8	3.5	33
132	Impact of novel oncogenic pathways regulated by antitumor miR-451a in renal cell carcinoma. <i>Cancer Science</i> , 2018 , 109, 1239-1253	6.9	32
131	The functional significance of microRNA-375 in human squamous cell carcinoma: aberrant expression and effects on cancer pathways. <i>Journal of Human Genetics</i> , 2012 , 57, 556-63	4.3	32
130	Passenger strand of miR-145-3p acts as a tumor-suppressor by targeting MYO1B in head and neck squamous cell carcinoma. <i>International Journal of Oncology</i> , 2018 , 52, 166-178	4.4	30
129	Spermatogonia-dependent expression of testicular genes in mice. <i>Developmental Biology</i> , 2002 , 246, 466-79	3.1	30
128	Molecular pathogenesis of triple-negative breast cancer based on microRNA expression signatures: antitumor miR-204-5p targets AP1S3. <i>Journal of Human Genetics</i> , 2018 , 63, 1197-1210	4.3	30
127	Dual strands of pre-miR-150 (miR-150-5p and miR-150-3p) act as antitumor miRNAs targeting SPOCK1 in naïve and castration-resistant prostate cancer. <i>International Journal of Oncology</i> , 2017 , 51, 245-256	4.4	29
126	Characterization of functional domains of an embryonic stem cell coactivator UTF1 which are conserved and essential for potentiation of ATF-2 activity. <i>Journal of Biological Chemistry</i> , 1998 , 273, 25840-9	5.4	29
125	Isolation, tissue expression, and chromosomal assignment of a human LIM protein gene, showing homology to rat enigma homologue (ENH). <i>Journal of Human Genetics</i> , 1999 , 44, 256-60	4.3	29
124	ZFP36L2 promotes cancer cell aggressiveness and is regulated by antitumor microRNA-375 in pancreatic ductal adenocarcinoma. <i>Cancer Science</i> , 2017 , 108, 124-135	6.9	28

123	Identification of sonic hedgehog-responsive genes using cDNA microarray. <i>Biochemical and Biophysical Research Communications</i> , 2001 , 289, 472-8	3.4	28
122	The tumor-suppressive microRNA-23b/27b cluster regulates the MET oncogene in oral squamous cell carcinoma. <i>International Journal of Oncology</i> , 2016 , 49, 1119-29	4.4	28
121	Identification of molecular targets in head and neck squamous cell carcinomas based on genome-wide gene expression profiling. <i>Oncology Reports</i> , 2007 , 18, 1489-97	3.5	28
120	RNA-sequence-based microRNA expression signature in breast cancer: tumor-suppressive miR-101-5p regulates molecular pathogenesis. <i>Molecular Oncology</i> , 2020 , 14, 426-446	7.9	27
119	Increased infectivity of adenovirus type 5 bearing type 11 or type 35 fibers to human esophageal and oral carcinoma cells. <i>Oncology Reports</i> , 2005 , 14, 831-5	3.5	27
118	NOLP: identification of a novel human nucleolar protein and determination of sequence requirements for its nucleolar localization. <i>Biochemical and Biophysical Research Communications</i> , 1998 , 252, 97-102	3.4	26
117	Comparative genome mapping of the ataxia-telangiectasia region in mouse, rat, and Syrian hamster. <i>Genomics</i> , 1996 , 34, 347-52	4.3	26
116	Identification of the p33(ING1)-regulated genes that include cyclin B1 and proto-oncogene DEK by using cDNA microarray in a mouse mammary epithelial cell line NMuMG. <i>Cancer Research</i> , 2002 , 62, 2203-9	10.1	26
115	S100A11 gene identified by in-house cDNA microarray as an accurate predictor of lymph node metastases of gastric cancer. <i>Oncology Reports</i> , 2004 , 11, 1287-93	3.5	26
114	Increased SKP2 and CKS1 gene expression contributes to the progression of human urothelial carcinoma. <i>Journal of Urology</i> , 2007 , 178, 301-7	2.5	25
113	Orthologues of the <i>Caenorhabditis elegans</i> longevity gene <i>clk-1</i> in mouse and human. <i>Genomics</i> , 1999 , 58, 293-301	4.3	25
112	Dual strands of the miR-145 duplex (miR-145-5p and miR-145-3p) regulate oncogenes in lung adenocarcinoma pathogenesis. <i>Journal of Human Genetics</i> , 2018 , 63, 1015-1028	4.3	24
111	Regulation of SPOCK1 by dual strands of pre-miR-150 inhibit cancer cell migration and invasion in esophageal squamous cell carcinoma. <i>Journal of Human Genetics</i> , 2017 , 62, 935-944	4.3	24
110	MicroRNA-205 inhibits cancer cell migration and invasion via modulation of centromere protein F regulating pathways in prostate cancer. <i>International Journal of Urology</i> , 2015 , 22, 867-77	2.3	24
109	Lin-7C/VELI3/MALS-3: an essential component in metastasis of human squamous cell carcinoma. <i>Cancer Research</i> , 2007 , 67, 9643-8	10.1	24
108	Cloning of cDNA encoding a regeneration-associated muscle protease whose expression is attenuated in cell lines derived from Duchenne muscular dystrophy patients. <i>American Journal of Pathology</i> , 2004 , 164, 1773-82	5.8	24
107	Localization of the genes for the 100-kDa complement-activating components of Ra-reactive factor (CRARF and Crarf) to human 3q27-q28 and mouse 16B2-B3. <i>Genomics</i> , 1995 , 25, 757-9	4.3	24
106	Involvement of anti-tumor and its targets in the pathogenesis of pancreatic ductal adenocarcinoma: direct regulation of and by. <i>Oncotarget</i> , 2018 , 9, 28849-28865	3.3	24

105	Involvement of Dual Strands of (and) and Their Target Oncogenes in the Molecular Pathogenesis of Lung Adenocarcinoma. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	23
104	Aberrantly expressed PLOD1 promotes cancer aggressiveness in bladder cancer: a potential prognostic marker and therapeutic target. <i>Molecular Oncology</i> , 2019 , 13, 1898-1912	7.9	23
103	Molecular pathogenesis of pancreatic ductal adenocarcinoma: Impact of passenger strand of pre-miR-148a on gene regulation. <i>Cancer Science</i> , 2018 , 109, 2013-2026	6.9	22
102	Involvement of aberrantly expressed microRNAs in the pathogenesis of head and neck squamous cell carcinoma. <i>Cancer and Metastasis Reviews</i> , 2017 , 36, 525-545	9.6	22
101	Upregulation of topoisomerase IIalpha expression in advanced gallbladder carcinoma: a potential chemotherapeutic target. <i>Journal of Cancer Research and Clinical Oncology</i> , 2008 , 134, 793-801	4.9	22
100	Involvement of dual-strand of the miR-144 duplex and their targets in the pathogenesis of lung squamous cell carcinoma. <i>Cancer Science</i> , 2019 , 110, 420-432	6.9	22
99	Identification of methylation-silenced genes in colorectal cancer cell lines: genomic screening using oligonucleotide arrays. <i>Scandinavian Journal of Gastroenterology</i> , 2007 , 42, 1486-94	2.4	21
98	Isolation and chromosomal mapping of a novel human gene showing homology to Na ⁺ /PO ₄ cotransporter. <i>Journal of Human Genetics</i> , 1999 , 44, 190-2	4.3	21
97	NF-kappaB and ERK-signaling pathways contribute to the gene expression induced by cag PAI-positive-Helicobacter pylori infection. <i>World Journal of Gastroenterology</i> , 2005 , 11, 6134-43	5.6	21
96	Molecular pathogenesis of renal cell carcinoma: Impact of the anti-tumor miR-29 family on gene regulation. <i>International Journal of Urology</i> , 2018 , 25, 953-965	2.3	21
95	Regulation of metastasis-promoting LOXL2 gene expression by antitumor microRNAs in prostate cancer. <i>Journal of Human Genetics</i> , 2017 , 62, 123-132	4.3	20
94	Gene regulation by antitumor miR-130b-5p in pancreatic ductal adenocarcinoma: the clinical significance of oncogenic EPS8. <i>Journal of Human Genetics</i> , 2019 , 64, 521-534	4.3	20
93	Characterization of a human homolog (BACH1) of the mouse Bach1 gene encoding a BTB-basic leucine zipper transcription factor and its mapping to chromosome 21q22.1. <i>Genomics</i> , 1998 , 47, 300-6	4.3	20
92	Cloning, tissue expression, and chromosomal assignment of human MRJ gene for a member of the DNAJ protein family. <i>Journal of Human Genetics</i> , 1999 , 44, 185-9	4.3	20
91	Molecular Pathogenesis of Gene Regulation by the Duplex: Regulates in Lung Adenocarcinoma. <i>Cancers</i> , 2019 , 11,	6.6	19
90	Toxicogenomic effects of neonatal exposure to diethylstilbestrol on mouse testicular gene expression in the long term: a study using cDNA microarray analysis. <i>Molecular Reproduction and Development</i> , 2002 , 63, 17-23	2.6	19
89	Structure and chromosomal localization of the aminomethyltransferase gene (AMT). <i>Genomics</i> , 1994 , 19, 27-30	4.3	19
88	Expression profiling of liver cell lines expressing entire or parts of hepatitis C virus open reading frame. <i>Hepatology</i> , 2002 , 36, 1431-8	11.2	19

87	Real-Time GFP Intravital Imaging of the Differences in Cellular and Angiogenic Behavior of Subcutaneous and Orthotopic Nude-Mouse Models of Human PC-3 Prostate Cancer. <i>Journal of Cellular Biochemistry</i> , 2016 , 117, 2546-51	4.7	19
86	Regulation of Oncogenic Targets by (Passenger Strand of Duplex) in Head and Neck Squamous Cell Carcinoma. <i>Cells</i> , 2019 , 8,	7.9	19
85	Pirin: a potential novel therapeutic target for castration-resistant prostate cancer regulated by miR-455-5p. <i>Molecular Oncology</i> , 2019 , 13, 322-337	7.9	19
84	Anti-tumor roles of both strands of the duplex: their targets and are involved in the pathogenesis of renal cell carcinoma. <i>Oncotarget</i> , 2018 , 9, 26638-26658	3.3	19
83	Regulation of by Antitumor Inhibits Cancer Cell Aggressiveness Features in Lung Squamous Cell Carcinoma. <i>Cancers</i> , 2019 , 11,	6.6	18
82	Two-peaked synchronization in day/night expression rhythms of the fibrinogen gene cluster in the mouse liver. <i>Journal of Biological Chemistry</i> , 2003 , 278, 30450-7	5.4	18
81	Heritable unstable DNA sequences and hypermethylation associated with fragile X syndrome in Japanese families. <i>Clinical Genetics</i> , 1993 , 43, 34-8	4	18
80	Gene Regulation by Antitumor in Pancreatic Ductal Adenocarcinoma: The Clinical Significance of Direct RACGAP1 Regulation. <i>Cancers</i> , 2019 , 11,	6.6	17
79	The tumor-suppressive microRNA-1/133a cluster targets PDE7A and inhibits cancer cell migration and invasion in endometrial cancer. <i>International Journal of Oncology</i> , 2015 , 47, 325-34	4.4	17
78	Identification and characterization of human ZNF274 cDNA, which encodes a novel kruppel-type zinc-finger protein having nucleolar targeting ability. <i>Genomics</i> , 2000 , 65, 75-80	4.3	17
77	Inhibition of integrin α -mediated oncogenic signalling by the antitumor family in head and neck squamous cell carcinoma. <i>Oncotarget</i> , 2018 , 9, 3663-3676	3.3	17
76	CpG hypermethylation of human four-and-a-half LIM domains 1 contributes to migration and invasion activity of human bladder cancer. <i>International Journal of Molecular Medicine</i> , 2010 , 26, 241-7	4.4	16
75	The structure and organization of the human NPAT gene. <i>Genomics</i> , 1997 , 42, 388-92	4.3	16
74	Isolation, tissue expression, and chromosomal assignment of a novel human gene which encodes a protein with RING finger motif. <i>Journal of Human Genetics</i> , 1998 , 43, 272-4	4.3	16
73	Expression profiling of liver cell lines expressing entire or parts of hepatitis C virus open reading frame. <i>Hepatology</i> , 2002 , 36, 1431-1438	11.2	16
72	A novel human gene whose product shares significant homology with the bovine brain-specific protein p25 on chromosome 5p15.3. <i>Journal of Human Genetics</i> , 1999 , 44, 121-2	4.3	16
71	Identification of candidate radioresistant genes in human squamous cell carcinoma cells through gene expression analysis using DNA microarrays. <i>Oncology Reports</i> , 2005 , 14, 1293-8	3.5	16
70	Downregulation of matrix metalloproteinase 14 by the antitumor miRNA, miR-150-5p, inhibits the aggressiveness of lung squamous cell carcinoma cells. <i>International Journal of Oncology</i> , 2018 , 52, 913-924	4.4	15

69	Sequential gene expression changes in cancer cell lines after treatment with the demethylation agent 5-Aza-2Sdeoxycytidine. <i>Cancer</i> , 2006 , 106, 2514-25	6.4	15
68	Identification and characterization of novel and unknown mouse epididymis-specific genes by complementary DNA microarray technology. <i>Biology of Reproduction</i> , 2006 , 75, 462-8	3.9	15
67	Identification of candidate genes for Sjögren's syndrome using MRL/lpr mouse model of Sjögren's syndrome and cDNA microarray analysis. <i>Immunology Letters</i> , 2002 , 81, 171-6	4.1	15
66	Identification of the human ERK gene as a putative receptor tyrosine kinase and its chromosomal localization to 1p36.1: a comparative mapping of human, mouse, and rat chromosomes. <i>Genomics</i> , 1995 , 26, 382-4	4.3	15
65	Establishment and gene analysis of a cisplatin-resistant cell line, Sa-3R, derived from oral squamous cell carcinoma. <i>Oncology Reports</i> , 2005 , 13, 709-14	3.5	15
64	Gene expression pattern in oral cancer cervical lymph node metastasis. <i>Oncology Reports</i> , 2006 , 16, 1009-14	3.5	15
63	RNA sequencing-based microRNA expression signature in esophageal squamous cell carcinoma: oncogenic targets by antitumor miR-143-5p and miR-143-3p regulation. <i>Journal of Human Genetics</i> , 2020 , 65, 1019-1034	4.3	14
62	Molecular pathogenesis of interstitial cystitis based on microRNA expression signature: miR-320 family-regulated molecular pathways and targets. <i>Journal of Human Genetics</i> , 2018 , 63, 543-554	4.3	14
61	Analysis of the methylation status of genes up-regulated by the demethylating agent, 5-aza-2Sdeoxycytidine, in esophageal squamous cell carcinoma. <i>Oncology Reports</i> , 2008 , 20, 405-12	3.5	14
60	Replisome genes regulation by antitumor miR-101-5p in clear cell renal cell carcinoma. <i>Cancer Science</i> , 2020 , 111, 1392-1406	6.9	13
59	GLUT1 is highly expressed in cementoblasts but not in osteoblasts. <i>Connective Tissue Research</i> , 2005 , 46, 117-24	3.3	13
58	Arpc1b gene is a candidate prediction marker for choroidal malignant melanomas sensitive to radiotherapy. <i>Investigative Ophthalmology and Visual Science</i> , 2006 , 47, 2300-4		13
57	Molecular Pathogenesis of Pancreatic Ductal Adenocarcinoma: Impact of and Regulation on Oncogenic Genes. <i>Cancers</i> , 2020 , 12,	6.6	13
56	Cytoskeleton-associated protein 2 is a potential predictive marker for risk of early and extensive recurrence of hepatocellular carcinoma after operative resection. <i>Surgery</i> , 2014 , 155, 114-23	3.6	12
55	An mRNA amplification procedure with directional cDNA cloning and strand-specific cRNA synthesis for comprehensive gene expression analysis. <i>Genomics</i> , 2004 , 84, 715-29	4.3	12
54	Microdissection and microcloning of genomic DNA markers from human chromosomal region 11q23. <i>Genomics</i> , 1993 , 16, 169-72	4.3	12
53	WISP-2 expression in human salivary gland tumors. <i>International Journal of Molecular Medicine</i> , 2006 , 17, 567-73	4.4	12
52	Expression of ABCB6 is related to resistance to 5-FU, SN-38 and vincristine. <i>Anticancer Research</i> , 2014 , 34, 4767-73	2.3	12

51	DPC4 splice variants in neuroblastoma. <i>Cancer Letters</i> , 1998 , 122, 187-93	9.9	11
50	Up-regulation of genes for oxidative phosphorylation and protein turnover in diabetic mouse retina. <i>Experimental Eye Research</i> , 2006 , 83, 849-57	3.7	11
49	Isolation and characterization of murine orthologue of PTP-BK. <i>Biochemical and Biophysical Research Communications</i> , 2000 , 276, 974-81	3.4	11
48	Micro-ribonucleic acid expression signature of metastatic castration-resistant prostate cancer: Regulation of NCAPH by antitumor miR-199a/b-3p. <i>International Journal of Urology</i> , 2019 , 26, 506-520	2.3	10
47	Structure, expression profile, and chromosomal location of a mouse gene homologous to human DNA-PKcs interacting protein (KIP) gene. <i>Mammalian Genome</i> , 1999 , 10, 315-7	3.2	10
46	Cloning, expression analysis, and chromosomal localization of a novel butyrophilin-like receptor. <i>Journal of Human Genetics</i> , 1999 , 44, 249-52	4.3	10
45	Chromosome mapping of human (ZNF179), mouse, and rat genes for brain finger protein (bfp), a member of the RING finger family. <i>Genomics</i> , 1996 , 33, 325-7	4.3	10
44	Role of pre- (and) in regulation of gene expression and molecular pathogenesis in renal cell carcinoma. <i>American Journal of Clinical and Experimental Urology</i> , 2019 , 7, 11-30	1.6	10
43	Molecular pathogenesis of esophageal squamous cell carcinoma: Identification of the antitumor effects of miR-145-3p on gene regulation. <i>International Journal of Oncology</i> , 2019 , 54, 673-688	4.4	10
42	Identification of genes associated with multiple nodules in hepatocellular carcinoma using cDNA microarray: multicentric occurrence or intrahepatic metastasis?. <i>Hepato-Gastroenterology</i> , 2008 , 55, 865-72		10
41	Chromosomal assignment of the gene for human DNA-PKcs interacting protein (KIP) on chromosome 15q25.3-q26.1 by somatic hybrid analysis and fluorescence in situ hybridization. <i>Journal of Human Genetics</i> , 1998 , 43, 275-7	4.3	9
40	Activation of genes for growth factor and cytokine pathways late in chondrogenic differentiation of ATDC5 cells. <i>Genomics</i> , 2006 , 88, 52-64	4.3	9
39	In-house cDNA microarray analysis of gene expression profiles involved in SCC cell lines. <i>International Journal of Molecular Medicine</i> , 2003 , 12, 429-35	4.4	9
38	Gene expressions associated with chemosensitivity in human hepatoma cells. <i>Hepato-Gastroenterology</i> , 2007 , 54, 489-92		9
37	Regulation of aberrantly expressed SERPINH1 by antitumor miR-148a-5p inhibits cancer cell aggressiveness in gastric cancer. <i>Journal of Human Genetics</i> , 2020 , 65, 647-656	4.3	8
36	A commentary on MicroRNA-141 confers resistance to cisplatin-induced apoptosis by targeting YAP1 in human esophageal squamous cell carcinoma. <i>Journal of Human Genetics</i> , 2011 , 56, 339-40	4.3	8
35	Gene expression profiling of polymorphonuclear leukocytes treated with the culture filtrate of <i>Aspergillus fumigatus</i> and gliotoxin. <i>Microbiology and Immunology</i> , 2007 , 51, 407-19	2.7	8
34	Isolation and chromosomal assignment of human genes encoding cofactor of LIM homeodomain proteins, CLIM1 and CLIM2. <i>Journal of Human Genetics</i> , 1999 , 44, 112-5	4.3	8

33	Changes in the distribution of filipin-sterol complexes in the boar sperm head plasma membrane during epididymal maturation and in the uterus. <i>The Anatomical Record</i> , 1992 , 232, 221-30		8
32	The secretogranin II gene is a signal integrator of glutamate and dopamine inputs. <i>Journal of Neurochemistry</i> , 2014 , 128, 233-45	6	7
31	Optimization of a microRNA expression vector for function analysis of microRNA. <i>Journal of Controlled Release</i> , 2011 , 150, 94-101	11.7	7
30	Complementary DNA cloning and chromosomal mapping of a novel phosphatidylinositol kinase gene. <i>DNA Research</i> , 1997 , 4, 301-5	4.5	7
29	Microarray analysis of the genes induced by tetracycline-regulated expression of NDRF/NeuroD2 in P19 cells. <i>Biochemical and Biophysical Research Communications</i> , 2005 , 335, 458-68	3.4	7
28	Isolation and chromosomal assignment of a human gene encoding protein inhibitor of activated STAT3 (PIAS3). <i>Journal of Human Genetics</i> , 1999 , 44, 193-6	4.3	7
27	Rapid preparation of diagnostic probes for the fragile X syndrome by direct PCR amplification of human chromosomal DNA. <i>Japanese Journal of Human Genetics</i> , 1992 , 37, 195-203		7
26	Isolation and characterization of arsenite-resistant human epidermoid carcinoma KB cells. <i>Oncology Reports</i> , 2007 , 18, 721-7	3.5	7
25	A distamycin A-inducible fragile site, FRA8E, located in the region of the hereditary multiple exostoses gene, is not involved in HPV16 DNA integration and amplification. <i>Cancer Genetics and Cytogenetics</i> , 1998 , 101, 24-34		6
24	: A Novel Oncogenic Target of Lung Adenocarcinoma Regulated by Both Strands of (and). <i>Cells</i> , 2020 , 9,	7.9	6
23	Molecular Pathogenesis and Regulation of the -Family: Involvement of and in Intra-Hepatic Cholangiocarcinoma. <i>Cancers</i> , 2021 , 13,	6.6	6
22	Identification of Tumor Suppressive Genes Regulated by and in Head and Neck Squamous Cell Carcinoma. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	6
21	Integrated analysis of expression and genome alteration reveals putative amplified target genes in esophageal cancer. <i>Oncology Reports</i> , 2007 , 18, 465-72	3.5	5
20	Prenatal diagnosis of fragile X syndrome by direct detection of the dynamic mutation due to an unstable DNA sequence. <i>Clinical Genetics</i> , 1993 , 44, 169-72	4	4
19	Comparing gene expression profiles in human liver, gastric, and pancreatic tissues using full-length-enriched cDNA libraries. <i>Hepatology Research</i> , 2003 , 27, 76-82	5.1	4
18	The human regulator of G-protein signaling protein 6 gene (RGS6) maps between markers WI-5202 and D14S277 on chromosome 14q24.3. <i>Journal of Human Genetics</i> , 1999 , 44, 138-40	4.3	4
17	Chromosomal assignment of a human apoptosis-associated tyrosine kinase gene on chromosome 17q25.3 by somatic hybrid analysis and fluorescence in situ hybridization. <i>Journal of Human Genetics</i> , 1999 , 44, 141-2	4.3	4
16	The human CHC1 gene encoding RCC1 (regulator of chromosome condensation) (CHC1) is localized to human chromosome 1p36.1. <i>Genomics</i> , 1994 , 23, 719-21	4.3	4

15	Regulation of Oncogenic Targets by the Tumor-Suppressive Duplex (and) in Renal Cell Carcinoma. <i>Biomedicines</i> , 2020 , 8,	4.8	4
14	Molecular Signature of Small Cell Lung Cancer after Treatment Failure: The Complex as Therapeutic Target. <i>Cancers</i> , 2021 , 13,	6.6	4
13	Real Time Metastatic Route Tracking of Orthotopic PC-3-GFP Human Prostate Cancer Using Intravital Imaging. <i>Journal of Cellular Biochemistry</i> , 2016 , 117, 1027-32	4.7	4
12	Altered gene expression by cisplatin in a human squamous cell lung carcinoma cell line. <i>Anticancer Research</i> , 2007 , 27, 3235-43	2.3	4
11	Chromosome abnormalities and rare fragile sites detected in azoospermia patients. <i>Japanese Journal of Human Genetics</i> , 1992 , 37, 215-22		3
10	Role of miR-30a-3p Regulation of Oncogenic Targets in Pancreatic Ductal Adenocarcinoma Pathogenesis. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	3
9	Sequence tagged sites of microclones obtained by microdissection of a human chromosomal region 11q23 and isolation of yeast artificial chromosomes. <i>Japanese Journal of Human Genetics</i> , 1994 , 39, 249-54		2
8	DNA Methylation and Dysregulation of miRNA in Cancer. <i>Cancer Drug Discovery and Development</i> , 2017 , 281-296	0.3	1
7	Efficient subtractive cloning of genes activated by lipopolysaccharide and interferon γ in primary-cultured cortical cells of newborn mice. <i>PLoS ONE</i> , 2013 , 8, e79236	3.7	1
6	Molecular pathogenesis of breast cancer: impact of miR-99a-5p and miR-99a-3p regulation on oncogenic genes. <i>Journal of Human Genetics</i> , 2021 , 66, 519-534	4.3	1
5	Impact of Oncogenic Targets by Tumor-Suppressive and Regulation in Head and Neck Squamous Cell Carcinoma. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	1
4	Comparative genomic hybridization reveals frequent losses of 1p and 3q in benign pheochromocytomas of Japanese patients. <i>Cancer Genetics and Cytogenetics</i> , 2007 , 175, 169-72		0
3	Impact of Oncogenic Targets Controlled by Tumor-Suppressive in Pancreatic Ductal Adenocarcinoma. <i>Anticancer Research</i> , 2021 , 41, 4821-4836	2.3	0
2	Genomic structure of mouse and human genes for DNA-PKcs interacting protein (KIP). <i>DNA Sequence</i> , 2000 , 10, 415-8		
1	Transcriptional Mediator Subunit MED1/TRAP220 Acts in Stromal Cells to Support Hematopoietic Stem/Progenitor Cells through Coactivation of Osteopontin Transcription.. <i>Blood</i> , 2009 , 114, 250-250	2.2	