

# Zhenhuan Li

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9447850/publications.pdf>

Version: 2024-02-01

19  
papers

799  
citations

623734

14  
h-index

839539

18  
g-index

19  
all docs

19  
docs citations

19  
times ranked

858  
citing authors

#	ARTICLE	IF	CITATIONS
1	Herbal residue-derived N, P co-doped porous hollow carbon spheres as high-performance electrocatalysts for oxygen reduction reaction under both alkaline and acidic conditions. <i>Microporous and Mesoporous Materials</i> , 2022, 329, 111556.	4.4	5
2	2,5-Furandicarboxylic acid based polyamide membrane. <i>Journal of Membrane Science</i> , 2022, 652, 120488.	8.2	0
3	Co/Co@N/Co-O Rooted on rGO Hybrid BCN Nanotube Arrays as Efficient Oxygen Electrocatalyst for Zn@Air Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 17249-17258.	8.0	21
4	Highly Dispersed Co-, N-, S-Doped Topological Defect-Rich Hollow Carbon Nanoboxes as Superior Bifunctional Oxygen Electrocatalysts for Rechargeable Zn@Air Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 25427-25438.	8.0	10
5	Rational design of hollow oxygen deficiency-enriched NiFe <sub>2</sub> O <sub>4</sub> @N/rGO as bifunctional electrocatalysts for overall water splitting. <i>Journal of Energy Chemistry</i> , 2021, 54, 595-603.	12.9	52
6	Robust Graphene@PPS Fibrous Membrane for Harsh Environmental Oil/Water Separation and All-Weather Cleanup of Crude Oil Spill by Joule Heat and Photothermal Effect. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 19377-19386.	8.0	98
7	In-situ transformation obtained defect-rich porous hollow CuO@CoZn-LDH nanoarrays as self-supported electrode for highly efficient overall water splitting. <i>Chemical Engineering Journal</i> , 2021, 414, 128809.	12.7	64
8	Fe@NxC sites decorated porous carbon nanorods with huge specific surface area boost oxygen reduction catalysis for Zn-air batteries. <i>Journal of Alloys and Compounds</i> , 2021, 868, 159015.	5.5	16
9	Advanced Trifunctional Electrocatalysis with Cu-, N-, S-Doped Defect-Rich Porous Carbon for Rechargeable Zn@Air Batteries and Self-Driven Water Splitting. <i>ACS Sustainable Chemistry and Engineering</i> , 2021, 9, 13324-13336.	6.7	36
10	NGO/PA layer with disordered arrangement hybrid PPS composite membrane for desalination. <i>Desalination</i> , 2020, 479, 114211.	8.2	11
11	Bio-inspired robust superhydrophobic-superoleophilic polyphenylene sulfide membrane for efficient oil/water separation under highly acidic or alkaline conditions. <i>Journal of Hazardous Materials</i> , 2019, 373, 11-22.	12.4	95
12	Nitrogen and fluorine hybridization state tuning in hierarchical honeycomb-like carbon nanofibers for optimized electrocatalytic ORR in alkaline and acidic electrolytes. <i>Journal of Power Sources</i> , 2019, 413, 376-383.	7.8	52
13	Preparation, characterization of PPS micro-porous membranes and their excellent performance in vacuum membrane distillation. <i>Journal of Membrane Science</i> , 2018, 556, 107-117.	8.2	39
14	Mussel-inspired modification of PPS membrane to separate and remove the dyes from the wastewater. <i>Chemical Engineering Journal</i> , 2018, 341, 371-382.	12.7	131
15	A Superhydrophilic and Anti-Biofouling Polyphenylene Sulfide Microporous Membrane with Quaternary Ammonium Salts. <i>Macromolecular Research</i> , 2018, 26, 800-807.	2.4	5
16	Preparation of a polyphenylene sulfide membrane from a ternary polymer/solvent/non-solvent system by thermally induced phase separation. <i>RSC Advances</i> , 2017, 7, 10503-10516.	3.6	44
17	Effects of hydrogen bonding between MWCNT and PPS on the properties of PPS/MWCNT composites. <i>RSC Advances</i> , 2016, 6, 92378-92386.	3.6	17
18	Selective oxidation of 5-hydroxymethylfurfural with H <sub>2</sub> O <sub>2</sub> catalyzed by a molybdenum complex. <i>Green Chemistry</i> , 2016, 18, 2122-2128.	9.0	63

#	ARTICLE	IF	CITATIONS
19	Furan-based co-polyesters with enhanced thermal properties: poly(1,4-butylene-co-1,4-cyclohexanedimethylene-2,5-furandicarboxylic acid). RSC Advances, 2016, 6, 27632-27639.	3.6	40