

Roland Foisner

List of Publications by Citations

Source: <https://exaly.com/author-pdf/9447955/roland-foisner-publications-by-citations.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

75
papers

6,671
citations

40
h-index

81
g-index

86
ext. papers

7,434
ext. citations

7.6
avg, IF

5.96
L-index

#	Paper	IF	Citations
75	DeltaEF1 is a transcriptional repressor of E-cadherin and regulates epithelial plasticity in breast cancer cells. <i>Oncogene</i> , 2005 , 24, 2375-85	9.2	609
74	LBR and lamin A/C sequentially tether peripheral heterochromatin and inversely regulate differentiation. <i>Cell</i> , 2013 , 152, 584-98	56.2	541
73	Integral membrane proteins of the nuclear envelope interact with lamins and chromosomes, and binding is modulated by mitotic phosphorylation. <i>Cell</i> , 1993 , 73, 1267-79	56.2	451
72	Lamins: nuclear intermediate filament proteins with fundamental functions in nuclear mechanics and genome regulation. <i>Annual Review of Biochemistry</i> , 2015 , 84, 131-64	29.1	339
71	The inner nuclear membrane protein Sun1 mediates the anchorage of Nesprin-2 to the nuclear envelope. <i>Journal of Cell Science</i> , 2005 , 118, 3419-30	5.3	333
70	E-cadherin regulates cell growth by modulating proliferation-dependent beta-catenin transcriptional activity. <i>Journal of Cell Biology</i> , 2001 , 154, 1185-96	7.3	277
69	Molecular aspects of epithelial cell plasticity: implications for local tumor invasion and metastasis. <i>Mutation Research - Reviews in Mutation Research</i> , 2004 , 566, 9-20	7	245
68	Lamin A/C binding protein LAP2alpha is required for nuclear anchorage of retinoblastoma protein. <i>Molecular Biology of the Cell</i> , 2002 , 13, 4401-13	3.5	208
67	Lamin-binding Proteins. <i>Cold Spring Harbor Perspectives in Biology</i> , 2010 , 2, a000554	10.2	196
66	Epithelial mesenchymal transition by c-Fos estrogen receptor activation involves nuclear translocation of beta-catenin and upregulation of beta-catenin/lymphoid enhancer binding factor-1 transcriptional activity. <i>Journal of Cell Biology</i> , 2000 , 148, 173-88	7.3	180
65	Lamins at the crossroads of mechanosignaling. <i>Genes and Development</i> , 2015 , 29, 225-37	12.6	159
64	LAP2alpha and BAF transiently localize to telomeres and specific regions on chromatin during nuclear assembly. <i>Journal of Cell Science</i> , 2004 , 117, 6117-28	5.3	151
63	Thymopoietin (lamina-associated polypeptide 2) gene mutation associated with dilated cardiomyopathy. <i>Human Mutation</i> , 2005 , 26, 566-74	4.7	148
62	Proteins that associate with lamins: many faces, many functions. <i>Experimental Cell Research</i> , 2007 , 313, 2167-79	4.2	139
61	Barrier-to-autointegration factor--a BAFFling little protein. <i>Trends in Cell Biology</i> , 2007 , 17, 202-8	18.3	135
60	Review: lamina-associated polypeptide 2 isoforms and related proteins in cell cycle-dependent nuclear structure dynamics. <i>Journal of Structural Biology</i> , 2000 , 129, 335-45	3.4	132
59	Lamina-associated polypeptide 2alpha regulates cell cycle progression and differentiation via the retinoblastoma-E2F pathway. <i>Journal of Cell Biology</i> , 2006 , 173, 83-93	7.3	129

58	Loss of nucleoplasmic LAP2alpha-lamin A complexes causes erythroid and epidermal progenitor hyperproliferation. <i>Nature Cell Biology</i> , 2008 , 10, 1341-8	23.4	120
57	A-type lamins bind both hetero- and euchromatin, the latter being regulated by lamina-associated polypeptide 2 alpha. <i>Genome Research</i> , 2016 , 26, 462-73	9.7	119
56	LEM2 is a novel MAN1-related inner nuclear membrane protein associated with A-type lamins. <i>Journal of Cell Science</i> , 2005 , 118, 5797-810	5.3	106
55	Nucleoplasmic LAP2alpha-lamin A complexes are required to maintain a proliferative state in human fibroblasts. <i>Journal of Cell Biology</i> , 2007 , 176, 163-72	7.3	102
54	Lamins in the nuclear interior - life outside the lamina. <i>Journal of Cell Science</i> , 2017 , 130, 2087-2096	5.3	96
53	Evolution of LEM proteins as chromatin tethers at the nuclear periphery. <i>Biochemical Society Transactions</i> , 2011 , 39, 1735-41	5.1	93
52	Breaking and making of the nuclear envelope. <i>Journal of Cellular Biochemistry</i> , 2005 , 95, 454-65	4.7	85
51	A-type lamin complexes and regenerative potential: a step towards understanding laminopathic diseases?. <i>Histochemistry and Cell Biology</i> , 2006 , 125, 33-41	2.4	81
50	Lamins and lamin-associated proteins in aging and disease. <i>Current Opinion in Cell Biology</i> , 2007 , 19, 298-304		76
49	Molecular insights into the premature aging disease progeria. <i>Histochemistry and Cell Biology</i> , 2016 , 145, 401-17	2.4	74
48	Nucleoplasmic lamins and their interaction partners, LAP2alpha, Rb, and BAF, in transcriptional regulation. <i>FEBS Journal</i> , 2007 , 274, 1362-73	5.7	72
47	The transcription factor ZEB1 (deltaEF1) represses Plakophilin 3 during human cancer progression. <i>FEBS Letters</i> , 2007 , 581, 1617-24	3.8	72
46	Dynamic organisation of intermediate filaments and associated proteins during the cell cycle. <i>BioEssays</i> , 1997 , 19, 297-305	4.1	65
45	Functional diversity of LAP2alpha and LAP2beta in postmitotic chromosome association is caused by an alpha-specific nuclear targeting domain. <i>EMBO Journal</i> , 1999 , 18, 6370-84	13	65
44	Lamina-associated polypeptide (LAP)2 and nucleoplasmic lamins in adult stem cell regulation and disease. <i>Seminars in Cell and Developmental Biology</i> , 2014 , 29, 116-24	7.5	54
43	Inhibition of lamin A/C attenuates osteoblast differentiation and enhances RANKL-dependent osteoclastogenesis. <i>Journal of Bone and Mineral Research</i> , 2009 , 24, 78-86	6.3	50
42	Lamin complexes in the nuclear interior control progenitor cell proliferation and tissue homeostasis. <i>Cell Cycle</i> , 2009 , 8, 1488-93	4.7	47
41	Cell cycle dynamics of the nuclear envelope. <i>Scientific World Journal, The</i> , 2003 , 3, 1-20	2.2	46

40	Endothelial progerin expression causes cardiovascular pathology through an impaired mechanoreponse. <i>Journal of Clinical Investigation</i> , 2019 , 129, 531-545	15.9	46
39	Differential nuclear localization and nuclear matrix association of the splicing factors PSF and PTB. <i>Journal of Cellular Biochemistry</i> , 2000 , 76, 559-566	4.7	45
38	Proliferation of progeria cells is enhanced by lamina-associated polypeptide 2 (LAP2) through expression of extracellular matrix proteins. <i>Genes and Development</i> , 2015 , 29, 2022-36	12.6	44
37	Distinct functions of the unique C terminus of LAP2alpha in cell proliferation and nuclear assembly. <i>Journal of Biological Chemistry</i> , 2002 , 277, 18898-907	5.4	43
36	Inner nuclear membrane proteins and the nuclear lamina. <i>Journal of Cell Science</i> , 2001 , 114, 3791-3792	5.3	40
35	A-type lamin networks in light of laminopathic diseases. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2007 , 1773, 661-74	4.9	38
34	Loss of LAP2 alpha delays satellite cell differentiation and affects postnatal fiber-type determination. <i>Stem Cells</i> , 2010 , 28, 480-8	5.8	37
33	Lamina-associated polypeptide (LAP)2 and other LEM proteins in cancer biology. <i>Advances in Experimental Medicine and Biology</i> , 2014 , 773, 143-63	3.6	36
32	Barrier-to-autointegration factor (BAF) involvement in prelamin A-related chromatin organization changes. <i>Oncotarget</i> , 2016 , 7, 15662-77	3.3	35
31	The endonuclease Ankle1 requires its LEM and GIY-YIG motifs for DNA cleavage in vivo. <i>Journal of Cell Science</i> , 2012 , 125, 1048-57	5.3	34
30	LAP2alpha-binding protein LINT-25 is a novel chromatin-associated protein involved in cell cycle exit. <i>Journal of Cell Science</i> , 2007 , 120, 737-47	5.3	34
29	Defective skeletal muscle growth in lamin A/C-deficient mice is rescued by loss of Lap2. <i>Human Molecular Genetics</i> , 2013 , 22, 2852-69	5.6	33
28	Prelamin A is involved in early steps of muscle differentiation. <i>Experimental Cell Research</i> , 2008 , 314, 3628-37	4.2	33
27	Lamina-associated polypeptide 2alpha loss impairs heart function and stress response in mice. <i>Circulation Research</i> , 2010 , 106, 346-53	15.7	32
26	Two-dimensional electrophoresis reveals a nuclear matrix-associated nucleolin complex of basic isoelectric point. <i>Electrophoresis</i> , 1997 , 18, 2645-53	3.6	27
25	The structural and gene expression hypotheses in laminopathic diseases-not so different after all. <i>Molecular Biology of the Cell</i> , 2019 , 30, 1786-1790	3.5	25
24	A nuclear ubiquitin-proteasome pathway targets the inner nuclear membrane protein Asi2 for degradation. <i>Journal of Cell Science</i> , 2014 , 127, 3603-13	5.3	25
23	Apolipoprotein A-I production by chicken granulosa cells. <i>FASEB Journal</i> , 1998 , 12, 897-903	0.9	21

22	Atypical ubiquitylation in yeast targets lysine-less Asi2 for proteasomal degradation. <i>Journal of Biological Chemistry</i> , 2015 , 290, 2489-95	5.4	18
21	A phosphorylation cluster in the chromatin-binding region regulates chromosome association of LAP2alpha. <i>Journal of Biological Chemistry</i> , 2004 , 279, 35813-21	5.4	18
20	The muscle dystrophy-causing R32 lamin A/C mutant does not impair the functions of the nucleoplasmic lamin-A/C-LAP2alpha complex in mice. <i>Journal of Cell Science</i> , 2013 , 126, 1753-62	5.3	17
19	Nuclear envelope localization of LEMD2 is developmentally dynamic and lamin A/C dependent yet insufficient for heterochromatin tethering. <i>Differentiation</i> , 2017 , 94, 58-70	3.5	16
18	Degradation-mediated protein quality control at the inner nuclear membrane. <i>Nucleus</i> , 2016 , 7, 41-9	3.9	16
17	High mobility group protein N5 (HMGN5) and lamina-associated polypeptide 2alpha (LAP2alpha) interact and reciprocally affect their genome-wide chromatin organization. <i>Journal of Biological Chemistry</i> , 2013 , 288, 18104-9	5.4	16
16	Multiple novel functions of lamina associated polypeptide 2alpha in striated muscle. <i>Nucleus</i> , 2010 , 1, 397-401	3.9	14
15	Lamins: Structure goes cycling <i>Biochemical Society Transactions</i> , 2010 , 38, 301-6	5.1	14
14	Monoclonal antibodies specific for disease-associated point-mutants: lamin A/C R453W and R482W. <i>PLoS ONE</i> , 2010 , 5, e10604	3.7	12
13	Lco1 is a novel widely expressed lamin-binding protein in the nuclear interior. <i>Experimental Cell Research</i> , 2004 , 298, 499-511	4.2	12
12	Cdc48 and Ubx1 participate in a pathway associated with the inner nuclear membrane that governs Asi1 degradation. <i>Journal of Cell Science</i> , 2016 , 129, 3770-3780	5.3	11
11	Lamina-associated polypeptide 2-alpha forms homo-trimers via its C terminus, and oligomerization is unaffected by a disease-causing mutation. <i>Journal of Biological Chemistry</i> , 2007 , 282, 6308-15	5.4	11
10	141st ENMC International Workshop inaugural meeting of the EURO-Laminopathies project "Nuclear Envelope-linked Rare Human Diseases: From Molecular Pathophysiology towards Clinical Applications", 10-12 March 2006, Naarden, The Netherlands. <i>Neuromuscular Disorders</i> , 2007 , 17, 655-60	2.9	10
9	Comparative Interactome Analysis of Emerin, MAN1 and LEM2 Reveals a Unique Role for LEM2 in Nucleotide Excision Repair. <i>Cells</i> , 2020 , 9,	7.9	9
8	Nucleoplasmic lamins define growth-regulating functions of lamina-associated polypeptide 2alpha in progeria cells. <i>Journal of Cell Science</i> , 2018 , 131,	5.3	9
7	The GIY-YIG Type Endonuclease Ankyrin Repeat and LEM Domain-Containing Protein 1 (ANKLE1) Is Dispensable for Mouse Hematopoiesis. <i>PLoS ONE</i> , 2016 , 11, e0152278	3.7	7
6	LAP2alpha maintains a mobile and low assembly state of A-type lamins in the nuclear interior. <i>ELife</i> , 2021 , 10,	8.9	7
5	Nucleo-cytoplasmic shuttling of the endonuclease ankyrin repeats and LEM domain-containing protein 1 (Ankle1) is mediated by canonical nuclear export- and nuclear import signals. <i>BMC Cell Biology</i> , 2016 , 17, 23		4

- 4 Keratins couple with the nuclear lamina and regulate proliferation in colonic epithelial cells 1
- 3 Lamina-associated polypeptide 2s required for intranuclear MRTF-A activity.. *Scientific Reports*, 2022, 12, 2306 4.9 0
- 2 LAP2 preserves genome integrity through assisting RPA deposition on damaged chromatin.. *Genome Biology*, 2022, 23, 64 18.3 0
- 1 In Vitro Techniques 2006, 201-378