
## Kyung Lim Yoon

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9448150/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Epidemiology and Clinical Features of Kawasaki Disease in South Korea, 2012–2014. Pediatric Infectious Disease Journal, 2017, 36, 482-485.	2.0	113
2	Medium- or Higher-Dose Acetylsalicylic Acid for Acute Kawasaki Disease and Patient Outcomes. Journal of Pediatrics, 2017, 184, 125-129.e1.	1.8	41
3	A genome-wide association analysis identifies NMNAT2 and HCP5 as susceptibility loci for Kawasaki disease. Journal of Human Genetics, 2017, 62, 1023-1029.	2.3	40
4	Epidemiology of Kawasaki Disease in South Korea: A Nationwide Survey 2015–2017. Pediatric Infectious Disease Journal, 2020, 39, 1012-1016.	2.0	40
5	Infliximab Treatment for Refractory Kawasaki Disease in Korean Children. Korean Circulation Journal, 2010, 40, 334.	1.9	37
6	Male-specific association of the FCGR2A His167Arg polymorphism with Kawasaki disease. PLoS ONE, 2017, 12, e0184248.	2.5	33
7	Update of genetic susceptibility in patients with Kawasaki disease. Korean Journal of Pediatrics, 2015, 58, 84.	1.9	28
8	Infliximab Treatment for Intravenous Immunoglobulin-resistant Kawasaki Disease: a Multicenter Study in Korea. Korean Circulation Journal, 2019, 49, 183.	1.9	23
9	Transforming growth factor beta receptor II polymorphisms are associated with Kawasaki disease. Korean Journal of Pediatrics, 2012, 55, 18.	1.9	18
10	Analysis of clinical characteristics and causes of chest pain in children and adolescents. Korean Journal of Pediatrics, 2015, 58, 440.	1.9	16
11	Identification of the TIFAB Gene as a Susceptibility Locus for Coronary Artery Aneurysm in Patients with Kawasaki Disease. Pediatric Cardiology, 2019, 40, 483-488.	1.3	14
12	Genetic Polymorphism of SMAD5 is Associated With Kawasaki Disease. Pediatric Cardiology, 2014, 35, 601-607.	1.3	13
13	<i>BCL2L11</i> Is Associated With Kawasaki Disease in Intravenous Immunoglobulin Responder Patients. Circulation Genomic and Precision Medicine, 2018, 11, e002020.	3.6	12
14	lgA Levels Are Associated with Coronary Artery Lesions in Kawasaki Disease. Korean Circulation Journal, 2021, 51, 267.	1.9	12
15	HLA-B*54:01 Is Associated With Susceptibility to Kawasaki Disease. Circulation Genomic and Precision Medicine, 2019, 12, e002365.	3.6	9
16	Identification of SAMD9L as a susceptibility locus for intravenous immunoglobulin resistance in Kawasaki disease by genome-wide association analysis. Pharmacogenomics Journal, 2020, 20, 80-86.	2.0	9
17	Consortium-Based Genetic Studies of Kawasaki Disease in Korea: Korean Kawasaki Disease Genetics Consortium. Korean Circulation Journal, 2015, 45, 443.	1.9	7
18	Assessment of the Clinical Heterogeneity of Kawasaki Disease Using Genetic Variants of <i>BLK</i> and <i>FCGR2A</i> . Korean Circulation Journal, 2019, 49, 99.	1.9	6

Kyung Lim Yoon

#	Article	IF	CITATIONS
19	An infant presenting with Kawasaki disease following immunization for influenza: A case report. Biomedical Reports, 2018, 8, 301-303.	2.0	4
20	Does hypertension begin in adolescence?. Korean Journal of Pediatrics, 2013, 56, 523.	1.9	4
21	Identification of LEF1 as a Susceptibility Locus for Kawasaki Disease in Patients Younger than 6 Months of Age. Genomics and Informatics, 2018, 16, 36-41.	0.8	4
22	Multicenter, Single-Arm, Phase IV Study of Combined Aspirin and High-Dose "IVIC-SN―Therapy for Pediatric Patients with Kawasaki Disease. Korean Circulation Journal, 2017, 47, 209.	1.9	3
23	New Therapeutic Target for Pulmonary Arterial Hypertension. Korean Circulation Journal, 2018, 48, 1145.	1.9	3
24	Association of the IL16 Asn1147Lys polymorphism with intravenous immunoglobulin resistance in Kawasaki disease. Journal of Human Genetics, 2020, 65, 421-426.	2.3	3
25	Polymorphisms of methylenetetrahydrofolate reductase are not a risk factor for Kawasaki disease in the Korean population. Korean Journal of Pediatrics, 2011, 54, 335.	1.9	3
26	Comparison of growth and pubertal progression in wild type female rats with different bedding types. Annals of Pediatric Endocrinology and Metabolism, 2015, 20, 53.	2.3	3
27	Identification of rare coding variants associated with Kawasaki disease by whole exome sequencing. Genomics and Informatics, 2021, 19, e38.	0.8	3
28	Chest Pain in Children and Adolescents. Journal of the Korean Medical Association, 2010, 53, 407.	0.3	2
29	Circular RNA as a Possible Novel Biomarker for Kawasaki Disease. Journal of Lipid and Atherosclerosis, 2019, 8, 48.	3.5	2
30	Atrial Septal Defect with Down Syndrome and Postsurgical Pulmonary Hypertension. Journal of Cardiovascular Imaging, 2019, 27, 254.	0.7	2
31	High antistreptolysin O titer is associated with coronary artery lesions in patients with Kawasaki disease. Korean Journal of Pediatrics, 2019, 62, 235-239.	1.9	2
32	Transient severe left ventricular dysfunction following percutaneous patent ductus arteriosus closure in an adult with bicuspid aortic valve: A case report. Experimental and Therapeutic Medicine, 2016, 11, 969-972.	1.8	1
33	Prolonged Gallbladder Hydrops in a Kawasaki Disease Patient. Advances in Pediatric Surgery, 2018, 24, 107.	0.2	1
34	The relationship between catechol-O-methyltransferase gene polymorphism and coronary artery abnormality in Kawasaki disease. Korean Journal of Pediatrics, 2009, 52, 87.	1.9	1
35	Severe Skin Lesions or Arthritis May be Associated with Coronary Artery Lesions in Kawasaki Disease. Pediatric Infection and Vaccine, 2016, 23, 102.	0.4	1
36	Giant Brain Abscess in a Neonate: Good Outcome with Single Transfontanelle Aspiration and Antibiotic Therapy. Journal of the Korean Society of Neonatology, 2011, 18, 399.	0.3	0

#	Article	IF	CITATIONS
37	A Case of Systemic Lupus Erythematosus with Graves Disease in a Child. Annals of Pediatric Endocrinology and Metabolism, 2012, 17, 189.	2.3	0
38	Can iron be a risk factor for coronary lesions in Kawasaki disease?. Korean Journal of Pediatrics, 2019, 62, 297-298.	1.9	0
39	Etiology and treatment of chest pain in children and adolescents. Journal of the Korean Medical Association, 2020, 63, 382-389.	0.3	Ο