

Boyko B Georgiev

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9448922/publications.pdf>

Version: 2024-02-01

98
papers

785
citations

687363

13
h-index

713466

21
g-index

100
all docs

100
docs citations

100
times ranked

563
citing authors

#	ARTICLE	IF	CITATIONS
1	Cestode parasitism in invasive and native brine shrimps (<i>Artemia</i> spp.) as a possible factor promoting the rapid invasion of <i>A. franciscana</i> in the Mediterranean region. <i>Parasitology Research</i> , 2007, 101, 1647-1655.	1.6	48
2	Morphology and molecules reveal the alien <i>Posthodiplostomum centrarchi</i> Hoffman, 1958 as the third species of <i>Posthodiplostomum</i> Dubois, 1936 (Digenea: Diplostomidae) in Europe. <i>Systematic Parasitology</i> , 2017, 94, 1-20.	1.1	34
3	Ultrastructure of spermiogenesis and the mature spermatozoon of <i>Tetrabothrius erostris</i> Loennberg, 1896 (Cestoda, Tetrabothriidae). <i>International Journal for Parasitology</i> , 1995, 25, 1427-1436.	3.1	31
4	TEMPORAL VARIATION IN PREVALENCE AND ABUNDANCE OF METACERCARIAE IN THE PULMONATE SNAIL <i>LYMNAEA STAGNALIS</i> IN CHANY LAKE, WEST SIBERIA, RUSSIA: LONG-TERM PATTERNS AND ENVIRONMENTAL COVARIATES. <i>Journal of Parasitology</i> , 2006, 92, 249-259.	0.7	31
5	Avian cestodes affect the behaviour of their intermediate host <i>Artemia parthenogenetica</i> : An experimental study. <i>Behavioural Processes</i> , 2007, 74, 293-299.	1.1	28
6	High prevalence of cestodes in <i>Artemia</i> spp. throughout the annual cycle: relationship with abundance of avian final hosts. <i>Parasitology Research</i> , 2013, 112, 1913-1923.	1.6	27
7	Red and transparent brine shrimps (<i>Artemia parthenogenetica</i>): a comparative study of their cestode infections. <i>Parasitology Research</i> , 2006, 100, 111-114.	1.6	26
8	Fauna Europaea: Helminths (Animal Parasitic). <i>Biodiversity Data Journal</i> , 2014, 2, e1060.	0.8	24
9	<i>Paranoplocephala aquatica</i> n. sp. (Cestoda, Anoplocephalidae) from <i>Arvicola terrestris</i> and <i>Ondatra zibethica</i> (Rodentia), with redescription and comments on related species. <i>Systematic Parasitology</i> , 1996, 34, 135-152.	1.1	18
10	First record of metacestodes of <i>Mesocestoides</i> sp. in the common starling (<i>Sturnus vulgaris</i>) in Europe, with an 18S rDNA characterisation of the isolate. <i>Folia Parasitologica</i> , 2004, 51, 45-49.	1.3	17
11	Revision of the genus <i>Parvirostrum</i> Fuhrmann, 1908 (Cestoda: Cyclophyllidea: Paruterinidae). <i>Systematic Parasitology</i> , 2001, 50, 13-29.	1.1	16
12	Cestodes of small mammals: Taxonomy and life cycles. , 2006, , 29-62.		16
13	Genetic diversity of avian haemosporidians in Malaysia: Cytochrome b lineages of the genera <i>Plasmodium</i> and <i>Haemoproteus</i> (Haemosporida) from Selangor. <i>Infection, Genetics and Evolution</i> , 2015, 31, 33-39.	2.3	16
14	Avian haemosporidians from rain forests in Madagascar: Molecular and morphological data of the genera <i>Plasmodium</i> , <i>Haemoproteus</i> and <i>Leucocytozoon</i> . <i>Infection, Genetics and Evolution</i> , 2018, 58, 115-124.	2.3	16
15	Larval helminths in the invasive American brine shrimp <i>Artemia franciscana</i> throughout its annual cycle. <i>Acta Parasitologica</i> , 2014, 59, 380-9.	1.1	14
16	Post-embryonic development and ultrastructural characteristics of the polycephalic larva of <i>Taenia parva</i> Baer, 1926 (Cyclophyllidea, Taeniidae). <i>Acta Parasitologica</i> , 2007, 52, 31.	1.1	13
17	Participation of metanauplii and juvenile individuals of <i>Artemia parthenogenetica</i> (Branchiopoda) in the circulation of avian cestodes. <i>Parasitology Research</i> , 2011, 108, 905-912.	1.6	13
18	Phylogeny of hymenolepidid cestodes (Cestoda: Cyclophyllidea) from mammalian hosts based on partial 28S rDNA, with focus on parasites from shrews. <i>Parasitology Research</i> , 2019, 118, 73-88.	1.6	13

#	ARTICLE	IF	CITATIONS
19	The erection of <i>Leporidotaenia</i> n. g. (Cestoda: Anoplocephalidae) for <i>Anoplocephaloides</i> spp. parasitising Leporidae (Lagomorpha). <i>Systematic Parasitology</i> , 1990, 16, 107-126.	1.1	12
20	Gastrointestinal Helminths of Cuvier's Beaked Whales, <i>Ziphius cavirostris</i> , From the Western Mediterranean. <i>Journal of Parasitology</i> , 2004, 90, 418-420.	0.7	12
21	First data on the genetic diversity of avian haemosporidians in China: cytochrome b lineages of the genera <i>Plasmodium</i> and <i>Haemoproteus</i> (Haemosporida) from Gansu Province. <i>Parasitology Research</i> , 2013, 112, 3509-3515.	1.6	12
22	<i>Ardeirhynchus</i> n. g. (Palaeacanthocephala: Polymorphida: Polymorphidae), with a redescription of <i>A. spiralis</i> (Rudolphi, 1809) n. comb.. <i>Systematic Parasitology</i> , 1994, 29, 149-158.	1.1	11
23	Two new nematode species of the genus <i>Cosmocephalus</i> Molin, 1858 (Spirurida: Acuariidae), with an amended generic diagnosis and an identification key to <i>Cosmocephalus</i> spp.. <i>Zootaxa</i> , 2010, 2349, 1.	0.5	11
24	A new genus of the family Hymenolepididae (Cestoda) from <i>Sephanoides sephanioides</i> (Apodiformes). <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 142 Td (</i>	1.1	11
25	Spermiogenesis and sperm ultrastructure of <i>Valipora mutabilis</i> Linton, 1927 (Cestoda, Cyclophyllidea). <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 142 Td (</i>	1.6	16
26	Ultrastructure of spermiogenesis and mature spermatozoon of <i>Anonchotaenia globata</i> (von Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 142 Td (0.8	10
27	Redescription of <i>Aphalloides coelomicola</i> Dollfus, Chabaud & Golvan, 1957 (Digenea). <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 142 Td (</i> <i>Systematic Parasitology</i> , 2015, 91, 1-12.	1.1	10
28	<i>Neoskrjabinolepis nuda</i> n. sp. from shrews on Sakhalin Island, Russia, with a taxonomic review of <i>Neoskrjabinolepis</i> Spasskii, 1947 (Cestoda: Cyclophyllidea: Hymenolepididae). <i>Systematic Parasitology</i> , 2008, 70, 147-158.	1.1	9
29	Ultrastructure of spermiogenesis and mature spermatozoon of <i>Triaenorhina rectangula</i> (Cestoda:). <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 142 Td (</i>	1.3	9
30	Two new and two redescribed species of <i>Anonchotaenia</i> (Cestoda: Paruterinidae) from South American birds. <i>Folia Parasitologica</i> , 2014, 61, 441-461.	1.3	9
31	Helminth parasites of <i>Artemia franciscana</i> (Crustacea: Branchiopoda) in the Great Salt Lake, Utah: first data from the native range of this invader of European wetlands. <i>Folia Parasitologica</i> , 2015, 62, .	1.3	9
32	<i>Parachordatortilis</i> n. g. (Nematoda: Spirurida: Acuariidae), with a redescription of <i>P. mathevossianae</i> (Petrov & Chertkova, 1950) n. comb., a parasite of <i>Falco tinnunculus</i> L. (Aves: Falconiformes). <i>Systematic Parasitology</i> , 2010, 76, 191-197.	1.1	8
33	First record of metacestodes of <i>Mesocestoides</i> sp. in the common starling (<i>Sturnus vulgaris</i>) in Europe, with an 18S rDNA characterisation of the isolate. <i>Folia Parasitologica</i> , 2004, 51, 45-9.	1.3	8
34	Scolex Glands Associated with the Rostella in Three Species of the Dilepididae (Cestoda:). <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 142 Td (</i>	0.8	7
35	Palaeartic species of the genus <i>Confluaria</i> Ablasov (Cestoda, Hymenolepididae): redescrptions of <i>C. multistriata</i> (Rudolphi, 1810) and <i>C. japonica</i> (Yamaguti, 1935), and a description of <i>Confluaria</i> sp.. <i>Systematic Parasitology</i> , 1999, 44, 87-103.	1.1	7
36	Palaeartic species of the genus <i>Confluaria</i> Ablasov (Cestoda, Hymenolepididae): redescrptions of <i>C. podicipina</i> (Szymanski, 1905) and <i>C. furcifera</i> (Krabbe, 1869), description of <i>C. pseudofurcifera</i> n. sp., a key and final comments. <i>Systematic Parasitology</i> , 2000, 45, 109-131.	1.1	7

#	ARTICLE	IF	CITATIONS
37	<i>Phyllobothrium squali</i> Yamaguti, 1952 (Tetraphyllidea, Phyllobothriidae): redescription and first record in the Black Sea. <i>Systematic Parasitology</i> , 2002, 53, 49-59.	1.1	7
38	A new acuariid nematode, <i>Syncuaria mackoi</i> n. sp. (Spirurida), from <i>Ciconia nigra</i> (L.) (Ciconiiformes). <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf</i>	1.1	7
39	Determinants of the prevalence of the cloacal cestode <i>Cloacotaenia megalops</i> in teal wintering in the French Camargue. <i>European Journal of Wildlife Research</i> , 2011, 57, 275-281.	1.4	7
40	Spermiogenesis and spermatozoon ultrastructure of the paruterinid cestode <i>Notopentorchis</i> sp. (Cyclophyllidea). <i>Parasitology Research</i> , 2012, 111, 135-142.	1.6	7
41	Palaeartic species of the genus <i>Confluaria</i> Ablasov (Cestoda, Hymenolepididae): a redescription and synonymy of <i>C. capillaris</i> (Rudolphi, 1810). <i>Systematic Parasitology</i> , 1999, 43, 49-57.	1.1	6
42	Redescription of <i>Desportesius brevicaudatus</i> (Spirurida, Acuariidae) based on nematodes from <i>Ixobrychus minutus</i> (Aves, Ciconiiformes) from Bulgaria. <i>Helminthologia</i> , 2009, 46, 90-96.	0.9	6
43	Redescriptions and comments on the validity of <i>Acuaria subula</i> and <i>A. skrjabini</i> (Nematoda, Spirurida.) <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf</i>	1.1	6
44	Description of <i>Proyseria petterae</i> n. sp., with an amended generic diagnosis and a review of the species of <i>Proyseria</i> Petter, 1959 and <i>Stegophorus</i> Wehr, 1934 (Nematoda: Acuariidae). <i>Systematic Parasitology</i> , 2014, 89, 3-14.	1.1	6
45	Exploring parasites in extreme environments of high conservational importance: <i>Artemia franciscana</i> (Crustacea: Branchiopoda) as intermediate host of avian cestodes in Andean hypersaline lagoons from Salar de Atacama, Chile. <i>Parasitology Research</i> , 2020, 119, 3377-3390.	1.6	6
46	First report of cestode infection in the crustacean <i>Artemia persimilis</i> from Southern Chilean Patagonia and its relation with the Neotropical aquatic birds. <i>PeerJ</i> , 2019, 7, e7395.	2.0	6
47	Cestodes of the genera <i>Angularella</i> Strand, 1928 and <i>Vitta</i> Burt, 1938 (Dilepididae) from the Collection of the British Museum (Natural History). <i>Systematic Parasitology</i> , 1988, 12, 61-75.	1.1	5
48	First record of shape <i>Saturnius papernai</i> Overstreet, 1977 in the Black Sea, with a review of the genus shape <i>Saturnius</i> Manter, 1969 (Digenea, Bunocotylidae). <i>Systematic Parasitology</i> , 1998, 40, 43-48.	1.1	5
49	Cestode communities in non-breeding populations of four grebe species (Aves: Podicipedidae) from the Bulgarian Black Sea Coast. <i>Parasite</i> , 1999, 6, 249-258.	2.0	5
50	Developing a dedicated cestode life cycle database: lessons from the hymenolepidids. <i>Helminthologia</i> , 2009, 46, 21-27.	0.9	5
51	<i>Pseudangularia gonzalezi</i> n. sp. and <i>Gibsonilepis swifti</i> (Singh, 1952) n. g., n. comb. (Cestoda.) <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf</i> Republic of Gabon. <i>Systematic Parasitology</i> , 2013, 86, 215-233.	1.1	5
52	Two new species of <i>Quasithelazia</i> Maplestone, 1932 (Nematoda: Acuariidae) from Malaysia, with an amended diagnosis and review of the genus. <i>Systematic Parasitology</i> , 2014, 88, 103-117.	1.1	5
53	Invalidation of the genus <i>Anomaloporus</i> Vogé & Davis, 1953 (Cestoda: Paruterinidae sensu lato). <i>Systematic Parasitology</i> , 1993, 25, 203-211.	1.1	4
54	Cestodes of the horned grebe <i>Podiceps auritus</i> (L.) (Aves: Podicipedidae) from Lake Myvatn, Iceland, with the description of <i>Confluaria islandica</i> n. sp. (Hymenolepididae). <i>Systematic Parasitology</i> , 2007, 69, 51-58.	1.1	4

#	ARTICLE	IF	CITATIONS
55	The erection of <i>Pelecánema</i> n. g. (Nematoda: Spirurida: Acuariidae), with redescrptions of <i>P. sirry</i> (Khalil, 1931) n. comb. and <i>P. pelecáni</i> (Johnston & Mawson, 1942) n. comb.. <i>Systematic Parasitology</i> , 2010, 77, 45-54.	1.1	4
56	<i>Acuaria paraguayensis</i> n. sp. from <i>Sirystes sibilator</i> (Aves: Tyrannidae) in Paraguay and a redescription of <i>A. mamillaris</i> (Molin, 1860) from <i>Cyanocorax cayanus</i> (Corvidae) in Brazil, with a key to the species of <i>Acuaria</i> Bremser, 1811 (Nematoda: Acuariidae) in the New World. <i>Systematic Parasitology</i> , 2012, 81, 51-64.	1.1	4
57	Description of <i>Diorchis thracica</i> n. sp. (Cestoda, Hymenolepididae) from the ruddy shelduck <i>Tadorna ferruginea</i> (Pallas) (Anseriformes, Anatidae) in Bulgaria. <i>Systematic Parasitology</i> , 2015, 91, 261-271.	1.1	4
58	Morphological and molecular identification of <i>Gyrodactylus bubyri</i> Osmanov, 1965 (Monogenea: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	1.6	4
59	Mitochondrial genome of <i>Paruterina candelabraria</i> (Cestoda: Paruterinidae), with implications for the relationships between the genera <i>Cladotaenia</i> and <i>Paruterina</i> . <i>Acta Tropica</i> , 2019, 189, 1-5.	2.0	4
60	A 28S rDNA-based phylogeny of the nematode family Acuariidae (Spirurida) parasitic in vertebrates. <i>Zoologica Scripta</i> , 2020, 49, 641.	1.7	4
61	Alien parasites on an alien fish species: monogeneans from the black bullhead <i>Ameiurus melas</i> (Siluriformes) in the Lake Srebarna Biosphere Reserve, Bulgaria, with the first record of <i>Gyrodactylus nebulosus</i> in the Palaearctic. <i>Parasitology Research</i> , 2020, 119, 2105-2112.	1.6	4
62	Phylogeny of hymenolepidids (Cestoda: Cyclophyllidea) from mammals: sequences of 18S rRNA and COI genes confirm major clades revealed by the 28S rRNA analyses. <i>Journal of Helminthology</i> , 2021, 95, e23.	1.0	4
63	<i>Notopentorchis cyathiformis</i> (Frülich, 1791) n. comb. and <i>N. iduncula</i> (Spassky, 1946) (Cestoda: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 217 T	1.1	3
64	<i>Notopentorchis</i> Burt, 1938. <i>Systematic Parasitology</i> , 1991, 20, 121-133.		
64	Invalidation of the genus <i>Zosteropicola</i> Johnston, 1912 (Cestoda: Paruterinidae: Anonchotaeniinae). <i>Systematic Parasitology</i> , 1992, 22, 39-44.	1.1	3
65	<i>Rostellar apparatus</i> of <i>Fernandezia spinosissima</i> (von Linstow, 1894) (Cestoda, Cyclophyllidea,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 217 T	0.8	3
66	The genus <i>Biuterina</i> Fuhrmann, 1902 (Cestoda, Paruterinidae) in the Old World: redescrptions of four species from Afrotropical Passeriformes. <i>Systematic Parasitology</i> , 2002, 52, 111-128.	1.1	3
67	The genus <i>Biuterina</i> Fuhrmann, 1902 (Cestoda, Paruterinidae) in the Old World: redescrptions of three species from Palaearctic Passeriformes. <i>Systematic Parasitology</i> , 2004, 57, 67-85.	1.1	3
68	Redescription, generic allocation and synonymy of <i>Decorataria magnilabiata</i> (Molin, 1860) n. comb. (Nematoda: Spirurida: Acuariidae), a parasite of the roseate spoonbill <i>Platalea ajaja</i> L. (Aves: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 217 T		
69	<i>Stammerinema hyalinum</i> n. comb. for <i>Filaria hyalina</i> von Linstow, 1890 and its recognition as a senior synonym of <i>Stammerinema rhopalocephalum</i> (Sołtys, 1952) (Spirurida: Acuariidae), a parasite of shrews. <i>Systematic Parasitology</i> , 2015, 90, 105-111.	1.1	3
70	Two new cestode species of the family Hymenolepididae Perrier, 1897 (Cyclophyllidea) from passerine birds in Ethiopia, with the erection of <i>Citrilolepis</i> n. g.. <i>Systematic Parasitology</i> , 2019, 96, 279-297.	1.1	3
71	Review of records of hymenolepidids (Eucestoda: Hymenolepididae) from dormice (Rodentia: Gliridae) in Europe, with a redescription of <i>Armadolepis spasskyi</i> Tenora & BaruÅi, 1958 and the description of <i>A. genovi</i> n. sp.. <i>Systematic Parasitology</i> , 2020, 97, 83-98.	1.1	3
72	<i>Chimaerula bonai</i> sp. n. (Cestoda: Dilepididae) from the bare-faced ibis, <i>Phimosus infuscatus</i> (Lichtenstein) (Aves: Threskiornithidae) in Paraguay. <i>Folia Parasitologica</i> , 2000, 47, 303-308.	1.3	3

#	ARTICLE	IF	CITATIONS
73	Seven new species of cestode parasites (Neodermata, Platyhelminthes) from Australian birds. <i>European Journal of Taxonomy</i> , 2018, , .	0.6	3
74	Cestode parasites (Neodermata, Platyhelminthes) from Malaysian birds, with description of five new species. <i>European Journal of Taxonomy</i> , 2020, , .	0.6	3
75	Redescription of <i>Chimaerula leonovi</i> (Belogurov & Zueva, 1968) n. comb. (Cestoda, Dilepididae). <i>Systematic Parasitology</i> , 1998, 40, 229-235.	1.1	2
76	Taxonomic revision of the cestodes of the family Progynotaeniidae (Cyclophyllidea) parasitising stone curlews (Charadriiformes: Burhinidae). <i>Systematic Parasitology</i> , 2005, 61, 123-142.	1.1	2
77	Redescriptions of <i>Monosertum parinum</i> (Dujardin, 1845) and <i>M. mariae</i> (Mettrick, 1958) n. comb. from European passerine birds, with an amended generic diagnosis of <i>Monosertum</i> Bona, 1994 (Cestoda: Tj ETQq1 1 0.7.84314 rgBT /Overlo	1.1	2
78	Description of <i>Acuaria europaea</i> n. sp. (Spirurida: Acuariidae) from <i>Dendrocopos syriacus</i> (Hemprich) Tj ETQq0 0 0 rgBT /Overlock 10 Tf . European species of <i>Acuaria</i> Bremser, 1811. <i>Systematic Parasitology</i> , 2017, 94, 201-214.	1.1	2
79	Redescriptions of four Palaeotropical species of the cestode genus <i>Notopentorchis</i> Burt, 1938 (Cyclophyllidea: Paruterinidae). <i>Zootaxa</i> , 2017, 4290, 61.	0.5	2
80	Massive infection of a song thrush by <i>Mesocestoides</i> sp. (Cestoda) tetrathyridia that genetically match acephalic metacestodes causing lethal peritoneal larval cestodiasis in domesticated mammals. <i>Parasites and Vectors</i> , 2019, 12, 230.	2.5	2
81	<i>Cuculepis cincta</i> gen.â€†n. et sp.â€†n. (Cestoda: Cyclophyllidea) from the squirrel cuckoo <i>Piaya cayana</i> Lesson (Aves: Cuculiformes) from Paraguay. <i>Folia Parasitologica</i> , 2012, 59, 287-294.	1.3	2
82	Cestodes of the genus <i>Biuterina</i> Fuhrmann, 1902 (Cyclophyllidea: Paruterinidae) from passeriform and piciform birds in the Ivory Coast, with a key to the species of the genus. <i>Revue Suisse De Zoologie</i> , 2007, 114, 141-174.	0.3	2
83	New cestode species of the genus <i>Neoskrjabinolepis</i> Spassky, 1947 (Cyclophyllidea: Hymenolepididae) from the Common Shrew (<i>Sorex araneus</i> L.) in Europe. <i>Systematic Parasitology</i> , 2022, 99, 13-21.	1.1	2
84	Two new and two redescribed species of <i>Anonchotaenia</i> (Cestoda: Paruterinidae) from South American birds. <i>Folia Parasitologica</i> , 2014, 61, 441-61.	1.3	2
85	<i>Matabelea fuhrmanni</i> (Cestoda, Cyclophyllidea, Paruterinidae): redescription, synonymy and systematic position. <i>Zoologica Scripta</i> , 1994, 23, 75-82.	1.7	1
86	<i>Burhinotaenia colombiana</i> n. sp. (Cestoda, Cyclophyllidea) from the Double-Striped Stone Curlew <i>Burhinus bistriatus</i> (Aves, Charadriiformes) in Colombia. <i>Journal of Parasitology</i> , 1996, 82, 140.	0.7	1
87	Redescription and new records of <i>Mackoja podirufi</i> (Macko, 1962), with an amended diagnosis of <i>Mackoja</i> Kornyushin, 1983, (Cestoda, Hymenolepididae). <i>Systematic Parasitology</i> , 1996, 34, 171-177.	1.1	1
88	<i>Pararetinometra lateralacantha</i> Stock and Holmes, 1981 (Cestoda: Hymenolepididae): the first record in the Palaearctic region and comments on its morphology and taxonomy. <i>Canadian Journal of Zoology</i> , 1996, 74, 110-117.	1.0	1
89	NEW SPECIES OF <i>CINCLOTAENIA</i> MACY, 1973 (CYCLOPHYLLIDEA: DILEPIDIDAE) FROM <i>CINCLUS LEUCOCEPHALUS</i> TSCHUDI (PASSERIFORMES: CINCLIDAE) IN BOLIVIA. <i>Journal of Parasitology</i> , 2004, 90, 1073-1084.	0.7	1
90	New data on the morphology of species of <i>Leptotaenia</i> Cohn, 1901 (Cestoda: Progynotaeniidae). <i>Systematic Parasitology</i> , 2004, 58, 1-15.	1.1	1

#	ARTICLE	IF	CITATIONS
91	Description of <i>Trienorhina burti</i> n. sp. (Cestoda: Paruterinidae) from the Malabar trogon <i>Harpactes fasciatus</i> (Pennant) (Aves: Trogoniformes: Trogonidae) in Sri Lanka. <i>Systematic Parasitology</i> , 2006, 63, 51-58.	1.1	1
92	Redescriptions of <i>Monopylidium exiguum</i> (Dujardin, 1845) and <i>M. albani</i> (Mettrick, 1958) n. comb. (Cestoda: Dilepididae) from European passerine birds. <i>Systematic Parasitology</i> , 2007, 68, 87-96.	1.1	1
93	Taxonomic revision and phylogenetic analysis of the cestode genus <i>Paraprogynotaenia</i> Rysavy, 1966 (Cyclophyllidea: Progynotaeniidae). <i>Systematic Parasitology</i> , 2008, 71, 159-187.	1.1	1
94	The first data on the vitellogenesis of paruterinid tapeworms: an ultrastructural study of <i>Dictyterina cholodkowskii</i> (Cestoda: Cyclophyllidea). <i>Parasitology Research</i> , 2017, 116, 327-334.	1.6	1
95	<i>Arlenelepis harpiprioni</i> gen. et sp. n. (Cestoda: Dilepididae) from <i>Harpiprion caerulescens</i> (Vieillot) (Aves: Threskiornithidae) in Paraguay. <i>Folia Parasitologica</i> , 2004, 51, 327-332.	1.3	1
96	Rostellar apparatus of <i>Fernandezia spinosissima</i> (von Linstow, 1894) (Cestoda, Cyclophyllidea). <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 54</i>	0.8	1
97	Revision of the species of the genus <i>Diorchis</i> Clerc, 1903 (Cestoda, Hymenolepididae) from rallid birds: a redescription of <i>Diorchis acuminata</i> (Clerc, 1902). <i>Systematic Parasitology</i> , 2022, 99, 347-365.	1.1	1
98	Bulgarian academy of sciences, institute of parasitology second international school: parasite-host-environment. <i>International Journal for Parasitology</i> , 1991, 21, 987-988.	3.1	0