

# Emanuele F Albano

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9449949/publications.pdf>

Version: 2024-02-01

192  
papers

10,729  
citations

22099

59  
h-index

39575

94  
g-index

194  
all docs

194  
docs citations

194  
times ranked

8694  
citing authors

#	ARTICLE	IF	CITATIONS
1	Hepatocyte-Specific Deletion of HIF2 $\alpha$ Prevents NASH-Related Liver Carcinogenesis by Decreasing Cancer Cell Proliferation. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2022, 13, 459-482.	2.3	13
2	Oncostatin M is overexpressed in NASH-related hepatocellular carcinoma and promotes cancer cell invasiveness and angiogenesis. <i>Journal of Pathology</i> , 2022, 257, 82-95.	2.1	12
3	Annexin A1 treatment prevents the evolution to fibrosis of experimental nonalcoholic steatohepatitis. <i>Clinical Science</i> , 2022, 136, 643-656.	1.8	10
4	Oxidative stress in nonalcoholic fatty liver disease: a reappraisal of the role in supporting inflammatory mechanisms. , 2022, 2022, R57-R68.		0
5	The paradox role of cytotoxic T-lymphocytes in NAFLD-associated hepatocellular carcinoma. <i>Hepatobiliary Surgery and Nutrition</i> , 2021, 10, 705-707.	0.7	4
6	Adaptive immunity: an emerging player in the progression of NAFLD. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2020, 17, 81-92.	8.2	227
7	Oncostatin M, A Profibrogenic Mediator Overexpressed in Non-Alcoholic Fatty Liver Disease, Stimulates Migration of Hepatic Myofibroblasts. <i>Cells</i> , 2020, 9, 28.	1.8	26
8	CX3CR1 Mediates the Development of Monocyte-Derived Dendritic Cells during Hepatic Inflammation. <i>Cells</i> , 2019, 8, 1099.	1.8	26
9	SerpineB3 Differently Up-Regulates Hypoxia Inducible Factors -1 $\alpha$ and -2 $\alpha$ in Hepatocellular Carcinoma: Mechanisms Revealing Novel Potential Therapeutic Targets. <i>Cancers</i> , 2019, 11, 1933.	1.7	22
10	Hypoxia-inducible factor 2 $\alpha$ drives nonalcoholic fatty liver progression by triggering hepatocyte release of histidine-rich glycoprotein. <i>Hepatology</i> , 2018, 67, 2196-2214.	3.6	66
11	Targeting toll-like receptor 7/8 improves host anti-infective response in alcoholic cirrhosis. <i>Gut</i> , 2018, 67, 1749-1750.	6.1	1
12	Endotoxemia contributes to steatosis, insulin resistance and atherosclerosis in chronic hepatitis C: the role of pro-inflammatory cytokines and oxidative stress. <i>Infection</i> , 2018, 46, 793-799.	2.3	15
13	B2-Lymphocyte responses to oxidative stress-derived antigens contribute to the evolution of nonalcoholic fatty liver disease (NAFLD). <i>Free Radical Biology and Medicine</i> , 2018, 124, 249-259.	1.3	81
14	Liver dendritic cells and NAFLD evolution: A remaining open issue. <i>Journal of Hepatology</i> , 2017, 66, 1120-1122.	1.8	8
15	CX3CR1 modulates the anti-inflammatory activity of hepatic dendritic cells in response to acute liver injury. <i>Clinical Science</i> , 2017, 131, 2289-2301.	1.8	10
16	SerpineB3 Promotes Pro-fibrogenic Responses in Activated Hepatic Stellate Cells. <i>Scientific Reports</i> , 2017, 7, 3420.	1.6	23
17	Microvesicles released from fat-laden cells promote activation of hepatocellular NLRP3 inflammasome: A pro-inflammatory link between lipotoxicity and non-alcoholic steatohepatitis. <i>PLoS ONE</i> , 2017, 12, e0172575.	1.1	49
18	The role of immune mechanisms in alcoholic and nonalcoholic steatohepatitis: a 2015 update. <i>Expert Review of Gastroenterology and Hepatology</i> , 2016, 10, 243-253.	1.4	37

#	ARTICLE	IF	CITATIONS
19	CX3CR1-expressing inflammatory dendritic cells contribute to the progression of steatohepatitis. <i>Clinical Science</i> , 2015, 129, 797-808.	1.8	60
20	Increased 4-hydroxynonenal protein adducts in male GSTA4 $\alpha$ /PPAR $\alpha$ double knockout mice enhance injury during early stages of alcoholic liver disease. <i>American Journal of Physiology - Renal Physiology</i> , 2015, 308, G403-G415.	1.6	24
21	Oxidative Stress in Alcoholic Liver Disease. <i>Oxidative Stress in Applied Basic Research and Clinical Practice</i> , 2015, , 215-239.	0.4	5
22	Fat-laden macrophages modulate lobular inflammation in nonalcoholic steatohepatitis (NASH). <i>Experimental and Molecular Pathology</i> , 2015, 99, 155-162.	0.9	46
23	Is there a role for adaptive immunity in nonalcoholic steatohepatitis?. <i>World Journal of Hepatology</i> , 2015, 7, 1725.	0.8	14
24	Anti-oxidised-phospholipid antibodies do not correlate with specific anti-phospholipid syndrome classes, but with disease duration. <i>Thrombosis and Haemostasis</i> , 2014, 111, 378-380.	1.8	0
25	CYP2E1 autoantibodies in liver diseases. <i>Redox Biology</i> , 2014, 3, 72-78.	3.9	29
26	Osteopontin: a new player in regulating hepatic ductular reaction and hepatic progenitor cell responses during chronic liver injury. <i>Gut</i> , 2014, 63, 1693-1694.	6.1	11
27	Adaptive immune responses triggered by oxidative stress contribute to hepatic inflammation in NASH. <i>Hepatology</i> , 2014, 59, 886-897.	3.6	205
28	Endogenous annexin A1 is a novel protective determinant in nonalcoholic steatohepatitis in mice. <i>Hepatology</i> , 2014, 60, 531-544.	3.6	85
29	NF $\kappa$ B1 deficiency stimulates the progression of non-alcoholic steatohepatitis (NASH) in mice by promoting NKT-cell-mediated responses. <i>Clinical Science</i> , 2013, 124, 279-287.	1.8	61
30	Lack of CC chemokine ligand 2 differentially affects inflammation and fibrosis according to the genetic background in a murine model of steatohepatitis. <i>Clinical Science</i> , 2012, 123, 459-471.	1.8	59
31	Role of Adaptive Immunity in Alcoholic Liver Disease. <i>International Journal of Hepatology</i> , 2012, 2012, 1-7.	0.4	39
32	Bias in macrophage activation pattern influences non-alcoholic steatohepatitis (NASH) in mice. <i>Clinical Science</i> , 2012, 122, 545-554.	1.8	63
33	Adenosine A2a receptor stimulation prevents hepatocyte lipotoxicity and non-alcoholic steatohepatitis (NASH) in rats. <i>Clinical Science</i> , 2012, 123, 323-332.	1.8	41
34	A case $\alpha$ control histological study on the effects of phlebotomy in patients with chronic hepatitis C. <i>European Journal of Gastroenterology and Hepatology</i> , 2011, 23, 1178-1184.	0.8	18
35	Effects of long-term ethanol administration in a rat total enteral nutrition model of alcoholic liver disease. <i>American Journal of Physiology - Renal Physiology</i> , 2011, 300, G109-G119.	1.6	32
36	Pharmacological postconditioning protects against hepatic ischemia/reperfusion injury. <i>Liver Transplantation</i> , 2011, 17, 474-482.	1.3	40

#	ARTICLE	IF	CITATIONS
37	Oxidative stress parameters in paediatric non-alcoholic fatty liver disease. <i>International Journal of Molecular Medicine</i> , 2010, 26, 471-6.	1.8	78
38	Immune mechanisms in alcoholic liver disease. <i>Genes and Nutrition</i> , 2010, 5, 141-147.	1.2	51
39	Conformational anti-cytochrome P4502E1 (CYP2E1) auto-antibodies contribute to necro-inflammatory injury in chronic hepatitis C. <i>Journal of Viral Hepatitis</i> , 2010, 17, 685-690.	1.0	2
40	Negative regulation of diacylglycerol kinase $\hat{1}$ mediates adenosine-dependent hepatocyte preconditioning. <i>Cell Death and Differentiation</i> , 2010, 17, 1059-1068.	5.0	26
41	Molecular mechanisms of liver preconditioning. <i>World Journal of Gastroenterology</i> , 2010, 16, 6058.	1.4	51
42	Breaking self-tolerance toward cytochrome P4502E1 (CYP2E1) in chronic hepatitis C: Possible role for molecular mimicry. <i>Journal of Hepatology</i> , 2010, 53, 431-438.	1.8	16
43	Phlebotomy improves histology in chronic hepatitis C males with mild iron overload. <i>World Journal of Gastroenterology</i> , 2010, 16, 596.	1.4	19
44	Serum Autoantibodies Against Cytochrome P450 2E1 (CYP2E1) Predict Severity of Necroinflammation of Recurrent Hepatitis C. <i>American Journal of Transplantation</i> , 2009, 9, 601-609.	2.6	10
45	Understanding and Treating Patients With Alcoholic Cirrhosis: An Update. <i>Alcoholism: Clinical and Experimental Research</i> , 2009, 33, 1136-1144.	1.4	25
46	Variable activation of phosphoinositide 3-kinase influences the response of liver grafts to ischemic preconditioning. <i>Journal of Hepatology</i> , 2009, 50, 937-947.	1.8	20
47	Adenosine-dependent activation of hypoxia-inducible factor-1 induces late preconditioning in liver cells. <i>Hepatology</i> , 2008, 48, 230-239.	3.6	43
48	Immune responses against oxidative stress-derived antigens are associated with increased circulating tumor necrosis factor- $\hat{1}$ in heavy drinkers. <i>Free Radical Biology and Medicine</i> , 2008, 45, 306-311.	1.3	39
49	New concepts in the pathogenesis of alcoholic liver disease. <i>Expert Review of Gastroenterology and Hepatology</i> , 2008, 2, 749-759.	1.4	36
50	Combination of Oxidative Stress and Steatosis Is a Risk Factor for Fibrosis in Alcohol-Drinking Patients With Chronic Hepatitis C. <i>American Journal of Gastroenterology</i> , 2008, 103, 147-153.	0.2	28
51	Oxidative mechanisms in the pathogenesis of alcoholic liver disease. <i>Molecular Aspects of Medicine</i> , 2008, 29, 9-16.	2.7	245
52	Interplay between oxidative stress and hepatic steatosis in the progression of chronic hepatitis C. <i>Journal of Hepatology</i> , 2008, 48, 399-406.	1.8	97
53	Interplay between oxidative stress and immunity in the progression of alcohol-mediated liver injury. <i>Trends in Molecular Medicine</i> , 2008, 14, 63-71.	3.5	89
54	Cytokine and Chemokine Expression Associated with Steatohepatitis and Hepatocyte Proliferation in Rats Fed Ethanol via Total Enteral Nutrition. <i>Experimental Biology and Medicine</i> , 2008, 233, 344-355.	1.1	59

#	ARTICLE	IF	CITATIONS
55	N-Acetylcysteine Attenuates Progression of Liver Pathology in a Rat Model of Nonalcoholic Steatohepatitis. <i>Journal of Nutrition</i> , 2008, 138, 1872-1879.	1.3	84
56	Adenosine A2areceptor-mediated, normoxic induction of HIF-1 through PKC and PI-3K-dependent pathways in macrophages. <i>Journal of Leukocyte Biology</i> , 2007, 82, 392-402.	1.5	69
57	Heterozygous $\hat{A}$ -globin gene mutations as a risk factor for iron accumulation and liver fibrosis in chronic hepatitis C. <i>Gut</i> , 2007, 56, 693-698.	6.1	19
58	Role of p38 map kinase in glycine-induced hepatocyte resistance to hypoxic injury. <i>Journal of Hepatology</i> , 2007, 46, 692-699.	1.8	12
59	Detection of auto-antibodies against cytochrome P4502E1 (CYP2E1) in chronic hepatitis C. <i>Journal of Hepatology</i> , 2007, 46, 605-612.	1.8	17
60	Seek and Hide Phosphatidylserine: A New Approach to Prevent Hepatic Ischemia/Reperfusion Injury. <i>Gastroenterology</i> , 2007, 133, 713-716.	0.6	4
61	Antibodies against oxidized phospholipids in laboratory tests exploring lupus anti-coagulant activity. <i>Clinical and Experimental Immunology</i> , 2007, 149, 63-69.	1.1	10
62	Non-positive autoimmune responses against CYP2E1 in refrigeration mechanics exposed to halogenated hydrocarbons. <i>Science of the Total Environment</i> , 2007, 383, 90-97.	3.9	4
63	Alcohol, oxidative stress and free radical damage. <i>Proceedings of the Nutrition Society</i> , 2006, 65, 278-290.	0.4	565
64	Anti-phospholipid antibodies associated with alcoholic liver disease target oxidized phosphatidylserine on apoptotic cell plasma membranes. <i>Journal of Hepatology</i> , 2006, 44, 183-189.	1.8	28
65	Purinergic P2Y2 receptors promote hepatocyte resistance to hypoxia. <i>Journal of Hepatology</i> , 2006, 45, 236-245.	1.8	22
66	PI3K-dependent lysosome exocytosis in nitric oxide-preconditioned hepatocytes. <i>Free Radical Biology and Medicine</i> , 2006, 40, 1738-1748.	1.3	16
67	A novel autoantigen to differentiate limited cutaneous systemic sclerosis from diffuse cutaneous systemic sclerosis: The interferon-inducible gene IFI16. <i>Arthritis and Rheumatism</i> , 2006, 54, 3939-3944.	6.7	64
68	Review article: role of oxidative stress in the progression of non-alcoholic steatosis. <i>Alimentary Pharmacology and Therapeutics</i> , 2005, 22, 71-73.	1.9	113
69	Modulation of Oxidative Stress by Alcohol. <i>Alcoholism: Clinical and Experimental Research</i> , 2005, 29, 1060-1065.	1.4	5
70	Effects of N-acetylcysteine on ethanol-induced hepatotoxicity in rats fed via total enteral nutrition. <i>Free Radical Biology and Medicine</i> , 2005, 39, 619-630.	1.3	96
71	Immune response towards lipid peroxidation products as a predictor of progression of non-alcoholic fatty liver disease to advanced fibrosis. <i>Gut</i> , 2005, 54, 987-993.	6.1	179
72	Use of Molecular Simulation for Mapping Conformational CYP2E1 Epitopes. <i>Journal of Biological Chemistry</i> , 2004, 279, 50949-50955.	1.6	17

#	ARTICLE	IF	CITATIONS
73	Oxidative stress as a trigger for cellular immune responses in patients with alcoholic liver disease. <i>Hepatology</i> , 2004, 39, 197-203.	3.6	85
74	Role of phosphatidylinositol 3-kinase in the development of hepatocyte preconditioning. <i>Gastroenterology</i> , 2004, 127, 914-923.	0.6	61
75	Lack of sexual dimorphism in alcohol-induced liver damage (ALD) in rats treated chronically with ethanol-containing low carbohydrate diets: The role of ethanol metabolism and endotoxin. <i>Life Sciences</i> , 2004, 75, 469-483.	2.0	16
76	Preconditioning-induced cytoprotection in hepatocytes requires Ca <sup>2+</sup> -dependent exocytosis of lysosomes. <i>Journal of Cell Science</i> , 2004, 117, 1065-1077.	1.2	30
77	Alcoholic Liver Disease in Rats Fed Ethanol as Part of Oral or Intra-gastric Low-Carbohydrate Liquid Diets. <i>Experimental Biology and Medicine</i> , 2004, 229, 351-360.	1.1	35
78	Mechanisms of hepatocyte protection against hypoxic injury by atrial natriuretic peptide. <i>Hepatology</i> , 2003, 37, 277-285.	3.6	38
79	Genetic and epigenetic factors in autoimmune reactions toward cytochrome P4502E1 in alcoholic liver disease. <i>Hepatology</i> , 2003, 37, 410-419.	3.6	61
80	Moderate alcohol consumption increases oxidative stress in patients with chronic hepatitis C. <i>Hepatology</i> , 2003, 38, 42-49.	3.6	103
81	Signal pathway responsible for hepatocyte preconditioning by nitric oxide. <i>Free Radical Biology and Medicine</i> , 2003, 34, 1047-1055.	1.3	38
82	Recent insights on the mechanisms of liver preconditioning. <i>Gastroenterology</i> , 2003, 125, 1480-1491.	0.6	153
83	Beta-alanine protection against hypoxic liver injury in the rat. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2002, 1587, 83-91.	1.8	14
84	Lipid peroxidation contributes to immune reactions associated with alcoholic liver disease. <i>Free Radical Biology and Medicine</i> , 2002, 32, 38-45.	1.3	128
85	Free radical mechanisms in immune reactions associated with alcoholic liver disease. <i>Free Radical Biology and Medicine</i> , 2002, 32, 110-114.	1.3	104
86	Valine-alanine manganese superoxide dismutase polymorphism is not associated with alcohol-induced oxidative stress or liver fibrosis. <i>Hepatology</i> , 2002, 36, 1355-1360.	3.6	50
87	Valine-alanine manganese superoxide dismutase polymorphism is not associated with alcohol-induced oxidative stress or liver fibrosis. <i>Hepatology</i> , 2002, 36, 1355-1360.	3.6	23
88	Stimulation of p38 MAP kinase reduces acidosis and Na <sup>+</sup> -overload in preconditioned hepatocytes. <i>FEBS Letters</i> , 2001, 491, 180-183.	1.3	19
89	Signal pathway involved in the development of hypoxic preconditioning in rat hepatocytes. <i>Hepatology</i> , 2001, 33, 131-139.	3.6	95
90	Circulating antibodies recognizing malondialdehyde-modified proteins in healthy subjects. <i>Free Radical Biology and Medicine</i> , 2001, 30, 277-286.	1.3	25

#	ARTICLE	IF	CITATIONS
91	Antiphospholipid antibodies associated with alcoholic liver disease specifically recognise oxidised phospholipids. <i>Gut</i> , 2001, 49, 852-859.	6.1	37
92	Ischemic preconditioning reduces Na <sup>+</sup> accumulation and cell killing in isolated rat hepatocytes exposed to hypoxia. <i>Hepatology</i> , 2000, 31, 166-172.	3.6	60
93	Antibodies against advanced glycation end product N <sup>ε</sup> -(carboxymethyl)lysine in healthy controls and diabetic patients. <i>Diabetologia</i> , 2000, 43, 1385-1388.	2.9	25
94	Liver/kidney microsomal antibody type 1 targets CYP2D6 on hepatocyte plasma membrane. <i>Gut</i> , 2000, 46, 553-561.	6.1	96
95	Ethanol potentiates hypoxic liver injury: role of hepatocyte Na <sup>+</sup> overload. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2000, 1502, 508-514.	1.8	12
96	Alterations of Na <sup>+</sup> homeostasis in hepatocyte reoxygenation injury. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2000, 1500, 297-305.	1.8	28
97	DISTRIBUTION OF LIPID-SOLUBLE ANTIOXIDANTS IN LIPOPROTEINS FROM HEALTHY SUBJECTS. I. CORRELATION WITH PLASMA ANTIOXIDANT LEVELS AND COMPOSITION OF LIPOPROTEINS. <i>Pharmacological Research</i> , 2000, 41, 53-63.	3.1	34
98	Detection of circulating antibodies against malondialdehyde-acetaldehyde adducts in patients with alcohol-induced liver disease. <i>Hepatology</i> , 2000, 31, 878-884.	3.6	158
99	Hydroxyethyl radicals in ethanol hepatotoxicity. <i>Frontiers in Bioscience - Landmark</i> , 1999, 4, d533-540.	3.0	29
100	Autoantibodies against Cytochromes P-450E1 and P-450A in Alcoholics. <i>Molecular Pharmacology</i> , 1999, 55, 223-233.	1.0	66
101	Alterations of Cell Volume Regulation in the Development of Hepatocyte Necrosis. <i>Experimental Cell Research</i> , 1999, 248, 280-293.	1.2	79
102	When and why a water-soluble antioxidant becomes pro-oxidant during copper-induced low-density lipoprotein oxidation: a study using uric acid. <i>Biochemical Journal</i> , 1999, 340, 143.	1.7	50
103	When and why a water-soluble antioxidant becomes pro-oxidant during copper-induced low-density lipoprotein oxidation: a study using uric acid. <i>Biochemical Journal</i> , 1999, 340, 143-152.	1.7	142
104	INTRACELLULAR Na <sup>+</sup> ACCUMULATION AND HEPATOCYTE INJURY DURING COLD STORAGE. <i>Transplantation</i> , 1999, 68, 294-297.	0.5	22
105	Hydroxyethyl radicals in ethanol hepatotoxicity. <i>Frontiers in Bioscience - Landmark</i> , 1999, 4, d533.	3.0	68
106	ROLE OF CYTOCHROME P450 ENZYMES IN ALCOHOL LIVER DISEASE PATHOGENESIS. <i>Alcoholism: Clinical and Experimental Research</i> , 1998, 22, 739-740.	1.4	3
107	CYTOCHROME P450E1, HYDROXYETHYL FREE RADICALS, AND IMMUNE REACTIONS ASSOCIATED WITH ALCOHOLIC LIVER DISEASE. <i>Alcoholism: Clinical and Experimental Research</i> , 1998, 22, 740-742.	1.4	8
108	Immunological evidence for increased oxidative stress in diabetic rats. <i>Diabetologia</i> , 1998, 41, 265-270.	2.9	66

#	ARTICLE	IF	CITATIONS
109	Cytochrome P4502E1 inducibility and hydroxyethyl radical formation among alcoholics. <i>Journal of Hepatology</i> , 1998, 28, 564-571.	1.8	123
110	Different mechanisms are progressively recruited to promote Cu(II) reduction by isolated human low-density lipoprotein undergoing oxidation. <i>Free Radical Biology and Medicine</i> , 1998, 25, 519-528.	1.3	22
111	Cu(I) Availability Paradoxically Antagonizes Antioxidant Consumption and Lipid Peroxidation during the Initiation Phase of Copper-Induced LDL Oxidation. <i>Biochemical and Biophysical Research Communications</i> , 1998, 253, 235-240.	1.0	25
112	GAS6 Inhibits Granulocyte Adhesion to Endothelial Cells. <i>Blood</i> , 1998, 91, 2334-2340.	0.6	70
113	GAS6 Inhibits Granulocyte Adhesion to Endothelial Cells. <i>Blood</i> , 1998, 91, 2334-2340.	0.6	0
114	Role of Na <sup>+</sup> /Ca <sup>2+</sup> Exchanger in Preventing Na <sup>+</sup> Overload and Hepatocyte Injury: Opposite Effects of Extracellular and Intracellular Ca <sup>2+</sup> Chelation. <i>Biochemical and Biophysical Research Communications</i> , 1997, 232, 107-110.	1.0	21
115	Detection of Cytochrome P4503A (CYP3A) in Human Hepatic Stellate Cells. <i>Biochemical and Biophysical Research Communications</i> , 1997, 238, 420-424.	1.0	18
116	The dynamic reduction of Cu(II) to Cu(I) and not Cu(I) availability is a sufficient trigger for low density lipoprotein oxidation. <i>Lipids and Lipid Metabolism</i> , 1997, 1347, 191-198.	2.6	24
117	Plasma membrane hydroxyethyl radical adducts cause antibody-dependent cytotoxicity in rat hepatocytes exposed to alcohol. <i>Gastroenterology</i> , 1997, 113, 265-276.	0.6	83
118	Suitability of chemical in vitro models to investigate LDL oxidation: study with different initiating conditions in native and $\alpha$ -tocopherol-supplemented LDL. <i>Clinical Chemistry</i> , 1997, 43, 1436-1441.	1.5	13
119	Protective Effect of Dehydroepiandrosterone Against Copper-Induced Lipid Peroxidation in the Rat. <i>Free Radical Biology and Medicine</i> , 1997, 22, 1289-1294.	1.3	70
120	Glycine protects against hepatocyte killing by KCN or hypoxia by preventing intracellular Na <sup>+</sup> overload in the rat. <i>Hepatology</i> , 1997, 26, 107-112.	3.6	58
121	Circulating Autoantibodies Recognizing Peroxidase-Oxidized Low Density Lipoprotein. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1997, 17, 134-140.	1.1	14
122	Cytochrome P4502E1 hydroxyethyl radical adducts as the major antigen in autoantibody formation among alcoholics. <i>Gastroenterology</i> , 1996, 111, 206-216.	0.6	112
123	Enzyme-Specific Transport of Rat Liver Cytochrome P450 to the Golgi Apparatus. <i>Archives of Biochemistry and Biophysics</i> , 1996, 333, 459-465.	1.4	52
124	4-Hydroxynonenal Triggers Ca <sup>2+</sup> Influx in Isolated Rat Hepatocytes. <i>Biochemical and Biophysical Research Communications</i> , 1996, 218, 772-776.	1.0	45
125	Inhibition of Cu <sup>2+</sup> -Induced LDL Oxidation by Nitric Oxide: A Study Using Donors with Different Half-Time of NO Release. <i>Biochemical and Biophysical Research Communications</i> , 1996, 220, 306-309.	1.0	38
126	On the role of lipid peroxidation in the pathogenesis of liver damage induced by long-standing cholestasis. <i>Free Radical Biology and Medicine</i> , 1996, 20, 351-359.	1.3	155



#	ARTICLE	IF	CITATIONS
127	In vivo potentiation of 1,2-dibromoethane hepatotoxicity by ethanol through inactivation of glutathione-s-transferase. <i>Chemico-Biological Interactions</i> , 1996, 99, 277-288.	1.7	7
128	Role of cytochrome P4502E1-dependent formation of hydroxyethyl free radical in the development of liver damage in rats intragastrically fed with ethanol. <i>Hepatology</i> , 1996, 23, 155-163.	3.6	13
129	Alteration of Na <sup>+</sup> homeostasis as a critical step in the development of irreversible hepatocyte injury after adenosine triphosphate depletion. <i>Hepatology</i> , 1995, 21, 1089-1098.	3.6	59
130	Modulation of experimental alcohol-induced liver disease by cytochrome P450 2E1 inhibitors. <i>Hepatology</i> , 1995, 21, 1610-1617.	3.6	138
131	Activation of alkylhydrazines to free radical intermediates by ethanol-inducible cytochrome P-4502E1 (CYP2E1). <i>Biochimica Et Biophysica Acta - General Subjects</i> , 1995, 1243, 414-420.	1.1	4
132	Sodium-Mediated Cell Swelling Is Associated with Irreversible Damage in Isolated Hepatocytes Exposed to Hypoxia or Mitochondrial Toxins. <i>Biochemical and Biophysical Research Communications</i> , 1995, 206, 180-185.	1.0	40
133	The Operation of Na <sup>+</sup> /Ca <sup>2+</sup> Exchanger Prevents Intracellular Ca <sup>2+</sup> Overload and Hepatocyte Killing Following Iron-Induced Lipid Peroxidation. <i>Biochemical and Biophysical Research Communications</i> , 1995, 208, 813-818.	1.0	17
134	Scavenging effect of silipide, a new silybin-phospholipid complex, on ethanol-derived free radicals. <i>Biochemical Pharmacology</i> , 1995, 50, 1313-1316.	2.0	68
135	Detection of antibodies against proteins modified by hydroxyethyl free radicals in patients with alcoholic cirrhosis. <i>Gastroenterology</i> , 1995, 108, 201-207.	0.6	114
136	Alteration of Na <sup>+</sup> homeostasis as a critical step in the development of irreversible hepatocyte injury after adenosine triphosphate depletion*1. <i>Hepatology</i> , 1995, 21, 1089-1098.	3.6	2
137	Oxidative stress in the development of human ischemic hepatitis during circulatory shock. <i>Free Radical Biology and Medicine</i> , 1994, 17, 225-233.	1.3	29
138	Alterations of hepatocyte Ca <sup>2+</sup> homeostasis by triethylated lead (Et <sub>3</sub> Pb <sup>+</sup> ): are they correlated with cytotoxicity?. <i>Chemico-Biological Interactions</i> , 1994, 90, 59-72.	1.7	8
139	Evidence for a Sodium-Dependent Calcium Influx in Isolated Rat Hepatocytes Undergoing ATP Depletion. <i>Biochemical and Biophysical Research Communications</i> , 1994, 202, 360-366.	1.0	26
140	[11] Spin trapping of alcohol-derived radicals in microsomes and reconstituted systems by electron spin resonance. <i>Methods in Enzymology</i> , 1994, 233, 117-127.	0.4	23
141	Effect of Ethanol on Cytochrome P450 2E1 (CYP2E1), Lipid Peroxidation, and Serum Protein Adduct Formation in Relation to Liver Pathology Pathogenesis. <i>Experimental and Molecular Pathology</i> , 1993, 58, 61-75.	0.9	141
142	Stimulation of Lipid Peroxidation or 4-Hydroxynonenal Treatment Increases Procollagen $\hat{1}\pm 1$ (I) Gene Expression in Human Liver Fat-Storing Cells. <i>Biochemical and Biophysical Research Communications</i> , 1993, 194, 1044-1050.	1.0	329
143	Ethanol-inducible cytochrome P4502E1: Genetic polymorphism, regulation, and possible role in the etiology of alcohol-induced liver disease. <i>Alcohol</i> , 1993, 10, 447-452.	0.8	219
144	Role of cytochrome P4502E1 in alcoholic liver disease pathogenesis. <i>Alcohol</i> , 1993, 10, 459-464.	0.8	152

#	ARTICLE	IF	CITATIONS
145	Possible Role of Free Radical Intermediates in Hepatotoxicity of Hydrazine Derivatives. <i>Toxicology and Industrial Health</i> , 1993, 9, 529-537.	0.6	8
146	Specificity of autoantibodies against oxidized LDL as an additional marker for atherosclerotic risk. <i>Coronary Artery Disease</i> , 1993, 4, 1119-1122.	0.3	93
147	Mitochondrial damage and its role in causing hepatocyte injury during stimulation of lipid peroxidation by iron nitroacetate. <i>Archives of Biochemistry and Biophysics</i> , 1992, 297, 110-118.	1.4	66
148	Lipid peroxidation and irreversible damage in the rat hepatocyte model. <i>Biochemical Pharmacology</i> , 1992, 43, 2111-2115.	2.0	113
149	Vitamin E dietary supplementation protects against carbon tetrachloride-induced chronic liver damage and cirrhosis. <i>Hepatology</i> , 1992, 16, 1014-1021.	3.6	203
150	Hepatitis C virus-related chronic liver disease with autoantibodies to liver-kidney microsomes (LKM). <i>Journal of Hepatology</i> , 1991, 13, 128-131.	1.8	94
151	Role of ethanol-inducible cytochrome P450 (P450IIE1) in catalysing the free radical activation of aliphatic alcohols. <i>Biochemical Pharmacology</i> , 1991, 41, 1895-1902.	2.0	143
152	Stimulation of lipid peroxidation increases the intracellular calcium content of isolated hepatocytes. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1991, 1091, 310-316.	1.9	63
153	Ca <sup>2+</sup> -dependent and independent mitochondrial damage in hepatocellular injury. <i>Cell Calcium</i> , 1991, 12, 335-341.	1.1	44
154	In vivo and in vitro evidence concerning the role of lipid peroxidation in the mechanism of hepatocyte death due to carbon tetrachloride. <i>Cell Biochemistry and Function</i> , 1991, 9, 111-118.	1.4	48
155	CHANGES IN LIVER PLASMA MEMBRANE PERMEABILITY TO CALCIUM INDUCED BY THE STIMULATION OF LIPID PEROXIDATION. , 1991, , 471-475.		0
156	Inhibition of the high affinity Ca <sup>2+</sup> -ATPase activity in rat liver plasma membranes following carbon tetrachloride intoxication. <i>Chemico-Biological Interactions</i> , 1990, 73, 103-119.	1.7	24
157	Studies on the Antioxidant and Free Radical Scavenging Properties of Idb 1016 A New Flavanolignan Complex. <i>Free Radical Research Communications</i> , 1990, 11, 109-115.	1.8	57
158	Carbon Tetrachloride-Induced Oxidative Stress at the Level of Liver Golgi Apparatus: Effect on Lipoprotein Secretion. , 1990, , 183-191.		0
159	Free radical activation of monomethyl and dimethyl hydrazines in isolated hepatocytes and liver microsomes. <i>Free Radical Biology and Medicine</i> , 1989, 6, 3-8.	1.3	34
160	Effects of carbon tetrachloride on calcium homeostasis. <i>Biochemical Pharmacology</i> , 1989, 38, 2719-2725.	2.0	33
161	Spin trapping of free radical species produced during the microsomal metabolism of ethanol. <i>Chemico-Biological Interactions</i> , 1988, 65, 223-234.	1.7	126
162	Carbon tetrachloride-induced inhibition of protein kinase C in isolated rat hepatocytes. <i>Biochemical and Biophysical Research Communications</i> , 1988, 153, 591-597.	1.0	26

#	ARTICLE	IF	CITATIONS
163	Lipid Peroxidation and Bioactivation of Halogenated Hydrocarbons in Rat Liver Mitochondria During Experimental Siderosis. , 1988, , 143-151.		0
164	Lipid Peroxidation and Haloalkylation in CCl4-Induced Liver Fatty Degeneration and Necrosis. , 1988, 49, 807-810.		0
165	Detection of Free Radical Intermediates in the Oxidative Metabolism of Carcinogenic Hydrazine Derivatives. Toxicologic Pathology, 1987, 15, 178-183.	0.9	25
166	Free Radical Metabolism of Alcohols by Rat Liver Microsomes. Free Radical Research Communications, 1987, 3, 243-249.	1.8	61
167	Electron Spin Resonance Studies on Isolated Hepatocytes Treated with Ferrous Or Ferric Iron. Free Radical Research Communications, 1987, 3, 251-255.	1.8	19
168	Spin trapping of free radical intermediates produced during the metabolism of isoniazid and iproniazid in isolated hepatocytes. Biochemical Pharmacology, 1987, 36, 2913-2920.	2.0	39
169	The role of lipid peroxidation in liver damage. Chemistry and Physics of Lipids, 1987, 45, 117-142.	1.5	309
170	Effect of spin traps in isolated rat hepatocytes and liver microsomes. Biochemical Pharmacology, 1986, 35, 3955-3960.	2.0	32
171	Activation of chloroform and related trihalomethanes to free radical intermediates in isolated hepatocytes and in the rat in vivo as detected by the ESR-spin trapping technique. Chemico-Biological Interactions, 1985, 55, 303-316.	1.7	104
172	Carbon tetrachloride-induced inhibition of hepatocyte lipoprotein secretion: Functional impairment of Golgi apparatus in the early phases of such injury. Life Sciences, 1985, 36, 533-539.	2.0	27
173	Detection of free radical intermediates during isoniazid and iproniazid metabolism by isolated rat hepatocytes. Biochemical Pharmacology, 1985, 34, 381-382.	2.0	13
174	Mechanisms responsible for carbon tetrachloride-induced perturbation of mitochondrial calcium homeostasis. FEBS Letters, 1985, 192, 184-188.	1.3	39
175	Free Radical Intermediates under Hypoxic Conditions in the Metabolism of Halogenated Carcinogens. Toxicologic Pathology, 1984, 12, 240-246.	0.9	15
176	Studies on fatty liver with isolated hepatocytes. Experimental and Molecular Pathology, 1984, 41, 191-201.	0.9	12
177	Toxicity of 1,2-dibromoethane in isolated hepatocytes: Role of lipid peroxidation. Chemico-Biological Interactions, 1984, 50, 255-265.	1.7	32
178	The effect of the administration of cobaltic protoporphyrin IX on drug metabolism, carbon tetrachloride activation and lipid peroxidation in rat liver microsomes. Chemico-Biological Interactions, 1984, 50, 143-151.	1.7	15
179	Thiyl radicals - formation during peroxidase-catalyzed metabolism of acetaminophen in the presence of thiols. Biochemical and Biophysical Research Communications, 1984, 125, 109-115.	1.0	72
180	Detection of a free radical intermediate from divicine of vicia faba. Biochemical Pharmacology, 1984, 33, 1701-1704.	2.0	39

#	ARTICLE	IF	CITATIONS
181	The metabolism of halothane by hepatocytes: A comparison between free radical spin trapping and lipid peroxidation in relation to cell damage. <i>Chemico-Biological Interactions</i> , 1983, 46, 353-368.	1.7	49
182	Biochemical evidence for chemical and/or topographic differences in the lipoperoxidative processes induced by CCl <sub>4</sub> and iron. <i>Chemico-Biological Interactions</i> , 1983, 43, 253-261.	1.7	17
183	Paracetamol-stimulated lipid peroxidation in isolated rat and mouse hepatocytes. <i>Chemico-Biological Interactions</i> , 1983, 47, 249-263.	1.7	83
184	In vitro evidence for CCl <sub>4</sub> metabolites covalently bound to lipoprotein micelles. <i>FEBS Letters</i> , 1983, 160, 187-190.	1.3	14
185	Metabolic activation of 1,2-dibromoethane to a free radical intermediate by rat liver microsomes and isolated hepatocytes. <i>FEBS Letters</i> , 1983, 160, 191-194.	1.3	28
186	Radiolysis of tetrachloromethane. <i>Journal of the Chemical Society Faraday Transactions I</i> , 1982, 78, 2205.	1.0	43
187	Studies on lipid peroxidation using whole liver cells: Influence of damaged cells on the prooxidant effect of ADP-Fe <sup>3+</sup> and CCl <sub>4</sub> . <i>Experientia</i> , 1981, 37, 396-397.	1.2	13
188	Influence of lipid peroxidation on lipoprotein secretion by isolated hepatocytes. <i>Lipids</i> , 1981, 16, 823-829.	0.7	30
189	Spin trapping of free radical products of CCl <sub>4</sub> activation using pulse radiolysis and high energy radiation procedures. <i>FEBS Letters</i> , 1980, 122, 303-306.	1.3	67
190	Studies on fatty liver with isolated hepatocytes. <i>Experimental and Molecular Pathology</i> , 1979, 30, 116-127.	0.9	126
191	Studies on fatty liver with isolated hepatocytes. <i>Experimental and Molecular Pathology</i> , 1977, 27, 339-352.	0.9	50
192	SerpinB3 as a Pro-Inflammatory Mediator in the Progression of Experimental Non-Alcoholic Fatty Liver Disease. <i>Frontiers in Immunology</i> , 0, 13, .	2.2	9