Malcolm R Sim

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/9450216/malcolm-r-sim-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

18 76 1,242 33 g-index h-index citations papers 88 1,644 5.3 5.53 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
76	The psychological impacts of a smoke event on young adults compared to other aged adults in Victoria, Australia. <i>International Journal of Disaster Risk Reduction</i> , 2022 , 70, 102727	4.5	O
75	Silica Exposure Estimates in Artificial Stone Benchtop Fabrication and Adverse Respiratory Outcomes <i>Annals of Work Exposures and Health</i> , 2022 , 66, 5-13	2.4	1
74	Long-term impact of exposure to coalmine fire emitted PM on emergency ambulance attendances. <i>Chemosphere</i> , 2022 , 288, 132339	8.4	1
73	Changes in work and health of Australians during the COVID-19 pandemic: a longitudinal cohort study <i>BMC Public Health</i> , 2022 , 22, 487	4.1	
72	An exploration of the trajectory of psychological distress associated with exposure to smoke during the 2014 Hazelwood coal mine fire <i>International Journal of Hygiene and Environmental Health</i> , 2022 , 241, 113946	6.9	1
71	Impacts of coal mine fire-related PM2.5 on the utilisation of ambulance and hospital services for mental health conditions. <i>Atmospheric Pollution Research</i> , 2022 , 13, 101415	4.5	1
70	Associations between long-term exposure to PM and site-specific cancer mortality: A nationwide study in Brazil between 2010 and 2018 <i>Environmental Pollution</i> , 2022 , 119070	9.3	O
69	Estimation of RF and ELF dose by anatomical location in the brain from wireless phones in the MOBI-Kids study <i>Environment International</i> , 2022 , 163, 107189	12.9	O
68	Impacts of High Concentration, Medium Duration Coal Mine Fire Related PM on Cancer Incidence: 5-Year Follow-Up of the Hazelwood Health Study. <i>Environmental Health Insights</i> , 2021 , 15, 1178630221	10 5 972	22
67	Wireless phone use in childhood and adolescence and neuroepithelial brain tumours: Results from the international MOBI-Kids study <i>Environment International</i> , 2021 , 160, 107069	12.9	5
66	The Impact of Work Loss on Mental and Physical Health During the COVID-19 Pandemic: Baseline Findings from a Prospective Cohort Study. <i>Journal of Occupational Rehabilitation</i> , 2021 , 31, 455-462	3.6	14
65	Caustic Mist Exposure and Respiratory Outcomes in a Cohort Study of Alumina Refinery Workers. <i>Annals of Work Exposures and Health</i> , 2021 , 65, 703-714	2.4	
64	Occupational heat stress and economic burden: A review of global evidence. <i>Environmental Research</i> , 2021 , 195, 110781	7.9	17
63	Impact of exposure to mine fire emitted PM on ambulance attendances: A time series analysis from the Hazelwood Health Study. <i>Environmental Research</i> , 2021 , 196, 110402	7.9	1
62	Identification of early-stage silicosis through health screening of stone benchtop industry workers in Victoria, Australia. <i>Occupational and Environmental Medicine</i> , 2021 , 78, 296-302	2.1	11
61	Cohort studies of long-term exposure to outdoor particulate matter and risks of cancer: A systematic review and meta-analysis. <i>Innovation(China)</i> , 2021 , 2, 100143	17.8	6
60	Exposure to mine fire related particulate matter and mortality: A time series analysis from the Hazelwood Health Study. <i>Chemosphere</i> , 2021 , 285, 131351	8.4	1

59	Cancer incidence in agricultural workers: Findings from an international consortium of agricultural cohort studies (AGRICOH). <i>Environment International</i> , 2021 , 157, 106825	12.9	5
58	Work-related asthma: A position paper from the Thoracic Society of Australia and New Zealand and the National Asthma Council Australia. <i>Respirology</i> , 2020 , 25, 1183-1192	3.6	2
57	Exposure to Medical Radiation during Fetal Life, Childhood and Adolescence and Risk of Brain Tumor in Young Age: Results from The MOBI-Kids Case-Control Study. <i>Neuroepidemiology</i> , 2020 , 54, 343	3 ⁵ 3 ⁴ 55	6
56	Determinants of heat-related injuries in Australian workplaces: Perceptions of health and safety professionals. <i>Science of the Total Environment</i> , 2020 , 718, 137138	10.2	9
55	Using a Qualitative Phenomenological Approach to Inform the Etiology and Prevention of Occupational Heat-Related Injuries in Australia. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	5
54	The factors associated with distress following exposure to smoke from an extended coal mine fire. <i>Environmental Pollution</i> , 2020 , 266, 115131	9.3	5
53	Respiratory outcomes among refinery workers exposed to inspirable alumina dust: A longitudinal study in Western Australia. <i>American Journal of Industrial Medicine</i> , 2020 , 63, 1116-1123	2.7	0
52	Coal-mine fire-related fine particulate matter and medical-service utilization in Australia: a time-series analysis from the Hazelwood Health Study. <i>International Journal of Epidemiology</i> , 2020 , 49, 80-93	7.8	8
51	Geographical variation in risk of work-related injuries and illnesses associated with ambient temperatures: A multi-city case-crossover study in Australia, 2005-2016. <i>Science of the Total Environment</i> , 2019 , 687, 898-906	10.2	11
50	Characterising the impact of heatwaves on work-related injuries and illnesses in three Australian cities using a standard heatwave definition- Excess Heat Factor (EHF). <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2019 , 29, 821-830	6.7	15
49	Quality of Life in Gulf War Veterans: the Influence of Recency and Persistence of Psychiatric Morbidity. <i>Applied Research in Quality of Life</i> , 2019 , 14, 23-38	2.3	1
48	Uncertainty Analysis of Mobile Phone Use and Its Effect on Cognitive Function: The Application of Monte Carlo Simulation in a Cohort of Australian Primary School Children. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	5
47	Health Care Provider Communication and the Duration of Time Loss Among Injured Workers: A Prospective Cohort Study. <i>Medical Care</i> , 2019 , 57, 718-722	3.1	1
46	The effects of ambient temperatures on the risk of work-related injuries and illnesses: Evidence from Adelaide, Australia 2003-2013. <i>Environmental Research</i> , 2019 , 170, 101-109	7.9	20
45	Fine particulate matter exposure and medication dispensing during and after a coal mine fire: A time series analysis from the Hazelwood Health Study. <i>Environmental Pollution</i> , 2019 , 246, 1027-1035	9.3	18
44	The Effect of Self-Efficacy on Return-to-Work Outcomes for Workers with Psychological or Upper-Body Musculoskeletal Injuries: A Review of the Literature. <i>Journal of Occupational Rehabilitation</i> , 2018 , 28, 16-27	3.6	30
43	A Prospective Cohort Study of the Impact of Return-to-Work Coordinators in Getting Injured Workers Back on the Job. <i>Journal of Occupational Rehabilitation</i> , 2018 , 28, 298-306	3.6	12
42	The impact of sustained hot weather on risk of acute work-related injury in Melbourne, Australia. International Journal of Biometeorology, 2018, 62, 153-163	3.7	15

41	Efficacy of Low-Dose Amitriptyline for Chronic Low Back Pain: A Randomized Clinical Trial. <i>JAMA Internal Medicine</i> , 2018 , 178, 1474-1481	11.5	25
40	Estimating transmitted power density from mobile phone: an epidemiological pilot study with a software modified phone. <i>Australasian Physical and Engineering Sciences in Medicine</i> , 2018 , 41, 985-991	1.9	3
39	A return-to-work self-efficacy scale for workers with psychological or musculoskeletal work-related injuries. <i>Quality and Quantity</i> , 2017 , 51, 413-424	2.4	6
38	ELF exposure from mobile and cordless phones for the epidemiological MOBI-Kids study. <i>Environment International</i> , 2017 , 101, 59-69	12.9	3
37	Mortality and cancer incidence among male volunteer Australian firefighters. <i>Occupational and Environmental Medicine</i> , 2017 , 74, 628-638	2.1	11
36	Epidemiological Differences Between Localized and Nonlocalized Low Back Pain. <i>Spine</i> , 2017 , 42, 740-7	4 3 7.3	13
35	Comparability of health service use by veterans with multisymptom illness and those with chronic diseases. <i>International Journal for Quality in Health Care</i> , 2017 , 29, 90-97	1.9	
34	Working in hot weather: a review of policies and guidelines to minimise the risk of harm to Australian workers. <i>Injury Prevention</i> , 2017 , 23, 334-339	3.2	12
33	Patterns of cellular phone use among young people in 12 countries: Implications for RF exposure. <i>Environment International</i> , 2017 , 107, 65-74	12.9	23
32	Use of mobile and cordless phones and change in cognitive function: a prospective cohort analysis of Australian primary school children. <i>Environmental Health</i> , 2017 , 16, 62	6	14
31	Association between high ambient temperature and acute work-related injury: a case-crossover analysis using workersTcompensation claims data. <i>Scandinavian Journal of Work, Environment and Health</i> , 2017 , 43, 86-94	4.3	42
30	Cohort Profile: The Australian Gulf War VeteransTHealth Study cohort. <i>International Journal of Epidemiology</i> , 2017 , 46, 31	7.8	3
29	Fine particulate matter (PM2.5) exposure during a prolonged wildfire period and emergency department visits for asthma. <i>Respirology</i> , 2016 , 21, 88-94	3.6	50
28	Is low-dose amitriptyline effective in the management of chronic low back pain? Study protocol for a randomised controlled trial. <i>Trials</i> , 2016 , 17, 514	2.8	8
27	Use of mobile and cordless phones and cognition in Australian primary school children: a prospective cohort study. <i>Environmental Health</i> , 2016 , 15, 26	6	15
26	Descriptive Epidemiology of Somatising Tendency: Findings from the CUPID Study. <i>PLoS ONE</i> , 2016 , 11, e0153748	3.7	9
25	Measuring personal exposure from 900MHz mobile phone base stations in Australia and Belgium using a novel personal distributed exposimeter. <i>Environment International</i> , 2016 , 92-93, 388-97	12.9	19
24	Assessment of personal exposure from radiofrequency-electromagnetic fields in Australia and Belgium using on-body calibrated exposimeters. <i>Environmental Research</i> , 2016 , 151, 547-563	7.9	29

(2001-2015)

23	Symptom attribution and symptom reporting in Australian Gulf War veterans. <i>Journal of Psychosomatic Research</i> , 2015 , 79, 674-9	4.1	3
22	Developing a brief depression screen and identifying associations with comorbid physical and psychological illness in Australian Gulf War veterans. <i>Journal of Psychosomatic Research</i> , 2015 , 79, 566-7	73 ^{4.1}	11
21	Increased symptom reporting persists in 1990-1991 Gulf War veterans 20 years post deployment. <i>American Journal of Industrial Medicine</i> , 2015 , 58, 1246-54	2.7	11
20	Forest Fire Smoke Exposures and Out-of-Hospital Cardiac Arrests in Melbourne, Australia: A Case-Crossover Study. <i>Environmental Health Perspectives</i> , 2015 , 123, 959-64	8.4	58
19	Impact of Fine Particulate Matter (PM2.5) Exposure During Wildfires on Cardiovascular Health Outcomes. <i>Journal of the American Heart Association</i> , 2015 , 4,	6	124
18	Work-related road traffic injury: a multilevel systems protocol. <i>Injury Prevention</i> , 2014 , 20, e6	3.2	5
17	Tracing the long-term legacy of childhood lead exposure: a review of three decades of the port Pirie cohort study. <i>NeuroToxicology</i> , 2014 , 43, 46-56	4.4	28
16	The MOBI-Kids Study Protocol: Challenges in Assessing Childhood and Adolescent Exposure to Electromagnetic Fields from Wireless Telecommunication Technologies and Possible Association with Brain Tumor Risk. <i>Frontiers in Public Health</i> , 2014 , 2, 124	6	45
15	Assessment of extremely low frequency magnetic field exposure from GSM mobile phones. <i>Bioelectromagnetics</i> , 2014 , 35, 210-21	1.6	13
14	Comparison of data sets for surveillance of work-related injury in Victoria, Australia. <i>Occupational and Environmental Medicine</i> , 2014 , 71, 780-7	2.1	8
13	Mobile telephone use is associated with changes in cognitive function in young adolescents. <i>Bioelectromagnetics</i> , 2009 , 30, 678-86	1.6	90
12	Acetylcholinesterase inhibition and Gulf War illnesses: conclusions are not supported by independent reviews of the same evidence. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, E20	11.5	7
11	Primary prevention of latex related sensitisation and occupational asthma: a systematic review. <i>Occupational and Environmental Medicine</i> , 2006 , 63, 359-64	2.1	59
10	The longer-term health impact of war service. <i>Medicina Del Lavoro</i> , 2006 , 97, 165-6	1.9	
9	World at work: hazards and controls in aluminium potrooms. <i>Occupational and Environmental Medicine</i> , 2003 , 60, 989-92	2.1	13
8	Respiratory Morbidity and Exposure to Bauxite, Alumina and Caustic Mist in Alumina Refineries. <i>Journal of Occupational Health</i> , 2001 , 43, 231-237	2.3	8
7	Respiratory symptoms and lung function in bauxite miners. <i>International Archives of Occupational and Environmental Health</i> , 2001 , 74, 489-94	3.2	12
6	Skin irritation in users of brominated pools. <i>International Journal of Environmental Health Research</i> , 2001 , 11, 29-40	3.6	15

5	A task exposure database for use in the alumina and primary aluminium industry. <i>Journal of Occupational and Environmental Hygiene</i> , 2001 , 16, 149-53		6
4	Risky business: health risk assessment and public health policy on environmental carcinogens. <i>Medical Journal of Australia</i> , 1999 , 170, 372-4	4	3
3	Exposures in the alumina and primary aluminium industry: an historical review. <i>Annals of Occupational Hygiene</i> , 1998 , 42, 173-89		33
2	Termite control and other determinants of high body burdens of cyclodiene insecticides. <i>Archives of Environmental Health</i> , 1998 , 53, 114-21		19
1	Are aluminium potroom workers at increased risk of neurological disorders?. Occupational and	2.1	16