Rachid Mahmoudi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9451114/publications.pdf

Version: 2024-02-01

471061 552369 68 854 17 26 citations h-index g-index papers 107 107 107 1395 docs citations times ranked citing authors all docs

#	Article	IF	Citations
1	Association between anticholinergic burden and hospital readmission in older patients: a prospective analysis. Hospital Practice (1995), 2021, 49, 104-109.	0.5	1
2	Acquired decrease of the C3b/C4b receptor (CR1, CD35) and increased C4d deposits on erythrocytes from ICU COVID-19 patients. Immunobiology, 2021, 226, 152093.	0.8	15
3	No impact of a prescription booklet on medication consumption in nursing home residents from 2011 to 2014: a controlled before–after study. Aging Clinical and Experimental Research, 2020, 33, 1599-1607.	1.4	O
4	Incremental Value of CSF Biomarkers in Clinically Diagnosed AD and Non-AD Dementia. Frontiers in Neurology, 2020, 11, 560.	1.1	4
5	Measuring Erythrocyte Complement Receptor 1 Using Flow Cytometry. Journal of Visualized Experiments, 2020, , .	0.2	2
6	National survey on the management of heart failure in individuals over 80 years of age in French geriatric care units. BMC Geriatrics, 2019, 19, 204.	1.1	14
7	Multiple factor analysis of eating patterns to detect groups at risk of malnutrition among home-dwelling older subjects in 2015. BMJ Open, 2019, 9, e023548.	0.8	4
8	Post-translational modification-derived products are associated with frailty status in elderly subjects. Clinical Chemistry and Laboratory Medicine, 2019, 57, 1153-1161.	1.4	9
9	Threshold for a Reduction in Anticholinergic Burden to Decrease Behavioral and Psychological Symptoms of Dementia. Journal of the American Medical Directors Association, 2019, 20, 159-164.e3.	1.2	15
10	Reduction of the Anticholinergic Burden Makes It Possible to Decrease Behavioral and Psychological Symptoms of Dementia. American Journal of Geriatric Psychiatry, 2018, 26, 280-288.	0.6	28
11	Factors related to use of potentially inappropriate psychotropic drugs in 2,343 residents of 19 nursing homes. Psychologie & Neuropsychiatrie Du Vieillissement, 2018, 16, 279-285.	0.2	1
12	Elastin molecular aging promotes <scp>MDA</scp> â€ <scp>MB</scp> â€231 breast cancer cell invasiveness. FEBS Open Bio, 2018, 8, 1395-1404.	1.0	31
13	Naturalistic Driving Study Investigating Self-Regulation Behavior in Early Alzheimer's Disease: A Pilot Study. Journal of Alzheimer's Disease, 2018, 63, 1499-1508.	1.2	13
14	Inherited and Acquired Decrease in Complement Receptor 1 (CR1) Density on Red Blood Cells Associated with High Levels of Soluble CR1 in Alzheimer's Disease. International Journal of Molecular Sciences, 2018, 19, 2175.	1.8	22
15	Factors associated with quality of life in patients with Alzheimer's disease. BMC Geriatrics, 2018, 18, 159.	1.1	43
16	Impact of functional alterations on quality of life in patients with Alzheimer's disease. Aging and Mental Health, 2017, 21, 571-576.	1.5	17
17	Adjudication of osteonecrosis of the jaw in phase III randomized controlled trials of denosumab: a systematic review. European Journal of Clinical Pharmacology, 2017, 73, 517-523.	0.8	9
18	Overall survival in elderly patients with colorectal cancer: A population-based study in the Caribbean. Cancer Epidemiology, 2017, 48, 85-91.	0.8	7

#	Article	lF	CITATIONS
19	Predictive Factors of Rapid Cognitive Decline in Patients with Alzheimer Disease. Dementia and Geriatric Cognitive Disorders Extra, 2017, 6, 549-558.	0.6	12
20	The prescription of antiplatelet medication in a very elderly population: An observational study in 15Â141 ambulatory subjects. International Journal of Clinical Practice, 2017, 71, e13020.	0.8	3
21	Screening for frailty in community-dwelling elderly subjects: Predictive validity of the modified SEGA instrument. Archives of Gerontology and Geriatrics, 2017, 73, 177-181.	1.4	17
22	Is functional mobility an independent mortality risk factor in subjects with dementia?. Maturitas, 2017, 103, 65-70.	1.0	10
23	High-resolution Melting PCR for Complement Receptor 1 Length Polymorphism Genotyping: An Innovative Tool for Alzheimer's Disease Gene Susceptibility Assessment. Journal of Visualized Experiments, 2017, , .	0.2	8
24	Long-term cognitive outcome of Alzheimer's disease and dementia with Lewy bodies: dual disease is worse. Alzheimer's Research and Therapy, 2017, 9, 47.	3.0	28
25	Risk Factors for Adverse Drug Reactions in Older Subjects Hospitalized in a Dedicated Dementia Unit. American Journal of Geriatric Psychiatry, 2017, 25, 290-296.	0.6	12
26	SCREENING FOR FRAILTY IN COMMUNITY-DWELLING ELDERLY SUBJECTS: VALIDATION OF THE SEGAM INSTRUMENT. Innovation in Aging, 2017, 1, 1126-1127.	0.0	0
27	Alterations in Olfaction during Alzheimer Disease, Parkinson Disease and Lewy Body Disease., 2016, 6, .		1
28	Treatment in idiopathic thrombocytopenic purpura in the elderly: about a retrospective study. Psychologie & Neuropsychiatrie Du Vieillissement, 2016, 14, 151-157.	0.2	1
29	What could have caused this weight loss?. European Journal of Internal Medicine, 2016, 35, e1-e2.	1.0	O
30	Remitting Seronegative Symmetrical Synovitis with Pitting Edema Syndrome Associated with Myeloma and Syndrome of Inappropriate Antidiuretic Hormone Secretion in an Elderly Man. Journal of the American Geriatrics Society, 2016, 64, e56-7.	1.3	0
31	Adverse drug reactions in elderly patients with cognitive disorders: A systematic review. Maturitas, 2016, 85, 56-63.	1.0	31
32	Psychometric properties of the Duke Health Profile in a neuromuscular disease population. European Journal of Physical and Rehabilitation Medicine, 2016, 52, 57-64.	1.1	5
33	P-328: Predictors of long-term mortality in oldest old patients (90+) hospitalized in medical wards via the emergency department. European Geriatric Medicine, 2015, 6, S119.	1.2	0
34	Comparison of QoL-AD and DQoL in elderly with Alzheimer's disease. Aging and Mental Health, 2015, 19, 274-278.	1.5	23
35	Alzheimer's disease is associated with low density of the long CR1 isoform. Neurobiology of Aging, 2015, 36, 1766.e5-1766.e12.	1.5	33
36	Predictors of long-term mortality in oldest old patients (90+) hospitalized to medical wards via the emergency department: The safes cohort. Journal of Nutrition, Health and Aging, 2015, 19, 702-707.	1.5	9

#	Article	IF	CITATIONS
37	Effets indésirables médicamenteux chez des sujets âgés hospitalisés dans une unité spécialisée prise en charge des patients atteints de syndrome démentiel. NPG Neurologie - Psychiatrie - Geriatrie, 2015, 15, 21-27.	dans la 0.1	2
38	When constipation revealed an aneurysm of the abdominal aorta. European Geriatric Medicine, 2015, 6, 61-62.	1,2	0
39	Burnout in the field of geriatric medicine: Review of the literature. European Geriatric Medicine, 2015, 6, 175-183.	1.2	24
40	Screening for frailty in elderly subjects living at home: Validation of the modified Short Emergency Geriatric Assessment (SEGAm) instrument. Journal of Nutrition, Health and Aging, 2014, 18, 757-764.	1.5	29
41	Adverse Drug Reactions in Elderly Subjects Hospitalized in a Specialized Dementia Management Unit. Drugs and Aging, 2014, 31, 769-776.	1.3	21
42	Superior vena cava syndrome caused by a lung tumor: A case-report and review of literature. European Geriatric Medicine, 2014, 5, 45-46.	1.2	0
43	RS3PE syndrome: A case-report and review of literature. European Geriatric Medicine, 2014, 5, 129-130.	1.2	0
44	Is obesity a marker of robustness in vulnerable hospitalized aged populations? Prospective, multicenter cohort study of 1 306 acutely ill patients. Journal of Nutrition, Health and Aging, 2014, 18, 66-74.	1.5	14
45	When pernicious anemia is invited in multiple autoimmune syndromes in the elderly. European Geriatric Medicine, 2014, 5, 133.	1.2	1
46	P190: A skin pigmentation not so usual. European Geriatric Medicine, 2014, 5, S144.	1.2	0
47	Factors associated with successful aging in persons aged 65 to 75 years. European Geriatric Medicine, 2014, 5, 365-370.	1.2	30
48	P391: A rare and atypical case of Churg Strauss in the elderly. European Geriatric Medicine, 2014, 5, S204.	1.2	0
49	P118: Screening for frailty in elderly subjects living at home: validation of the modified Short Emergency Geriatric Assessment (SEGAm) instrument. European Geriatric Medicine, 2014, 5, S119-S120.	1.2	0
50	Late-onset lupus in the elderly after 75 years: A rare cohort of six patients. European Geriatric Medicine, 2014, 5, 58-59.	1.2	1
51	Relationship between anticholinergic drug use and one-year outcome among elderly people hospitalised in medical wards via emergency department: The safes cohort study. Journal of Nutrition, Health and Aging, 2013, 17, 766-771.	1.5	6
52	Systemic lupus in the elderly a rare case in a 72 year-old man. European Geriatric Medicine, 2013, 4, 352.	1.2	0
53	Risk factors for adverse events in hospitalised elderly patients with cognitive impairment. European Geriatric Medicine, 2013, 4, S185-S186.	1.2	0
54	Appropriateness of use of psychotropic drugs in elderly patients hospitalised in a short-stay ward. European Geriatric Medicine, 2013, 4, S185.	1.2	0

#	Article	IF	CITATIONS
55	A rare case of recurrence of an extramammary Paget's disease in the elderly: A case-report and review of literature. European Geriatric Medicine, 2013, 4, 416.	1.2	0
56	Social support and six-month outcome among elderly patients hospitalised via emergency department: The SAFES Cohort Study. European Geriatric Medicine, 2013, 4, 161-166.	1.2	4
57	Factors Associated with Caregivers' Underestimation of Quality of Life in Patients with Alzheimer's Disease. Dementia and Geriatric Cognitive Disorders, 2012, 33, 11-17.	0.7	31
58	Nursing Home Admission in Elderly Subjects With Dementia: Predictive Factors and Future Challenges. Journal of the American Medical Directors Association, 2012, 13, 83.e17-83.e20.	1.2	40
59	Is Health-Related Quality of Life an Independent Prognostic Factor for 12-Month Mortality and Nursing Home Placement Among Elderly Patients Hospitalized via the Emergency Department?. Journal of the American Medical Directors Association, 2012, 13, 453-458.	1.2	16
60	Six-month outcome of elderly people hospitalized via the emergency department: The SAFES cohort. Revue D'Epidemiologie Et De Sante Publique, 2012, 60, 189-196.	0.3	29
61	Ability to predict six-month mortality and inter-tool agreement between four nutritional assessment instruments in the SAFES cohort. European Geriatric Medicine, 2012, 3, 285-289.	1.2	2
62	Intérêt du traitement dans la maladie d'Alzheimer. Psychologie & Neuropsychiatrie Du Vieillissement, 2012, 10, 3-8.	0.2	0
63	Quoi de neuf en 2010Âsur les aspects métrologiques des outils d'évaluation en gériatrieÂ?. Psychologi Neuropsychiatrie Du Vieillissement, 2012, 10, 19-22.	e & 0.2	O
64	Predictors of institution admission in the year following acute hospitalisation of elderly people. Journal of Nutrition, Health and Aging, 2011, 15, 399-403.	1.5	28
65	ATYPICAL CASE OF ALZHEIMER'S DISEASE MIMICKING CREUTZFELDTâ€JAKOB DISEASE: INTEREST OF CEREBROSPINAL FLUID BIOMARKERS IN THE DIFFERENTIAL DIAGNOSIS. Journal of the American Geriatrics Society, 2010, 58, 1821-1823.	1.3	9
66	Diagnostic différentiel desÂcrises d'épilepsie duÂsujet âgé. Epilepsies, 2009, 21, 226-231.	0.0	1
67	Potentially Inappropriate Use of Psychotropic Medications in Hospitalized Elderly Patients in France. Drugs and Aging, 2008, 25, 933-946.	1.3	47
68	Association Between the Tissue and Circulating Advanced Glycation End-Products and the Micro- and Macrovascular Complications in Type 1 Diabetes: The DIABAGE Study. Diabetes Therapy, 0, , .	1.2	3