

Feng Qiu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9451390/publications.pdf>

Version: 2024-02-01

150
papers

3,881
citations

101496

36
h-index

189801

50
g-index

152
all docs

152
docs citations

152
times ranked

1849
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Microstructure Refinement and Strengtheningâ€™Toughening Mechanisms of Gray Cast Irons Reinforced by In Situ Nanosized TiB ₂ â€™TiC/Al Master Alloy. <i>Advanced Engineering Materials</i> , 2022, 24, 2100731. | 1.6 | 5 |
| 2 | Role of trace nanoparticles in manipulating the widmanstatten structure of low carbon steel. <i>Materials Letters</i> , 2022, 306, 130853. | 1.3 | 12 |
| 3 | Microstructures, compressive residual stress, friction behavior, and wear mechanism of quenched and tempered shot peened medium carbon steel. <i>Wear</i> , 2022, 488-489, 204131. | 1.5 | 7 |
| 4 | Role of nano-sized materials as lubricant additives in friction and wear reduction: A review. <i>Wear</i> , 2022, 490-491, 204206. | 1.5 | 43 |
| 5 | Microstructural Configuration and Impact Toughness of Graphite Ductile Iron Reinforced by Trace Amount of TiC-TiB ₂ Nanoparticles. <i>Journal of Materials Engineering and Performance</i> , 2022, 31, 4575-4582. | 1.2 | 2 |
| 6 | Synergistic optimization in solidification microstructure and mechanical performance of novel (TiC N) Tj ETQq0 0 0 rgBT /Overlock 10 Tf Manufacturing, 2022, 155, 106843. | 3.8 | 36 |
| 7 | Effects of alloy elements (Mg, Zn) on the microstructure and mechanical properties of (TiC+TiB ₂)/Al composites. <i>Ceramics International</i> , 2022, 48, 22096-22105. | 2.3 | 9 |
| 8 | Microstructure manipulation mechanism and mechanical properties improvement of H13 steel via trace nano-(TiC+TiB ₂) particles. <i>Materials Characterization</i> , 2022, 188, 111924. | 1.9 | 19 |
| 9 | Microstructure manipulation and strengthening mechanism of TiAl composites reinforced by Cr solid solution and in-situ nanometer-sized TiB ₂ particles. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2022, 845, 143214. | 2.6 | 24 |
| 10 | The Effect of Shot-Peening Time on Tribological Behavior of AISI5160 Steel. <i>Tribology Transactions</i> , 2022, 65, 801-812. | 1.1 | 3 |
| 11 | Remarkably enhancing mechanical and degradation performance of cast MgZn1.2 alloys via small amount addition of zirconium combined with hot extrusion for orthopedic applications. <i>Journal of Materials Research and Technology</i> , 2022, 19, 1111-1119. | 2.6 | 2 |
| 12 | Effect of Cu and Zn elements on morphology of ceramic particles and interfacial bonding in TiB ₂ /Al composites. <i>Ceramics International</i> , 2022, 48, 25894-25904. | 2.3 | 7 |
| 13 | High-content continuous carbon fibers reinforced PEEK matrix composite with ultra-high mechanical and wear performance at elevated temperature. <i>Composite Structures</i> , 2022, 295, 115837. | 3.1 | 11 |
| 14 | Synergistic optimization in microstructure and mechanical properties of low carbon steel via trace amount of nano-sized TiC-TiB ₂ . <i>Materials Characterization</i> , 2022, 190, 112060. | 1.9 | 5 |
| 15 | Enhancing the strength-ductility synergy of Fe-based composites by changing interface bonding between matrix and TiC _x with various stoichiometric ratios. <i>Ceramics International</i> , 2022, 48, 31773-31782. | 2.3 | 4 |
| 16 | The effect of carbon source and molar ratio in Feâ€™Tiâ€™C system on the microstructure and mechanical properties of in situ TiC/Fe composites. <i>Ceramics International</i> , 2022, 48, 30418-30429. | 2.3 | 3 |
| 17 | Reaction behaviors and specific exposed crystal planes manipulation mechanism of TiC nanoparticles. <i>Journal of the American Ceramic Society</i> , 2021, 104, 2820-2835. | 1.9 | 19 |
| 18 | Interface formation and bonding control in high-volume-fraction (TiC+TiB ₂)/Al composites and their roles in enhancing properties. <i>Composites Part B: Engineering</i> , 2021, 209, 108605. | 5.9 | 130 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Synergistic effects of the TiC nanoparticles and cold rolling on the microstructure and mechanical properties of Al-Cu strips fabricated by twin-roll casting. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021, 812, 141110. | 2.6 | 11 |
| 20 | Investigation of the Effect of Heat Treatment on the Microstructures and Mechanical Properties of Al-13Si-5Cu-2Ni Alloy. <i>Metals</i> , 2021, 11, 688. | 1.0 | 1 |
| 21 | Comparison of the effects of Mg and Zn on the interface mismatch and compression properties of 50Åvol% TiB ₂ /Al composites. <i>Ceramics International</i> , 2021, 47, 22121-22129. | 2.3 | 19 |
| 22 | Simultaneously enhanced hardness and toughness of normalized graphite ductile irons by TiC-TiB ₂ nanoparticles. <i>Materials Letters</i> , 2021, 291, 129597. | 1.3 | 6 |
| 23 | Microstructure and Tensile Properties of Graphite Ductile Iron Improved by Minor Amount of Dual-Phased TiC-TiB ₂ Nanoparticles. <i>Advanced Engineering Materials</i> , 2021, 23, 2100246. | 1.6 | 10 |
| 24 | Enhancing strength-ductility synergy and mechanisms of Al-based composites by size-tunable in-situ TiB ₂ particles with specific spatial distribution. <i>Composites Part B: Engineering</i> , 2021, 217, 108912. | 5.9 | 117 |
| 25 | Simultaneously enhanced strength and toughness of cast medium carbon steels matrix composites by trace nano-sized TiC particles. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021, 819, 141485. | 2.6 | 42 |
| 26 | Microstructural configuration and compressive deformation behavior of a TiAl composite reinforced by Mn and in situ Ti ₂ AlC particles. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021, 823, 141772. | 2.6 | 39 |
| 27 | Microstructure manipulation and strengthening mechanisms of 40Cr steel via trace TiC nanoparticles. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021, 822, 141693. | 2.6 | 40 |
| 28 | Role of trace nanoparticles in establishing fully optimized microstructure configuration of cold-rolled Al alloy. <i>Materials and Design</i> , 2021, 206, 109743. | 3.3 | 45 |
| 29 | Bainite kinetic energy, activation energy, and tribological behavior of austempered AISI4340 steel. <i>Journal of Materials Research and Technology</i> , 2021, 14, 1473-1481. | 2.6 | 4 |
| 30 | Microstructure evolution and mechanical property enhancement of high-Cr hot work die steel manipulated by trace amounts of nano-sized TiC. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021, 824, 141788. | 2.6 | 28 |
| 31 | Controlling the sizes of in-situ TiC nanoparticles for high-performance TiC/Al-Cu nanocomposites. <i>Ceramics International</i> , 2021, 47, 28584-28595. | 2.3 | 17 |
| 32 | Insight into solidification microstructure control by trace TiCN-TiB ₂ particles for yielding fine-tuned nanoprecipitates in a hypoeutectic Al-Si-Mg alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021, 827, 142093. | 2.6 | 29 |
| 33 | Unprecedented enhancement in strength-plasticity synergy of (TiC+Al ₆ MoTi+Mo)/Al cermet by multiple length-scale microstructure stimulated synergistic deformation. <i>Composites Part B: Engineering</i> , 2021, 225, 109265. | 5.9 | 41 |
| 34 | Interfacial reaction behavior and evolution mechanism at a preoxidized SiCox/Al interface. <i>Journal of Materials Research and Technology</i> , 2021, 15, 1100-1114. | 2.6 | 7 |
| 35 | Multiscale design of Î±-Al, eutectic silicon and Mg ₂ Si phases in Al-Si-Mg alloy manipulated by in situ nanosized crystals. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021, 802, 140627. | 2.6 | 32 |
| 36 | Bainite kinetic transformation of austempered AISI 6150 steel. <i>Journal of Materials Research and Technology</i> , 2020, 9, 1357-1364. | 2.6 | 10 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Dry sliding friction and wear characterization of in situ TiC/Al-Cu _{3.7} Mg _{1.3} nanocomposites with nacre-like structures. <i>Journal of Materials Research and Technology</i> , 2020, 9, 641-653. | 2.6 | 28 |
| 38 | A review: phase transformation and wear mechanisms of single-step and dual-step austempered ductile irons. <i>Journal of Materials Research and Technology</i> , 2020, 9, 1054-1069. | 2.6 | 39 |
| 39 | Investigation of the influences of ternary Mg addition on the solidification microstructure and mechanical properties of as-cast Al ₁₀ Si alloys. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020, 798, 140247. | 2.6 | 38 |
| 40 | Microstructure, wear behavior and surface hardening of austempered ductile iron. <i>Journal of Materials Research and Technology</i> , 2020, 9, 9838-9855. | 2.6 | 36 |
| 41 | The lamella structure of Al-Mg-Si matrix nanocomposites with isotropically high strength. <i>Materialia</i> , 2020, 13, 100842. | 1.3 | 1 |
| 42 | Tribological behavior of heat treated AISI 6150 steel. <i>Journal of Materials Research and Technology</i> , 2020, 9, 12293-12307. | 2.6 | 6 |
| 43 | Sliding wear behavior of laser surface hardened austempered ductile iron. <i>Journal of Materials Research and Technology</i> , 2020, 9, 14609-14618. | 2.6 | 10 |
| 44 | Effect mechanism of in situ nano-intermetallic inoculation on the multilevel microstructure and mechanical properties of Al-13Si alloys. <i>Materialia</i> , 2020, 12, 100769. | 1.3 | 3 |
| 45 | Microstructure refinement and strengthening of Al ₁₀ Cu alloys manipulated by nanocrystalline phases formed by in situ crystallization of Ni ₄₀ Nb ₄₀ Ti metallic glasses in melt. <i>Journal of Materials Research and Technology</i> , 2020, 9, 4494-4505. | 2.6 | 3 |
| 46 | Application of nanoparticles in cast steel: An overview. <i>China Foundry</i> , 2020, 17, 111-126. | 0.5 | 23 |
| 47 | Effects of quench-tempering and laser hardening treatment on wear resistance of gray cast iron. <i>Journal of Materials Research and Technology</i> , 2020, 9, 8163-8171. | 2.6 | 28 |
| 48 | In situ nanocrystals manipulate solidification behavior and microstructures of hypereutectic Al-Si alloys by Zr-based amorphous alloys. <i>Journal of Materials Research and Technology</i> , 2020, 9, 4644-4654. | 2.6 | 11 |
| 49 | Comparison of in situ nanocrystals, Sr and nanocrystals ⁺ Sr manipulating microstructures and mechanical properties of eutectic Al _{13.0} Si _{5.0} (Ni _{2.0})Mg _{0.6} alloy. <i>Journal of Materials Research and Technology</i> , 2020, 9, 7486-7498. | 2.6 | 4 |
| 50 | Processing, multiscale microstructure refinement and mechanical property enhancement of hypoeutectic Al ₁₀ Si alloys via in situ bimodal-sized TiB ₂ particles. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020, 777, 139081. | 2.6 | 66 |
| 51 | Microstructural and performance characterization of in-situ biphasic micro-nano scale (TiB ₂ -TiC _x)/Al-Cu-Mg composites with different ceramic and metal ratios designed for compact integration. <i>Journal of Materials Research and Technology</i> , 2020, 9, 3418-3429. | 2.6 | 14 |
| 52 | Effects of nanosized TiC and TiB ₂ particles on the corrosion behavior of Al-Mg-Si alloy. <i>Corrosion Science</i> , 2020, 167, 108479. | 3.0 | 42 |
| 53 | Tribological behavior of shot peened/austempered AISI 5160 steel. <i>Tribology International</i> , 2020, 145, 106197. | 3.0 | 54 |
| 54 | Simultaneously increased strength and ductility via the hierarchically heterogeneous structure of Al-Mg-Si alloys/nanocomposite. <i>Materials Research Letters</i> , 2020, 8, 225-231. | 4.1 | 20 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Pearlitic structure and wear properties of graphite cast iron reinforced with biphasic TiC-TiB ₂ nanoparticles. <i>Surface Topography: Metrology and Properties</i> , 2020, 8, 045024. | 0.9 | 1 |
| 56 | Nanoparticulate dispersion, microstructure refinement and strengthening mechanisms in Ni-coated SiCp/Al-Cu nanocomposites. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019, 762, 138092. | 2.6 | 15 |
| 57 | The Synthesis, Structure, Morphology Characterizations and Evolution Mechanisms of Nanosized Titanium Carbides and Their Further Applications. <i>Nanomaterials</i> , 2019, 9, 1152. | 1.9 | 54 |
| 58 | A new approach for improving the elevated-temperature strength and ductility of Al-Cu-Mg-Si alloys with minor amounts of dual-phased submicron/nanosized TiB ₂ -TiC particles. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019, 764, 138266. | 2.6 | 36 |
| 59 | Design of TiC nanoparticles and their morphology manipulating mechanisms by stoichiometric ratios: Experiment and first-principle calculation. <i>Materials and Design</i> , 2019, 181, 107951. | 3.3 | 64 |
| 60 | Design of a new Al-Cu alloy manipulated by in-situ nanocrystals with superior high temperature tensile properties and its constitutive equation. <i>Materials and Design</i> , 2019, 181, 107945. | 3.3 | 25 |
| 61 | Effects of Cr and Mo elements on the microstructures and compressive properties of the in situ (TiC _x Ny-TiB ₂)/Ni cermets. <i>Progress in Natural Science: Materials International</i> , 2019, 29, 20-27. | 1.8 | 6 |
| 62 | Efficient microstructure refinement of Al-Si-Mg alloy manipulated by nanocrystals formed by in-situ crystallization in melt. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019, 751, 90-98. | 2.6 | 17 |
| 63 | Microstructure refinement and strengthening mechanisms of bimodal-sized and dual-phased (TiCn-Al ₃ Ti _m)/Al hybrid composites assisted ultrasonic vibration. <i>Journal of Alloys and Compounds</i> , 2019, 788, 1309-1321. | 2.8 | 34 |
| 64 | Effect of Preheating Temperature on the Microstructure and Tensile Properties of 6061 Aluminum Alloy Processed by Hot Rolling-Quenching. <i>Metals</i> , 2019, 9, 182. | 1.0 | 8 |
| 65 | Effects of nanosized TiCp on the microstructure evolution and tensile properties of an Al-Mg-Si alloy during cold rolling. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019, 743, 98-105. | 2.6 | 45 |
| 66 | Effects of nanosized TiCp dispersion on the high-temperature tensile strength and ductility of in situ TiCp/Al-Cu-Mg-Si nanocomposites. <i>Journal of Alloys and Compounds</i> , 2019, 774, 425-433. | 2.8 | 26 |
| 67 | Enhanced elevated-temperature mechanical properties of Al-Mn-Mg containing TiC nano-particles by pre-strain and concurrent precipitation. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018, 718, 305-310. | 2.6 | 19 |
| 68 | Enhanced strength and ductility at room and elevated temperatures of Al-Cu alloy matrix composites reinforced with bimodal-sized TiCp compared with monomodal-sized TiCp. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018, 724, 368-375. | 2.6 | 45 |
| 69 | Reinforcement in Al Matrix Composites: A Review of Strengthening Behavior of Nano-Sized Particles. <i>Advanced Engineering Materials</i> , 2018, 20, 1701089. | 1.6 | 53 |
| 70 | Improved creep resistance of Al-Cu alloy matrix composite reinforced with bimodal-sized TiCp. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018, 713, 190-194. | 2.6 | 30 |
| 71 | Simultaneously increasing the high-temperature tensile strength and ductility of nano-sized TiCp reinforced Al-Cu matrix composites. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018, 717, 105-112. | 2.6 | 55 |
| 72 | Superior Cryogenic Tensile Strength and Ductility of In Situ Al-Cu Matrix Composite Reinforced with 0.3wt% Nano-Sized TiCp. <i>Advanced Engineering Materials</i> , 2018, 20, 1701137. | 1.6 | 11 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Study on temperature and near-infrared driving characteristics of hydrogel actuator fabricated via molding and 3D printing. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2018, 78, 395-403. | 1.5 | 23 |
| 74 | Strain-induced precipitation kinetics during non-isothermal annealing of Al-Mn alloys. <i>Journal of Alloys and Compounds</i> , 2018, 735, 2275-2280. | 2.8 | 13 |
| 75 | Effects of TiB ₂ /TiC _x ratios on compression properties and abrasive wear resistance of in situ 50 vol.-% (TiB ₂ -TiC _x)/Al-Cu composites. <i>Powder Metallurgy</i> , 2018, 61, 81-87. | 0.9 | 3 |
| 76 | Simultaneously Enhanced Strength, Toughness and Ductility of Cast 40Cr Steels Strengthened by Trace Biphasic TiC _x -TiB ₂ Nanoparticles. <i>Metals</i> , 2018, 8, 707. | 1.0 | 16 |
| 77 | Effects of V and Co Element Addition on Microstructures and the Mechanical Properties of In Situ Biphasic Hybrid (TiC _x Ny-TiB ₂)/Ni Cermets. <i>Materials</i> , 2018, 11, 1750. | 1.3 | 3 |
| 78 | Microstructures and Compressive Properties of Al Matrix Composites Reinforced with Bimodal Hybrid In-Situ Nano-/Micro-Sized TiC Particles. <i>Materials</i> , 2018, 11, 1284. | 1.3 | 13 |
| 79 | Preparation and characterization of the Al-Cu-Mg-Si-Mn composites reinforced by different surface modified SiCp. <i>Materials Characterization</i> , 2018, 141, 156-162. | 1.9 | 22 |
| 80 | The superior elevated-temperature mechanical properties of Al-Cu-Mg-Si composites reinforced with in situ hybrid-sized TiC _x -TiB ₂ particles. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018, 728, 157-164. | 2.6 | 40 |
| 81 | Microstructure and Mechanical Properties of the Dactylopodites of the Chinese Mitten Crab (<i>Eriocheir sinensis</i>). <i>Applied Sciences (Switzerland)</i> , 2018, 8, 674. | 1.3 | 9 |
| 82 | Improving Elevated-Temperature Strength of an Al-Mn-Si Alloy by Strain-Induced Precipitation. <i>Metals</i> , 2018, 8, 446. | 1.0 | 5 |
| 83 | Effects of Cr and Zr Addition on Microstructures, Compressive Properties, and Abrasive Wear Behaviors of In Situ TiB ₂ /Cu Cermets. <i>Materials</i> , 2018, 11, 1464. | 1.3 | 9 |
| 84 | Effects of Carbon Source on TiC Particles TM Distribution, Tensile, and Abrasive Wear Properties of In Situ TiC/Al-Cu Nanocomposites Prepared in the Al-Ti-C System. <i>Nanomaterials</i> , 2018, 8, 610. | 1.9 | 18 |
| 85 | Fabrication, microstructure refinement and strengthening mechanisms of nanosized SiCP/Al composites assisted ultrasonic vibration. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018, 735, 310-317. | 2.6 | 60 |
| 86 | Mechanical properties and abrasive wear behaviors of in situ nano-TiC _x /Al-Zn-Mg-Cu composites fabricated by combustion synthesis and hot press consolidation. <i>Archives of Civil and Mechanical Engineering</i> , 2018, 18, 179-187. | 1.9 | 22 |
| 87 | Excellent compressive strength and ductility of Ti ₅ Si ₃ -coated SiC P /Al ₂₀₁₄ composites. <i>Journal of Alloys and Compounds</i> , 2017, 698, 1086-1093. | 2.8 | 5 |
| 88 | Simultaneously increasing the elevated-temperature tensile strength and plasticity of in situ nano-sized TiC _x /Al-Cu-Mg composites. <i>Materials Characterization</i> , 2017, 125, 7-12. | 1.9 | 48 |
| 89 | The microstructure and tensile property for Al ₂₀₁₄ composites reinforced with Ti ₅ Si ₃ -coated SiCP. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017, 688, 459-463. | 2.6 | 17 |
| 90 | Superior creep resistance of 0.3 wt% nano-sized TiCp/Al-Cu composite. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017, 700, 42-48. | 2.6 | 59 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | The abrasive wear behavior of Al2014 composites reinforced with Ti5Si3-coated SiCP. Tribology International, 2017, 112, 33-41. | 3.0 | 14 |
| 92 | Superior high creep resistance of in situ nano-sized TiCx/Al-Cu-Mg composite. Scientific Reports, 2017, 7, 4540. | 1.6 | 43 |
| 93 | Microstructures and tensile properties of nano-sized SiC p /Al-Cu composites fabricated by semisolid stirring assisted with hot extrusion. Materials Characterization, 2017, 131, 195-200. | 1.9 | 49 |
| 94 | Morphology Evolution on the Fracture Surface and Fracture Mechanisms of Multiphase Nanostructured ZrCu-Base Alloys. Materials, 2017, 10, 284. | 1.3 | 1 |
| 95 | The Dry Sliding Wear Properties of Nano-Sized TiCp/Al-Cu Composites at Elevated Temperatures. Materials, 2017, 10, 939. | 1.3 | 21 |
| 96 | Microstructures and Tensile Properties of Alâ€“Cu Matrix Composites Reinforced with Nano-Sized SiCp Fabricated by Semisolid Stirring Process. Metals, 2017, 7, 49. | 1.0 | 26 |
| 97 | Bionic Walking Foot and Mechanical Performance on Soil. Applied Sciences (Switzerland), 2017, 7, 575. | 1.3 | 3 |
| 98 | Fabrication of TiCx-TiB2/Al Composites for Application as a Heat Sink. Materials, 2016, 9, 642. | 1.3 | 31 |
| 99 | Superior tensile properties of in situ nano-sized TiCp/Al-Cu composites fabricated by reaction in melt method. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2016, 658, 409-414. | 2.6 | 46 |
| 100 | The interfacial structure and mechanical properties of Ti5Si3-coated SiCP/Al2014 composites fabricated by powder metallurgy with hot pressing. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2016, 661, 217-221. | 2.6 | 21 |
| 101 | Generalized-stacking-fault energy and twin-boundary energy of hexagonal close-packed Au: A first-principles calculation. Scientific Reports, 2015, 5, 10213. | 1.6 | 50 |
| 102 | Effects of Ti-coating layer on the distribution of SiCP in the SiCP/2014Al composites. Materials and Design, 2015, 87, 1100-1106. | 3.3 | 23 |
| 103 | Effect of Mn, Fe and Co on the compression strength and ductility of in situ nano-sized TiB2/TiAl composites. SpringerPlus, 2015, 4, 784. | 1.2 | 2 |
| 104 | A Novel Approach of Using Ground CNTs as the Carbon Source to Fabricate Uniformly Distributed Nano-Sized TiCx/2009Al Composites. Materials, 2015, 8, 8839-8849. | 1.3 | 21 |
| 105 | Effect of Ceramic Content on the Compression Properties of TiB2-Ti2AlC/TiAl Composites. Metals, 2015, 5, 2200-2209. | 1.0 | 7 |
| 106 | Tensile properties and work-hardening behaviours of Alâ€“Cu alloys modified by Al84Ni10La6metallic glass. International Journal of Cast Metals Research, 2015, 28, 352-355. | 0.5 | 4 |
| 107 | Grain refinement behavior of Alâ€“Cu alloys inoculated by various metallic glasses. Materials Chemistry and Physics, 2015, 168, 1-5. | 2.0 | 8 |
| 108 | Simultaneously increasing strength and ductility of the Alâ€“Cu alloys inoculated by Zr-based metallic glass. Materials Characterization, 2015, 100, 36-40. | 1.9 | 12 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | High strength and good ductility at elevated temperature of nano-SiCp/Al2014 composites fabricated by semi-solid stir casting combined with hot extrusion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015, 626, 338-341. | 2.6 | 71 |
| 110 | Age Hardening and Mechanical Properties of Cast Al ₇₀ Zn ₂₀ Cu Alloy Modified by La and Pr. <i>Advanced Engineering Materials</i> , 2015, 17, 143-147. | 1.6 | 10 |
| 111 | Study of effect of Zr addition on the microstructures and mechanical properties of (TiC _x Ny)/Cu composites by combustion synthesis and hot press consolidation in the Cu-Ti-B ₄ -Zr system. <i>Materials Research Bulletin</i> , 2015, 70, 167-172. | 2.7 | 18 |
| 112 | Microstructures and mechanical properties of the Al2014 composites reinforced with bimodal sized SiC particles. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015, 637, 70-74. | 2.6 | 52 |
| 113 | Microstructure and tensile properties of in situ synthesized nano-sized TiC _x /2009Al composites. <i>Materials & Design</i> , 2015, 79, 68-72. | 5.1 | 29 |
| 114 | Effect of Al addition on the microstructures and compression properties of (TiC _x Ny)/TiB ₂ /Ni composites fabricated by combustion synthesis and hot press. <i>Powder Technology</i> , 2015, 286, 716-721. | 2.1 | 11 |
| 115 | Superior strength and ductility of the Al-Cu alloys inoculated by Zr-based metallic glass at elevated temperatures. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015, 645, 357-360. | 2.6 | 20 |
| 116 | A New Approach to Refine Grains in Al Alloys. <i>Advanced Engineering Materials</i> , 2015, 17, 796-801. | 1.6 | 4 |
| 117 | Microstructure evolution and mechanical properties of Al-Cu alloys inoculated by FeBSi metallic glass. <i>Materials & Design</i> , 2015, 67, 130-135. | 5.1 | 12 |
| 118 | Effects of reinforcement surface modification on the microstructures and tensile properties of SiCp/Al2014 composites. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015, 624, 102-109. | 2.6 | 34 |
| 119 | The nano-sized TiC particle reinforced Al-Cu matrix composite with superior tensile ductility. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015, 622, 189-193. | 2.6 | 89 |
| 120 | Effects of TiB ₂ content and alloy elements (Mg, Mo, V) on the compression properties of high-volume-fraction TiB ₂ /Al composites. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014, 607, 28-32. | 2.6 | 12 |
| 121 | Effects of nano-TiCp on the microstructures and tensile properties of TiCp/Al-Cu composites. <i>Materials Characterization</i> , 2014, 94, 80-85. | 1.9 | 34 |
| 122 | Simultaneously increasing the strength and ductility of nano-sized TiN particle reinforced Al-Cu matrix composites. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014, 596, 98-102. | 2.6 | 53 |
| 123 | Effect of Cr Content on the Compression Properties and Abrasive Wear Behavior of the High-Volume Fraction (TiC-TiB ₂)/Cu Composites. <i>Acta Metallurgica Sinica (English Letters)</i> , 2014, 27, 951-956. | 1.5 | 16 |
| 124 | Effects of Fe, Co and Ni elements on the ductility of TiAl alloy. <i>Journal of Alloys and Compounds</i> , 2014, 617, 302-305. | 2.8 | 56 |
| 125 | Manufacture of Nano-Sized Particle-Reinforced Metal Matrix Composites: A Review. <i>Acta Metallurgica Sinica (English Letters)</i> , 2014, 27, 798-805. | 1.5 | 82 |
| 126 | Effects of RExO _y addition on corrosion behavior of the Al-Cu alloys in 3.5wt.% NaCl solution and pH=4 acid solution. <i>Applied Surface Science</i> , 2014, 307, 153-157. | 3.1 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Effect of oxygen content on the microstructure, compression properties and work-hardening behaviors of ZrCuAlNi glassy composites. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013, 580, 13-20. | 2.6 | 20 |
| 128 | Effect of strain rate on the compression behavior of TiAl and TiAl-2Mn alloys fabricated by combustion synthesis and hot press consolidation. <i>Intermetallics</i> , 2013, 43, 24-28. | 1.8 | 20 |
| 129 | Effect of stoichiometry on the surface energies of {100} and {111} and the crystal shape of TiCx and TiNx. <i>CrystEngComm</i> , 2013, 15, 643-649. | 1.3 | 39 |
| 130 | Effect of W content on the compression properties and abrasive wear behavior of the (TiB ₂ -TiCxNy)/(Ni+W) composites. <i>Materials & Design</i> , 2013, 45, 286-291. | 5.1 | 14 |
| 131 | Comparative study of the compression properties of TiAl matrix composites reinforced with nano-TiB ₂ and nano-Ti ₅ Si ₃ particles. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013, 560, 596-600. | 2.6 | 68 |
| 132 | Age hardening and creep resistance of cast Al-Cu alloy modified by praseodymium. <i>Materials Characterization</i> , 2013, 86, 185-189. | 1.9 | 10 |
| 133 | Study of effect of Mn addition on the mechanical properties of Ti ₂ AlC/TiAl composites through first principles study and experimental investigation. <i>Intermetallics</i> , 2012, 28, 65-70. | 1.8 | 32 |
| 134 | Effects of La on the age hardening behavior and precipitation kinetics in the cast Al-Cu alloy. <i>Journal of Alloys and Compounds</i> , 2012, 540, 154-158. | 2.8 | 26 |
| 135 | Effects of multi-modification of rare earth oxides Pr _x O _y and La _x O _y on microstructure and tensile properties of casting Al-Cu alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012, 558, 602-606. | 2.6 | 13 |
| 136 | Effect of Ni content on the compression properties and abrasive wear behavior of the (TiB ₂ -TiCxNy)/Ni composites. <i>International Journal of Refractory Metals and Hard Materials</i> , 2012, 34, 8-12. | 1.7 | 6 |
| 137 | Effects of Ni addition on the microstructure and compressive deformation behavior in Zr-Cu-Ni martensitic alloys. <i>Materials & Design</i> , 2012, 34, 143-147. | 5.1 | 17 |
| 138 | Compression properties and abrasive wear behavior of high volume fraction TiCx-TiB ₂ /Cu composites fabricated by combustion synthesis and hot press consolidation. <i>Materials & Design</i> , 2012, 40, 157-162. | 5.1 | 37 |
| 139 | Different strain-rate dependent compressive properties and work-hardening capacities of 50 vol% TiC /Al and TiB ₂ /Al composites. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012, 538, 335-339. | 2.6 | 13 |
| 140 | Phase transitions and compression properties of Ti ₂ AlC/TiAl composites fabricated by combustion synthesis reaction. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012, 539, 344-348. | 2.6 | 48 |
| 141 | Temperature Dependence of the Wettability between Glass-Forming Alloy Zr ₅₅ Cu ₃₀ Al ₁₀ Ni ₅ and Polycrystalline ZrO ₂ . <i>Journal of the American Ceramic Society</i> , 2011, 94, 2162-2170. | 1.9 | 10 |
| 142 | Compression properties and work-hardening behavior of Ti ₂ AlC/TiAl composites fabricated by combustion synthesis and hot press consolidation in the Ti-Al-Nb-C system. <i>Materials & Design</i> , 2011, 32, 5061-5065. | 5.1 | 34 |
| 143 | Warping of triple line in the wetting of B ₄ C by a Cu-1 at.% Cr alloy. <i>Surface and Interface Analysis</i> , 2011, 43, 1360-1364. | 0.8 | 7 |
| 144 | Effects of La addition on the elevated temperature properties of the casting Al-Cu alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011, 528, 1463-1466. | 2.6 | 40 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | High volume fraction TiC _x /Al composites with good comprehensive performance fabricated by combustion synthesis and hot press consolidation. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011, 528, 1931-1936. | 2.6 | 25 |
| 146 | Effects of alloy elements (Mg, Zn, Sn) on the microstructures and compression properties of high-volume-fraction TiC _x /Al composites. <i>Scripta Materialia</i> , 2010, 63, 1209-1211. | 2.6 | 29 |
| 147 | High creep resistance behavior of the casting Al-Cu alloy modified by La. <i>Scripta Materialia</i> , 2009, 61, 1153-1155. | 2.6 | 46 |
| 148 | Photoluminescence of copper ion exchange BK7 glass planar waveguides. <i>Journal of Materials Science</i> , 2008, 43, 7073-7078. | 1.7 | 21 |
| 149 | Strong work-hardening effect in a multiphase ZrCuAlNiO alloy. <i>Applied Physics Letters</i> , 2008, 92, . | 1.5 | 23 |
| 150 | Drying Mediated Pattern Formation in a Capillary-Held Organometallic Polymer Solution. <i>Chemistry of Materials</i> , 2005, 17, 6223-6226. | 3.2 | 72 |