Jos C Machado

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/9451411/jose-c-machado-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

108 178 12,051 45 h-index g-index citations papers 13,823 5.83 199 5.2 L-index avg, IF ext. citations ext. papers

| # | Paper | IF | Citations |
|-----|---|------|-----------|
| 178 | Extracellular Vesicles from Pancreatic Cancer Stem Cells Lead an Intratumor Communication Network (EVNet) to fuel tumour progression <i>Gut</i> , 2022 , | 19.2 | 3 |
| 177 | KIF5B-MET fusion variant in non-small cell lung cancer Pulmonology, 2022, | 3.7 | 0 |
| 176 | Adverse Event Profile During the Treatment of Helicobacter pylori: A Real-World Experience of 22,000 Patients From the European Registry on H. pylori Management (Hp-EuReg). <i>American Journal of Gastroenterology</i> , 2021 , 116, 1220-1229 | 0.7 | 15 |
| 175 | Clinical Application of Next-Generation Sequencing of Plasma Cell-Free DNA for Genotyping Untreated Advanced Non-Small Cell Lung Cancer. <i>Cancers</i> , 2021 , 13, | 6.6 | 2 |
| 174 | Liquid Biopsy for Disease Monitoring in Non-Small Cell Lung Cancer: The Link between Biology and the Clinic. <i>Cells</i> , 2021 , 10, | 7.9 | 3 |
| 173 | European Registry on management (Hp-EuReg): patterns and trends in first-line empirical eradication prescription and outcomes of 5 years and 21 533 patients. <i>Gut</i> , 2021 , 70, 40-54 | 19.2 | 41 |
| 172 | The influence of the gastric microbiota in gastric cancer development. <i>Baillierels Best Practice and Research in Clinical Gastroenterology</i> , 2021 , 50-51, 101734 | 2.5 | O |
| 171 | Validation of a Targeted Next-Generation Sequencing Panel for Tumor Mutation Burden Analysis: Results from the Onconetwork Immuno-Oncology Consortium. <i>Journal of Molecular Diagnostics</i> , 2021 , 23, 882-893 | 5.1 | 0 |
| 170 | The TNF-A-857*T Polymorphism is Associated with Gastric Adenocarcinoma Risk in a Costa Rican Population. <i>American Journal of the Medical Sciences</i> , 2021 , 362, 182-187 | 2.2 | O |
| 169 | ctDNA on liquid biopsy for predicting response and prognosis in locally advanced rectal cancer: A systematic review. <i>European Journal of Surgical Oncology</i> , 2021 , | 3.6 | 3 |
| 168 | The Adaptive Immune Landscape of the Colorectal Adenoma-Carcinoma Sequence. <i>International Journal of Molecular Sciences</i> , 2021 , 22, | 6.3 | 1 |
| 167 | The value of cell-free circulating tumour DNA profiling in advanced non-small cell lung cancer (NSCLC) management <i>Cancer Cell International</i> , 2021 , 21, 675 | 6.4 | 1 |
| 166 | Genetic Variants of the MGAT5 Gene Are Functionally Implicated in the Modulation of T Cells Glycosylation and Plasma IgG Glycome Composition in Ulcerative Colitis. <i>Clinical and Translational Gastroenterology</i> , 2020 , 11, e00166 | 4.2 | 6 |
| 165 | The Influence of the Genetic and Immunologic Context in the Development of Colorectal Adenoma: A Case Series Report. <i>Acta Medica Portuguesa</i> , 2020 , 33, 297-304 | 1.4 | 0 |
| 164 | The Dysfunctional Immune System in Common Variable Immunodeficiency Increases the Susceptibility to Gastric Cancer. <i>Cells</i> , 2020 , 9, | 7.9 | 4 |
| 163 | Systematic review: gastric microbiota in health and disease. <i>Alimentary Pharmacology and Therapeutics</i> , 2020 , 51, 582-602 | 6.1 | 66 |
| 162 | Induction of apoptosis increases sensitivity to detect cancer mutations in plasma. <i>European Journal of Cancer</i> , 2020 , 127, 130-138 | 7.5 | 6 |

| 161 | Review: Gastric cancer: Basic aspects. <i>Helicobacter</i> , 2020 , 25 Suppl 1, e12739 | 4.9 | 1 |
|-----|---|------|-----|
| 160 | Glycans as Immune Checkpoints: Removal of Branched N-glycans Enhances Immune Recognition Preventing Cancer Progression. <i>Cancer Immunology Research</i> , 2020 , 8, 1407-1425 | 12.5 | 10 |
| 159 | Targeted Gene Next-Generation Sequencing Panel in Patients with Advanced Lung Adenocarcinoma: Paving the Way for Clinical Implementation. <i>Cancers</i> , 2019 , 11, | 6.6 | 18 |
| 158 | Molecular characterization of Portuguese patients with dilated cardiomyopathy. <i>Revista Portuguesa De Cardiologia (English Edition)</i> , 2019 , 38, 129-139 | O | 3 |
| 157 | Genetic Variants Are Not Rare in ICD Candidates with Dilated Cardiomyopathy: Time for Next-Generation Sequencing?. <i>Cardiology Research and Practice</i> , 2019 , 2019, 2743650 | 1.9 | 2 |
| 156 | Molecular characterization of Portuguese patients with dilated cardiomyopathy. <i>Revista Portuguesa De Cardiologia</i> , 2019 , 38, 129-139 | 1 | 5 |
| 155 | Circulating Tumor DNA: A Step into the Future of Cancer Management. Acta Cytologica, 2019, 63, 456-4 | 165 | 9 |
| 154 | New insights into the inflamed tumor immune microenvironment of gastric cancer with lymphoid stroma: from morphology and digital analysis to gene expression. <i>Gastric Cancer</i> , 2019 , 22, 77-90 | 7.6 | 27 |
| 153 | The Two Faces of Tumor-Associated Macrophages and Their Clinical Significance in Colorectal Cancer. <i>Frontiers in Immunology</i> , 2019 , 10, 1875 | 8.4 | 93 |
| 152 | Genetic variants identified by target next-generation sequencing in heart transplant patients with dilated cardiomyopathy. <i>Revista Portuguesa De Cardiologia</i> , 2019 , 38, 441-447 | 1 | 6 |
| 151 | Review: Gastric malignancies: Basic aspects. <i>Helicobacter</i> , 2019 , 24 Suppl 1, e12642 | 4.9 | 11 |
| 150 | P850 Genetic variants of MGAT5 gene are associated with ulcerative colitis severity and response to therapy. <i>Journal of Crohnls and Colitis</i> , 2018 , 12, S546-S547 | 1.5 | 1 |
| 149 | Overall Survival Analysis and Characterization of an EGFR Mutated Non-Small Cell Lung Cancer (NSCLC) Population. <i>Archivos De Bronconeumologia</i> , 2018 , 54, 10-17 | 0.7 | |
| 148 | Overall Survival Analysis and Characterization of an EGFR Mutated Non-Small Cell Lung Cancer (NSCLC) Population. <i>Archivos De Bronconeumologia</i> , 2018 , 54, 10-17 | 0.7 | 14 |
| 147 | Multicenter Evaluation of the Idylla NRAS-BRAF Mutation Test in Metastatic Colorectal Cancer. Journal of Molecular Diagnostics, 2018 , 20, 664-676 | 5.1 | 17 |
| 146 | Exosomes and Immune Response in Cancer: Friends or Foes?. Frontiers in Immunology, 2018 , 9, 730 | 8.4 | 106 |
| 145 | LRP5 gene polymorphisms and radiographic joint damage in rheumatoid arthritis patients. <i>Osteoporosis International</i> , 2018 , 29, 2355-2368 | 5.3 | 5 |
| 144 | Simultaneous detection of lung fusions using a multiplex RT-PCR next generation sequencing-based approach: a multi-institutional research study. <i>BMC Cancer</i> , 2018 , 18, 828 | 4.8 | 15 |

| 143 | Gastric microbial community profiling reveals a dysbiotic cancer-associated microbiota. <i>Gut</i> , 2018 , 67, 226-236 | 19.2 | 277 |
|-----|--|------|------|
| 142 | Gastric cancer: Basic aspects. <i>Helicobacter</i> , 2018 , 23 Suppl 1, e12523 | 4.9 | 21 |
| 141 | Genetic variation in Wnt/Etatenin and ER signalling pathways in female and male elite dancers and its associations with low bone mineral density: a cross-section and longitudinal study. <i>Osteoporosis International</i> , 2018 , 29, 2261-2274 | 5.3 | 6 |
| 140 | Role of epidermal growth factor mutational status for distinction between recurrent lung cancer and second primary lung cancer: case report. <i>Clinical Respiratory Journal</i> , 2017 , 11, 854-858 | 1.7 | 1 |
| 139 | Docosahexaenoic acid loaded lipid nanoparticles with bactericidal activity against Helicobacter pylori. <i>International Journal of Pharmaceutics</i> , 2017 , 519, 128-137 | 6.5 | 34 |
| 138 | Pathogenesis of Gastric Cancer: Genetics and Molecular Classification. <i>Current Topics in Microbiology and Immunology</i> , 2017 , 400, 277-304 | 3.3 | 60 |
| 137 | Epidemiology of human papillomavirus on anogenital warts in Portugal - The HERCOLES study. Journal of the European Academy of Dermatology and Venereology, 2017 , 31, 1342-1348 | 4.6 | 4 |
| 136 | Management of Helicobacter pylori infection-the Maastricht V/Florence Consensus Report. <i>Gut</i> , 2017 , 66, 6-30 | 19.2 | 1488 |
| 135 | Gastric cancer: Basic aspects. <i>Helicobacter</i> , 2017 , 22 Suppl 1, e12412 | 4.9 | 20 |
| 134 | Bone mineral density in vocational and professional ballet dancers. <i>Osteoporosis International</i> , 2017 , 28, 2903-2912 | 5.3 | 15 |
| 133 | Integration of next-generation sequencing in clinical diagnostic molecular pathology laboratories for analysis of solid tumours; an expert opinion on behalf of IQN Path ASBL. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2017 , 470, 5-20 | 5.1 | 62 |
| 132 | Bone mass of female dance students prior to professional dance training: A cross-sectional study. <i>PLoS ONE</i> , 2017 , 12, e0180639 | 3.7 | 8 |
| 131 | C/EBPIregulates homeostatic and oncogenic gastric cell proliferation. <i>Journal of Molecular Medicine</i> , 2016 , 94, 1385-1395 | 5.5 | 12 |
| 130 | Gastric cancer pathogenesis. <i>Helicobacter</i> , 2016 , 21 Suppl 1, 34-8 | 4.9 | 38 |
| 129 | Interleukin-1B signalling leads to increased survival of gastric carcinoma cells through a CREB-C/EBPEssociated mechanism. <i>Gastric Cancer</i> , 2016 , 19, 74-84 | 7.6 | 23 |
| 128 | Genetics of glucocorticoid regulation and posttraumatic stress disorderWhat do we know?. <i>Neuroscience and Biobehavioral Reviews</i> , 2016 , 63, 143-57 | 9 | 58 |
| 127 | New massive parallel sequencing approach improves the genetic characterization of congenital myopathies. <i>Journal of Human Genetics</i> , 2016 , 61, 497-505 | 4.3 | 10 |
| 126 | Prevalence of BRCA1/BRCA2 mutations in a Brazilian population sample at-risk for hereditary breast cancer and characterization of its genetic ancestry. <i>Oncotarget</i> , 2016 , 7, 80465-80481 | 3.3 | 39 |

| 125 | Prevalence of low bone mineral density in female dancers. Sports Medicine, 2015, 45, 257-68 | 10.6 | 33 |
|-----|---|------|----|
| 124 | Comprehensive massive parallel DNA sequencing strategy for the genetic diagnosis of the neuro-cardio-facio-cutaneous syndromes. <i>European Journal of Human Genetics</i> , 2015 , 23, 347-53 | 5.3 | 14 |
| 123 | Heterozygous germline mutations in A2ML1 are associated with a disorder clinically related to Noonan syndrome. <i>European Journal of Human Genetics</i> , 2015 , 23, 317-24 | 5.3 | 48 |
| 122 | Pathogenesis of Gastric Cancer. <i>Helicobacter</i> , 2015 , 20 Suppl 1, 30-5 | 4.9 | 32 |
| 121 | Genetic Heterogeneity in Colorectal Cancer and its Clinical Implications. <i>Acta Medica Portuguesa</i> , 2015 , 28, 370-5 | 1.4 | 9 |
| 120 | Oral and gastric Helicobacter pylori: effects and associations. <i>PLoS ONE</i> , 2015 , 10, e0126923 | 3.7 | 4 |
| 119 | The Influence of Oral Microflora on Oral Health Among a Sample of Portuguese Adolescents <i>International Journal of Epidemiology,</i> 2015 , 44, i144-i145 | 7.8 | |
| 118 | Genetic variants in the IL1A gene region contribute to intestinal-type gastric carcinoma susceptibility in European populations. <i>International Journal of Cancer</i> , 2014 , 135, 1343-55 | 7.5 | 7 |
| 117 | Clinical relevance of Helicobacter pylori vacA and cagA genotypes in gastric carcinoma. <i>Baillierels Best Practice and Research in Clinical Gastroenterology</i> , 2014 , 28, 1003-15 | 2.5 | 42 |
| 116 | Ancillary Studies, Including Immunohistochemistry and Molecular Studies, in Lung Cytology. <i>Surgical Pathology Clinics</i> , 2014 , 7, 35-46 | 3.9 | 4 |
| 115 | Detection of common and less frequent EGFR mutations in cytological samples of lung cancer. <i>Acta Cytologica</i> , 2014 , 58, 275-80 | 3 | 9 |
| 114 | Helicobacter pylori@ cholesterol uptake impacts resistance to docosahexaenoic acid. <i>International Journal of Medical Microbiology</i> , 2014 , 304, 314-20 | 3.7 | 17 |
| 113 | Abstract 3575: The OncoNetwork Consortium: A global collaborative research study on the development and verification of an Ion AmpliSeq RNA gene lung fusion panel 2014 , | | 4 |
| 112 | Combined Influence of EGF+61G>A and TGFB+869T>C Functional Polymorphisms in Renal Cell Carcinoma Progression and Overall Survival: The Link to Plasma Circulating MiR-7 and MiR-221/222 Expression. <i>PLoS ONE</i> , 2014 , 10, e0103258 | 3.7 | 18 |
| 111 | Polymorphisms in the TNFA and IL6 genes represent risk factors for autoimmune thyroid disease. <i>PLoS ONE</i> , 2014 , 9, e105492 | 3.7 | 23 |
| 110 | Phenotype-genotype profiles in Crohn@ disease predicted by genetic markers in autophagy-related genes (GOIA study II). <i>Inflammatory Bowel Diseases</i> , 2013 , 19, 230-9 | 4.5 | 35 |
| 109 | First-degree relatives of early-onset gastric cancer patients show a high risk for gastric cancer: phenotype and genotype profile. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2013 , 463, 391-9 | 5.1 | 13 |
| 108 | IL-1RN VNTR polymorphism as a susceptibility marker for nasopharyngeal carcinoma in Portugal. <i>Archives of Oral Biology</i> , 2013 , 58, 1040-6 | 2.8 | 9 |

| 107 | Molecular pathogenesis of gastric cancer. <i>Helicobacter</i> , 2013 , 18 Suppl 1, 28-33 | 4.9 | 46 |
|-----|---|------|------|
| 106 | Nonoptical massive parallel DNA sequencing of BRCA1 and BRCA2 genes in a diagnostic setting. <i>Human Mutation</i> , 2013 , 34, 629-35 | 4.7 | 35 |
| 105 | Epidermal growth factor receptor mutation study for 5 years, in a population of patients with non-small cell lung cancer. <i>Revista Portuguesa De Pneumologia</i> , 2013 , 19, 7-12 | | 17 |
| 104 | Cribriform-morular variant of papillary thyroid carcinoma displaying poorly differentiated features. <i>International Journal of Surgical Pathology</i> , 2013 , 21, 379-89 | 1.2 | 29 |
| 103 | Crosstalk between Helicobacter pylori and gastric epithelial cells is impaired by docosahexaenoic acid. <i>PLoS ONE</i> , 2013 , 8, e60657 | 3.7 | 19 |
| 102 | Well-differentiated papillary mesothelioma: clustering in a Portuguese family with a germline BAP1 mutation. <i>Annals of Oncology</i> , 2013 , 24, 2147-50 | 10.3 | 41 |
| 101 | AB0097 V667m, a1330v and n740n polymorphisms in lrp5 gene are associated with bone mineral density and bone metabolism in established rheumatoid arthritis patients. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, A815.1-A815 | 2.4 | |
| 100 | AB0243 Relationship between bone mineral density and radiographic damage in established rheumatoid arthritis patients under biologics. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, A861.2-A861 | 2.4 | |
| 99 | CCAAT/enhancer binding protein [(C/EBP)] isoforms as transcriptional regulators of the pro-invasive CDH3/P-cadherin gene in human breast cancer cells. <i>PLoS ONE</i> , 2013 , 8, e55749 | 3.7 | 16 |
| 98 | Carcinogenic ability of possibly through oncogenic mutation of gene 2013 , 2013, | | 11 |
| 97 | First-degree relatives of patients with early-onset gastric carcinoma show even at young ages a high prevalence of advanced OLGA/OLGIM stages and dysplasia. <i>Alimentary Pharmacology and Therapeutics</i> , 2012 , 35, 1451-9 | 6.1 | 45 |
| 96 | First degree relatives and familial aggregation of gastric cancer: who to choose for control in case-control studies?. <i>Familial Cancer</i> , 2012 , 11, 137-43 | 3 | 7 |
| 95 | Management of precancerous conditions and lesions in the stomach (MAPS): guideline from the European Society of Gastrointestinal Endoscopy (ESGE), European Helicobacter Study Group (EHSG), European Society of Pathology (ESP), and the Sociedade Portuguesa de Endoscopia Digestiva (SPED). Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische | 5.1 | 84 |
| 94 | Critéria to predict carriers of a novel SCN5A mutation in a large Portuguese family affected by the Brugada syndrome. <i>Europace</i> , 2012 , 14, 882-8 | 3.9 | 12 |
| 93 | A novel method for genotyping the Helicobacter pylori vacA intermediate region directly in gastric biopsy specimens. <i>Journal of Clinical Microbiology</i> , 2012 , 50, 3983-9 | 9.7 | 36 |
| 92 | Management of Helicobacter pylori infectionthe Maastricht IV/ Florence Consensus Report. <i>Gut</i> , 2012 , 61, 646-64 | 19.2 | 1615 |
| 91 | IL-1RN VNTR polymorphism and genetic susceptibility to cervical cancer in Portugal. <i>Molecular Biology Reports</i> , 2012 , 39, 10837-42 | 2.8 | 15 |
| 90 | Apolipoprotein E e4 allele does not increase the risk of early postoperative delirium after major surgery. <i>Journal of Anesthesia</i> , 2012 , 26, 412 | 2.2 | 28 |

(2010-2012)

| 89 | The number of Helicobacter pylori CagA EPIYA C tyrosine phosphorylation motifs influences the pattern of gastritis and the development of gastric carcinoma. <i>Histopathology</i> , 2012 , 60, 992-8 | 7.3 | 45 |
|----|--|------|-----|
| 88 | Inactivation of estrogen receptor by Schistosoma haematobium total antigen in bladder urothelial cells. <i>Oncology Reports</i> , 2012 , 27, 356-62 | 3.5 | 18 |
| 87 | Diagnostic challenges of Marfan syndrome in an XYY young man. Cardiology in the Young, 2012, 22, 466 | 5-81 | 2 |
| 86 | Management of precancerous conditions and lesions in the stomach (MAPS): guideline from the European Society of Gastrointestinal Endoscopy (ESGE), European Helicobacter Study Group (EHSG), European Society of Pathology (ESP), and the Sociedade Portuguesa de Endoscopia | 3.4 | 477 |
| 85 | E-cadherin impairment increases cell survival through Notch-dependent upregulation of Bcl-2. Human Molecular Genetics, 2012 , 21, 334-43 | 5.6 | 35 |
| 84 | Docosahexaenoic acid inhibits Helicobacter pylori growth in vitro and mice gastric mucosa colonization. <i>PLoS ONE</i> , 2012 , 7, e35072 | 3.7 | 73 |
| 83 | Value of molecular diagnosis in a family with Marfan syndrome and an atypical vascular phenotype. <i>Revista Espanola De Cardiologia</i> , 2011 , 64, 151-4 | 1.5 | 4 |
| 82 | Urothelial dysplasia and inflammation induced by Schistosoma haematobium total antigen instillation in mice normal urothelium. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2011 , 29, 809-14 | 2.8 | 29 |
| 81 | Gastric cancer: basic aspects. <i>Helicobacter</i> , 2011 , 16 Suppl 1, 38-44 | 4.9 | 54 |
| 80 | Polymorphisms in inflammatory response genes and their association with gastric cancer: A HuGE systematic review and meta-analyses. <i>American Journal of Epidemiology</i> , 2011 , 173, 259-70 | 3.8 | 161 |
| 79 | Targeting molecular signaling pathways of Schistosoma haemotobium înfection in bladder cancer. <i>Virulence</i> , 2011 , 2, 267-79 | 4.7 | 40 |
| 78 | Re: "Polymorphisms in Inflammatory Response Genes and their Association with Gastric Cancer: A Huge Systematic Review and Meta-Analyses". <i>American Journal of Epidemiology</i> , 2011 , 173, 846-846 | 3.8 | 78 |
| 77 | C/EBP alpha expression is associated with homeostasis of the gastric epithelium and with gastric carcinogenesis. <i>Laboratory Investigation</i> , 2010 , 90, 1132-9 | 5.9 | 20 |
| 76 | ICI 182,780 induces P-cadherin overexpression in breast cancer cells through chromatin remodelling at the promoter level: a role for C/EBPbeta in CDH3 gene activation. <i>Human Molecular Genetics</i> , 2010 , 19, 2554-66 | 5.6 | 17 |
| 75 | Association between cytokine gene polymorphisms and gastric precancerous lesions: systematic review and meta-analysis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 762-76 | 4 | 44 |
| 74 | Schistosoma haematobium and bladder cancer: what lies beneath?. Virulence, 2010, 1, 84-7 | 4.7 | 32 |
| 73 | Granulomatous-like immune reaction and hepatic fibrosis induced by Schistosoma haematobium immature worms. <i>Virulence</i> , 2010 , 1, 123-9 | 4.7 | 5 |
| 72 | Common vascular endothelial growth factor variants and risk for posttransplant Kaposi sarcoma. <i>Transplantation</i> , 2010 , 90, 337-8 | 1.8 | 2 |

| 71 | Genetic and epigenetic alteration in gastric carcinogenesis. <i>Helicobacter</i> , 2010 , 15 Suppl 1, 34-9 | 4.9 | 60 |
|----|---|----------------|-----|
| 70 | Schistosoma haematobium: identification of new estrogenic molecules with estradiol antagonistic activity and ability to inactivate estrogen receptor in mammalian cells. <i>Experimental Parasitology</i> , 2010 , 126, 526-35 | 2.1 | 29 |
| 69 | Schistosoma haematobium and Schistosomiasis mansoni: production of an estradiol-related compound detected by ELISA. <i>Experimental Parasitology</i> , 2009 , 122, 250-3 | 2.1 | 25 |
| 68 | Schistosoma haematobium total antigen induces increased proliferation, migration and invasion, and decreases apoptosis of normal epithelial cells. <i>International Journal for Parasitology</i> , 2009 , 39, 1083 | - ∮ ₹ | 49 |
| 67 | Gastric cardia carcinoma is associated with the promoter -77T>C gene polymorphism of X-ray cross-complementing group 1 (XRCC1). <i>Journal of Gastrointestinal Surgery</i> , 2009 , 13, 2233-8 | 3.3 | 17 |
| 66 | Tumourigenic effect of Schistosoma haematobium total antigen in mammalian cells. <i>International Journal of Experimental Pathology</i> , 2009 , 90, 448-53 | 2.8 | 21 |
| 65 | Basic aspects of gastric cancer. <i>Helicobacter</i> , 2009 , 14 Suppl 1, 36-40 | 4.9 | 48 |
| 64 | CagA associates with c-Met, E-cadherin, and p120-catenin in a multiproteic complex that suppresses Helicobacter pylori-induced cell-invasive phenotype. <i>Journal of Infectious Diseases</i> , 2009 , 200, 745-55 | 7 | 84 |
| 63 | The interferon gamma receptor 1 (IFNGR1) -56C/T gene polymorphism is associated with increased risk of early gastric carcinoma. <i>Gut</i> , 2008 , 57, 1504-8 | 19.2 | 40 |
| 62 | Tumor necrosis factor alpha extended haplotypes and risk of gastric carcinoma. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008 , 17, 2416-20 | 4 | 32 |
| 61 | The interleukin-8-251*T/*A polymorphism is not associated with risk for gastric carcinoma development in a Portuguese population. <i>European Journal of Cancer Prevention</i> , 2008 , 17, 28-32 | 2 | 40 |
| 60 | GRIM-19 mutations are not associated with Crohn@disease. <i>Inflammatory Bowel Diseases</i> , 2008 , 14, 434 | · -4 .5 | 1 |
| 59 | Helicobacter and gastric malignancies. <i>Helicobacter</i> , 2008 , 13 Suppl 1, 28-34 | 4.9 | 44 |
| 58 | KRAS and BRAF oncogenic mutations in MSS colorectal carcinoma progression. <i>Oncogene</i> , 2007 , 26, 158 | -6.3 | 139 |
| 57 | After Helicobacter pylori, genetic susceptibility to gastric carcinoma revisited. <i>Helicobacter</i> , 2007 , 12 Suppl 2, 45-9 | 4.9 | 30 |
| 56 | PrElisposition gElEique au cancer gastrique. Acta Endoscopica, 2007, 37, 239-247 | | 2 |
| 55 | Association between functional EGF+61 polymorphism and glioma risk. <i>Clinical Cancer Research</i> , 2007 , 13, 2621-6 | 12.9 | 74 |
| 54 | Genetic changes of CEBPA in cancer: mutations or polymorphisms?. <i>Journal of Clinical Oncology</i> , 2007 , 25, 2493-4; author reply 2494-5 | 2.2 | 15 |

(2003-2007)

| 53 | EGFR regulates RhoA-GTP dependent cell motility in E-cadherin mutant cells. <i>Human Molecular Genetics</i> , 2007 , 16, 1639-47 | 5.6 | 72 |
|----|---|--------------------|------|
| 52 | Current concepts in the management of Helicobacter pylori infection: the Maastricht III Consensus Report. <i>Gut</i> , 2007 , 56, 772-81 | 19.2 | 1326 |
| 51 | Helicobacter pylori induces gastric epithelial cell invasion in a c-Met and type IV secretion system-dependent manner. <i>Journal of Biological Chemistry</i> , 2006 , 281, 34888-96 | 5.4 | 77 |
| 50 | C/EBPbeta is over-expressed in gastric carcinogenesis and is associated with COX-2 expression. <i>Journal of Pathology</i> , 2006 , 210, 398-404 | 9.4 | 31 |
| 49 | Cleft lip/palate and CDH1/E-cadherin mutations in families with hereditary diffuse gastric cancer. <i>Journal of Medical Genetics</i> , 2006 , 43, 138-42 | 5.8 | 135 |
| 48 | G-308A TNF-alpha polymorphism is associated with an increased risk of invasive cervical cancer. <i>Biochemical and Biophysical Research Communications</i> , 2005 , 334, 588-92 | 3.4 | 82 |
| 47 | The prevalence of PIK3CA mutations in gastric and colon cancer. <i>European Journal of Cancer</i> , 2005 , 41, 1649-54 | 7.5 | 290 |
| 46 | NOD2/CARD15 and TNFA, but not IL1B and IL1RN, are associated with Crohn@ disease. <i>Inflammatory Bowel Diseases</i> , 2005 , 11, 331-9 | 4.5 | 44 |
| 45 | beta-catenin (CTNNB1) gene amplification: a new mechanism of protein overexpression in cancer. <i>Genes Chromosomes and Cancer</i> , 2005 , 42, 238-46 | 5 | 29 |
| 44 | Trefoil factors: from ulceration to neoplasia. <i>Cellular and Molecular Life Sciences</i> , 2005 , 62, 2910-5 | 10.3 | 45 |
| 43 | Core I gene is overexpressed in Hfthle and non-Hfthle cell microfollicular adenomas and follicular carcinomas of the thyroid. <i>BMC Cancer</i> , 2004 , 4, 12 | 4.8 | 4 |
| 42 | E-Cadherin (CDH1) and p53 rather than SMAD4 and Caspase-10 germline mutations contribute to genetic predisposition in Portuguese gastric cancer patients. <i>European Journal of Cancer</i> , 2004 , 40, 189 | 7 ⁷ 9δ3 | 87 |
| 41 | Genetic screening for familial gastric cancer. Hereditary Cancer in Clinical Practice, 2004, 2, 51-64 | 2.3 | 25 |
| 40 | Patterns of beta-catenin expression in gastric carcinoma: clinicopathological relevance and mutation analysis. <i>International Journal of Surgical Pathology</i> , 2003 , 11, 1-9 | 1.2 | 24 |
| 39 | Mixed carcinoma of the stomach: a clinicopathological entity. Histopathology, 2003, 43, 94-5 | 7.3 | 2 |
| 38 | Promoter methylation of TGFbeta receptor I and mutation of TGFbeta receptor II are frequent events in MSI sporadic gastric carcinomas. <i>Journal of Pathology</i> , 2003 , 200, 32-8 | 9.4 | 46 |
| 37 | E-cadherin germline missense mutations and cell phenotype: evidence for the independence of cell invasion on the motile capabilities of the cells. <i>Human Molecular Genetics</i> , 2003 , 12, 3007-16 | 5.6 | 68 |
| 36 | A proinflammatory genetic profile increases the risk for chronic atrophic gastritis and gastric carcinoma. <i>Gastroenterology</i> , 2003 , 125, 364-71 | 13.3 | 415 |

| 35 | Concurrent hypermethylation of gene promoters is associated with a MSI-H phenotype and diploidy in gastric carcinomas. <i>European Journal of Cancer</i> , 2003 , 39, 1222-7 | 7.5 | 41 |
|----|---|------|-----|
| 34 | Identification of CDH1 germline missense mutations associated with functional inactivation of the E-cadherin protein in young gastric cancer probands. <i>Human Molecular Genetics</i> , 2003 , 12, 575-82 | 5.6 | 145 |
| 33 | RESPONSE: Re: Helicobacter pylori and Interleukin 1 Genotyping: An Opportunity to Identify High-Risk Individuals for Gastric Carcinoma. <i>Journal of the National Cancer Institute</i> , 2003 , 95, 760-761 | 9.7 | |
| 32 | Screening E-cadherin in gastric cancer families reveals germline mutations only in hereditary diffuse gastric cancer kindred. <i>Human Mutation</i> , 2002 , 19, 510-7 | 4.7 | 142 |
| 31 | CDH1 c-160a promotor polymorphism is not associated with risk of stomach cancer. <i>International Journal of Cancer</i> , 2002 , 101, 196-7 | 7.5 | 47 |
| 30 | Mucoepidermoid carcinoma of the thyroid: a tumour histotype characterised by P-cadherin neoexpression and marked abnormalities of E-cadherin/catenins complex. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2002 , 440, 498-504 | 5.1 | 26 |
| 29 | Different patterns of beta-catenin expression in gastric carcinomas: relationship with clinicopathological parameters and prognostic outcome. <i>Histopathology</i> , 2002 , 41, 368-9 | 7.3 | 4 |
| 28 | Loss of heterozygosity and promoter methylation, but not mutation, may underlie loss of TFF1 in gastric carcinoma. <i>Laboratory Investigation</i> , 2002 , 82, 1319-26 | 5.9 | 80 |
| 27 | Helicobacter pylori and interleukin 1 genotyping: an opportunity to identify high-risk individuals for gastric carcinoma. <i>Journal of the National Cancer Institute</i> , 2002 , 94, 1680-7 | 9.7 | 475 |
| 26 | Re. ©ellular phenotypes of differentiated-type adenocarcinomas and precancerous lesions of the stomach are dependent on the genetic pathwaysO <i>Journal of Pathology</i> , 2001 , 195, 636-7 | 9.4 | 2 |
| 25 | E-cadherin gene (CDH1) promoter methylation as the second hit in sporadic diffuse gastric carcinoma. <i>Oncogene</i> , 2001 , 20, 1525-8 | 9.2 | 219 |
| 24 | Interleukin 1B and interleukin 1RN polymorphisms are associated with increased risk of gastric carcinoma. <i>Gastroenterology</i> , 2001 , 121, 823-9 | 13.3 | 365 |
| 23 | Current thoughts on the histopathogenesis of gastric cancer. <i>European Journal of Cancer Prevention</i> , 2001 , 10, 101-2 | 2 | 17 |
| 22 | Gastric carcinoma exhibits distinct types of cell differentiation: an immunohistochemical study of trefoil peptides (TFF1 and TFF2) and mucins (MUC1, MUC2, MUC5AC, and MUC6). <i>Journal of Pathology</i> , 2000 , 190, 437-43 | 9.4 | 116 |
| 21 | E-cadherin mutations in gastric carcinoma. <i>Journal of Pathology</i> , 2000 , 191, 466-8 | 9.4 | 9 |
| 20 | MSI-L gastric carcinomas share the hMLH1 methylation status of MSI-H carcinomas but not their clinicopathological profile. <i>Laboratory Investigation</i> , 2000 , 80, 1915-23 | 5.9 | 41 |
| 19 | Primary signet-ring cell carcinomas of the lung. Human Pathology, 2000, 31, 272 | 3.7 | |
| 18 | Mitochondrial DNA alteration in gastric cancer. <i>Gastroenterology</i> , 2000 , 119, 1808-9 | 13.3 | 11 |

LIST OF PUBLICATIONS

| 17 | E-cadherin changes in gastric carcimona. <i>Histopathology</i> , 1999 , 35, 477-8 | 7.3 | 15 |
|----|--|--------|-----|
| 16 | Extensive genetic polymorphism of peptidases A, B, C, and D, in wild rabbit (Oryctolagus cuniculus) populations from the Iberian Peninsula. <i>Biochemical Genetics</i> , 1999 , 37, 237-49 | 2.4 | 8 |
| 15 | Differential expression of mucins and trefoil peptides in native epithelium, Barrett@ metaplasia and squamous cell carcinoma of the oesophagus. <i>Journal of Cancer Research and Clinical Oncology</i> , 1999 , 125, 71-6 | 4.9 | 38 |
| 14 | Microsatellite instability in hyperplastic and adenomatous polyps of the stomach 1999 , 86, 1649-1656 | | 23 |
| 13 | Patterns of expression of trefoil peptides and mucins in gastric polyps with and without malignant transformation. <i>Journal of Pathology</i> , 1999 , 187, 541-8 | 9.4 | 37 |
| 12 | Variable distribution of TFF2 (Spasmolysin) alleles in Europeans does not indicate predisposition to gastric cancer. <i>Human Heredity</i> , 1999 , 49, 45-7 | 1.1 | 5 |
| 11 | E-cadherin gene mutations provide a genetic basis for the phenotypic divergence of mixed gastric carcinomas. <i>European Journal of Cancer Prevention</i> , 1999 , 8, 351 | 2 | 9 |
| 10 | Microsatellite instability in hyperplastic and adenomatous polyps of the stomach 1999 , 86, 1649 | | 1 |
| 9 | E-cadherin gene mutations provide a genetic basis for the phenotypic divergence of mixed gastric carcinomas. <i>Laboratory Investigation</i> , 1999 , 79, 459-65 | 5.9 | 35 |
| 8 | A novel 25 bp tandem repeat within the human trefoil peptide gene TFF2 in 21q22.3: polymorphism and mammalian evolution. <i>European Journal of Human Genetics</i> , 1998 , 6, 121-8 | 5.3 | 13 |
| 7 | E-Cadherin Expression Is Correlated with the Isolated Cell/Diffuse Histotype and with Features of Biological Aggressiveness of Gastric Carcinoma. <i>International Journal of Surgical Pathology</i> , 1998 , 6, 135 | 5-1:44 | 18 |
| 6 | Identification of germ-line E-cadherin mutations in gastric cancer families of European origin. <i>Cancer Research</i> , 1998 , 58, 4086-9 | 10.1 | 214 |
| 5 | pS2 protein expression in gastric carcinoma. An immunohistochemical and immunoradiometric study. <i>European Journal of Cancer</i> , 1996 , 32A, 1585-90 | 7.5 | 33 |
| 4 | Pattern of pS2 protein expression in premalignant and malignant lesions of gastric mucosa. <i>European Journal of Cancer Prevention</i> , 1996 , 5, 169-79 | 2 | 33 |
| 3 | Establishment and characterization of two cell lines derived from human diffuse gastric carcinomas xenografted in nude mice. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 1996 , 428, 91-8 | 5.1 | 30 |
| 2 | Human trefoil peptides: genomic structure in 21q22.3 and coordinated expression. <i>European Journal of Human Genetics</i> , 1996 , 4, 308-15 | 5.3 | 46 |
| 1 | Female sex hormone receptors are not involved in gastric carcinogenesis. A biochemical and immunohistochemical study. <i>European Journal of Cancer Prevention</i> , 1994 , 3 Suppl 2, 31-7 | 2 | 13 |