

# Hyung-Il Kim

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/945229/hyung-il-kim-publications-by-citations.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

72  
papers

1,786  
citations

26  
h-index

39  
g-index

83  
ext. papers

1,913  
ext. citations

3  
avg, IF

4.87  
L-index

#	Paper	IF	Citations
72	Characterization and antibacterial properties of genipin-crosslinked chitosan/poly(ethylene glycol)/ZnO/Ag nanocomposites. <i>Carbohydrate Polymers</i> , <b>2012</b> , 89, 111-6	10.3	142
71	Electro-responsive transdermal drug delivery behavior of PVA/PAA/MWCNT nanofibers. <i>European Polymer Journal</i> , <b>2011</b> , 47, 1893-1902	5.2	99
70	Effect of oxyfluorination on electromagnetic interference shielding behavior of MWCNT/PVA/PAAc composite microcapsules. <i>European Polymer Journal</i> , <b>2010</b> , 46, 900-909	5.2	81
69	Preparation of pH-sensitive poly(vinyl alcohol-g-methacrylic acid) and poly(vinyl alcohol-g-acrylic acid) hydrogels by gamma ray irradiation and their insulin release behavior. <i>Journal of Applied Polymer Science</i> , <b>2004</b> , 91, 636-643	2.9	75
68	Kenaf/polypropylene biocomposites: effects of electron beam irradiation and alkali treatment on kenaf natural fibers. <i>Composite Interfaces</i> , <b>2007</b> , 14, 559-578	2.3	68
67	Poly(vinyl alcohol)/poly(acrylic acid)/TiO <sub>2</sub> /graphene oxide nanocomposite hydrogels for pH-sensitive photocatalytic degradation of organic pollutants. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , <b>2013</b> , 178, 1097-1103	3.1	63
66	Photocatalytic treatment of acidic waste water by electrospun composite nanofibers of pH-sensitive hydrogel and TiO <sub>2</sub> . <i>Materials Letters</i> , <b>2010</b> , 64, 2431-2434	3.3	63
65	Synthesis of microcapsules with polystyrene/ZnO hybrid shell by Pickering emulsion polymerization. <i>Colloid and Polymer Science</i> , <b>2010</b> , 288, 1393-1399	2.4	59
64	Fluorination of electrospun hydrogel fibers for a controlled release drug delivery system. <i>Acta Biomaterialia</i> , <b>2010</b> , 6, 102-9	10.8	55
63	Effect of oxyfluorination on electromagnetic interference shielding of polypyrrole-coated multi-walled carbon nanotubes. <i>Journal of Industrial and Engineering Chemistry</i> , <b>2012</b> , 18, 392-398	6.3	50
62	Improvement of ammonia sensing properties of polypyrrole by nanocomposite with graphitic materials. <i>Colloid and Polymer Science</i> , <b>2013</b> , 291, 1095-1103	2.4	47
61	Synergetic improvement in electromagnetic interference shielding characteristics of polyaniline-coated graphite oxide/Fe <sub>2</sub> O <sub>3</sub> /BaTiO <sub>3</sub> nanocomposites. <i>Journal of Industrial and Engineering Chemistry</i> , <b>2013</b> , 19, 493-497	6.3	41
60	Effect of surface modification of graphene oxide on photochemical stability of poly(vinyl alcohol)/graphene oxide composites. <i>Journal of Industrial and Engineering Chemistry</i> , <b>2012</b> , 18, 752-756	6.3	37
59	Pretreatment effects of seaweed on the thermal and mechanical properties of seaweed/polypropylene biocomposites. <i>Composites Part A: Applied Science and Manufacturing</i> , <b>2013</b> , 47, 83-90	8.4	37
58	pH and electro-responsive release behavior of MWCNT/PVA/PAAc composite microcapsules. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , <b>2010</b> , 368, 23-30	5.1	36
57	Dynamic mechanical properties of natural fiber/polymer biocomposites: The effect of fiber treatment with electron beam. <i>Macromolecular Research</i> , <b>2008</b> , 16, 253-260	1.9	36
56	Preparation of O/W Pickering emulsion with oxygen plasma treated carbon nanotubes as surfactants. <i>Journal of Industrial and Engineering Chemistry</i> , <b>2011</b> , 17, 455-460	6.3	34

55	Effect of oxyfluorination on gas sensing behavior of polyaniline-coated multi-walled carbon nanotubes. <i>Applied Surface Science</i> , <b>2012</b> , 258, 3462-3468	6.7	31
54	Preparation of poly(vinyl alcohol)/poly(acrylic acid)/TiO <sub>2</sub> /carbon nanotube composite nanofibers and their photobleaching properties. <i>Journal of Industrial and Engineering Chemistry</i> , <b>2012</b> , 18, 487-491	6.3	30
53	Preparation of poly(polyethylene glycol methacrylate-co-acrylic acid) hydrogels by radiation and their physical properties. <i>Radiation Physics and Chemistry</i> , <b>2004</b> , 69, 221-227	2.5	30
52	Synthesis and photocatalytic performance of PVA/TiO <sub>2</sub> /graphene-MWCNT nanocomposites for dye removal. <i>Journal of Applied Polymer Science</i> , <b>2014</b> , 131, n/a-n/a	2.9	29
51	Effect of oxyfluorination on electromagnetic interference shielding of polyaniline-coated multi-walled carbon nanotubes. <i>Colloid and Polymer Science</i> , <b>2011</b> , 289, 1749-1755	2.4	29
50	Novel synthesis of self-assembled CNT microcapsules by O/W Pickering emulsions. <i>Materials Letters</i> , <b>2010</b> , 64, 2589-2592	3.3	28
49	Preparation and Characteristics of Conducting Polymer-Coated MWCNTs as Electromagnetic Interference Shielding Materials. <i>Carbon Letters</i> , <b>2011</b> , 12, 48-52	2.3	27
48	Electromagnetic interference shielding effects of polyaniline-coated multi-wall carbon nanotubes/maghemite nanocomposites. <i>Polymer Bulletin</i> , <b>2012</b> , 68, 561-573	2.4	26
47	pH-sensitive photocatalytic activities of TiO <sub>2</sub> /poly(vinyl alcohol)/poly(acrylic acid) composite hydrogels. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , <b>2011</b> , 176, 276-281	3.1	24
46	Synthesis of PMMA and PMMA/PS nanoparticles by microemulsion polymerization with a new vapor monomer feeding system. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , <b>2010</b> , 364, 145-150	5.1	24
45	Improvement in ammonia gas sensing behavior by polypyrrole/multi-walled carbon nanotubes composites. <i>Carbon Letters</i> , <b>2012</b> , 13, 88-93	2.3	24
44	Improvement of thermal stability of UV curable pressure sensitive adhesive by surface modified silica nanoparticles. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , <b>2013</b> , 178, 1212-1218	3.1	19
43	Synthesis, Characterization, and Hydrolytic Degradation of Polylactide/Poly(ethylene glycol)/Nano-silica Composite Films. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , <b>2012</b> , 49, 348-354	2.2	19
42	pH-responsive release behavior of genipin-crosslinked chitosan/poly(ethylene glycol) hydrogels. <i>Journal of Applied Polymer Science</i> , <b>2012</b> , 125, E290-E298	2.9	19
41	A hybrid gas-sensing material based on porous carbon fibers and a TiO <sub>2</sub> photocatalyst. <i>Journal of Materials Science</i> , <b>2013</b> , 48, 8320-8328	4.3	18
40	Adhesion Performance and Microscope Morphology of UV-Curable Semi-interpenetrated Dicing Acrylic PSAs in Si-Wafer Manufacture Process for MCP. <i>Journal of Adhesion Science and Technology</i> , <b>2012</b> , 26, 317-329	2	18
39	Dual-responsive release behavior of pH-sensitive PVA/PAAc hydrogels containing temperature-sensitive PVA/PNIPAAm microcapsules. <i>Polymer Bulletin</i> , <b>2012</b> , 68, 1109-1119	2.4	16
38	Preparation and properties of UV curable acrylic PSA by vinyl bonded graphene oxide. <i>Applied Surface Science</i> , <b>2013</b> , 285, 727-731	6.7	16

37	Preparation of poly(vinyl alcohol)/poly(acrylic acid) microcapsules and microspheres and their pH-responsive release behavior. <i>Journal of Industrial and Engineering Chemistry</i> , <b>2009</b> , 15, 902-906	6.3	16
36	Preparation and characteristics of conducting polymer-coated multiwalled carbon nanotubes for a gas sensor. <i>Carbon Letters</i> , <b>2011</b> , 12, 162-166	2.3	16
35	Removal of Lead and Nickel Ions from Wastewater by Genipin Crosslinked Chitosan/Poly(ethylene glycol) Films. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , <b>2012</b> , 49, 242-250	2.2	15
34	Improvement in wettability of pressure-sensitive adhesive on silicon wafer using crosslinking agent with siloxane groups. <i>Journal of Applied Polymer Science</i> , <b>2013</b> , 129, 276-281	2.9	15
33	Effect of Photo-crosslinking on Clean Debonding of Acrylic Pressure Sensitive Adhesives from Silicon Wafer. <i>Journal of Photopolymer Science and Technology = [Fotoporima Konwakai Shi]</i> , <b>2012</b> , 25, 705-712	0.7	15
32	Henequen/Unsaturated Polyester Biocomposites: Electron Beam Irradiation Treatment and Alkali Treatment Effects on the Henequen Fiber. <i>Macromolecular Symposia</i> , <b>2006</b> , 245-246, 539-548	0.8	15
31	Improvement in transdermal drug delivery performance by graphite oxide/temperature-responsive hydrogel composites with micro heater. <i>Materials Science and Engineering C</i> , <b>2012</b> , 32, 1564-70	8.3	14
30	Wettability and adhesion characteristics of photo-crosslinkable adhesives for thin silicon wafer. <i>International Journal of Adhesion and Adhesives</i> , <b>2013</b> , 40, 197-201	3.4	13
29	Effect of naphthyl curing agent having thermally stable structure on properties of UV-cured pressure sensitive adhesive. <i>Journal of Industrial and Engineering Chemistry</i> , <b>2014</b> , 20, 3195-3200	6.3	11
28	Effect of oxygen plasma treatment of carbon nanotubes on electromagnetic interference shielding of polypyrrole-coated carbon nanotubes. <i>Journal of Applied Polymer Science</i> , <b>2012</b> , 126, E39-E47	2.9	11
27	Improvement of NO Gas Sensing Properties of Polyaniline/MWCNT Composite by Photocatalytic Effect of TiO <sub>2</sub> . <i>Journal of Nanomaterials</i> , <b>2013</b> , 2013, 1-6	3.2	11
26	Controlled release behavior of PCL/PEO/activated carbon composite microcapsule. <i>Journal of Polymer Research</i> , <b>2011</b> , 18, 2441-2447	2.7	11
25	Antibacterial activity of pH-sensitive genipin cross-linked chitosan/poly(ethylene glycol)/silver nanocomposites. <i>Polymers for Advanced Technologies</i> , <b>2012</b> , 23, 8-14	3.2	10
24	Control of release characteristics in pH-sensitive poly(vinyl alcohol)/poly(acrylic acid) microcapsules containing chemically treated alumina core. <i>Journal of Applied Polymer Science</i> , <b>2010</b> , 115, 1853-1858	2.9	10
23	Electro-responsive Transdermal Drug Release of MWCNT/PVA Nanocomposite Hydrogels. <i>Carbon Letters</i> , <b>2010</b> , 11, 211-215	2.3	10
22	Effect of graphite oxide on photodegradation behavior of poly(vinyl alcohol)/graphite oxide composite hydrogels. <i>Carbon Letters</i> , <b>2011</b> , 12, 138-142	2.3	10
21	Controlled Release Behavior of Temperature Responsive Composite Hydrogel Containing Activated Carbon. <i>Carbon Letters</i> , <b>2008</b> , 9, 283-288	2.3	8
20	Controlled Release Behavior of pH-Responsive Composite Hydrogel Containing Activated Carbon. <i>Carbon Letters</i> , <b>2009</b> , 10, 33-37	2.3	8

19	Control of drug release behavior of pH-responsive PVA/PAAc hydrogel by surface modification with oxyfluorination. <i>Macromolecular Research</i> , <b>2012</b> , 20, 1029-1036	1.9	6
18	Novel synthesis of silica/polypyrrole hybrid nanocomposites via microemulsion polymerization with a vapor monomer feeding system. <i>Macromolecular Research</i> , <b>2011</b> , 19, 21-26	1.9	6
17	Removal of Cu(II) ions by Alginate/Carbon Nanotube/Maghemite Composite Magnetic Beads. <i>Carbon Letters</i> , <b>2010</b> , 11, 117-121	2.3	6
16	Temperature and pH-Responsive Release Behavior of PVA/PAAc/PNIPAAm/MWCNTs Nanocomposite Hydrogels. <i>Carbon Letters</i> , <b>2012</b> , 13, 173-177	2.3	6
15	Preparation of temperature-responsive hydrogel nanocapsules with interfacial modification of colloidal silica. <i>Composite Interfaces</i> , <b>2006</b> , 13, 277-284	2.3	5
14	Effect of oxyfluorination of PVA/PNIPAAm hydrogel on temperature responsive drug release. <i>Journal of Polymer Research</i> , <b>2012</b> , 19, 1	2.7	4
13	THE EFFECT OF POLYAMIDE PARTICLES ON THE PROCESSIBILITY OF SELECTIVE LASER SINTERING. <i>International Journal of Modern Physics B</i> , <b>2008</b> , 22, 1827-1832	1.1	4
12	Variation of Adhesion Characteristics of Acryl Copolymer/Multi-functional Monomer Based PSA by UV Curing. <i>Porrime</i> , <b>2012</b> , 36, 315-320	1	4
11	Improvement of Physical Properties of Polypropylene Chemical Foam by Glass Fiber Reinforcement. <i>Porrime</i> , <b>2019</b> , 43, 589-594	1	4
10	A selective drug-release system consisting of surface-modified electrospun carbon fibers by oxy/fluorination. <i>Journal of Porous Materials</i> , <b>2012</b> , 19, 781-789	2.4	3
9	Sustained release behavior of pH-responsive poly(vinyl alcohol)/poly(acrylic acid) hydrogels containing activated carbon fibers. <i>Journal of Applied Polymer Science</i> , <b>2011</b> , 120, 1050-1056	2.9	3
8	Improvement in mechanical properties of recycled polypropylene composite by controlling the length distribution of glass fibers. <i>Polymer Composites</i> , <b>2021</b> , 42, 2171-2179	3	3
7	Improvement in nano-pattern replication of injection molding by polyamide/dendrimer blend. <i>Polymer Engineering and Science</i> , <b>2021</b> , 61, 822-829	2.3	3
6	Effect of side chain on wettability and adhesion performance of acrylic pressure-sensitive adhesives on thin silicon wafer. <i>Journal of Adhesion Science and Technology</i> , <b>2013</b> , 27, 1136-1145	2	2
5	Preparation of PVDF Microfiltration Membranes with Thermo-responsive PNIPAM Hydrogel Composite Particles. <i>Composite Interfaces</i> , <b>2009</b> , 16, 329-336	2.3	2
4	Evaluation of internal structure and morphology of poly(benzyl ether) dendrimers by molecular dynamics simulations. <i>Macromolecular Research</i> , <b>2004</b> , 12, 178-188	1.9	2
3	Effect on Graphene Addition on Characteristics of Polypropylene Biocomposites Reinforced with Sulfuric Acid Treated Green Algae. <i>Porrime</i> , <b>2013</b> , 37, 518-525	1	2
2	Mechanical and Antimicrobial Properties of Genipin-Crosslinked Chitosan/Poly(Ethylene Glycol) IPN. <i>Journal of Macromolecular Science - Physics</i> , <b>2012</b> , 51, 1069-1079	1.4	1

1 Ion Conductivity of Polymer Electrolytes Based on PEO Containing Li Salt and Additive Salt. *Solid State Phenomena*, **2007**, 119, 119-122

0.4 1