Wei-Yu Chen

List of Publications by Citations

Source: https://exaly.com/author-pdf/945254/wei-yu-chen-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

66
papers

710
citations

14
papers

67
ext. papers

831
ext. citations

5.7
avg, IF

24
g-index

3.99
L-index

#	Paper	IF	Citations
66	Lung cancer risk in relation to traffic-related nano/ultrafine particle-bound PAHs exposure: a preliminary probabilistic assessment. <i>Journal of Hazardous Materials</i> , 2011 , 190, 150-8	12.8	70
65	Assessing the potential risks to zebrafish posed by environmentally relevant copper and silver nanoparticles. <i>Science of the Total Environment</i> , 2012 , 420, 111-8	10.2	48
64	Assessing bisphenol A (BPA) exposure risk from long-term dietary intakes in Taiwan. <i>Science of the Total Environment</i> , 2016 , 543, 140-146	10.2	35
63	Assessing human exposure risk to cadmium through inhalation and seafood consumption. <i>Journal of Hazardous Materials</i> , 2012 , 227-228, 353-61	12.8	33
62	Assessing the potential exposure risk and control for airborne titanium dioxide and carbon black nanoparticles in the workplace. <i>Environmental Science and Pollution Research</i> , 2011 , 18, 877-89	5.1	33
61	Anemia risk in relation to lead exposure in lead-related manufacturing. <i>BMC Public Health</i> , 2017 , 17, 38	94.1	32
60	Assessing the cancer risk associated with arsenic-contaminated seafood. <i>Journal of Hazardous Materials</i> , 2010 , 181, 161-9	12.8	31
59	Acute toxicity and bioaccumulation of arsenic in freshwater clam Corbicula fluminea. <i>Environmental Toxicology</i> , 2008 , 23, 702-11	4.2	25
58	Physiologically based pharmacokinetic modeling of zinc oxide nanoparticles and zinc nitrate in mice. <i>International Journal of Nanomedicine</i> , 2015 , 10, 6277-92	7.3	20
57	Toxicokinetics of tilapia following high exposure to waterborne and dietary copper and implications for coping mechanisms. <i>Environmental Science and Pollution Research</i> , 2013 , 20, 3771-80	5.1	19
56	PBPK/PD assessment for Parkinson's disease risk posed by airborne pesticide paraquat exposure. <i>Environmental Science and Pollution Research</i> , 2018 , 25, 5359-5368	5.1	18
55	A real-time biomonitoring system to detect arsenic toxicity by valve movement in freshwater clam Corbicula fluminea. <i>Ecotoxicology</i> , 2012 , 21, 1177-87	2.9	16
54	Assessing the impact of waterborne and dietborne cadmium toxicity on susceptibility risk for rainbow trout. <i>Science of the Total Environment</i> , 2011 , 409, 503-13	10.2	16
53	Assessing the arsenic-contaminated rice (Oryza sativa) associated children skin lesions. <i>Journal of Hazardous Materials</i> , 2010 , 176, 239-51	12.8	15
52	Synthesis and measurement of valve activities by an improved online clam-based behavioral monitoring system. <i>Computers and Electronics in Agriculture</i> , 2013 , 90, 106-118	6.5	14
51	Bioavailability links mode of action can improve the long-term field risk assessment for tilapia exposed to arsenic. <i>Environment International</i> , 2009 , 35, 727-36	12.9	14
50	Assessing coughing-induced influenza droplet transmission and implications for infection risk control. <i>Epidemiology and Infection</i> , 2016 , 144, 333-45	4.3	14

(2009-2012)

49	Assessing the effects of pulsed waterborne copper toxicity on life-stage tilapia populations. <i>Science of the Total Environment</i> , 2012 , 417-418, 129-37	10.2	13
48	Regional response of dengue fever epidemics to interannual variation and related climate variability. <i>Stochastic Environmental Research and Risk Assessment</i> , 2015 , 29, 947-958	3.5	11
47	Interpreting copper bioaccumulation dynamics in tilapia using systems-level explorations of pulsed acute/chronic exposures. <i>Ecotoxicology</i> , 2014 , 23, 1124-36	2.9	11
46	Quantitative links between arsenic exposure and influenza A (H1N1) infection-associated lung function exacerbations risk. <i>Risk Analysis</i> , 2011 , 31, 1281-94	3.9	11
45	Association Between Ambient Air Pollution and Elevated Risk of Tuberculosis Development. <i>Infection and Drug Resistance</i> , 2019 , 12, 3835-3847	4.2	10
44	Analyzing the effectiveness of using branchial NKA activity as a biomarker for assessing waterborne copper toxicity in tilapia (Oreochromis mossambicus): A damage-based modeling approach. <i>Aquatic Toxicology</i> , 2015 , 163, 51-9	5.1	9
43	Assessing exposure risks for aquatic organisms posed by Tamiflu use under seasonal influenza and pandemic conditions. <i>Environmental Pollution</i> , 2014 , 184, 377-84	9.3	9
42	Probabilistic framework for assessing the arsenic exposure risk from cooked fish consumption. <i>Environmental Geochemistry and Health</i> , 2014 , 36, 1115-28	4.7	9
41	Mathematical modeling of postcoinfection with influenza A virus and , with implications for pneumonia and COPD-risk assessment. <i>International Journal of COPD</i> , 2017 , 12, 1973-1988	3	9
40	Toxicokinetics/toxicodynamics links bioavailability for assessing arsenic uptake and toxicity in three aquaculture species. <i>Environmental Science and Pollution Research</i> , 2012 , 19, 3868-78	5.1	9
39	Coupled dynamics of energy budget and population growth of tilapia in response to pulsed waterborne copper. <i>Ecotoxicology</i> , 2012 , 21, 2264-75	2.9	9
38	Trade-offs between elimination and detoxification in rainbow trout and common bivalve molluscs exposed to metal stressors. <i>Chemosphere</i> , 2011 , 85, 1048-56	8.4	9
37	Predicting bioavailability and bioaccumulation of arsenic by freshwater clam Corbicula fluminea using valve daily activity. <i>Environmental Monitoring and Assessment</i> , 2010 , 169, 647-59	3.1	9
36	Sensory determinants of valve rhythm dynamics provide in situ biodetection of copper in aquatic environments. <i>Environmental Science and Pollution Research</i> , 2016 , 23, 5374-89	5.1	9
35	Risk-based probabilistic approach to assess the impact of false mussel invasions on farmed hard clams. <i>Risk Analysis</i> , 2010 , 30, 310-23	3.9	8
34	Site-specific water quality criteria for lethal/sublethal protection of freshwater fish exposed to zinc in southern Taiwan. <i>Chemosphere</i> , 2016 , 159, 412-419	8.4	7
33	Assessing exposure risks for freshwater tilapia species posed by mercury and methylmercury. <i>Ecotoxicology</i> , 2016 , 25, 1181-93	2.9	7
32	A biotic ligand model-based toxicodynamic approach to predict arsenic toxicity to tilapia gills in cultural ponds. <i>Ecotoxicology</i> , 2009 , 18, 377-83	2.9	7

31	Risks of consuming cadmium-contaminated shellfish under seawater acidification scenario: Estimates of PBPK and benchmark dose. <i>Ecotoxicology and Environmental Safety</i> , 2020 , 201, 110763	7	7
30	Combining bioaccumulation and coping mechanism to enhance long-term site-specific risk assessment for zinc susceptibility of bivalves. <i>Chemosphere</i> , 2011 , 84, 707-15	8.4	6
29	Online detection of waterborne bioavailable copper by valve daily rhythms in freshwater clam Corbicula fluminea. <i>Environmental Monitoring and Assessment</i> , 2009 , 155, 257-72	3.1	6
28	Assessing dengue infection risk in the southern region of Taiwan: implications for control. <i>Epidemiology and Infection</i> , 2015 , 143, 1059-72	4.3	5
27	Environmental stochasticity promotes copper bioaccumulation and bioenergetic response in tilapia. Stochastic Environmental Research and Risk Assessment, 2015, 29, 1545-1555	3.5	5
26	The challenging role of life cycle monitoring: evidence from bisphenol A on the copepod Tigriopus japonicus. <i>Hydrobiologia</i> , 2017 , 784, 81-91	2.4	5
25	Toxicokinetic Modeling Challenges for Aquatic Nanotoxicology. Frontiers in Marine Science, 2016, 2,	4.5	5
24	Impact of long-term parental exposure to Tamiflu metabolites on the development medaka offspring (Oryzias latipes). <i>Environmental Pollution</i> , 2020 , 261, 114146	9.3	4
23	Assessing abalone growth inhibition risk to cadmium and silver by linking toxicokinetics/toxicodynamics and subcellular partitioning. <i>Ecotoxicology</i> , 2011 , 20, 912-24	2.9	4
22	Dynamic features of ecophysiological response of freshwater clam to arsenic revealed by BLM-based toxicological model. <i>Ecotoxicology</i> , 2010 , 19, 1074-83	2.9	4
21	Life cycle toxicity assessment of earthworms exposed to cadmium-contaminated soils. <i>Ecotoxicology</i> , 2017 , 26, 360-369	2.9	3
20	Evaluation on subcellular partitioning and biodynamics of pulse copper toxicity in tilapia reveals impacts of a major environmental disturbance. <i>Environmental Science and Pollution Research</i> , 2017 , 24, 17407-17417	5.1	3
19	Ecosystem metabolism regulates seasonal bioaccumulation of metals in atyid shrimp (Neocaridina denticulata) in a tropical brackish wetland. <i>Aquatic Toxicology</i> , 2020 , 225, 105522	5.1	3
18	Bayesian inference of nonylphenol exposure for assessing human dietary risk. <i>Science of the Total Environment</i> , 2020 , 713, 136710	10.2	3
17	Assessing dietary exposure risk to neonicotinoid residues among preschool children in regions of Taiwan. <i>Environmental Science and Pollution Research</i> , 2020 , 27, 12112-12121	5.1	3
16	Model-based risk assessment for milkfish and tilapia exposed to arsenic in a traditional polyculture system with seasonal variations. <i>Aquacultural Engineering</i> , 2014 , 62, 1-8	3	3
15	Detoxification and bioregulation are critical for long-term waterborne arsenic exposure risk assessment for tilapia. <i>Environmental Monitoring and Assessment</i> , 2012 , 184, 561-72	3.1	3
14	Bayesian population physiologically-based pharmacokinetic model for robustness evaluation of withdrawal time in tilapia aquaculture administrated to florfenicol. <i>Ecotoxicology and Environmental Safety</i> , 2021 , 210, 111867	7	3

LIST OF PUBLICATIONS

13	Assessing health burden risk and control effect on dengue fever infection in the southern region of Taiwan. <i>Infection and Drug Resistance</i> , 2018 , 11, 1423-1435	4.2	3
12	Mixture risk assessment due to ingestion of arsenic, copper, and zinc from milkfish farmed in contaminated coastal areas. <i>Environmental Science and Pollution Research</i> , 2017 , 24, 14616-14626	5.1	2
11	Toxicokinetics/toxicodynamics with damage feedback improves risk assessment for tilapia and freshwater clam exposed to arsenic. <i>Ecotoxicology</i> , 2012 , 21, 485-95	2.9	2
10	Subcellular partitioning links BLM-based toxicokinetics for assessing cadmium toxicity to rainbow trout. <i>Environmental Toxicology</i> , 2011 , 26, 600-9	4.2	2
9	Sodium Gill Potential as a Tool to Monitor Valve Closure Behavior in Freshwater Clam Corbicula fluminea in Response to Copper. <i>Sensors</i> , 2008 , 8, 5250-5269	3.8	2
8	Probabilistic risk assessment of the effect of acidified seawater on development stages of sea urchin (Strongylocentrotus droebachiensis). <i>Environmental Science and Pollution Research</i> , 2018 , 25, 1	2947 - 12	29 ¹ 56
7	Response to 🛘 etter to Editor: Inappropriate exposure data and misleading calculations invalidate the estimates of health risk for airborne titanium dioxide and carbon black nanoparticle exposures in the workplace 🗘 Environmental Science and Pollution Research, 2012, 19, 1328-1329	5.1	1
6	A simple allometric diffusion-based biokinetic model to predict Cu(II) uptake across gills of freshwater clam Corbicula fluminea. <i>Bulletin of Environmental Contamination and Toxicology</i> , 2010 , 84, 703-7	2.7	1
5	Systems-level modeling the effects of arsenic exposure with sequential pulsed and fluctuating patterns for tilapia and freshwater clam. <i>Environmental Pollution</i> , 2010 , 158, 1494-505	9.3	1
4	Response to "Letter to the editor re: Cheng YH, Chou WC, Yang YF, et al. Environ Sci Pollut Res (2018). https://doi.org/10.107/s11356-017-0875-4". <i>Environmental Science and Pollution Research</i> , 2018 , 25, 33836-33839	5.1	1
3	Hill coefficient-based stochastic switch-like signal directly governs damage-recovery dynamics in freshwater fish in response to pulse copper. <i>Ecological Indicators</i> , 2016 , 67, 598-610	5.8	
2	Response to D r. Luca Giannini B Letter to the Editor B <i>Environmental Science and Pollution Research</i> , 2012 , 19, 1331-1331	5.1	
1	Response to 🛘 etter to editor re: Ling et al. 2011 (Environ Sci Pollut Res Int 18(6): 877 🖪 89) 🖂 Environmental Science and Pollution Research, 2012, 19, 1867-1868	5.1	