Nahla N Younis

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9454197/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Variation in paraoxonase-1 activity and atherosclerosis. Current Opinion in Lipidology, 2009, 20, 265-274. | 1.2 | 101 |
| 2 | Glycation of LDL in non-diabetic people: Small dense LDL is preferentially glycated both in vivo and in vitro. Atherosclerosis, 2009, 202, 162-168. | 0.4 | 84 |
| 3 | Glycation as an atherogenic modification of LDL. Current Opinion in Lipidology, 2008, 19, 378-384. | 1.2 | 77 |
| 4 | Small dense LDL is more susceptible to glycation than more buoyant LDL in TypeÂ2 diabetes. Clinical Science, 2013, 124, 343-349. | 1.8 | 46 |
| 5 | The synergistic effect between vanillin and doxorubicin in ehrlich ascites carcinoma solid tumor and MCF-7 human breast cancer cell line. Pathology Research and Practice, 2016, 212, 767-777. | 1.0 | 44 |
| 6 | Silymarin-loaded Eudragit ® RS100 nanoparticles improved the ability of silymarin to resolve hepatic fibrosis in bile duct ligated rats. Biomedicine and Pharmacotherapy, 2016, 81, 93-103. | 2.5 | 42 |
| 7 | Small-dense LDL and LDL glycation in metabolic syndrome and in statin-treated and non-statin-treated type 2 diabetes. Diabetes and Vascular Disease Research, 2010, 7, 289-295. | 0.9 | 38 |
| 8 | Modulation of NADPH oxidase and Nrf2/HO-1 pathway by vanillin in cisplatin-induced nephrotoxicity in rats. Journal of Pharmacy and Pharmacology, 2020, 72, 1546-1555. | 1.2 | 34 |
| 9 | High-density lipoprotein impedes glycation of low-density lipoprotein. Diabetes and Vascular Disease Research, 2013, 10, 152-160. | 0.9 | 27 |
| 10 | Bone marrow-derived mesenchymal stem cells effectively regenerate fibrotic liver in bile duct ligation rat model. Experimental Biology and Medicine, 2016, 241, 581-591. | 1.1 | 26 |
| 11 | 10-Dehydrogingerdione raises HDL-cholesterol through a CETP inhibition and wards off oxidation and inflammation in dyslipidemic rabbits. Atherosclerosis, 2013, 231, 334-340. | 0.4 | 24 |
| 12 | Apolipoprotein B100 is a better treatment target than calculated LDL and non-HDL cholesterol in statin-treated patients. Annals of Clinical Biochemistry, 2011, 48, 566-571. | 0.8 | 19 |
| 13 | Effect of Some Natural Products Either Alone or in Combination on Gastritis Induced in Experimental Rats. Digestive Diseases and Sciences, 2008, 53, 1774-1784. | 1.1 | 18 |
| 14 | Pyridoxamine, an inhibitor of protein glycation, in relation to microalbuminuria and proinflammatory cytokines in experimental diabetic nephropathy. Experimental Biology and Medicine, 2013, 238, 881-888. | 1.1 | 17 |
| 15 | Silymarin preconditioning protected insulin resistant rats from liver ischemia-reperfusion injury: role of endogenous H2S. Journal of Surgical Research, 2016, 204, 398-409. | 0.8 | 17 |
| 16 | Atheroprotective potentials of curcuminoids against ginger extract in hypercholesterolaemic rabbits. Natural Product Research, 2015, 29, 961-965. | 1.0 | 14 |
| 17 | Pachymic Acid Attenuated Doxorubicin-Induced Heart Failure by Suppressing miR-24 and Preserving Cardiac Junctophilin-2 in Rats. International Journal of Molecular Sciences, 2021, 22, 10710. | 1.8 | 14 |
| 18 | 10-DHGD ameliorates cisplatin-induced nephrotoxicity in rats. Biomedicine and Pharmacotherapy, 2016, 83, 241-246. | 2.5 | 13 |

NAHLA N YOUNIS

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Lipoprotein glycation in atherogenesis. Clinical Lipidology, 2009, 4, 781-790. | 0.4 | 12 |
| 20 | Resveratrol Ameliorates Aortic Calcification in Ovariectomized Rats via SIRT1 Signaling. Current Issues in Molecular Biology, 2021, 43, 1057-1071. | 1.0 | 12 |
| 21 | Gastritis Induced by Helicobacter pylori Infection in Experimental Rats. Digestive Diseases and Sciences, 2010, 55, 2770-2777. | 1.1 | 11 |
| 22 | Modulation of brain insulin signaling in Alzheimer's disease: New insight on the protective role of green coffee bean extract. Nutritional Neuroscience, 2020, 23, 27-36. | 1.5 | 10 |
| 23 | Inactivation of Wnt/β-catenin/renin angiotensin axis by tumor necrosis factor-alpha inhibitor, infliximab, ameliorates CKD induced in rats. Biochemical Pharmacology, 2021, 185, 114426. | 2.0 | 8 |
| 24 | Contribution of aorta glycosaminoglycans and PCSK9 to hyperlipidemia in experimental rabbits: the role of 10-dehdrogingerdione as effective modulator. Molecular Biology Reports, 2019, 46, 3921-3928. | 1.0 | 6 |
| 25 | Alleviation of fructoseâ€induced Alzheimer's disease in rats by pioglitazone and decaffeinated green coffee bean extract. Journal of Food Biochemistry, 2021, 45, e13715. | 1.2 | 6 |
| 26 | Potential therapeutic efficacy of pachymic acid in chronic kidney disease induced in rats: role of Wnt/β-catenin/renin–angiotensin axis. Journal of Pharmacy and Pharmacology, 2021, , . | 1.2 | 5 |
| 27 | HDL functionality in diabetes mellitus: potential importance of glycation. Clinical Lipidology, 2012, 7, 561-578. | 0.4 | 4 |
| 28 | The modulation of PCSK-9 and GAGs by 10-dehydrogingerdione and pentoxifylline in hyperlipidemic rabbits. Natural Product Research, 2020, 34, 2372-2377. | 1.0 | 3 |
| 29 | The efficacy of bone marrow-derived mesenchymal stem cells and/or erythropoietin in ameliorating kidney damage in gamma irradiated rats: Role of non-hematopoietic erythropoietin anti-apoptotic signaling. Life Sciences, 2021, 275, 119388. | 2.0 | 3 |
| 30 | GLYCATION OF LDL IS AN IMPORTANT ATHEROGENIC MODIFICATION AND OPPOSED BY PARAOXONASE-RICH HDL. Atherosclerosis, 2009, 207, 306. | 0.4 | 2 |
| 31 | Influence of the glucose tolerance test on pro-atherogenic modification of LDL and its relation to paraoxonase activity. Atherosclerosis, 2011, 218, e10. | 0.4 | 0 |