Yuki Nakai

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9454720/publications.pdf

Version: 2024-02-01

933264 940416 28 297 10 16 citations h-index g-index papers 28 28 28 391 docs citations all docs times ranked citing authors

#	Article	IF	CITATIONS
1	Associations Between Health Literacy and Changes in Exercise Behavior During the Coronavirus Disease 2019 State of Emergency Among Middle-Aged Adults: A Cross-Sectional Online Survey. Asia-Pacific Journal of Public Health, 2022, 34, 286-289.	0.4	2
2	Association between cognitive frailty and higher-level competence among community-dwelling older adults. Archives of Gerontology and Geriatrics, 2022, 99, 104589.	1.4	7
3	Association of Sleep Quality Status With Worsening Low Back or Knee Pain During The COVID-19 State of Emergency Among Old-Old Adults. Pain Management Nursing, 2022, 23, 473-477.	0.4	1
4	Association of selfâ€rated health with type and frequency of social interaction during the declaration of <scp>COVID</scp> â€19 state of emergency among Japanese communityâ€dwelling oldestâ€old adults. Geriatrics and Gerontology International, 2022, , .	0.7	2
5	Effects of Knee Flexion Angles on the Joint Force and Muscle Force during Bridging Exercise: A Musculoskeletal Model Simulation. Journal of Healthcare Engineering, 2022, 2022, 1-7.	1.1	1
6	Reference values of chair stand test and associations of chair stand performance with cognitive function in older adults. Aging and Health Research, 2022, 2, 100090.	0.5	1
7	Hearing impairment is associated with cognitive function in community-dwelling older adults: A cross-sectional study. Archives of Gerontology and Geriatrics, 2021, 93, 104302.	1.4	13
8	Changes in Physical Activity Levels between before and during the COVID-19 Outbreak of Older Community-dwelling Adults: A Survey of Older Adults Who Participated in Exercise Programs. Rigakuryoho Kagaku, 2021, 36, 35-40.	0.0	2
9	The Association between Dietary Variety and Physical Frailty in Community-Dwelling Older Adults. Healthcare (Switzerland), 2021, 9, 32.	1.0	12
10	Perceived declining physical and cognitive fitness during the ⟨scp⟩COVID⟨ scp⟩â€19 state of emergency among communityâ€dwelling Japanese oldâ€old adults. Geriatrics and Gerontology International, 2021, 21, 364-369.	0.7	37
11	Association of Health Literacy with the Implementation of Exercise during the Declaration of COVID-19 State of Emergency among Japanese Community-Dwelling Old-Old Adults. International Journal of Environmental Research and Public Health, 2021, 18, 2100.	1.2	9
12	Physical Activity and Perceived Physical Fitness during the COVID-19 Epidemic: A Population of 40- to 69-Year-Olds in Japan. International Journal of Environmental Research and Public Health, 2021, 18, 4832.	1.2	18
13	A self-oblique exercise that activates the coordinated activity of abdominal and hip muscles–A pilot study. PLoS ONE, 2021, 16, e0255035.	1.1	1
14	Associations of alpha-actinin-3 genotype with thigh muscle volume and physical performance in older adults with sarcopenia or pre-sarcopenia. Experimental Gerontology, 2021, 154, 111525.	1.2	6
15	Pain and physical activity changes during the COVID-19 state of emergency among Japanese adults aged 40 years or older: A cross-sectional study. Medicine (United States), 2021, 100, e27533.	0.4	O
16	Pain and physical activity changes during the COVID-19 state of emergency among Japanese adults aged 40 years or older. Medicine (United States), 2021, 100, e27533.	0.4	3
17	Relationships between Gait Regularity and Cognitive Function, including Cognitive Domains and Mild Cognitive Impairment, in Community-Dwelling Older People. Healthcare (Switzerland), 2021, 9, 1571.	1.0	5
18	The Relationship between Leg Extension Angle at Late Stance and Knee Flexion Angle at Swing Phase during Gait in Community-Dwelling Older Adults. International Journal of Environmental Research and Public Health, 2021, 18, 11925.	1,2	1

#	Article	IF	CITATIONS
19	Reply to Comment on Nakai, Y.; Makizako, H.; Kiyama, R.; Tomioka, K.; Taniguchi, Y.; Kubozono, T.; Takenaka, T.; Ohishi, M. Association between Chronic Pain and Physical Frailty in Community-Dwelling Older Adults. Int. J. Environ. Res. Public Health 2019, 16, 1330, doi:10.3390/ijerph16081330. International Journal of Environmental Research and Public Health, 2020, 17, 175.	1.2	5
20	Falls in Community-Dwelling Older Adults with Lower Back or Knee Pain Are Associated with Cognitive and Emotional Factors. International Journal of Environmental Research and Public Health, 2020, 17, 4960.	1.2	8
21	Effect of Functional Electrical Stimulation of the Gluteus Medius during Gait in Patients following a Stroke. BioMed Research International, 2020, 2020, 1-6.	0.9	4
22	Effects of a Multicomponent Exercise Program in Physical Function and Muscle Mass in Sarcopenic/Pre-Sarcopenic Adults. Journal of Clinical Medicine, 2020, 9, 1386.	1.0	27
23	Contribution of hip and knee muscles to lateral knee stability during gait. Journal of Physical Therapy Science, 2020, 32, 729-734.	0.2	3
24	Trunk muscle activity during trunk stabilizing exercise with isometric hip rotation using electromyography and ultrasound. Journal of Electromyography and Kinesiology, 2019, 49, 102357.	0.7	12
25	Association between Chronic Pain and Physical Frailty in Community-Dwelling Older Adults. International Journal of Environmental Research and Public Health, 2019, 16, 1330.	1.2	40
26	The Association between Osteoporosis and Grip Strength and Skeletal Muscle Mass in Community-Dwelling Older Women. International Journal of Environmental Research and Public Health, 2019, 16, 1228.	1.2	25
27	Prevalence of sarcopenia defined using the Asia Working Group for Sarcopenia criteria in Japanese community-dwelling older adults: A systematic review and meta-analysis. Physical Therapy Research, 2019, 22, 53-57.	0.3	40
28	Validity of Measurement for Trailing Limb Angle and Propulsion Force during Gait Using a Magnetic Inertial Measurement Unit. BioMed Research International, 2019, 2019, 1-8.	0.9	12