
## Samuel Webb

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9455258/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Inclusive and differential cross section measurements of single top quark production in association with a Z boson in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	6
2	Search for flavor-changing neutral current interactions of the top quark and the Higgs boson decaying to a bottom quark-antiquark pair at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	5
3	Study of dijet events with large rapidity separation in proton-proton collisions at \$\$ sqrt{s} \$\$ = 2.76 TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	1
4	Search for low-mass dilepton resonances in Higgs boson decays to four-lepton final states in proton–proton collisions at \$\$sqrt{s}=13,ext {TeV} \$\$. European Physical Journal C, 2022, 82, 290.	1.4	18
5	Search for supersymmetry in final states with two or three soft leptons and missing transverse momentum in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	13
6	Search for long-lived particles decaying into muon pairs in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV collected with a dedicated high-rate data stream. Journal of High Energy Physics, 2022, 2022, .	1.6	5
7	Search for a right-handed W boson and a heavy neutrino in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	12
8	Search for a heavy resonance decaying into a top quark and a W boson in the lepton+jets final state at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	2
9	Search for heavy resonances decaying to ZZ or ZW and axion-like particles mediating nonresonant ZZ or ZH production at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	6
10	Measurement and QCD analysis of double-differential inclusive jet cross sections in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	5
11	Measurement of the inclusive \$\$ mathrm{t}overline{mathrm{t}} \$\$ production cross section in proton-proton collisions at \$\$ sqrt{s} \$\$ = 5.02 TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	2
12	Search for heavy resonances decaying to a pair of Lorentz-boosted Higgs bosons in final states with leptons and a bottom quark pair at \$\$ sqrt{s} \$\$= 13 TeV. Journal of High Energy Physics, 2022, 2022, .	1.6	2
13	Search for higgsinos decaying to two Higgs bosons and missing transverse momentum in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, .	1.6	4
14	Observation of B\$\$^0\$\$ \$\$ightarrow \$\$ \$\$uppsi \$\$(2S)K\$\$^0_mathrm {S}uppi ^+uppi ^-\$\$ and B\$\$^0_mathrm {s}\$\$ \$\$ightarrow \$\$ \$\$uppsi \$\$(2S)K\$\$^0_mathrm {S}\$\$ decays. European Physical Journal C, 2022, 82, .	1.4	1
15	Measurements of production cross sections of the Higgs boson in the four-lepton final state in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$. European Physical Journal C, 2021, 81, 488.	1.4	35
16	Measurements of Higgs boson production cross sections and couplings in the diphoton decay channel at \$\$ sqrt{mathrm{s}} \$\$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	1.6	27
17	Measurement of single top-quark production in association with a W boson in the single-lepton channel at \$\$sqrt{s} = 8,ext {TeV}\$\$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	3
18	Precision luminosity measurement in proton–proton collisions at \$\$sqrt{s} = 13,hbox {TeV}\$\$ in 2015 and 2016 at CMS. European Physical Journal C, 2021, 81, 800.	1.4	123

#	Article	IF	CITATIONS
19	Combined searches for the production of supersymmetric top quark partners in proton–proton collisions at \$\$sqrt{s} = 13,ext {Te}ext {V} \$\$. European Physical Journal C, 2021, 81, 970.	1.4	18
20	Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two b-jets in \$\$pp\$\$ collisions at \$\$sqrt{s}=13\$\$ÂTeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	34
21	Measurements of top-quark pair spin correlations in the \$\$emu \$\$ channel at \$\$sqrt{s} = 13\$\$ TeV using pp collisions in the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	22
22	Search for Higgs boson decays to beyond-the-Standard-Model light bosons in four-lepton events with the ATLAS detector at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	31
23	Performance of algorithms that reconstruct missing transverse momentum in \$\$sqrt{s}\$\$ s = 8 TeV proton–proton collisions in the ATLAS detector. European Physical Journal C, 2017, 77, 241.	1.4	61
24	Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. European Physical Journal C, 2017, 77, 490.	1.4	325
25	Search for a high-mass Higgs boson decaying to a W boson pair in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	71
26	Search for flavour-changing neutral current top-quark decays to \$\$varvec{qZ}\$\$ q Z in \$\$varvec{pp}\$\$ p p collision data collected with the ATLAS detector at \$\$varvec{sqrt{s}=8}\$\$ s = 8 ÂTeV. European Physical Journal C, 2016, 76, 12.	1.4	39
27	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at \$\$sqrt{s}=8,mathrm TeV{}\$\$ s = 8 T e. European Physical Journal C, 2016, 76, 87.	1.4	39
28	Search for direct top squark pair production in final states with two tau leptons in pp collisions at \$\$sqrt{s}=8\$\$ s = 8 ATeV with the ATLAS detector. European Physical Journal C, 2016, 76, 81.	1.4	10
29	Search for charged Higgs bosons in the H ± → tb decay channel in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV using the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	43
30	Search for single production of vector-like quarks decaying into Wb in pp collisions at \$\$sqrt{s} = 8 ÅTeV with the ATLAS detector. European Physical Journal C, 2016, 76, 442.	1.4	43
31	Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment. European Physical Journal C, 2016, 76, 295.	1.4	50
32	Performance of pile-up mitigation techniques for jets in \$\$pp\$\$ p p collisions at \$\$sqrt{s}=8\$\$. European Physical Journal C, 2016, 76, 581.	1.4	298
33	Measurement of the transverse momentum and \$\$phi ^*_{eta }\$\$ Ï• η â^— distributions of Drell–Yan lepton pairs in proton–proton collisions at \$\$sqrt{s}=8\$\$ s = 8 ÂTeV with the ATLAS detector. European Physical Journal C, 2016, 76, 291.	1.4	154
34	A search for top squarks with R-parity-violating decays to all-hadronic final states with the ATLAS detector in s = 8 \$\$ sqrt{s}=8 \$\$ TeV proton-proton collisions. Journal of High Energy Physics, 2016, 2016, 1.	1.6	14
35	Identification of high transverse momentum top quarks in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	17
36	A search for an excited muon decaying to a muon and two jets inppcollisions at \$sqrt{s};=;8;{m{TeV}}\$ with the ATLAS detector. New Journal of Physics, 2016, 18, 073021.	1.2	2

#	Article	IF	CITATIONS
37	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at \$\$sqrt{s}=8,~{mathrm {TeV}}\$\$ s = 8 TeV using the ATLAS detector. European Physical Journal C, 2016, 76, 538.	1.4	115
38	Measurement of the differential cross-sections of prompt and non-prompt production of \$\$J/psi \$\$ J / Ï^ and \$\$psi (2mathrm {S})\$\$ Ï^ ( 2 S ) in pp collisions at \$\$sqrt{s} = 7\$\$ s = 7 and 8ÂTeV with the ATLAS detector. European Physical Journal C, 2016, 76, 283.	1.4	63
39	Addendum to â€~Measurement of the \$\$tar{t}\$\$ t t Â⁻ production cross-section using \$\$emu \$\$ e μ events with b-tagged jets in pp collisions at \$\$sqrt{s}\$\$ s = 7 and 8Â \$\$,mathrm{TeV}\$\$ TeV with the ATLAS detector'. European Physical Journal C, 2016, 76, 1.	1.4	19
40	Measurement of the CP-violating phase ï• s and the B s 0 meson decay width difference with B s 0  → J/ľ decays in ATLAS. Journal of High Energy Physics, 2016, 2016, 1.	Ï∙ 1.6	13
41	A search for prompt lepton-jets in pp collisions at s = 8 \$\$ sqrt{mathrm{s}}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	31
42	Measurement of the centrality dependence of the charged-particle pseudorapidity distribution in proton–lead collisions at \$\$sqrt{s_{_ext {NN}}} = 5.02\$\$ s NN = 5.02 ÂTeV with the ATLAS detector. European Physical Journal C, 2016, 76, 199.	1.4	60
43	Measurement of the production cross-section of a single top quark in association with a W boson at 8 TeV with the ATLAS experiment. Journal of High Energy Physics, 2016, 2016, 1.	1.6	14
44	Search for the production of single vector-like and excited quarks in the Wt final state in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	19
45	Search for strong gravity in multijet final states produced in pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV using the ATLAS detector at the LHC. Journal of High Energy Physics, 2016, 2016, 1.	1.6	15
46	ldentification of boosted, hadronically decaying W bosons and comparisons with ATLAS data taken at \$\$sqrt{s} = 8\$\$ s = 8 ÂTeV. European Physical Journal C, 2016, 76, 154.	1.4	62
47	Search for new phenomena in events with at least three photons collected in pp collisions at \$\$sqrt{s}\$\$ s = 8 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 210.	1.4	95
48	Probing lepton flavour violation via neutrinoless \$\$varvec{au longrightarrow 3mu }\$\$ Ï,, ⟶ 3 μ decays with the ATLAS detector. European Physical Journal C, 2016, 76, 232.	1.4	19
49	A new method to distinguish hadronically decaying boosted Z bosons from W bosons using the ATLAS detector. European Physical Journal C, 2016, 76, 238.	1.4	9
50	Search for invisible decays of a Higgs boson using vector-boson fusion in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	49
51	Search for anomalous couplings in the W tb vertex from the measurement of double differential angular decay rates of single top quarks produced in the t-channel with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1-46.	1.6	13
52	Searches for scalar leptoquarks in pp collisions at \$\$varvec{sqrt{s}}\$\$ s = 8ÂTeV with the ATLAS detector. European Physical Journal C, 2016, 76, 5.	1.4	109
53	Measurements of the Higgs boson production and decay rates and coupling strengths using pp collision data at \$\$sqrt{s}=7\$\$ s = 7 and 8ÂTeV in the ATLAS experiment. European Physical Journal C, 2016, 76, 6.	1.4	274
54	Measurements of fiducial cross-sections for \$\$tar{t}\$\$ t t Â <sup>-</sup> production with one or two additional b-jets in pp collisions at \$\$sqrt{s}\$\$ s =8 TeVÂusing the ATLAS detector. European Physical Journal C, 2016, 76, 11.	1.4	54

#	Article	IF	CITATIONS
55	Study of the \$\$B_c^+ ightarrow J/psi D_s^+\$\$ B c + → J / Ï^D s + and \$\$B_c^+ ightarrow J/psi D_s^{*+}\$\$ B c + → J / Ï^D s â^— + decays with the ATLAS detector. European Physical Journal C, 2016, 76, 4.	1.4	40
56	Search for single top-quark production via flavour-changing neutral currents at 8ÂTeV with the ATLAS detector. European Physical Journal C, 2016, 76, 55.	1.4	43
57	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at (sqrt{s}=8,mathrm TeV{}) with the ATLAS detector. , 2016, 76, 1.		1
58	Search for low-scale gravity signatures in multi-jet final states with the ATLAS detector at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	4
59	A search for high-mass resonances decaying to τ+τ− in pp collisions at \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	23
60	Summary of the ATLAS experiment's sensitivity to supersymmetry after LHC Run 1 — interpreted in the phenomenological MSSM. Journal of High Energy Physics, 2015, 2015, 1.	1.6	55
61	Search for lepton-flavour-violating H → μÏ,, decays of the Higgs boson with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	52
62	Measurement of four-jet differential cross sections in s = 8 \$\$ sqrt{s}=8 \$\$ TeV proton-proton collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-76.	1.6	11
63	A search for t t Â <sup>-</sup> \$\$ toverline{t} \$\$ resonances using lepton-plus-jets events in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	66
64	Measurement of the forward-backward asymmetry of electron and muon pair-production in pp collisions at s = 7 \$\$ sqrt{s}=7 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	28
65	Measurement of charged-particle spectra in Pb+Pb collisions at s N N = 2.76 \$\$ sqrt{s_{mathrm{NN}}=2.76 \$\$ TeV with the ATLAS detector at the LHC. Journal of High Energy Physics, 2015, 2015, 1.	1.6	67
66	Analysis of events with b-jets and a pair of leptons of the same charge in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	33
67	Constraints on new phenomena via Higgs boson couplings and invisible decays with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	108
68	Search for high-mass diboson resonances with boson-tagged jets in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-39.	1.6	78
69	Differential top-antitop cross-section measurements as a function of observables constructed from final-state particles using pp collisions at s = 7 \$\$ sqrt{s}=7 \$\$ TeV in the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	40
70	Search for heavy Majorana neutrinos with the ATLAS detector in pp collisions at \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	84
71	Search for production of vector-like quark pairs and of four top quarks in the lepton-plus-jets final state in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	71
72	Search for new phenomena in events with three or more charged leptons in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	20

#	Article	lF	CITATIONS
73	Summary of the searches for squarks and gluinos using s = 8 \$\$ sqrt{s}=8 \$\$ TeV pp collisions with the ATLAS experiment at the LHC. Journal of High Energy Physics, 2015, 2015, 1.	1.6	60
74	Determination of the top-quark pole mass using t t $\hat{A}^-$ \$\$ toverline{t} \$\$ + 1-jet events collected with the ATLAS experiment in 7 TeV pp collisions. Journal of High Energy Physics, 2015, 2015, 1.	1.6	25
75	Measurement of the t t Â <sup>-</sup> W \$\$ toverline{t}W \$\$ and t t Â <sup>-</sup> Z \$\$ toverline{t}Z \$\$ production cross sections in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	22
76	Search for flavour-changing neutral current top quark decays t → Hq in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-65.	1.6	19
77	Search for heavy lepton resonances decaying to a Z boson and a lepton in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	36
78	Search for squarks and gluinos in events with isolated leptons, jets and missing transverse momentum at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	42
79	Evidence for the Higgs-boson Yukawa coupling to tau leptons with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	116
80	Measurement of the charge asymmetry in dileptonic decays of top quark pairs in pp collisions at s = 7 \$\$ sqrt{s}=7 \$\$ TeV using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	17
81	Search for \$\$W' ightarrow tb ightarrow qqbb\$\$ W ′ → t b → q q b b decays in \$\$pp\$\$ p p collisions at \$\$sqrt{s}\$\$ s Â=Ă8ÂTeV with the ATLAS detector. European Physical Journal C, 2015, 75, 165.	1.4	35
82	Measurement of the top-quark mass in the fully hadronic decay channel from ATLAS data at \$\$sqrt{s}=7mathrm{,TeV}\$\$ s = 7 TeV. European Physical Journal C, 2015, 75, 158.	1.4	17
83	Search for direct pair production of a chargino and a neutralino decaying to the 125ÂGeV Higgs boson in \$\$sqrt{varvec{s}} = 8\$\$ s = 8 ÂTeV \$\$varvec{pp}\$\$ p p collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 208.	1.4	67
84	Study of (W/Z)H production and Higgs boson couplings using H→ W W â^— decays with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	22
85	Search for metastable heavy charged particles with large ionisation energy loss in pp collisions at \$\$varvec{sqrt{s} = 8}\$\$ s = 8 ÂTeV using the ATLAS experiment. European Physical Journal C, 2015, 75, 407.	1.4	27
86	Measurement of the production and lepton charge asymmetry of \$\$W\$\$ W bosons in Pb+Pb collisions at \$\$mathbf {sqrt{mathbf {s}_{mathrm {mathbf {NN}}}=2.76;TeV}\$\$ s NN = 2.76 TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 23.	1.4	41
87	Jet energy measurement and its systematic uncertainty in proton–proton collisions at \$\$sqrt{s}=7\$\$ s = 7 ÂTeV with the ATLAS detector. European Physical Journal C, 2015, 75, 17.	1.4	268
88	Search for invisible particles produced in association with single-top-quarks in proton–proton collisions at \$\$sqrt{s}=mathrm {8~TeV}\$\$ s = 8 TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 79.	1.4	30
89	Search for resonant diboson production in the \$\$mathrm {ell ell }qar{q}\$\$ â,,'' â,,'' q q Â <sup>-</sup> final state in \$\$pp\$\$ p p collisions at \$\$sqrt{s} = 8\$\$ s = 8 ÂTeV with the ATLAS detector. European Physical Journal C, 2015, 75, 69.	1.4	74
90	Measurements of the \$\$W\$\$ W production cross sections in association with jets with the ATLAS detector. European Physical Journal C, 2015, 75, 82.	1.4	92

#	Article	IF	CITATIONS
91	Search for dark matter in events with heavy quarks and missing transverse momentum in \$\$pp\$\$ p p collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 92.	1.4	77
92	Measurement of the t t Â <sup>-</sup> \$\$ toverline{t} \$\$ production cross-section as a function of jet multiplicity and jet transverse momentum in 7 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	30
93	Measurement of the W W + W Z cross section and limits on anomalous triple gauge couplings using final states with one lepton, missing transverse momentum, and two jets with the ATLAS detector at s = 7 \$\$ sqrt{s}=7 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	27
94	Searches for heavy long-lived charged particles with the ATLAS detector in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	33
95	Search for the b b $\hat{A}^-$ \$\$ boverline{b} \$\$ decay of the Standard Model Higgs boson in associated (W/Z)H production with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	89
96	Measurement of the inclusive jet cross-section in proton-proton collisions at s = 7 \$\$ sqrt{s}=7 \$\$ TeV using 4.5 fbâ^1 of data with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	35
97	Search for anomalous production of prompt same-sign lepton pairs and pair-produced doubly charged Higgs bosons with s = 8 \$\$ sqrt{s}=8 \$\$ TeV pp collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	60
98	Search for charged Higgs bosons decaying via H ± → Ï,, ± ν in fully hadronic final states using pp collision data at s \$\$ sqrt{s} \$\$ = 8 TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	69
99	Search for production of \$\$WW/WZ\$\$ W W / W Z resonances decaying to a lepton, neutrino and jets in \$\$pp\$\$ p p collisions at \$\$sqrt{s}=8\$\$ s = 8 ÂTeV with the ATLAS detector. European Physical Journal C, 2015, 75, 209.	1.4	79
100	Performance of the ATLAS muon trigger in pp collisions at \$\$sqrt{s}=8\$\$ s = 8 TeV. European Physical Journal C, 2015, 75, 120.	1.4	62
101	Search for Higgs boson pair production in the \$\$bar{b}bar{b}\$\$ b b Â <sup>-</sup> b b Â <sup>-</sup> final state from pp collisions at \$\$sqrt{s} = 8\$\$ s = 8 TeVwith the ATLAS detector. European Physical Journal C, 2015, 75, 412.	1.4	90
102	Determination of spin and parity of the Higgs boson in the \$\$WW^*ightarrow e u mu u \$\$ W W â^— → e ν μ ν decay channel with the ATLAS detector. European Physical Journal C, 2015, 75, 231.	1.4	21
103	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at \$\$sqrt{s}=8~\$\$ s = 8 TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 299.	1.4	238
104	Search for a new resonance decaying to a W or Z boson and a Higgs boson in the \$\$ell ell / ell u / u u + b ar{b}\$\$ â"" â"" / â"" ν / ν I½ + b b Â⁻ final states with the ATLAS detector. European Physical Journal C, 2015, 75, 263.	1.4	60
105	Measurement of three-jet production cross-sections in \$\$pp\$\$ p p collisions at 7Â \$\$mathrm { Te,V}\$\$ Te V centre-of-mass energy using the ATLAS detector. European Physical Journal C, 2015, 75, 228.	1.4	23
106	Constraints on the off-shell Higgs boson signal strength in the high-mass ZZ and WW final states with the ATLAS detector. European Physical Journal C, 2015, 75, 335.	1.4	95
107	Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in pp collisions at \$\$sqrt{s}=8\$\$ s = 8 \$\$,hbox {TeV}\$\$ TeV. European Physical Journal C, 2015, 75, 303.	1.4	70
108	Observation and measurements of the production of prompt and non-prompt \$\$varvec{ext {J}uppsi }\$\$ J I^ mesons in association with a \$\$varvec{Z}\$\$ Z boson in \$\$varvec{pp}\$\$ p p collisions at \$\$varvec{sqrt{s}= 8,ext {TeV}}\$\$ s = 8 TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 229.	1.4	64

#	Article	IF	CITATIONS
109	Search for the Standard Model Higgs boson produced in association with top quarks and decaying into $\$ unce $b_{s} = 0$ in $v_{s} = 0$ or	1.4	123
110	Search for supersymmetry in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in \$\$sqrt{s}=8\$\$ s = 8 ÂTeV pp collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 318.	1.4	56
111	Search for heavy long-lived multi-charged particles in pp collisions at \$\$sqrt{s}=8\$\$ s = 8 ÂTeV using the ATLAS detector. European Physical Journal C, 2015, 75, 362.	1.4	36
112	Two-particle Bose–Einstein correlations in pp collisions at \$\$mathbf {sqrt{s} =}\$\$ s = 0.9 and 7 TeV measured with the ATLAS detector. European Physical Journal C, 2015, 75, 466.	1.4	42
113	Measurement of the top quark mass in the \$\$tar{t}ightarrow ext{ lepton+jets } \$\$ t t Â <sup>-</sup> → lepton+jets and \$\$tar{t}ightarrow ext{ dilepton } \$\$ t t Â <sup>-</sup> → dilepton channels using \$\$sqrt{s}=7\$\$ s = 7 Â \$\${mathrm { TeV}}\$\$ TeV ATLAS data. European Physical Journal C, 2015, 75, 330.	1.4	52
114	Measurement of the inclusive jet cross-section in proton-proton collisions at ( sqrt{s}=7 ) TeV using 4.5 fbâ^'1 of data with the ATLAS detector. , 2015, 2015, 1.		3
115	Search for production of (WW/WZ) resonances decaying to a lepton, neutrino and jets in (pp) collisions at (sqrt{s}=8) TeV with the ATLAS detector. , 2015, 75, 1.		1
116	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at (sqrt{s}=8~)TeV with the ATLAS detector. , 2015, 75, 1.		2
117	Search for neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	82
118	Measurement of the muon reconstruction performance of the ATLAS detector using 2011 and 2012 LHC proton–proton collision data. European Physical Journal C, 2014, 74, 3130.	1.4	213
119	Measurements of jet vetoes and azimuthal decorrelations in dijet events produced in \$\$pp\$\$ p p collisions at \$\$sqrt{s}=7,mathrm{TeV}\$\$ s = 7 TeV using the ATLAS detector. European Physical Journal C, 2014, 74, 3117.	1.4	40
120	A measurement of the ratio of the production cross sections for \$\$W\$\$ W and \$\$Z\$\$ Z bosons in association with jets with the ATLAS detector. European Physical Journal C, 2014, 74, 3168.	1.4	23
121	Measurements of fiducial and differential cross sections for Higgs boson production in the diphoton decay channel at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	1.6	45
122	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 20 fbâ''1 of s \$\$ sqrt{s} \$\$ = 8 TeV proton-proton collision data with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	12
123	Search for squarks and gluinos with the ATLAS detector in final states with jets and missing transverse momentum using s = 8 \$\$ sqrt{s}=8 \$\$ TeV proton-proton collision data. Journal of High Energy Physics, 2014, 2014, 1.	1.6	128
124	Measurement of the \$\$toverline{t}\$\$ t t Â <sup>-</sup> production cross-section using \$\$emu \$\$ e μ events with \$\$b\$\$ b -tagged jets in \$\$pp\$\$ p p collisions at \$\$sqrt{s}=7\$\$ s = 7 and 8ÂTeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3109.	1.4	143
125	Search for top squark pair production in final states with one isolated lepton, jets, and missing transverse momentum in s \$\$ sqrt{s} \$\$ = 8 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	66
126	Electron and photon energy calibration with the ATLAS detector using LHC Run 1 data. European Physical Journal C, 2014, 74, 1.	1.4	172

#	Article	IF	CITATIONS
127	Search for contact interactions and large extra dimensions in the dilepton channel using proton–proton collisions at \$\$sqrt{s}~=\$\$ s = Â8ÂTeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3134.	1.4	48
128	Measurement of flow harmonics with multi-particle cumulants in Pb+Pb collisions at \$\$sqrt{s_{mathrm {NN}}}=2.76\$\$ s NN = 2.76 ÂTeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3157.	1.4	68
129	Measurement of distributions sensitive to the underlying event in inclusive Z-boson production in \$\$pp\$\$ p p collisions at \$\$sqrt{s}=7\$\$ s = 7 TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3195.	1.4	46
130	Search for direct pair production of the top squark in all-hadronic final states in proton-proton collisions at s \$\$ sqrt{s} \$\$ = 8 TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	41
131	Measurement of the production cross-section of ľ^(2S) → J/ľˆ(→μ + μ â^' )Ï€ + Ï€ â^' in pp collisions at s \$\$ sqrt = 7 TeV at ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	{ <u>s}</u> \$\$	21
132	Measurement of the $Z\hat{I}^3$ * boson transverse momentum distribution in pp collisions at s = 7 \$\$ sqrt{s}=7 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	131
133	Search for strong production of supersymmetric particles in final states with missing transverse momentum and at least three b-jets at s = 8 \$\$ sqrt{s} = 8 \$\$ TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	38
134	Measurement of differential production cross-sections for a Z boson in association with b-jets in 7 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	45
135	Search for long-lived neutral particles decaying into lepton jets in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	47
136	Search for pair and single production of new heavy quarks that decay to a Z boson and a third-generation quark in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	35
137	Measurement of the top quark pair production charge asymmetry in proton-proton collisions at \$ sqrt{s} \$ = 7 TeV using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	42
138	Search for the direct production of charginos, neutralinos and staus in final states with at least two hadronically decaying taus and missing transverse momentum in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	40
139	Electron reconstruction and identification efficiency measurements with the ATLAS detector using the 2011 LHC proton–proton collision data. European Physical Journal C, 2014, 74, 2941.	1.4	204
140	Measurement of the underlying event in jet events from 7 \$\$ext {TeV}\$\$ TeV proton–proton collisions with the ATLAS detector. European Physical Journal C, 2014, 74, 1.	1.4	23
141	Measurement of the centrality and pseudorapidity dependence of the integrated elliptic flow in lead–lead collisions at \$\$sqrt{s_{mathrm {NN}}=2.76\$\$ s NN = 2.76 ÅTeVÂwith the ATLAS detector. European Physical Journal C, 2014, 74, 2982.	1.4	22
142	Light-quark and gluon jet discrimination in \$\$pp\$\$ p p collisions at \$\$sqrt{s}=7mathrm { TeV}\$\$ s = 7 TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3023.	1.4	77
143	Measurement of the electroweak production of dijets in association with a Z-boson and distributions sensitive to vector boson fusion in proton-proton collisions at \$ sqrt{s} \$ = 8 TeV using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	22
144	Search for direct production of charginos and neutralinos in events with three leptons and missing transverse momentum in \$ sqrt{s} \$ = 8 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	88

#	Article	IF	CITATIONS
145	Measurement of dijet cross-sections in pp collisions at 7 TeV centre-of-mass energy using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	36
146	Measurement of the production of a W boson in association with a charm quark in pp collisions at \$ sqrt{s} \$ = 7 TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	59
147	Search for direct production of charginos, neutralinos and sleptons in final states with two leptons and missing transverse momentum in pp collisions at \$ sqrt{s} \$ = 8TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	145
148	Search for supersymmetry at \$sqrt{s}\$ = 8 TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	45
149	Measurement of the low-mass Drell-Yan differential cross section at s \$\$ sqrt{s} \$\$ = 7 TeV using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	25
150	Search for direct top-squark pair production in final states with two leptons in pp collisions at \$ sqrt{s} \$ = 8 TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	59
151	Measurement of χ c1 and χ c2 production with s \$\$ sqrt{s} \$\$ = 7 TeV pp collisions at ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	1.6	32
152	Search for microscopic black holes and string balls in final states with leptons and jets with the ATLAS detector at s \$\$ sqrt{s} \$\$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	10
153	Search for new particles in events with one lepton and missing transverse momentum in pp collisions at s \$\$ sqrt{s} \$\$ = 8 TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	45
154	Search for direct top squark pair production in events with a \$\$Z\$\$ Z boson, \$\$b\$\$ b -jets and missing transverse momentum in \$\$sqrt{s}=8\$\$ s = 8 TeV \$\$pp\$\$ p p collisions with the ATLAS detector. European Physical Journal C, 2014, 74, 2883.	1.4	55
155	Measurement of the (toverline{t}) production cross-section using (emu ) events with (b)-tagged jets in (pp) collisions at (sqrt{s}=7) and 8 TeV with the ATLAS detector. , 2014, 74, 1.		2