Mark P Burns

List of Publications by Citations

Source: https://exaly.com/author-pdf/9455419/mark-p-burns-publications-by-citations.pdf

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

28 3,440 47 55 g-index h-index citations papers 3,890 5.1 55 7.9 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
47	Inhibition of glycogen synthase kinase-3 by lithium correlates with reduced tauopathy and degeneration in vivo. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005 , 102, 6990-5	11.5	565
46	Cdk5 is a key factor in tau aggregation and tangle formation in vivo. <i>Neuron</i> , 2003 , 38, 555-65	13.9	428
45	Amyloid precursor protein secretases as therapeutic targets for traumatic brain injury. <i>Nature Medicine</i> , 2009 , 15, 377-9	50.5	196
44	Traumatic brain injury in aged animals increases lesion size and chronically alters microglial/macrophage classical and alternative activation states. <i>Neurobiology of Aging</i> , 2013 , 34, 139	7- 4 1	184
43	The effect of injury severity on behavior: a phenotypic study of cognitive and emotional deficits after mild, moderate, and severe controlled cortical impact injury in mice. <i>Journal of Neurotrauma</i> , 2012 , 29, 2283-96	5.4	150
42	Sexual dimorphism in the inflammatory response to traumatic brain injury. <i>Glia</i> , 2017 , 65, 1423-1438	9	141
41	Nitric oxide synthase inhibitors augment the effects of serotonin re-uptake inhibitors in the forced swimming test. <i>European Neuropsychopharmacology</i> , 2004 , 14, 274-81	1.2	136
40	Polypathology and dementia after brain trauma: Does brain injury trigger distinct neurodegenerative diseases, or should they be classified together as traumatic encephalopathy?. <i>Experimental Neurology</i> , 2016 , 275 Pt 3, 381-388	5.7	104
39	Cholesterol in Alzheimerঙ disease and tauopathy. <i>Annals of the New York Academy of Sciences</i> , 2002 , 977, 367-75	6.5	97
38	The effects of ABCA1 on cholesterol efflux and Abeta levels in vitro and in vivo. <i>Journal of Neurochemistry</i> , 2006 , 98, 792-800	6	91
37	The GABA(A) receptor agonist THIP ameliorates specific behavioral deficits in the mouse model of fragile X syndrome. <i>Developmental Neuroscience</i> , 2011 , 33, 395-403	2.2	88
36	Co-localization of cholesterol, apolipoprotein E and fibrillar Abeta in amyloid plaques. <i>Molecular Brain Research</i> , 2003 , 110, 119-25		85
35	Young APOE4 targeted replacement mice exhibit poor spatial learning and memory, with reduced dendritic spine density in the medial entorhinal cortex. <i>Learning and Memory</i> , 2013 , 20, 256-66	2.8	84
34	Parkin promotes intracellular Abeta1-42 clearance. Human Molecular Genetics, 2009, 18, 3206-16	5.6	84
33	Controlled cortical impact results in an extensive loss of dendritic spines that is not mediated by injury-induced amyloid-beta accumulation. <i>Journal of Neurotrauma</i> , 2013 , 30, 1966-72	5.4	68
32	Apolipoprotein E4 impairs spontaneous blood brain barrier repair following traumatic brain injury. <i>Molecular Neurodegeneration</i> , 2018 , 13, 17	19	66
31	Low-density lipoprotein receptors regulate microglial inflammation through c-Jun N-terminal kinase. <i>Glia</i> , 2009 , 57, 444-53	9	66

(2017-2014)

30	Experimental traumatic brain injury induces rapid aggregation and oligomerization of amyloid-beta in an Alzheimerঙ disease mouse model. <i>Journal of Neurotrauma</i> , 2014 , 31, 125-34	5.4	65
29	Dendritic Spine Loss and Chronic White Matter Inflammation in a Mouse Model of Highly Repetitive Head Trauma. <i>American Journal of Pathology</i> , 2016 , 186, 552-67	5.8	62
28	Traumatic Brain Injury in Mice Induces Acute Bacterial Dysbiosis Within the Fecal Microbiome. <i>Frontiers in Immunology</i> , 2018 , 9, 2757	8.4	49
27	Modulation of ABCA1 by an LXR agonist reduces Emyloid levels and improves outcome after traumatic brain injury. <i>Journal of Neurotrauma</i> , 2011 , 28, 225-36	5.4	48
26	Cortical injury increases cholesterol 24S hydroxylase (Cyp46) levels in the rat brain. <i>Journal of Neurotrauma</i> , 2008 , 25, 1087-98	5.4	45
25	NOX2 deficiency alters macrophage phenotype through an IL-10/STAT3 dependent mechanism: implications for traumatic brain injury. <i>Journal of Neuroinflammation</i> , 2017 , 14, 65	10.1	44
24	The metalloprotease inhibitor TIMP-3 regulates amyloid precursor protein and apolipoprotein E receptor proteolysis. <i>Journal of Neuroscience</i> , 2007 , 27, 10895-905	6.6	44
23	Cholesterol distribution, not total levels, correlate with altered amyloid precursor protein processing in statin-treated mice. <i>NeuroMolecular Medicine</i> , 2006 , 8, 319-28	4.6	40
22	Primum non nocere: a call for balance when reporting on CTE. Lancet Neurology, The, 2019, 18, 231-233	24.1	34
21	Regulation of central nervous system cholesterol homeostasis by the liver X receptor agonist TO-901317. <i>Neuroscience Letters</i> , 2007 , 423, 47-52	3.3	32
20	Intracellular cholesterol homeostasis and amyloid precursor protein processing. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2010 , 1801, 853-9	5	25
19	24S-hydroxycholesterol effects on lipid metabolism genes are modeled in traumatic brain injury. <i>Brain Research</i> , 2010 , 1319, 1-12	3.7	25
18	Glial- and Neuronal-Specific Expression of CCL5 mRNA in the Rat Brain. <i>Frontiers in Neuroanatomy</i> , 2017 , 11, 137	3.6	24
17	Cholesterol independent effect of LXR agonist TO-901317 on gamma-secretase. <i>Journal of Neurochemistry</i> , 2007 , 101, 929-36	6	23
16	The cytoplasmic adaptor protein X11alpha and extracellular matrix protein Reelin regulate ApoE receptor 2 trafficking and cell movement. <i>FASEB Journal</i> , 2010 , 24, 58-69	0.9	21
15	Tyrosine kinase inhibition reverses TDP-43 effects on synaptic protein expression, astrocytic function and amino acid dis-homeostasis. <i>Journal of Neurochemistry</i> , 2016 , 139, 610-623	6	21
14	Use of in vivo models to study the role of cholesterol in the etiology of Alzheimer disease. Neurochemical Research, 2003 , 28, 979-86	4.6	17
13	Temporal Changes in Cortical and Hippocampal Expression of Genes Important for Brain Glucose Metabolism Following Controlled Cortical Impact Injury in Mice. <i>Frontiers in Endocrinology</i> , 2017 , 8, 231	5.7	15

12	Challenges in neurodegeneration research. Frontiers in Psychiatry, 2010 , 1, 7	5	15
11	Inhibition of amyloid precursor protein secretases reduces recovery after spinal cord injury. <i>Brain Research</i> , 2014 , 1560, 73-82	3.7	14
10	Reduced cortical excitatory synapse number in APOE4 mice is associated with increased calcineurin activity. <i>NeuroReport</i> , 2017 , 28, 618-624	1.7	10
9	High-frequency head impact causes chronic synaptic adaptation and long-term cognitive impairment in mice. <i>Nature Communications</i> , 2021 , 12, 2613	17.4	10
8	Combination of Fluorescent Hybridization (FISH) and Immunofluorescence Imaging for Detection of Cytokine Expression in Microglia/Macrophage Cells. <i>Bio-protocol</i> , 2017 , 7,	0.9	8
7	The Effect of the APOE4 Gene on Accumulation of AIIO After Brain Injury Cannot Be Reversed by Increasing apoE4 Protein. <i>Journal of Neuropathology and Experimental Neurology</i> , 2016 , 75, 770-778	3.1	8
6	A Novel Multi-Dimensional Analysis of Rodent Gait Reveals the Compensation Strategies Used during Spontaneous Recovery from Spinal Cord and Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2020 , 37, 517-527	5.4	7
5	Inhibition of Polo-like kinase 2 ameliorates pathogenesis in Alzheimerঙ disease model mice. <i>PLoS ONE</i> , 2019 , 14, e0219691	3.7	6
4	A Mouse Model of Single and Repetitive Mild Traumatic Brain Injury. <i>Journal of Visualized Experiments</i> , 2017 ,	1.6	6
3	Chronic Neurobehavioral Impairments and Decreased Hippocampal Expression of Genes Important for Brain Glucose Utilization in a Mouse Model of Mild TBI. <i>Frontiers in Endocrinology</i> , 2020 , 11, 556380	5.7	3
2	Polypathology and Dementia After Brain Trauma: Does Brain Injury Trigger Distinct Neurodegenerative Diseases, or Should They Be Classified Together as Traumatic Encephalopathy? 2019 , 573-581		
1	High-Frequency Head Impact Disrupts Hippocampal Neural Ensemble Dynamics <i>Frontiers in Cellular Neuroscience</i> , 2021 , 15, 763423	6.1	