

Gunvor Gard

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/945581/publications.pdf>

Version: 2024-02-01

107
papers

2,295
citations

236612

25
h-index

276539

41
g-index

108
all docs

108
docs citations

108
times ranked

2370
citing authors

#	ARTICLE	IF	CITATIONS
1	Identifying work ability promoting factors for home care aides and assistant nurses. BMC Musculoskeletal Disorders, 2012, 13, 1.	0.8	117
2	Human-centred approaches in slipperiness measurement. Ergonomics, 2001, 44, 1167-1199.	1.1	107
3	Body awareness therapy for patients with fibromyalgia and chronic pain. Disability and Rehabilitation, 2005, 27, 725-728.	0.9	102
4	Swedish anthropometrics for product and workplace design. Applied Ergonomics, 2009, 40, 797-806.	1.7	90
5	An eye for movement quality: A phenomenological study of movement quality reflecting a group of physiotherapists' understanding of the phenomenon. Physiotherapy Theory and Practice, 2008, 24, 13-27.	0.6	87
6	Embodied identityâ€™A deeper understanding of body awareness. Physiotherapy Theory and Practice, 2010, 26, 439-446.	0.6	83
7	Interaction between patient and physiotherapist: a qualitative study reflecting the physiotherapist's perspective. Physiotherapy Research International, 1999, 4, 89-109.	0.7	78
8	The effects of aerobic exercise for persons with migraine and co-existing tension-type headache and neck pain. A randomized, controlled, clinical trial. Cephalalgia, 2018, 38, 1805-1816.	1.8	70
9	How Can Movement Quality Be Promoted in Clinical Practice? A Phenomenological Study of Physical Therapist Experts. Physical Therapy, 2010, 90, 1479-1492.	1.1	66
10	Concepts of functioning and health important to people with systemic sclerosis: a qualitative study in four European countries. Annals of the Rheumatic Diseases, 2011, 70, 1074-1079.	0.5	59
11	Physiotherapy at a distance: a controlled study of rehabilitation at home after a shoulder joint operation. Journal of Telemedicine and Telecare, 2009, 15, 215-220.	1.4	53
12	How can the rehabilitation planning process at the workplace be improved? A qualitative study from employers' perspective. Journal of Occupational Rehabilitation, 2003, 13, 169-181.	1.2	49
13	Level of physical activity, well-being, stress and self-rated health in persons with migraine and co-existing tension-type headache and neck pain. Journal of Headache and Pain, 2017, 18, 46.	2.5	48
14	Ethical issues in physiotherapy â€™ Reflected from the perspective of physiotherapists in private practice. Physiotherapy Theory and Practice, 2013, 29, 96-112.	0.6	44
15	Physiotherapy group treatment for patients with fibromyalgiaâ€™an embodied learning process. Disability and Rehabilitation, 2003, 25, 1372-1380.	0.9	43
16	Safety vs. privacy: elderly personsâ€™ experiences of a mobile safety alarm. Health and Social Care in the Community, 2008, 16, 337-346.	0.7	42
17	Sexual Health in Patients with Rheumatoid Arthritis: Experiences, Needs and Communication with Health Care Professionals. Musculoskeletal Care, 2012, 10, 76-89.	0.6	41
18	Health Care Studentsâ€™ Attitudes Towards Working with Sexual Health in Their Professional Roles: Survey of Students at Nursing, Physiotherapy and Occupational Therapy Programmes. Sexuality and Disability, 2016, 34, 289-302.	0.4	36

#	ARTICLE	IF	CITATIONS
19	Women's experience of physical activity following breast cancer treatment. <i>Scandinavian Journal of Caring Sciences</i> , 2008, 22, 422-429.	1.0	34
20	The Importance of Emotions in Physiotherapeutic Practice. <i>Physical Therapy Reviews</i> , 2000, 5, 155-160.	0.3	33
21	Effects of the Web Behavior Change Program for Activity and Multimodal Pain Rehabilitation: Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2016, 18, e265.	2.1	31
22	Factors promoting sustainable work in women with fibromyalgia. <i>Disability and Rehabilitation</i> , 2013, 35, 1622-1629.	0.9	30
23	Focus on motivation in the work rehabilitation planning process: a qualitative study from the employer's perspective. <i>Journal of Occupational Rehabilitation</i> , 2003, 13, 159-167.	1.2	29
24	Shoulder pain after stroke – experiences, consequences in daily life and effects of interventions: a qualitative study. <i>Disability and Rehabilitation</i> , 2018, 40, 1176-1182.	0.9	29
25	Physical activity on prescription (PAP): Costs and consequences of a randomized, controlled trial in primary healthcare. <i>Scandinavian Journal of Primary Health Care</i> , 2009, 27, 216-222.	0.6	28
26	Assessment of anti-slip devices from healthy individuals in different ages walking on slippery surfaces. <i>Applied Ergonomics</i> , 2006, 37, 177-186.	1.7	26
27	How can a work rehabilitation process be improved? – a qualitative study from the perspective of social insurance officers. <i>Disability and Rehabilitation</i> , 2004, 26, 299-305.	0.9	24
28	Being in an exchange process: Experiences of patient participation in multimodal pain rehabilitation. <i>Journal of Rehabilitation Medicine</i> , 2013, 45, 580-586.	0.8	24
29	Physical exercise and depression. <i>Physical Therapy Reviews</i> , 2011, 16, 261-268.	0.3	23
30	Pedestrians on slippery surfaces during winter – methods to describe the problems and practical tests of anti-skid devices. <i>Accident Analysis and Prevention</i> , 2000, 32, 455-460.	3.0	22
31	Sexual Health as a Part of Physiotherapy: The Voices of Physiotherapy Students. <i>Sexuality and Disability</i> , 2015, 33, 513-532.	0.4	22
32	Parent participation plays an important part in promoting physical activity. <i>International Journal of Qualitative Studies on Health and Well-being</i> , 2015, 10, 27397.	0.6	22
33	Clients' experiences of a work rehabilitation process. <i>Disability and Rehabilitation</i> , 2004, 26, 419-424.	0.9	21
34	Are emotions important for good interaction in treatment situations?. <i>Physiotherapy Theory and Practice</i> , 2004, 20, 107-119.	0.6	20
35	Is Pelvic Floor Muscle Training Effective for Men With Poststroke Lower Urinary Tract Symptoms? A Single-Blinded Randomized, Controlled Trial. <i>American Journal of Men's Health</i> , 2017, 11, 1460-1471.	0.7	19
36	Physical Therapists' Emotional Expressions in Interviews about Factors Important for Interaction with Patients. <i>Physiotherapy</i> , 2000, 86, 229-240.	0.2	18

#	ARTICLE	IF	CITATIONS
37	Work Motivating Factors in Rehabilitation: A Brief Review. <i>Physical Therapy Reviews</i> , 2001, 6, 85-89.	0.3	18
38	Reliability and validity of the Body Awareness Rating Scale (BARS), an observational assessment tool of movement quality. <i>European Journal of Physiotherapy</i> , 2015, 17, 19-28.	0.7	18
39	Basic elements and dimensions to the phenomenon of quality of movement – a case study. <i>Journal of Bodywork and Movement Therapies</i> , 2003, 7, 251-260.	0.5	17
40	Work conditions, support, and changing personal priorities are perceived important for return to work and for stay at work after stroke – a qualitative study. <i>Disability and Rehabilitation</i> , 2022, 44, 2500-2506.	0.9	17
41	Perceived risks for slipping and falling at work during wintertime and criteria for a slip-resistant winter shoe among Swedish outdoor workers. <i>Safety Science</i> , 2015, 73, 52-61.	2.6	16
42	Conceptions of physiotherapy knowledge among Swedish physiotherapists: a phenomenographic study. <i>Physiotherapy</i> , 2006, 92, 110-115.	0.2	15
43	Early discharge to therapy-based rehabilitation at home in patients with stroke: a systematic review. <i>Physical Therapy Reviews</i> , 2008, 13, 167-187.	0.3	15
44	Physiotherapists'™ experiences of physiotherapy interventions in scientific physiotherapy publications focusing on interventions for children with cerebral palsy: a qualitative phenomenographic approach. <i>BMC Pediatrics</i> , 2012, 12, 90.	0.7	15
45	Practicing physiotherapy in Danish private practice: an ethical perspective. <i>Medicine, Health Care and Philosophy</i> , 2013, 16, 555-564.	0.9	15
46	Physiotherapy as a disciplinary institution in modern society – a Foucauldian perspective on physiotherapy in Danish private practice. <i>Physiotherapy Theory and Practice</i> , 2015, 31, 17-28.	0.6	15
47	Physiotherapy as a promoter of sexual health. <i>Physiotherapy Theory and Practice</i> , 2015, 31, 390-5.	0.6	15
48	Interaction Between Patient and Physiotherapist in Psychiatric Care ? the Physiotherapist's Perspective. <i>Advances in Physiotherapy</i> , 2000, 2, 157-167.	0.2	14
49	Relaxation as treatment for chronic musculoskeletal pain – a systematic review of randomised controlled studies. <i>Physical Therapy Reviews</i> , 2008, 13, 355-365.	0.3	14
50	Need for structured healthcare organization and support for return to work after stroke in Sweden: Experiences of stroke survivors. <i>Journal of Rehabilitation Medicine</i> , 2019, 51, 741-748.	0.8	14
51	It's About Me: Patients'™ Experiences of Patient Participation in the Web Behavior Change Program for Activity in Combination With Multimodal Pain Rehabilitation. <i>Journal of Medical Internet Research</i> , 2017, 19, e22.	2.1	14
52	Understanding one's™ body and movements from the perspective of young adults with autism: A mixed-methods study. <i>Research in Developmental Disabilities</i> , 2018, 78, 44-54.	1.2	13
53	Test of Swedish anti-skid devices on five different slippery surfaces. <i>Accident Analysis and Prevention</i> , 2001, 33, 1-8.	3.0	12
54	Is well-being associated with lower urinary tract symptoms in patients with stroke?. <i>Scandinavian Journal of Urology and Nephrology</i> , 2011, 45, 134-142.	1.4	12

#	ARTICLE	IF	CITATIONS
55	Can pelvic floor muscle training improve quality of life in men with mild to moderate post-stroke and lower urinary tract symptoms?. <i>European Journal of Physical and Rehabilitation Medicine</i> , 2017, 53, 416-425.	1.1	12
56	Clinician perspectives of Basic Body Awareness Therapy (BBAT) in mental health physical therapy: An international qualitative study. <i>Journal of Bodywork and Movement Therapies</i> , 2019, 23, 746-751.	0.5	12
57	Gait Speed with Anti-Slip Devices on Icy Pedestrian Crossings Relate to Perceived Fall-Risk and Balance. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 2451.	1.2	12
58	Factors important for good interaction in physiotherapy treatment of persons who have undergone torture: A qualitative study. <i>Physiotherapy Theory and Practice</i> , 2007, 23, 47-55.	0.6	11
59	Physiotherapists' experience of client participation in physiotherapy interventions: A phenomenographic study. <i>Advances in Physiotherapy</i> , 2010, 12, 217-223.	0.2	11
60	Discriminative Validity of the Danish Version of the Pediatric Evaluation of Disability Inventory (PEDI). <i>Physical and Occupational Therapy in Pediatrics</i> , 2011, 31, 78-89.	0.8	11
61	Specific strength training compared with interdisciplinary counseling for girls with tension-type headache: a randomized controlled trial. <i>Journal of Pain Research</i> , 2016, 9, 257.	0.8	11
62	Perceived work stress, overcommitment, balance in everyday life, individual factors, self-rated health and work ability among women and men in the public sector in Sweden – a longitudinal study. <i>Archives of Public Health</i> , 2020, 78, 132.	1.0	11
63	Life-views and ethical viewpoints among physiotherapy students in Sweden and Turkey – A comparative study. <i>Advances in Physiotherapy</i> , 2005, 7, 20-31.	0.2	10
64	Content and Concurrent Validity of the Motivation for Change Questionnaire. <i>Journal of Occupational Rehabilitation</i> , 2008, 18, 68-78.	1.2	10
65	Experience of physical activity in patients with fibromyalgia and chronic widespread pain. <i>Disability and Rehabilitation</i> , 2008, 30, 213-221.	0.9	10
66	Are activity limitations associated with lower urinary tract symptoms in stroke patients? A cross-sectional, clinical survey. <i>Scandinavian Journal of Urology and Nephrology</i> , 2009, 43, 383-389.	1.4	10
67	Swedish Sonographers'™ perceptions of ergonomic problems at work and their suggestions for improvement. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 391.	0.8	10
68	Greek sculpture as a tool in understanding the phenomenon of movement quality. <i>Journal of Bodywork and Movement Therapies</i> , 2004, 8, 227-236.	0.5	9
69	Patient expectations for a multimodal pain rehabilitation programme: active participation and coping skills. A qualitative study. <i>Disability and Rehabilitation</i> , 2016, 38, 2135-2143.	0.9	9
70	Clinical reasoning and clinical use of basic body awareness therapy in physiotherapy – a qualitative study?. <i>European Journal of Physiotherapy</i> , 2020, 22, 29-35.	0.7	9
71	The physiotherapist-patient relationship: applying a psychotherapy model. <i>Physiotherapy Theory and Practice</i> , 2000, 16, 181-193.	0.6	8
72	Test-retest repeatability of strength capacity, aerobic power and pericranial tenderness of neck and shoulder muscles in children - relevant for tension-type headache. <i>Journal of Pain Research</i> , 2013, 6, 643.	0.8	8

#	ARTICLE	IF	CITATIONS
73	Tortured refugees' expectations of a multidisciplinary pain rehabilitation programme: An explorative qualitative study. <i>Journal of Rehabilitation Medicine</i> , 2013, 45, 286-292.	0.8	8
74	Temporal Patterns of Daily Occupations Related to Older Adults' Health in Northern Sweden. <i>Journal of Occupational Science</i> , 2015, 22, 127-145.	0.7	8
75	Work Motivation - A Brief Review of Theories Underpinning Health Promotion. <i>Physical Therapy Reviews</i> , 2002, 7, 163-168.	0.3	7
76	Changes in life-views and ethical viewpoints during physiotherapy education. <i>Physiotherapy Theory and Practice</i> , 2003, 19, 63-76.	0.6	7
77	Transfemoral amputees' experiences of the first meeting and subsequent interactions with hospital staff. <i>Disability and Rehabilitation</i> , 2008, 30, 1192-1203.	0.9	7
78	Health factors in the everyday life and work of public sector employees in Sweden. <i>Work</i> , 2012, 42, 321-330.	0.6	7
79	Costs and outcomes of an exercise referral programme "A 1-year follow-up study. <i>European Journal of Physiotherapy</i> , 2014, 16, 82-92.	0.7	7
80	Temporal Patterns of Daily Occupations among Older Adults in Northern Sweden. <i>Journal of Occupational Science</i> , 2014, 21, 143-160.	0.7	7
81	Lower Urinary Tract Symptoms, Erectile Dysfunction, and Quality of Life in Poststroke Men: A Controlled Cross-Sectional Study. <i>American Journal of Men's Health</i> , 2017, 11, 748-756.	0.7	7
82	Therapeutically efficient components of Basic Body Awareness Therapy as perceived by experienced therapists "A qualitative study. <i>Journal of Bodywork and Movement Therapies</i> , 2017, 21, 503-508.	0.5	7
83	Teamwork and Safety Climate in Homecare: A Mixed Method Study. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 2495.	1.2	7
84	Pain management strategies among persons with long-term shoulder pain after stroke "a qualitative study. <i>Clinical Rehabilitation</i> , 2019, 33, 357-364.	1.0	7
85	A vocabulary describing health-terms of movement quality "a phenomenological study of movement communication. <i>Disability and Rehabilitation</i> , 2020, 42, 3152-3161.	0.9	7
86	How can cooperation between rehabilitation professionals in rehabilitation planning be improved? A qualitative study from the employer's perspective. <i>Work</i> , 2006, 26, 191-6.	0.6	7
87	Reduced neck-shoulder muscle strength and aerobic power together with increased pericranial tenderness are associated with tension-type headache in girls: A case-control study. <i>Cephalalgia</i> , 2014, 34, 540-547.	1.8	6
88	"Blue flags"; development of a short clinical questionnaire on work-related psychosocial risk factors - a validation study in primary care. <i>BMC Musculoskeletal Disorders</i> , 2017, 18, 318.	0.8	6
89	Standing balance on inclined surfaces with different friction. <i>Industrial Health</i> , 2018, 56, 292-299.	0.4	6
90	Fun, feasible and functioning: Students'™ experiences of a physical activity intervention. <i>European Journal of Physiotherapy</i> , 2014, 16, 194-200.	0.7	5

#	ARTICLE	IF	CITATIONS
91	Moving From Idea to Action. Health Promotion Practice, 2014, 15, 812-818.	0.9	5
92	Pedestrians perceptions of community walking with anti-slip devices – An explorative case study. Journal of Transport and Health, 2018, 11, 202-208.	1.1	5
93	Life-views of Physiotherapy Students Compared to Medical and Nursing Students. Physiotherapy, 2000, 86, 576-582.	0.2	4
94	Computer Usage With Cold Hands; An Experiment With Pointing Devices. International Journal of Occupational Safety and Ergonomics, 2000, 6, 429-450.	1.1	4
95	In search of recognition – Patients’ experiences of patient participation prior to multimodal pain rehabilitation. European Journal of Physiotherapy, 2014, 16, 49-57.	0.7	4
96	Migraine co-existing tension-type headache and neck pain: Validation of questionnaires. Scandinavian Journal of Pain, 2015, 8, 10-16.	0.5	4
97	Expectations of Qigong and Exercise Therapy in Patients With Long-term Neck Pain: An Analysis of a Prospective Randomized Study. Journal of Manipulative and Physiological Therapeutics, 2017, 40, 676-684.	0.4	4
98	Effects of the transition to a client-centred team organization in administrative surveying work. Behaviour and Information Technology, 2002, 21, 105-116.	2.5	3
99	Increased Focus on Values. Physiotherapy, 2003, 89, 282-289.	0.2	3
100	Physiotherapists’ experiences of the meaning of movement quality in autism: a descriptive phenomenological study. Physiotherapy Theory and Practice, 2020, , 1-10.	0.6	3
101	Computer use in cold environments. Applied Ergonomics, 2000, 31, 239-245.	1.7	2
102	Prevention of Slip and Fall Accidents: Risk Factors, Methods and Suggestions for Prevention. Physical Therapy Reviews, 2000, 5, 175-182.	0.3	2
103	Effects of transition to an integrated IT technology in surveying work. Behaviour and Information Technology, 2002, 21, 281-292.	2.5	2
104	Working conditions and workplace health and safety promotion in home care: A mixed-method study from Swedish managers’ perspectives. Archives of Environmental and Occupational Health, 2017, 72, 359-365.	0.7	2
105	The Physical Therapist - an Interactional Ergonomic and Health Expert?. Advances in Physiotherapy, 2000, 2, 99-102.	0.2	1
106	Physiotherapy students' perceptions of learning in clinical practice in Sweden and India. Nurse Education Today, 2016, 36, 381-386.	1.4	1
107	Body awareness in healthy subjects – a qualitative study. European Journal of Physiotherapy, 2020, , 1-8.	0.7	0