Thorlene Egerton

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/9456158/thorlene-egerton-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

54 papers 1,354 20 h-index g-index

67 1,739 3.3 4.6 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
54	Expert-Moderated Peer-to-Peer Online Support Group for People With Knee Osteoarthritis: Mixed Methods Randomized Controlled Pilot and Feasibility Study <i>JMIR Formative Research</i> , 2022 , 6, e32627	2.5	1
53	Conceptualisation of a region-based group of musculoskeletal pain conditions as Ribial loading painRand systematic review of effects of load-modifying interventions. <i>Journal of Science and Medicine in Sport</i> , 2022 , 25, 46-52	4.4	
52	A comparison of psychological characteristics in people with knee osteoarthritis from Japan and Australia: A cross-sectional study <i>PLoS ONE</i> , 2022 , 17, e0267877	3.7	
51	Comparing Video-Based, Telehealth-Delivered Exercise and Weight Loss Programs With Online Education on Outcomes of Knee Osteoarthritis: A Randomized Trial. <i>Annals of Internal Medicine</i> , 2021 ,	8	1
50	Exploring changes, and factors associated with changes, in behavioural determinants from a low-cost, scalable education intervention about knee osteoarthritis: An observational cohort study. BMC Musculoskeletal Disorders, 2021, 22, 862	2.8	1
49	Ballistic Resistance Training: Feasibility, Safety, and Effectiveness for Improving Mobility in Adults With Neurologic Conditions: A Systematic Review. <i>Archives of Physical Medicine and Rehabilitation</i> , 2021 , 102, 735-751	2.8	3
48	How do people with knee pain from osteoarthritis respond to a brief video delivering empowering education about the condition and its management?. <i>Patient Education and Counseling</i> , 2021 , 104, 2018	- 2 d27	3
47	Better Knee, Better Melleffectiveness of two scalable health care interventions supporting self-management for knee osteoarthritis - protocol for a randomized controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2020 , 21, 160	2.8	5
46	Associations between changes in gait parameters, balance, and walking capacity during the first 3 months after stroke: a prospective observational study. <i>Physiotherapy Theory and Practice</i> , 2020 , 1-9	1.5	1
45	Protocol for the process and feasibility evaluations of a new model of primary care service delivery for managing pain and function in patients with knee osteoarthritis (PARTNER) using a mixed methods approach. <i>BMJ Open</i> , 2020 , 10, e034526	3	1
44	The association between psychological characteristics and physical activity levels in people with knee osteoarthritis: a cross-sectional analysis. <i>BMC Musculoskeletal Disorders</i> , 2020 , 21, 269	2.8	6
43	PARTNER: a service delivery model to implement optimal primary care management of people with knee osteoarthritis: description of development. <i>BMJ Open</i> , 2020 , 10, e040423	3	3
42	Design, Delivery, Maintenance, and Outcomes of Peer-to-Peer Online Support Groups for People With Chronic Musculoskeletal Disorders: Systematic Review. <i>Journal of Medical Internet Research</i> , 2020 , 22, e15822	7.6	5
41	Physiotherapists may improve management of knee osteoarthritis through greater psychosocial focus, being proactive with advice, and offering longer-term reviews: a qualitative study. <i>Journal of Physiotherapy</i> , 2020 , 66, 256-265	2.9	12
40	Patient-reported quality indicators to evaluate physiotherapy care for hip and/or knee osteoarthritis- development and evaluation of the QUIPA tool. <i>BMC Musculoskeletal Disorders</i> , 2020 , 21, 202	2.8	2
39	Priorities for the effective implementation of osteoarthritis management programs: an OARSI international consensus exercise. <i>Osteoarthritis and Cartilage</i> , 2019 , 27, 1270-1279	6.2	23
38	In Theory, Yes; in Practice, Uncertain: A Qualitative Study Exploring Physical TherapistsRAttitudes Toward Their Roles in Weight Management for People With Knee Osteoarthritis. <i>Physical Therapy</i> , 2019 , 99, 601-611	3.3	11

(2015-2019)

37	The effects of behavioural counselling on the determinants of health behaviour change in adults with chronic musculoskeletal conditions making lifestyle changes: A systematic review and meta-analysis. <i>Musculoskeletal Care</i> , 2019 , 17, 170-197	1.6	5
36	Identifying and Prioritizing Clinical Guideline Recommendations Most Relevant to Physical Therapy Practice for Hip and/or Knee Osteoarthritis. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2019 , 49, 501-512	4.2	14
35	Exploring the Characteristics and Preferences for Online Support Groups: Mixed Method Study. Journal of Medical Internet Research, 2019 , 21, e15987	7.6	8
34	A qualitative study exploring the views of individuals with knee osteoarthritis on the role of physiotherapists in weight management: A complex issue requiring a sophisticated skill set. <i>Musculoskeletal Care</i> , 2019 , 17, 206-214	1.6	5
33	Effectiveness of a new model of primary care management on knee pain and function in patients with knee osteoarthritis: Protocol for THE PARTNER STUDY. <i>BMC Musculoskeletal Disorders</i> , 2018 , 19, 132	2.8	15
32	General practitionersRviews on managing knee osteoarthritis: a thematic analysis of factors influencing clinical practice guideline implementation in primary care. <i>BMC Rheumatology</i> , 2018 , 2, 30	2.9	32
31	Telephone Coaching to Enhance a Home-Based Physical Activity Program for Knee Osteoarthritis: A Randomized Clinical Trial. <i>Arthritis Care and Research</i> , 2017 , 69, 84-94	4.7	50
30	A systematic review and evidence synthesis of qualitative studies to identify primary care cliniciansR barriers and enablers to the management of osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2017 , 25, 625-6	538 ²	82
29	General practitionersRperspectives on a proposed new model of service delivery for primary care management of knee osteoarthritis: a qualitative study. <i>BMC Family Practice</i> , 2017 , 18, 85	2.6	16
28	The Association Between Gait Characteristics and Ambulatory Physical Activity in Older People: A Cross-Sectional and Longitudinal Observational Study Using Generation 100 Data. <i>Journal of Aging and Physical Activity</i> , 2017 , 25, 10-19	1.6	8
27	Fatigue Alters the Pattern of Physical Activity Behavior in Older Adults: Observational Analysis of Data from the Generation 100 Study. <i>Journal of Aging and Physical Activity</i> , 2016 , 24, 633-641	1.6	9
26	Physical Therapist-Delivered Pain Coping Skills Training and Exercise for Knee Osteoarthritis: Randomized Controlled Trial. <i>Arthritis Care and Research</i> , 2016 , 68, 590-602	4.7	87
25	Fatigue May Contribute to Reduced Physical Activity Among Older People: An Observational Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2016 , 71, 670-6	6.4	43
24	Barriers and enablers in primary care cliniciansRmanagement of osteoarthritis: protocol for a systematic review and qualitative evidence synthesis. <i>BMJ Open</i> , 2016 , 6, e011618	3	8
23	Systematic content evaluation and review of measurement properties of questionnaires for measuring self-reported fatigue among older people. <i>Quality of Life Research</i> , 2015 , 24, 2239-55	3.7	7
22	Identification of gait domains and key gait variables following hip fracture. <i>BMC Geriatrics</i> , 2015 , 15, 150	4.1	32
21	Meta-analysis of the relationship between breaks in sedentary behavior and cardiometabolic health. <i>Obesity</i> , 2015 , 23, 1800-10	8	201
20	Prevalence of fatigue in patients 3 months after stroke and association with early motor activity: a prospective study comparing stroke patients with a matched general population cohort. <i>BMC Neurology</i> , 2015 , 15, 181	3.1	20

19	Neuromuscular versus quadriceps strengthening exercise in patients with medial knee osteoarthritis and varus malalignment: a randomized controlled trial. <i>Arthritis and Rheumatology</i> , 2014 , 66, 950-9	9.5	98
18	Comparison of programs for determining temporal-spatial gait variables from instrumented walkway data: PKmas versus GAITRite. <i>BMC Research Notes</i> , 2014 , 7, 542	2.3	31
17	Effect of physical therapy on pain and function in patients with hip osteoarthritis: a randomized clinical trial. <i>JAMA - Journal of the American Medical Association</i> , 2014 , 311, 1987-97	27.4	98
16	Intraoperative cartilage degeneration predicts outcome 12 months after hip arthroscopy. <i>Clinical Orthopaedics and Related Research</i> , 2013 , 471, 593-9	2.2	55
15	Self-reported aging-related fatigue: a concept description and its relevance to physical therapist practice. <i>Physical Therapy</i> , 2013 , 93, 1403-13	3.3	13
14	Effects of exercise on bone density and falls risk factors in post-menopausal women with osteopenia: a randomised controlled trial. <i>Journal of Science and Medicine in Sport</i> , 2012 , 15, 102-9	4.4	42
13	Comparison of gait in progressive supranuclear palsy, Parkinson® disease and healthy older adults. <i>BMC Neurology</i> , 2012 , 12, 116	3.1	35
12	A physiotherapist-delivered integrated exercise and pain coping skills training intervention for individuals with knee osteoarthritis: a randomised controlled trial protocol. <i>BMC Musculoskeletal Disorders</i> , 2012 , 13, 129	2.8	23
11	Addition of telephone coaching to a physiotherapist-delivered physical activity program in people with knee osteoarthritis: a randomised controlled trial protocol. <i>BMC Musculoskeletal Disorders</i> , 2012 , 13, 246	2.8	19
10	Central gait control mechanisms and the stride length - cadence relationship. <i>Gait and Posture</i> , 2011 , 34, 178-82	2.6	49
9	Comparison of neuromuscular and quadriceps strengthening exercise in the treatment of varus malaligned knees with medial knee osteoarthritis: a randomised controlled trial protocol. <i>BMC Musculoskeletal Disorders</i> , 2011 , 12, 276	2.8	35
8	Building the rationale and structure for a complex physical therapy intervention within the context of a clinical trial: a multimodal individualized treatment for patients with hip osteoarthritis. <i>Physical Therapy</i> , 2011 , 91, 1525-41	3.3	20
7	Changes in stepping response to lateral perturbations immediately following a single bout of physical activity. <i>Physiotherapy Research International</i> , 2011 , 16, 141-50	1.8	5
6	Efficacy of a multimodal physiotherapy treatment program for hip osteoarthritis: a randomised placebo-controlled trial protocol. <i>BMC Musculoskeletal Disorders</i> , 2010 , 11, 238	2.8	15
5	Dynamic postural stability is not impaired by moderate-intensity physical activity in healthy or balance-impaired older people. <i>Human Movement Science</i> , 2010 , 29, 1011-22	2.4	10
4	The immediate effect of physical activity on standing balance in healthy and balance-impaired older people. <i>Australasian Journal on Ageing</i> , 2009 , 28, 93-6	1.5	21
3	Temporal characteristics of habitual physical activity periods among older adults. <i>Journal of Physical Activity and Health</i> , 2009 , 6, 644-50	2.5	34
2	Fatigue after physical activity in healthy and balance-impaired elderly. <i>Journal of Aging and Physical Activity</i> , 2009 , 17, 89-105	1.6	21

Mobility Activity of Stroke Patients During Inpatient Rehabilitation. *Hong Kong Physiotherapy Journal*, **2006**, 24, 8-15

-

9