

# Xirui Lu

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9456203/publications.pdf>

Version: 2024-02-01

94  
papers

1,587  
citations

236833

25  
h-index

377752

34  
g-index

96  
all docs

96  
docs citations

96  
times ranked

677  
citing authors

#	ARTICLE	IF	CITATIONS
1	Treatment of zeolite adsorbed material as a potential nuclear waste glass-ceramic matrix. <i>Journal of the American Ceramic Society</i> , 2022, 105, 257-267.	1.9	5
2	Effect of irradiation on the phase evolution and chemical stability of neodymium and cerium co-doped simulated radioactive contaminated soil. <i>Journal of Environmental Chemical Engineering</i> , 2022, 10, 106936.	3.3	2
3	Microwave vitrification of Sr-contaminated soil: microstructure, mechanical properties and chemical durability. <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 2022, 331, 511-522.	0.7	2
4	Application of poly(vinylphosphonic acid) modified poly(amidoxime) in uptake of uranium from seawater. <i>RSC Advances</i> , 2022, 12, 4054-4060.	1.7	5
5	Effective management of trialkyl phosphine oxides waste via Gd <sub>2</sub> Zr <sub>2</sub> O <sub>7</sub> ceramic. <i>Journal of Cleaner Production</i> , 2022, 348, 131370.	4.6	5
6	High immobilizing capacity of natural granite as glass-ceramic matrix to simulated trivalent actinide waste. <i>Radiation Physics and Chemistry</i> , 2022, 195, 110067.	1.4	4
7	Immobilization of simulated An <sup>4+</sup> radioactively contaminated zeolite: Solidify mechanism and theory investigation. <i>Journal of Solid State Chemistry</i> , 2022, 311, 123095.	1.4	2
8	Sintering Bi <sub>2</sub> O <sub>3</sub> -B <sub>2</sub> O <sub>3</sub> -ZnO ternary low temperature glass by hydration device to solidify iodine containing silver-coated silica gel. <i>Radiochimica Acta</i> , 2022, 110, 193-203.	0.5	1
9	Immobilization of iodine waste at low sintering temperature: Phase evolution and microstructure transformation. <i>Annals of Nuclear Energy</i> , 2022, 173, 109145.	0.9	3
10	Bismuth Coordinates with Iodine Atoms to Form Chemical Bonds for Existing Stabilization in Boron Glass. <i>Inorganic Chemistry</i> , 2022, 61, 9860-9867.	1.9	4
11	Characteristics of cerium doped aluminosilicate glass as simulated radioactive waste forms: Effect on structures and properties. <i>Progress in Nuclear Energy</i> , 2022, 150, 104299.	1.3	9
12	Insight into the effect of Nd <sub>2</sub> O <sub>3</sub> and CeO <sub>2</sub> co-doped Gd <sub>2</sub> Zr <sub>2</sub> O <sub>7</sub> ceramics without structural design: Phase evolution and chemical durability. <i>Vacuum</i> , 2022, 203, 111256.	1.6	3
13	Low-sintering-temperature borosilicate glass to immobilize silver-coated silica-gel with different iodine loadings. <i>Journal of Hazardous Materials</i> , 2021, 403, 123588.	6.5	16
14	Immobilization of iodine waste forms: A low-sintering temperature with Bi <sub>2</sub> O <sub>3</sub> -B <sub>2</sub> O <sub>3</sub> -ZnO glass. <i>Annals of Nuclear Energy</i> , 2021, 150, 107817.	0.9	16
15	Immobilization of silver-coated silica gel with varying iodine loading in silicate glass ceramics. <i>Journal of Non-Crystalline Solids</i> , 2021, 551, 120433.	1.5	5
16	Microwave vitrification of simulated radioactively contaminated soil: Mechanism and performance. <i>Journal of Solid State Chemistry</i> , 2021, 293, 121757.	1.4	11
17	Rapid solidification of Sr-contaminated soil by consecutive microwave sintering: mechanism and stability evaluation. <i>Journal of Hazardous Materials</i> , 2021, 407, 124761.	6.5	33
18	Role of amorphous silica gel in B <sub>2</sub> O <sub>3</sub> -Bi <sub>2</sub> O <sub>3</sub> -ZnO-SiO <sub>2</sub> to immobilize iodine waste. <i>Journal of Nuclear Materials</i> , 2021, 543, 152619.	1.3	13

#	ARTICLE	IF	CITATIONS
19	Immobilization of uranium-contaminated soil into glass waste by microwave sintering: Experimental and theoretical study. <i>Journal of Non-Crystalline Solids</i> , 2021, 556, 120551.	1.5	9
20	Heavy-ion irradiation effects on uranium-contaminated soil for nuclear waste. <i>Journal of Hazardous Materials</i> , 2021, 405, 124273.	6.5	21
21	The immobilization on various concentrations of iodine in silver-coated silica gel via B <sub>2</sub> O <sub>3</sub> -Bi <sub>2</sub> O <sub>3</sub> based material. <i>Materials Chemistry and Physics</i> , 2021, 259, 124040.	2.0	8
22	Application of silica gel to immobilise iodine waste by low-temperature sintering. <i>Philosophical Magazine Letters</i> , 2021, 101, 79-84.	0.5	2
23	Transformation details of poly(acrylonitrile) to poly(amidoxime) during the amidoximation process. <i>RSC Advances</i> , 2021, 11, 1909-1915.	1.7	17
24	Effect of improved trialkyl phosphine oxides waste content on phase composition and density of spark plasma sintered Gd <sub>2</sub> Zr <sub>2</sub> O <sub>7</sub> ceramics. <i>International Journal of Energy Research</i> , 2021, 45, 8724-8734.	2.2	5
25	Utilization of B <sub>2</sub> O <sub>3</sub> -Bi <sub>2</sub> O <sub>3</sub> -ZnO low-temperature glass-ceramics to immobilize iodine-loaded silver-coated silica-gel. <i>Journal of Materials Chemistry C</i> , 2021, 9, 10462-10471.	2.7	7
26	Xe <sup>20+</sup> irradiation effects on soil holding simulated An <sup>4+</sup> waste. <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 2021, 327, 1159-1166.	0.7	3
27	Mechanical and leaching properties of neodymium-contaminated soil glass-ceramics. <i>Journal of the American Ceramic Society</i> , 2021, 104, 2521-2529.	1.9	22
28	Synthesis of glass composite material with bismuthate glass powder and zeolite-4A for immobilization of iodine waste. <i>Journal of Solid State Chemistry</i> , 2021, 294, 121856.	1.4	11
29	Immobilize CeO <sub>2</sub> as simulated nuclear waste in natural magmatic granite: maximum solid solubility. <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 2021, 328, 795-803.	0.7	2
30	Direct immobilization of iodine-loaded silver-coated silica gel with silicate glass powders at low temperature. <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 2021, 329, 401-410.	0.7	2
31	Novel method for efficient solidification the iodine contained waste by B <sub>2</sub> O <sub>3</sub> -Bi <sub>2</sub> O <sub>3</sub> glass powder at very low temperature. <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 2021, 329, 1467-1476.	0.7	5
32	Low-temperature fabrication of glass-based iodine waste forms via a novel preparation method. <i>Journal of Solid State Chemistry</i> , 2021, 300, 122186.	1.4	6
33	Polyguanidine-modified adsorbent to enhance marine applicability for uranium recovery from seawater. <i>Journal of Hazardous Materials</i> , 2021, 416, 126192.	6.5	40
34	Response of simulated An <sup>3+</sup> /An <sup>4+</sup> radioactive soil vitrification under alpha-particle irradiation. <i>Radiation Physics and Chemistry</i> , 2021, 187, 109567.	1.4	1
35	Investigation of the mechanism for simulated graphite waste treatment via microwave sintering technology. <i>Journal of Hazardous Materials Letters</i> , 2021, , 100046.	2.0	0
36	Rapid synthesis of Gd <sub>2</sub> Zr <sub>2</sub> O <sub>7</sub> glass-ceramics using spark plasma sintering. <i>Journal of the American Ceramic Society</i> , 2020, 103, 597-603.	1.9	10

#	ARTICLE	IF	CITATIONS
37	Solubility of Nd <sup>3+</sup> and Ce <sup>4+</sup> in co-doped simulated radioactive contaminated soil after microwave vitrification. <i>Ceramics International</i> , 2020, 46, 6767-6773.	2.3	18
38	Ab initio calculation of mechanical and thermodynamic properties of Gd <sub>2</sub> Zr <sub>2</sub> O <sub>7</sub> pyrochlore. <i>Materials Chemistry and Physics</i> , 2020, 243, 122565.	2.0	6
39	Effect of soil particle size and types on the crystallization behavior for nuclear waste disposal. <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 2020, 326, 137-145.	0.7	0
40	Immobilization of iodine waste in B <sub>2</sub> O <sub>3</sub> -Bi <sub>2</sub> O <sub>3</sub> -ZnO based materials: maximum solid solubility. <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 2020, 326, 1447-1456.	0.7	3
41	B <sub>2</sub> O <sub>3</sub> -Bi <sub>2</sub> O <sub>3</sub> -ZnO based materials for low-sintering temperature immobilization of iodine adsorbed waste. <i>Journal of Solid State Chemistry</i> , 2020, 289, 121518.	1.4	31
42	Bifunctional Phosphorylcholine-Modified Adsorbent with Enhanced Selectivity and Antibacterial Property for Recovering Uranium from Seawater. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 16959-16968.	4.0	48
43	Immobilization of simulated An <sup>4+</sup> in radioactive contaminated clay via microwave sintering. <i>Materials Chemistry and Physics</i> , 2020, 254, 123534.	2.0	5
44	The effect of boron on zeolite-4A immobilization of iodine waste forms with a novel preparation method. <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 2020, 324, 579-587.	0.7	30
45	Rapid vitrification of uranium-contaminated soil: Effect and mechanism. <i>Environmental Pollution</i> , 2020, 263, 114539.	3.7	42
46	Simulated self-irradiation effects of Gd <sub>2</sub> Ce <sub>2</sub> O <sub>7</sub> nuclear waste form. <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 2020, 324, 271-276.	0.7	5
47	Immobilization of simulated waste into pure Gd <sub>2</sub> Zr <sub>2</sub> O <sub>7</sub> pyrochlore without space occupancy design. <i>Journal of the American Ceramic Society</i> , 2020, 103, 4700-4712.	1.9	6
48	Enhanced marine applicability of adsorbent for uranium via synergy of hyperbranched poly(amido) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	6.6	86
49	Solubility of Sr <sup>2+</sup> in the Gd <sub>2</sub> Zr <sub>2</sub> O <sub>7</sub> ceramics via appropriate occupation designs. <i>Journal of Alloys and Compounds</i> , 2019, 808, 151563.	2.8	7
50	Boron assisted low temperature immobilization of iodine adsorbed by silver-coated silica gel. <i>Journal of Nuclear Materials</i> , 2019, 526, 151758.	1.3	32
51	Chemical behavior of uranium contaminated soil solidified by microwave sintering. <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 2019, 322, 2109-2117.	0.7	12
52	Microwave irradiation reinforcement of weak muddy intercalation in slope. <i>Applied Clay Science</i> , 2019, 183, 105324.	2.6	9
53	Experimental investigation on structural evolution of granite at high temperature induced by microwave irradiation. <i>Mineralogy and Petrology</i> , 2019, 113, 745-754.	0.4	35
54	Rapid immobilization of complex simulated radionuclides by as-prepared Gd <sub>2</sub> Zr <sub>2</sub> O <sub>7</sub> ceramics without structural design. <i>Journal of Nuclear Materials</i> , 2019, 526, 151782.	1.3	22

#	ARTICLE	IF	CITATIONS
55	Porous NiFe-oxide nanocubes derived from prussian blue analogue as efficient adsorbents for the removal of toxic metal ions and organic dyes. <i>Journal of Hazardous Materials</i> , 2019, 379, 120786.	6.5	53
56	Atomic configurations of basal stacking faults and dislocation loops in GaN irradiated with Xe <sup>20+</sup> ions at room temperature. <i>Applied Surface Science</i> , 2019, 486, 15-21.	3.1	10
57	Microwave vitrification of uranium-contaminated soil for nuclear test site and chemical stability. <i>Ceramics International</i> , 2019, 45, 13334-13339.	2.3	23
58	Alpha-radiation effects of Gd <sub>2</sub> Zr <sub>2</sub> O <sub>7</sub> bearing simulated multi-nuclides. <i>Journal of the Australian Ceramic Society</i> , 2019, 55, 831-836.	1.1	5
59	Rapid vitrification of simulated Sr <sup>2+</sup> radioactive contaminated soil for nuclear emergencies. <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 2019, 319, 115-121.	0.7	13
60	Heavy-ion irradiation effects on Gd <sub>2</sub> Zr <sub>2</sub> O <sub>7</sub> ceramics bearing complex nuclear waste. <i>Journal of Alloys and Compounds</i> , 2019, 771, 973-979.	2.8	21
61	Rapid fabrication and phase transition of Nd and Ce co-doped Gd <sub>2</sub> Zr <sub>2</sub> O <sub>7</sub> ceramics by SPS. <i>Journal of the European Ceramic Society</i> , 2018, 38, 2863-2870.	2.8	33
62	Helium ion irradiation effects on neodymium and cerium co-doped Gd <sub>2</sub> Zr <sub>2</sub> O <sub>7</sub> pyrochlore ceramic. <i>Journal of Rare Earths</i> , 2018, 36, 398-403.	2.5	9
63	Effects of heavy-ion irradiation on Gd <sub>2</sub> Zr <sub>2</sub> O <sub>7</sub> bearing simulated TRPO waste. <i>Ceramics International</i> , 2018, 44, 14020-14025.	2.3	2
64	Microstructure evolution of rapidly fabricated Gd <sub>2</sub> -Nd Zr <sub>2</sub> O <sub>7</sub> (0.0 x 2.0) by spark plasma sintering. <i>Ceramics International</i> , 2018, 44, 2458-2462.	2.3	17
65	Effects of alpha irradiation on Nd <sub>2</sub> Zr <sub>2</sub> O <sub>7</sub> matrix for nuclear waste forms. <i>Journal of the Australian Ceramic Society</i> , 2018, 54, 33-38.	1.1	6
66	Radiation stability of Gd <sub>2</sub> Zr <sub>2</sub> O <sub>7</sub> and Nd <sub>2</sub> Ce <sub>2</sub> O <sub>7</sub> ceramics as nuclear waste forms. <i>Ceramics International</i> , 2018, 44, 760-765.	2.3	30
67	Immobilisation of nuclear waste by microwave sintering with a natural magmatic rock. <i>Philosophical Magazine Letters</i> , 2018, 98, 155-160.	0.5	10
68	Spectroscopic Investigation of Enhanced Adsorption of U(VI) and Eu(III) on Magnetic Attapulgite in Binary System. <i>Industrial &amp; Engineering Chemistry Research</i> , 2018, 57, 7533-7543.	1.8	32
69	Rapid synthesis and chemical durability of Gd <sub>2</sub> Zr <sub>2</sub> -Ce O <sub>7</sub> via SPS for nuclear waste forms. <i>Ceramics International</i> , 2018, 44, 20306-20310.	2.3	24
70	Chemical stability of Ce-doped zircon ceramics: Influence of pH, temperature and their coupling effects. <i>Journal of Rare Earths</i> , 2017, 35, 164-171.	2.5	27
71	Rapid immobilization of simulated radioactive soil waste by microwave sintering. <i>Journal of Hazardous Materials</i> , 2017, 337, 20-26.	6.5	52
72	Microstructure and performance studies of (Mo, Ru, Pd, Zr) tetra-doped gadolinium zirconate pyrochlore. <i>Advances in Applied Ceramics</i> , 2017, 116, 272-277.	0.6	15

#	ARTICLE	IF	CITATIONS
73	Rapid synthesis of high densified single phase ceramic Gd <sub>2</sub> Zr <sub>2</sub> O <sub>7</sub> by spark plasma sintering. Materials Letters, 2017, 196, 403-405.	1.3	31
74	High capacity immobilization of U <sub>3</sub> O <sub>8</sub> in Gd <sub>2</sub> Zr <sub>2</sub> O <sub>7</sub> ceramics via appropriate occupation designs. Ceramics International, 2017, 43, 3015-3024.	2.3	16
75	Effect of alpha-particles irradiation on the phase evolution and chemical stability of Nd-doped zircon ceramics. Journal of Alloys and Compounds, 2017, 729, 483-491.	2.8	13
76	Vitrification of radioactive contaminated soil by means of microwave energy. AIP Conference Proceedings, 2017, , .	0.3	3
77	Helium ions <sup>+</sup> irradiation effects on Gd <sub>2</sub> Zr <sub>2</sub> O <sub>7</sub> ceramics holding complex simulated radionuclides. Journal of Radioanalytical and Nuclear Chemistry, 2017, 314, 2113-2122.	0.7	2
78	Alpha-particle irradiation effects on uranium-bearing Gd <sub>2</sub> Zr <sub>2</sub> O <sub>7</sub> ceramics for nuclear waste forms. Journal of the European Ceramic Society, 2017, 37, 779-785.	2.8	25
79	Solubilization of Pu-239 in Low-level Radioactive Contaminated Soil by the Addition of Microbial Leaching Solution of Acidithiobacillus Ferooxidans. Procedia Environmental Sciences, 2016, 31, 280-287.	1.3	1
80	Design and fabrication of Gd <sub>2</sub> Zr <sub>2</sub> O <sub>7</sub> -based waste forms for U <sub>3</sub> O <sub>8</sub> immobilization in high capacity. Journal of Materials Science, 2016, 51, 5281-5289.	1.7	34
81	Rapid and efficient disposal of radioactive contaminated soil using microwave sintering method. Materials Letters, 2016, 175, 165-168.	1.3	34
82	The Immobilization of Triuranium Octoxide by Gadolinium Zirconate. Nuclear Technology, 2016, 193, 430-433.	0.7	3
83	Nd and Ce simultaneous substitution driven structure modifications in Gd <sub>2-2x</sub> Nd <sub>x</sub> Zr <sub>2-2y</sub> Ce <sub>y</sub> O <sub>7</sub> . Journal of the European Ceramic Society, 2015, 35, 1847-1853.	2.8	32
84	Phase evolution and chemical durability of co-doped Gd <sub>2</sub> Zr <sub>2</sub> O <sub>7</sub> ceramics for nuclear waste forms. Ceramics International, 2015, 41, 6344-6349.	2.3	48
85	Structure and performance evolution of the system (Gd <sub>1-x</sub> Nd <sub>x</sub> ) <sub>2</sub> (Zr <sub>1-y</sub> Ce <sub>y</sub> ) <sub>2</sub> O <sub>7</sub> (0 ≤ x, y ≤ 1.0). Journal of the European Ceramic Society, 2015, 35, 3095-3102.	2.8	46
86	Preparation and heavy-ion irradiation effects of Gd <sub>2-x</sub> Ce <sub>x</sub> Zr <sub>2-2x</sub> O <sub>7</sub> ceramics. RSC Advances, 2015, 5, 64247-64253.	1.7	18
87	Phase evolution and microstructure studies on Nd <sup>3+</sup> and Ce <sup>4+</sup> co-doped zircon ceramics. Journal of the European Ceramic Society, 2015, 35, 2153-2161.	2.8	34
88	Phase evolution and chemical durability of Nd-doped zircon ceramics designed to immobilize trivalent actinides. Ceramics International, 2015, 41, 10044-10050.	2.3	34
89	Phase structure and aqueous stability of TRPO waste incorporation into Gd <sub>2</sub> Zr <sub>2</sub> O <sub>7</sub> pyrochlore. Ceramics International, 2015, 41, 11741-11747.	2.3	46
90	Fabrication and phase transition of Gd <sub>2</sub> Zr <sub>2</sub> O <sub>7</sub> ceramics immobilized various simulated radionuclides. Journal of Nuclear Materials, 2015, 456, 467-470.	1.3	28

#	ARTICLE	IF	CITATIONS
91	Rapid synthesis of single phase Gd <sub>2</sub> Zr <sub>2</sub> O <sub>7</sub> pyrochlore waste forms by microwave sintering. Ceramics International, 2014, 40, 13191-13194.	2.3	21
92	High capacity immobilization of TRPO waste by Gd <sub>2</sub> Zr <sub>2</sub> O <sub>7</sub> pyrochlore. Materials Letters, 2014, 136, 1-3.	1.3	24
93	Phase and rietveld refinement of pyrochlore Gd <sub>2</sub> Zr <sub>2</sub> O <sub>7</sub> used for immobilization of Pu (IV). Journal Wuhan University of Technology, Materials Science Edition, 2014, 29, 233-236.	0.4	3
94	Investigation of mechanical and thermodynamic properties of La <sub>2</sub> Zr <sub>2</sub> O <sub>7</sub> pyrochlore. International Journal of Energy Research, 0, , .	2.2	1