
Agostina L Capodilupo

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9457947/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Synthesis and Investigation of Electro-Optical Properties of H-Shape Dibenzofulvene Derivatives. Molecules, 2022, 27, 1091.	1.7	3
2	Colloidal Bismuth Chalcohalide Nanocrystals. Angewandte Chemie, 2022, 134, .	1.6	5
3	Colloidal Bismuth Chalcohalide Nanocrystals. Angewandte Chemie - International Edition, 2022, 61, .	7.2	17
4	Correlating the chemical structure and charge transport ability of dibenzofulvene-based hole transporting materials for stable perovskite solar cells. Journal of Materials Chemistry C, 2022, 10, 5981-5993.	2.7	4
5	Control of Electron Transfer Processes in Multidimensional Arylamine-Based Mixed-Valence Compounds by Molecular Backbone Design. Journal of Physical Chemistry A, 2021, 125, 7840-7851.	1.1	7
6	Studies of novel trifluoroacetylated diaryl hydrazone molecular photoswitches in solution and in the solid state. New Journal of Chemistry, 2021, 45, 12471-12478.	1.4	2
7	UiO-67-derived bithiophene and bithiazole MIXMOFs for luminescence sensing and removal of contaminants of emerging concern in wastewater. Inorganic Chemistry Frontiers, 2021, 9, 90-102.	3.0	3
8	Mixed-Valence Compounds as a New Route for Electrochromic Devices with High Coloration Efficiency in the Whole Vis-NIR Region. Applied Sciences (Switzerland), 2020, 10, 8372.	1.3	12
9	Arylamino-fluorene derivatives: Optically induced electron transfer investigation, redox-controlled modulation of absorption and fluorescence. Dyes and Pigments, 2020, 177, 108325.	2.0	17
10	Tailoring of the self-assembled structures and optical waveguide behaviour of arylaminofluorenone derivatives. Dyes and Pigments, 2019, 171, 107780.	2.0	2
11	Stable Ligand Coordination at the Surface of Colloidal CsPbBr ₃ Nanocrystals. Journal of Physical Chemistry Letters, 2019, 10, 3715-3726.	2.1	77
12	High-Performance Electrofluorochromic Switching Devices Using a Novel Arylamine-Fluorene Redox-Active Fluorophore. ACS Applied Materials & Interfaces, 2019, 11, 12202-12208.	4.0	38
13	Colorless to All-Black Full-NIR High-Contrast Switching in Solid Electrochromic Films Prepared with Organic Mixed Valence Systems Based on Dibenzofulvene Derivatives. Chemistry of Materials, 2018, 30, 5610-5620.	3.2	68
14	Effects of donor position on dibenzofulvene-based organic dyes for photovoltaics. Journal of Materials Science: Materials in Electronics, 2017, 28, 8694-8707.	1.1	8
15	Orthogonal electronic coupling in multicentre arylamine mixed-valence compounds based on a dibenzofulvene–thiophene conjugated bridge. Chemical Communications, 2017, 53, 8960-8963.	2.2	19
16	Photodynamic activity of thiophene-derived lysosome-specific dyes. Journal of Photochemistry and Photobiology B: Biology, 2016, 158, 16-22.	1.7	7
17	A series of diphenylamine-fluorenone derivatives as potential fluorescent probes for neuroblastoma cell staining. Tetrahedron, 2016, 72, 2920-2928.	1.0	17
18	Synthesis and photovoltaic performance of dibenzofulvene-based organic sensitizers for DSSC. Tetrahedron, 2016, 72, 5788-5797.	1.0	5

#	Article	IF	CITATIONS
19	[1]Benzothieno[3,2- <i>b</i>]benzothiophene-Based Organic Dyes for Dye-Sensitized Solar Cells. Journal of Organic Chemistry, 2016, 81, 3235-3245.	1.7	52
20	Synthesis and characterization of a new series of dibenzofulvene based organic dyes for DSSCs. Dyes and Pigments, 2016, 130, 79-89.	2.0	26
21	Efficient, Green Non-Aqueous Microwave-Assisted Synthesis of Anatase TiO2 and Pt Loaded TiO2 Nanorods with High Photocatalytic Performance. Nanomaterials and Nanotechnology, 2015, 5, 31.	1.2	8
22	Enhanced Photocatalytic Activity of Pure Anatase Tio2 and Pt-Tio2 Nanoparticles Synthesized by Green Microwave Assisted Route. Materials Research, 2015, 18, 473-481.	0.6	71
23	Facile preparation of TiO2–polyvinyl alcohol hybrid nanoparticles with improved visible light photocatalytic activity. Applied Surface Science, 2015, 331, 292-298.	3.1	37
24	Design and synthesis of fluorenone-based dyes: two-photon excited fluorescent probes for imaging of lysosomes and mitochondria in living cells. Journal of Materials Chemistry B, 2015, 3, 3315-3323.	2.9	50
25	Thiophene-based fluorescent probes with low cytotoxicity and high photostability for lysosomes in living cells. Biochimica Et Biophysica Acta - General Subjects, 2015, 1850, 385-392.	1.1	14
26	Microwave-Assisted Synthesis of Boron-Modified TiO2 Nanocrystals. Inorganics, 2014, 2, 264-277.	1.2	14
27	New organic dyes based on a dibenzofulvene bridge for highly efficient dye-sensitized solar cells. Journal of Materials Chemistry A, 2014, 2, 14181-14188.	5.2	31
28	Synthesis of Ultrafine Anatase Titanium Dioxide (TiO ₂) Nanocrystals by the Microwave-Solvothermal Method. Journal of Nanoengineering and Nanomanufacturing, 2014, 4, 28-32.	0.3	10
29	Fluorine–thiophene-substituted organic dyes for dye sensitized solar cells. Journal of Materials Chemistry A, 2013, 1, 11909.	5.2	25
30	A reassessment of the association between azulene and [60]fullerene. Possible pitfalls in the determination of binding constants through fluorescence spectroscopy. Chemical Communications, 2008, , 4744.	2.2	107
31	Weighting non-covalent forces in the molecular recognition of C60. Relevance of concave–convex complementarity. Chemical Communications, 2008, , 4567.	2.2	71
32	Metalloporphyrins as molecular precursors of electroactive hybrids: A characterization of their actual electronic states on Si(100) and (111) by AFM and XPS. Materials Science and Engineering C, 2007, 27, 1351-1354.	3.8	12
33	A New and Simply Available Class of Hydrosoluble Bioconjugates by Coupling Paclitaxel to Hyaluronic Acid through a 4-Hydroxybutanoic Acid Derived Linker. Helvetica Chimica Acta, 2005, 88, 154-159.	1.0	24