

Juan Jess Carrero

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9461610/juan-jesus-carrero-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

308
papers

23,946
citations

59
h-index

152
g-index

368
ext. papers

35,265
ext. citations

6.1
avg, IF

6.5
L-index

#	Paper	IF	Citations
308	The Stockholm CREATinine Measurements (SCREAM) project: Fostering improvements in chronic kidney disease care.. <i>Journal of Internal Medicine</i> , 2022 ,	10.8	1
307	Cost of End-of-Life Inpatient Encounters in Patients with Chronic Kidney Disease in the United States: A Report from the DISCOVER CKD Retrospective Cohort.. <i>Advances in Therapy</i> , 2022 , 39, 1432	4.1	0
306	Nephrologists' Perspectives on Gender Disparities in CKD and Dialysis.. <i>Kidney International Reports</i> , 2022 , 7, 424-435	4.1	1
305	Sex-Specific Differences in Mortality and Incident Dialysis in the Chronic Kidney Disease Outcomes and Practice Patterns Study.. <i>Kidney International Reports</i> , 2022 , 7, 410-423	4.1	2
304	Reply to the letter regarding the article 'Stopping mineralocorticoid receptor antagonists after hyperkalaemia: trial emulation in data from routine care'. <i>European Journal of Heart Failure</i> , 2022 ,	12.3	
303	Use of nephrotoxic medications in adults with chronic kidney disease in Swedish and US routine care.. <i>CKJ: Clinical Kidney Journal</i> , 2022 , 15, 442-451	4.5	1
302	Stopping renin-angiotensin system inhibitors after hyperkalemia and risk of adverse outcomes. <i>American Heart Journal</i> , 2022 , 243, 177-186	4.9	2
301	Fiber intake and health in people with chronic kidney disease.. <i>CKJ: Clinical Kidney Journal</i> , 2022 , 15, 213-225	4.5	0
300	Patterns of chronic and transient hyperkalaemia and clinically important outcomes in patients with chronic kidney disease.. <i>CKJ: Clinical Kidney Journal</i> , 2022 , 15, 153-161	4.5	2
299	Kidney Function, Kidney Replacement Therapy, and Mortality in Men and Women.. <i>Kidney International Reports</i> , 2022 , 7, 444-454	4.1	0
298	Using Structural Equation Modeling to Untangle Pathways of Risk Factors Associated with Incident Type 2 Diabetes: the Lifelines Cohort Study.. <i>Prevention Science</i> , 2022 , 1	4	0
297	Lipid-lowering treatment intensity, persistence, adherence and goal attainment in patients with coronary heart disease. <i>American Heart Journal</i> , 2022 , 251, 78-78	4.9	0
296	Sex Differences in Kidney Transplantation: Austria and the United States, 1978-2018.. <i>Frontiers in Medicine</i> , 2021 , 8, 800933	4.9	0
295	Stopping Renin-Angiotensin System Inhibitors in Patients with Advanced CKD and Risk of Adverse Outcomes: A Nationwide Study. <i>Journal of the American Society of Nephrology: JASN</i> , 2021 , 32, 424-435	12.7	14
294	Hospitalisation events in people with chronic kidney disease as a component of multimorbidity: parallel cohort studies in research and routine care settings. <i>BMC Medicine</i> , 2021 , 19, 278	11.4	2
293	GLP-1 receptor agonist versus DPP-4 inhibitor and kidney and cardiovascular outcomes in clinical practice in type-2 diabetes. <i>Kidney International</i> , 2021 ,	9.9	2
292	Timing of dialysis initiation to reduce mortality and cardiovascular events in advanced chronic kidney disease: nationwide cohort study. <i>BMJ, The</i> , 2021 , 375, e066306	5.9	2

291	Pharmacoepidemiology for nephrologists (part 1): concept, applications and considerations for study design. <i>CKJ: Clinical Kidney Journal</i> , 2021 , 14, 1307-1316	4.5	2
290	Pharmacoepidemiology for nephrologists (part 2): potential biases and how to overcome them. <i>CKJ: Clinical Kidney Journal</i> , 2021 , 14, 1317-1326	4.5	8
289	Glucagon-like peptide-1 receptor agonists and the risk of cardiovascular events in diabetes patients surviving an acute myocardial infarction. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2021 , 7, 104-111	6.4	7
288	Evolution of body composition and wasting indicators by time of day of haemodialysis. <i>Nephrology Dialysis Transplantation</i> , 2021 , 36, 346-354	4.3	1
287	Does dietary potassium intake associate with hyperkalemia in patients with chronic kidney disease?. <i>Nephrology Dialysis Transplantation</i> , 2021 , 36, 2049-2057	4.3	16
286	Validation of risk scores for ischaemic stroke in atrial fibrillation across the spectrum of kidney function. <i>European Heart Journal</i> , 2021 , 42, 1476-1485	9.5	7
285	Use of sodium-glucose co-transporter 2 inhibitors in patients with heart failure and type 2 diabetes mellitus: data from the Swedish Heart Failure Registry. <i>European Journal of Heart Failure</i> , 2021 , 23, 1012-1022	12.3	10
284	Sex- and Gender-Based Pharmacological Response to Drugs. <i>Pharmacological Reviews</i> , 2021 , 73, 730-762	22.5	27
283	Stress Related Disorders and the Risk of Kidney Disease. <i>Kidney International Reports</i> , 2021 , 6, 706-715	4.1	4
282	Cloth Masks May Prevent Transmission of COVID-19. <i>Annals of Internal Medicine</i> , 2021 , 174, 580	8	
281	Methods and rationale of the DISCOVER CKD global observational study. <i>CKJ: Clinical Kidney Journal</i> , 2021 , 14, 1570-1578	4.5	1
280	Separate and combined effects of individual and neighbourhood socio-economic disadvantage on health-related lifestyle risk factors: a multilevel analysis. <i>International Journal of Epidemiology</i> , 2021 , ,	7.8	3
279	Multimorbidity and the risk of major adverse kidney events: findings from the UK Biobank cohort. <i>CKJ: Clinical Kidney Journal</i> , 2021 , 14, 2409-2419	4.5	1
278	ESPEN guideline on clinical nutrition in hospitalized patients with acute or chronic kidney disease. <i>Clinical Nutrition</i> , 2021 , 40, 1644-1668	5.9	18
277	Comparative Effectiveness of Renin-Angiotensin System Inhibitors and Calcium Channel Blockers in Individuals With Advanced CKD: A Nationwide Observational Cohort Study. <i>American Journal of Kidney Diseases</i> , 2021 , 77, 719-729.e1	7.4	8
276	Burden and causes of hospital admissions and readmissions in patients undergoing hemodialysis and peritoneal dialysis: a nationwide study. <i>Journal of Nephrology</i> , 2021 , 34, 1949-1959	4.8	0
275	Optimizing Diet to Slow CKD Progression. <i>Frontiers in Medicine</i> , 2021 , 8, 654250	4.9	7
274	Secular trends in hip fracture incidence and subsequent mortality in dialysis patients and the general population in Sweden. <i>Bone</i> , 2021 , 147, 115909	4.7	

273	Effect of nutritional support on nutritional status and inflammation in malnourished patients undergoing maintenance hemodialysis. <i>Hemodialysis International</i> , 2021 , 25, 532-540	1.7	1
272	Alpha-1 adrenergic receptor antagonists to prevent hyperinflammation and death from lower respiratory tract infection. <i>ELife</i> , 2021 , 10,	8.9	7
271	Net Endogenous Acid Excretion and Kidney Allograft Outcomes. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2021 , 16, 1398-1406	6.9	2
270	Stopping mineralocorticoid receptor antagonists after hyperkalaemia: trial emulation in data from routine care. <i>European Journal of Heart Failure</i> , 2021 , 23, 1698-1707	12.3	7
269	Treatment practices and outcomes in incident peritoneal dialysis patients: the Swedish Renal Registry 2006-2015.. <i>CKJ: Clinical Kidney Journal</i> , 2021 , 14, 2539-2547	4.5	
268	Clinical Management of Hyperkalemia. <i>Mayo Clinic Proceedings</i> , 2021 , 96, 744-762	6.4	23
267	Nutritional status, hyperkalaemia and attainment of energy/protein intake targets in haemodialysis patients following plant-based diets: a longitudinal cohort study. <i>Nephrology Dialysis Transplantation</i> , 2021 , 36, 681-688	4.3	7
266	Effects of a resistance training program in kidney transplant recipients: A randomized controlled trial. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2021 , 31, 473-479	4.6	4
265	Kidney disease and mortality in patients with respiratory tract infections: a systematic review and meta-analysis. <i>CKJ: Clinical Kidney Journal</i> , 2021 , 14, 602-611	4.5	4
264	Modifiable Lifestyle Factors for Primary Prevention of CKD: A Systematic Review and Meta-Analysis. <i>Journal of the American Society of Nephrology: JASN</i> , 2021 , 32, 239-253	12.7	22
263	Arteriovenous access placement and renal function decline. <i>Nephrology Dialysis Transplantation</i> , 2021 , 36, 275-280	4.3	2
262	Secondary hyperparathyroidism and adverse health outcomes in adults with chronic kidney disease. <i>CKJ: Clinical Kidney Journal</i> , 2021 , 14, 2213-2220	4.5	8
261	Dietary Factors and Prevention: Risk of End-Stage Kidney Disease by Fruit and Vegetable Consumption. <i>American Journal of Nephrology</i> , 2021 , 52, 356-367	4.6	4
260	Comparative effectiveness of bisoprolol and carvedilol among patients receiving maintenance hemodialysis. <i>CKJ: Clinical Kidney Journal</i> , 2021 , 14, 983-990	4.5	3
259	Disorders in bone-mineral parameters and the risk of death in persons with chronic kidney disease stages 4 and 5: the PECERA study. <i>Journal of Nephrology</i> , 2021 , 34, 1189-1199	4.8	4
258	Nutritional status improvement in elderly CKD patients: a systematic review. <i>International Urology and Nephrology</i> , 2021 , 53, 1603-1621	2.3	
257	Adaptation of the Charlson Comorbidity Index for Register-Based Research in Sweden. <i>Clinical Epidemiology</i> , 2021 , 13, 21-41	5.9	12
256	Dietary intake in adults on hemodialysis compared with guideline recommendations. <i>Journal of Nephrology</i> , 2021 , 34, 1999-2007	4.8	1

255	Factors affecting pre-end-stage kidney disease haemoglobin control and outcomes following dialysis initiation: a nationwide study. <i>CKJ: Clinical Kidney Journal</i> , 2021 , 14, 1780-1788	4.5	2
254	Blood lipids-related dietary patterns derived from reduced rank regression are associated with incident type 2 diabetes. <i>Clinical Nutrition</i> , 2021 , 40, 4712-4719	5.9	1
253	Lifestyle interventions for preventing and ameliorating CKD in primary and secondary care. <i>Current Opinion in Nephrology and Hypertension</i> , 2021 , 30, 538-546	3.5	1
252	Healthy Lifestyle and Mortality Among Adults Receiving Hemodialysis: The DIET-HD Study. <i>American Journal of Kidney Diseases</i> , 2021 ,	7.4	1
251	Albuminuria Testing in Hypertension and Diabetes: An Individual-Participant Data Meta-Analysis in a Global Consortium. <i>Hypertension</i> , 2021 , 78, 1042-1052	8.5	5
250	Global Burden of Cardiovascular Diseases and Risk Factors, 1990-2019: Update From the GBD 2019 Study. <i>Journal of the American College of Cardiology</i> , 2020 , 76, 2982-3021	15.1	922
249	Bisphosphonate utilization across the spectrum of eGFR. <i>Archives of Osteoporosis</i> , 2020 , 15, 69	2.9	3
248	Contemporary management of anaemia, erythropoietin resistance and cardiovascular risk in patients with advanced chronic kidney disease: a nationwide analysis. <i>CKJ: Clinical Kidney Journal</i> , 2020 , 13, 821-827	4.5	4
247	Plant-based diets to manage the risks and complications of chronic kidney disease. <i>Nature Reviews Nephrology</i> , 2020 , 16, 525-542	14.9	47
246	Plant-based diets, insulin sensitivity and inflammation in elderly men with chronic kidney disease. <i>Journal of Nephrology</i> , 2020 , 33, 1091-1101	4.8	10
245	Global, Regional, and National Burden of Calcific Aortic Valve and Degenerative Mitral Valve Diseases, 1990-2017. <i>Circulation</i> , 2020 , 141, 1670-1680	16.7	54
244	Association between potassium level and outcomes in heart failure with reduced ejection fraction: a cohort study from the Swedish Heart Failure Registry. <i>European Journal of Heart Failure</i> , 2020 , 22, 1390-1398 ¹⁵	12.3	15
243	Global, regional, and national burden of chronic kidney disease, 1990-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2020 , 395, 709-733	40	1021
242	Incident Hospitalization with Major Cardiovascular Diseases and Subsequent Risk of ESKD: Implications for Cardiorenal Syndrome. <i>Journal of the American Society of Nephrology: JASN</i> , 2020 , 31, 405-414	12.7	17
241	Major fractures after initiation of dialysis: Incidence, predictors and association with mortality. <i>Bone</i> , 2020 , 133, 115242	4.7	10
240	Falls in older aged adults in 22 European countries: incidence, mortality and burden of disease from 1990 to 2017. <i>Injury Prevention</i> , 2020 , 26, i67-i74	3.2	17
239	Sex differences in chronic kidney disease awareness among US adults, 1999 to 2018. <i>PLoS ONE</i> , 2020 , 15, e0243431	3.7	5
238	Effect of Phosphate-Specific Diet Therapy on Phosphate Levels in Adults Undergoing Maintenance Hemodialysis: A Systematic Review and Meta-Analysis. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2020 , 16, 107-120	6.9	6

237	Association Between Implementation Of Novel Therapies And Improved Survival In Patients Starting Hemodialysis: The Swedish Renal Registry 2006-2015. <i>Nephrology Dialysis Transplantation</i> , 2020 ,	4.3	1
236	Growth differentiation factor 15 (GDF-15) is a potential biomarker of both diabetic kidney disease and future cardiovascular events in cohorts of individuals with type 2 diabetes: a proteomics approach. <i>Uppsala Journal of Medical Sciences</i> , 2020 , 125, 37-43	2.8	15
235	Long-term Renal Effects of Proton Pump Inhibitor Use. <i>Gastroenterology</i> , 2020 , 158, 1173-1174	13.3	1
234	SWEDHEART-1-year data show no benefit of newer generation drug-eluting stents over bare-metal stents in patients with severe kidney dysfunction following percutaneous coronary intervention. <i>Coronary Artery Disease</i> , 2020 , 31, 49-58	1.4	1
233	Glycemic Control and the Risk of Acute Kidney Injury in Patients With Type 2 Diabetes and Chronic Kidney Disease: Parallel Population-Based Cohort Studies in U.S. and Swedish Routine Care. <i>Diabetes Care</i> , 2020 , 43, 2975-2982	14.6	10
232	Association Between EBlocker Use and Mortality/Morbidity in Patients With Heart Failure With Reduced, Midrange, and Preserved Ejection Fraction and Advanced Chronic Kidney Disease. <i>Circulation: Heart Failure</i> , 2020 , 13, e007180	7.6	4
231	KDOQI Clinical Practice Guideline for Nutrition in CKD: 2020 Update. <i>American Journal of Kidney Diseases</i> , 2020 , 76, S1-S107	7.4	264
230	Creatinine and C-reactive protein in amyotrophic lateral sclerosis, multiple sclerosis and Parkinson's disease. <i>Brain Communications</i> , 2020 , 2, fcaa152	4.5	5
229	Acceleration of kidney function decline after incident hospitalization with cardiovascular disease: the Stockholm CREATinine Measurements (SCREAM) project. <i>European Journal of Heart Failure</i> , 2020 , 22, 1790-1799	12.3	8
228	Medical Nutritional Therapy for Patients with Chronic Kidney Disease not on Dialysis: The Low Protein Diet as a Medication. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	5
227	Kidney function and the risk of heart failure in patients with new-onset atrial fibrillation. <i>International Journal of Cardiology</i> , 2020 , 320, 101-105	3.2	3
226	Incidence of Fractures Before and After Dialysis Initiation. <i>Journal of Bone and Mineral Research</i> , 2020 , 35, 2372-2380	6.3	3
225	EBlocker dialyzability and the risk of mortality and cardiovascular events in patients undergoing hemodialysis. <i>Nephrology Dialysis Transplantation</i> , 2020 , 35, 1959-1965	4.3	2
224	Stopping renin-angiotensin system blockers after acute kidney injury and risk of adverse outcomes: parallel population-based cohort studies in English and Swedish routine care. <i>BMC Medicine</i> , 2020 , 18, 195	11.4	8
223	Fractures after kidney transplantation: Incidence, predictors, and association with mortality. <i>Bone</i> , 2020 , 140, 115554	4.7	7
222	Forgotten Technology in the COVID-19 Pandemic: Filtration Properties of Cloth and Cloth Masks-A Narrative Review. <i>Mayo Clinic Proceedings</i> , 2020 , 95, 2204-2224	6.4	29
221	Cardiovascular disease risk assessment in patients with familial Mediterranean fever related renal amyloidosis. <i>Scientific Reports</i> , 2020 , 10, 18374	4.9	2
220	Sex and gender: modifiers of health, disease, and medicine. <i>Lancet, The</i> , 2020 , 396, 565-582	40	347

219	Short- and long-term outcomes after incident pneumonia in adults with chronic kidney disease: a time-dependent analysis from the Stockholm CREATinine Measurement project. <i>Nephrology Dialysis Transplantation</i> , 2020 , 35, 1894-1900	4.3	2
218	Dietary Patterns and Mortality in a Multinational Cohort of Adults Receiving Hemodialysis. <i>American Journal of Kidney Diseases</i> , 2020 , 75, 361-372	7.4	6
217	Potassium homeostasis and management of dyskalemia in kidney diseases: conclusions from a Kidney Disease: Improving Global Outcomes (KDIGO) Controversies Conference. <i>Kidney International</i> , 2020 , 97, 42-61	9.9	106
216	Initiation of sodium polystyrene sulphonate and the risk of gastrointestinal adverse events in advanced chronic kidney disease: a nationwide study. <i>Nephrology Dialysis Transplantation</i> , 2020 , 35, 1518-1526 ³²	4.3	32
215	Fractures and their sequelae in non-dialysis-dependent chronic kidney disease: the Stockholm CREATinine Measurement project. <i>Nephrology Dialysis Transplantation</i> , 2020 , 35, 1908-1915	4.3	9
214	Association between reduced kidney function and incident hypoglycaemia in people with diabetes: The Stockholm Creatinine Measurements (SCREAM) project. <i>Diabetes, Obesity and Metabolism</i> , 2020 , 22, 1425-1435	6.7	2
213	Burden of injury along the development spectrum: associations between the Socio-demographic Index and disability-adjusted life year estimates from the Global Burden of Disease Study 2017. <i>Injury Prevention</i> , 2020 , 26, i12-i26	3.2	13
212	Sex differences in chronic kidney disease awareness among US adults, 1999 to 2018 2020 , 15, e0243431		
211	Sex differences in chronic kidney disease awareness among US adults, 1999 to 2018 2020 , 15, e0243431		
210	Sex differences in chronic kidney disease awareness among US adults, 1999 to 2018 2020 , 15, e0243431		
209	Sex differences in chronic kidney disease awareness among US adults, 1999 to 2018 2020 , 15, e0243431		
208	Treatments and Mortality Trends in Cases With and Without Dialysis Who Have an Acute Myocardial Infarction: An 18-Year Nationwide Experience. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2019 , 12, e005879	5.8	10
207	Incidence of, Associations With and Prognostic Impact of Worsening Renal Function in Heart Failure With Different Ejection Fraction Categories. <i>American Journal of Cardiology</i> , 2019 , 124, 1575-1583	3	8
206	Global, Regional, and National Cancer Incidence, Mortality, Years of Life Lost, Years Lived With Disability, and Disability-Adjusted Life-Years for 29 Cancer Groups, 1990 to 2017: A Systematic Analysis for the Global Burden of Disease Study. <i>JAMA Oncology</i> , 2019 , 5, 1749-1768	13.4	888
205	Kidney Dysfunction and the Risk of Developing Aortic Stenosis. <i>Journal of the American College of Cardiology</i> , 2019 , 73, 305-314	15.1	24
204	Fruit and Vegetable Intake and Mortality in Adults undergoing Maintenance Hemodialysis. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2019 , 14, 250-260	6.9	47
203	Alterations of Fatty Acid Profile May Contribute to Dyslipidemia in Chronic Kidney Disease by Influencing Hepatocyte Metabolism. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	10
202	Depression amongst patients commencing maintenance dialysis is associated with increased risk of death and severe infections: A nationwide cohort study. <i>PLoS ONE</i> , 2019 , 14, e0218335	3.7	4

201	Risk of Hospitalization for Serious Adverse Gastrointestinal Events Associated With Sodium Polystyrene Sulfonate Use in Patients of Advanced Age. <i>JAMA Internal Medicine</i> , 2019 , 179, 1025-1033	11.5	60
200	hsCRP Level and the Risk of Death or Recurrent Cardiovascular Events in Patients With Myocardial Infarction: a Healthcare-Based Study. <i>Journal of the American Heart Association</i> , 2019 , 8, e012638	6	35
199	Higher body mass index is associated with incident diabetes and chronic kidney disease independent of genetic confounding. <i>Kidney International</i> , 2019 , 95, 1225-1233	9.9	16
198	Estimated Glomerular Filtration Rate and the Risk of Cancer. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2019 , 14, 530-539	6.9	16
197	Health effects of dietary risks in 195 countries, 1990-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2019 , 393, 1958-1972	40	1479
196	Albuminuria as a Predictor of Cardiovascular Outcomes in Patients With Acute Myocardial Infarction. <i>Journal of the American Heart Association</i> , 2019 , 8, e010546	6	10
195	Plasma potassium ranges associated with mortality across stages of chronic kidney disease: the Stockholm CREATinine Measurements (SCREAM) project. <i>Nephrology Dialysis Transplantation</i> , 2019 , 34, 1534-1541	4.3	23
194	Serum phosphate optimal timing and range associated with patients survival in haemodialysis: the COSMOS study. <i>Nephrology Dialysis Transplantation</i> , 2019 , 34, 673-681	4.3	14
193	Association of Acute Increases in Plasma Creatinine after Renin-Angiotensin Blockade with Subsequent Outcomes. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2019 , 14, 1336-1345	6.9	15
192	High-sensitivity C-reactive protein and the risk of chronic kidney disease progression or acute kidney injury in post-myocardial infarction patients. <i>American Heart Journal</i> , 2019 , 216, 20-29	4.9	17
191	Evaluating Glomerular Filtration Rate Slope as a Surrogate End Point for ESKD in Clinical Trials: An Individual Participant Meta-Analysis of Observational Data. <i>Journal of the American Society of Nephrology: JASN</i> , 2019 , 30, 1746-1755	12.7	49
190	Sex Differences in Kidney Replacement Therapy Initiation and Maintenance. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2019 , 14, 1616-1625	6.9	18
189	The Risk of Stroke and Stroke Type in Patients With Atrial Fibrillation and Chronic Kidney Disease. <i>Canadian Journal of Kidney Health and Disease</i> , 2019 , 6, 2054358119892372	2.3	3
188	Estimated GFR and Hospital-Acquired Infections Following Major Surgery. <i>American Journal of Kidney Diseases</i> , 2019 , 73, 11-20	7.4	10
187	Incidence, Predictors, and Outcome Associations of Dyskalemia in Heart Failure With Preserved, Mid-Range, and Reduced Ejection Fraction. <i>JACC: Heart Failure</i> , 2019 , 7, 65-76	7.9	32
186	Sex-specific analysis of haemodialysis prevalence, practices and mortality over time: the Austrian Dialysis Registry from 1965 to 2014. <i>Nephrology Dialysis Transplantation</i> , 2019 , 34, 1026-1035	4.3	10
185	Exercise training in kidney transplant recipients: a systematic review. <i>Journal of Nephrology</i> , 2019 , 32, 567-579	4.8	31
184	Nutrient Metabolism and Protein-Energy Wasting in Chronic Kidney Disease 2019 , 194-207.e5		

183	Causes of death across categories of estimated glomerular filtration rate: The Stockholm CREATinine Measurements (SCREAM) project. <i>PLoS ONE</i> , 2019 , 14, e0209440	3.7	6
182	Change in albuminuria and subsequent risk of end-stage kidney disease: an individual participant-level consortium meta-analysis of observational studies. <i>Lancet Diabetes and Endocrinology</i> , 2019 , 7, 115-127	18.1	114
181	Relationship of Estimated GFR and Albuminuria to Concurrent Laboratory Abnormalities: An Individual Participant Data Meta-analysis in a Global Consortium. <i>American Journal of Kidney Diseases</i> , 2019 , 73, 206-217	7.4	25
180	Fibroblast growth factor 23 is associated with fractional excretion of sodium in patients with chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2019 , 34, 2051-2057	4.3	13
179	Liberalizing the diet of patients undergoing dialysis: are we ready?. <i>Nephrology Dialysis Transplantation</i> , 2019 , 34, 180-183	4.3	4
178	Prevalence of renally inappropriate medicines in older people with renal impairment - A cross-sectional register-based study in a large primary care population. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2019 , 124, 256-265	3.1	8
177	Clinical and research implications of serum versus plasma potassium measurements. <i>European Journal of Heart Failure</i> , 2019 , 21, 536-537	12.3	9
176	Circulating proteins as predictors of cardiovascular mortality in end-stage renal disease. <i>Journal of Nephrology</i> , 2019 , 32, 111-119	4.8	24
175	Potassium levels and risk of in-hospital arrhythmias and mortality in patients admitted with suspected acute coronary syndrome. <i>International Journal of Cardiology</i> , 2019 , 274, 52-58	3.2	13
174	Dietary n-3 polyunsaturated fatty acid intake and all-cause and cardiovascular mortality in adults on hemodialysis: The DIET-HD multinational cohort study. <i>Clinical Nutrition</i> , 2019 , 38, 429-437	5.9	13
173	Chronic kidney disease and arrhythmias: conclusions from a Kidney Disease: Improving Global Outcomes (KDIGO) Controversies Conference. <i>European Heart Journal</i> , 2018 , 39, 2314-2325	9.5	104
172	Factors associated with underuse of mineralocorticoid receptor antagonists in heart failure with reduced ejection fraction: an analysis of 11 215 patients from the Swedish Heart Failure Registry. <i>European Journal of Heart Failure</i> , 2018 , 20, 1326-1334	12.3	86
171	Incidence, predictors and clinical management of hyperkalaemia in new users of mineralocorticoid receptor antagonists. <i>European Journal of Heart Failure</i> , 2018 , 20, 1217-1226	12.3	61
170	Cinacalcet use and the risk of cardiovascular events, fractures and mortality in chronic kidney disease patients with secondary hyperparathyroidism. <i>Scientific Reports</i> , 2018 , 8, 2103	4.9	17
169	Sex and gender disparities in the epidemiology and outcomes of chronic kidney disease. <i>Nature Reviews Nephrology</i> , 2018 , 14, 151-164	14.9	220
168	Predicting timing of clinical outcomes in patients with chronic kidney disease and severely decreased glomerular filtration rate. <i>Kidney International</i> , 2018 , 93, 1442-1451	9.9	67
167	Lower serum calcium is independently associated with CKD progression. <i>Scientific Reports</i> , 2018 , 8, 51484.9	4.9	10
166	Outcomes in patients treated with ticagrelor versus clopidogrel after acute myocardial infarction stratified by renal function. <i>Heart</i> , 2018 , 104, 1575-1582	5.1	16

165	Inhibiting core fucosylation attenuates glucose-induced peritoneal fibrosis in rats. <i>Kidney International</i> , 2018 , 93, 1384-1396	9.9	13
164	Serum potassium and adverse outcomes across the range of kidney function: a CKD Prognosis Consortium meta-analysis. <i>European Heart Journal</i> , 2018 , 39, 1535-1542	9.5	118
163	Mediterranean diet as the diet of choice for patients with chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2018 , 33, 725-735	4.3	63
162	Dyskalemias and adverse events associated with discharge potassium in acute myocardial infarction. <i>American Heart Journal</i> , 2018 , 205, 53-62	4.9	7
161	Association between reduced renal function and cardiovascular mortality in patients hospitalized with infection: A multi-center cohort study. <i>European Journal of Internal Medicine</i> , 2018 , 57, 32-38	3.9	2
160	SaO2 OPTIMAL PLASMA POTASSIUM RANGES FOR MORTALITY PREDICTION ACROSS CHRONIC KIDNEY DISEASE STAGES; THE STOCKHOLM CREATININE MEASUREMENTS (SCREAM) PROJECT. <i>Nephrology Dialysis Transplantation</i> , 2018 , 33, i324-i325	4.3	
159	Advanced glycation end products (AGEs) estimated by skin autofluorescence are related with cardiovascular risk in renal transplant. <i>PLoS ONE</i> , 2018 , 13, e0201118	3.7	8
158	Diagnostic Usefulness of the Protein Energy Wasting Score in Prevalent Hemodialysis Patients. <i>Journal of Renal Nutrition</i> , 2018 , 28, 428-434	3	8
157	Association Between Mineralocorticoid Receptor Antagonist Use and Outcome in Myocardial Infarction Patients With Heart Failure. <i>Journal of the American Heart Association</i> , 2018 , 7,	6	2
156	International Validation of the Thrombolysis in Myocardial Infarction (TIMI) Risk Score for Secondary Prevention in Post-MI Patients: A Collaborative Analysis of the Chronic Kidney Disease Prognosis Consortium and the Risk Validation Scientific Committee. <i>Journal of the American Heart Association</i> , 2018 , 7,	6	16
155	Incident Atrial Fibrillation and the Risk of Stroke in Adults with Chronic Kidney Disease: The Stockholm CREATinine Measurements (SCREAM) Project. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2018 , 13, 1314-1320	6.9	25
154	A real-world cohort study on the quality of potassium and creatinine monitoring during initiation of mineralocorticoid receptor antagonists in patients with heart failure. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2018 , 4, 267-273	4.6	19
153	Incident Atrial Fibrillation and the Risk of Congestive Heart Failure, Myocardial Infarction, End-Stage Kidney Disease, and Mortality Among Patients With a Decreased Estimated GFR. <i>American Journal of Kidney Diseases</i> , 2018 , 71, 191-199	7.4	22
152	Pregnancy-associated plasma protein-A predicts survival in end-stage renal disease-confounding and modifying effects of cardiovascular disease, body composition and inflammation. <i>Nephrology Dialysis Transplantation</i> , 2018 , 33, 971-977	4.3	3
151	FP341 PLASMA POTASSIUM AND THE RISK OF MORTALITY: A TIME-DEPENDENT ANALYSIS FROM THE STOCKHOLM CREATININE MEASUREMENTS (SCREAM) PROJECT. <i>Nephrology Dialysis Transplantation</i> , 2018 , 33, i146-i146	4.3	
150	Risk of hospitalization associated with body mass index and weight changes among prevalent haemodialysis patients. <i>Nefrologia</i> , 2018 , 38, 520-527	0.4	3
149	SP330 AEGFR AND THE RISK OF CANCER: THE STOCKHOLM CREATININE MEASUREMENTS (SCREAM) PROJECT. <i>Nephrology Dialysis Transplantation</i> , 2018 , 33, i455-i455	4.3	
148	Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks for 195 countries and territories, 1990-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018 , 392, 1923-1994	40	1964

147	Global, regional, and national incidence, prevalence, and years lived with disability for 354 diseases and injuries for 195 countries and territories, 1990-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018 , 392, 1789-1858	4.0	4524
146	A scheme based on ICD-10 diagnoses and drug prescriptions to stage chronic kidney disease severity in healthcare administrative records. <i>CKJ: Clinical Kidney Journal</i> , 2018 , 11, 254-258	4.5	9
145	FP630ASSOCIATION OF FRUIT AND VEGETABLE INTAKE WITH ALL-CAUSE MORTALITY IN HEMODIALYSIS PATIENTS (DIET-HD): A PROSPECTIVE COHORT STUDY. <i>Nephrology Dialysis Transplantation</i> , 2018 , 33, i255-i256	4.3	1
144	Global Prevalence of Protein-Energy Wasting in Kidney Disease: A Meta-analysis of Contemporary Observational Studies From the International Society of Renal Nutrition and Metabolism. <i>Journal of Renal Nutrition</i> , 2018 , 28, 380-392	3	93
143	FO002FIBROBLAST GROWTH FACTOR 23 IS ASSOCIATED WITH FRACTIONAL SODIUM EXCRETION IN PATIENTS WITH CHRONIC KIDNEY DISEASE. <i>Nephrology Dialysis Transplantation</i> , 2018 , 33, i1-i1	4.3	
142	Association of Kidney Function with Infections by Multidrug-Resistant Organisms: An Electronic Medical Record Analysis. <i>Scientific Reports</i> , 2018 , 8, 13372	4.9	7
141	Multiplex proteomics for prediction of major cardiovascular events in type 2 diabetes. <i>Diabetologia</i> , 2018 , 61, 1748-1757	10.3	28
140	FO063RELATIVE CONTRIBUTION OF GENETIC AND ENVIRONMENTAL FACTORS TO THE ASSOCIATION BETWEEN BODY MASS INDEX AND CHRONIC KIDNEY DISEASE: A POPULATION-BASED SWEDISH TWIN STUDY. <i>Nephrology Dialysis Transplantation</i> , 2018 , 33, i45-i45	4.3	
139	Risk of hospitalization associated with body mass index and weight changes among prevalent haemodialysis patients. <i>Nefrologia</i> , 2018 , 38, 520-527	1.5	3
138	FP662THE ASSOCIATION OF MEDITERRANEAN AND DASH DIETS WITH MORTALITY IN ADULTS ON HEMODIALYSIS: THE DIET-HD MULTINATIONAL COHORT STUDY. <i>Nephrology Dialysis Transplantation</i> , 2018 , 33, i268-i268	4.3	
137	Sa0024INCIDENCE, PREDICTORS AND CLINICAL MANAGEMENT OF HYPERKALEMIA IN NEW USERS OF MINERALOCORTICOID RECEPTOR ANTAGONISTS. <i>Nephrology Dialysis Transplantation</i> , 2018 , 33, i325-i325	4.3	1
136	Systematic underutilisation of secondary preventive drugs in patients with acute coronary syndrome and reduced renal function. <i>European Journal of Preventive Cardiology</i> , 2017 , 24, 724-734	3.9	13
135	Time in Therapeutic Range and Outcomes After Warfarin Initiation in Newly Diagnosed Atrial Fibrillation Patients With Renal Dysfunction. <i>Journal of the American Heart Association</i> , 2017 , 6,	6	41
134	Cardiac Troponins and Their Prognostic Importance in Patients with Suspected Acute Coronary Syndrome and Renal Dysfunction. <i>Clinical Chemistry</i> , 2017 , 63, 1409-1417	5.5	7
133	Hormonal changes in hemodialysis patients: Novel risk factors for mortality?. <i>Seminars in Dialysis</i> , 2017 , 30, 446-452	2.5	4
132	Low renal replacement therapy incidence among slowly progressing elderly chronic kidney disease patients referred to nephrology care: an observational study. <i>BMC Nephrology</i> , 2017 , 18, 59	2.7	10
131	Chronic Kidney Disease, Gender, and Access to Care: A Global Perspective. <i>Seminars in Nephrology</i> , 2017 , 37, 296-308	4.8	40
130	Association Between Proton Pump Inhibitor Use and Risk of Progression of Chronic Kidney Disease. <i>Gastroenterology</i> , 2017 , 153, 702-710	13.3	82

129	Comparison of the Chronic Kidney Disease Epidemiology Collaboration, the Modification of Diet in Renal Disease study and the Cockcroft-Gault equation in patients with heart failure. <i>Open Heart</i> , 2017 , 4, e000568	3	18
128	Visceral Adipose Tissue and Leptin Hyperproduction Are Associated With Hypogonadism in Men With Chronic Kidney Disease. <i>Journal of Renal Nutrition</i> , 2017 , 27, 243-248	3	8
127	Routinely measured iohexol glomerular filtration rate versus creatinine-based estimated glomerular filtration rate as predictors of mortality in patients with advanced chronic kidney disease: a Swedish Chronic Kidney Disease Registry cohort study. <i>Nephrology Dialysis Transplantation</i> , 2017 , 32, ii170-ii179	4.3	8
126	Sarcopenia and its individual criteria are associated, in part, with mortality among patients on hemodialysis. <i>Kidney International</i> , 2017 , 92, 238-247	9.9	105
125	Albuminuria changes are associated with subsequent risk of end-stage renal disease and mortality. <i>Kidney International</i> , 2017 , 91, 244-251	9.9	77
124	Hypogonadism associated with muscle atrophy, physical inactivity and ESA hyporesponsiveness in men undergoing haemodialysis. <i>Nefrologia</i> , 2017 , 37, 54-60	1.5	14
123	Healthy Dietary Patterns and Risk of Mortality and ESRD in CKD: A Meta-Analysis of Cohort Studies. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2017 , 12, 272-279	6.9	114
122	Chronic kidney disease is associated with poorer in-hospital outcomes in patients hospitalized with infections: Electronic record analysis from China. <i>Scientific Reports</i> , 2017 , 7, 11530	4.9	15
121	Outcomes associated to serum phosphate levels in patients with suspected acute coronary syndrome. <i>International Journal of Cardiology</i> , 2017 , 245, 20-26	3.2	1
120	Use of Proteomics To Investigate Kidney Function Decline over 5 Years. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2017 , 12, 1226-1235	6.9	35
119	Hyperkalemia After Initiating Renin-Angiotensin System Blockade: The Stockholm Creatinine Measurements (SCREAM) Project. <i>Journal of the American Heart Association</i> , 2017 , 6,	6	80
118	Vitamin D, a modulator of musculoskeletal health in chronic kidney disease. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2017 , 8, 686-701	10.3	52
117	Incidence and determinants of hyperkalemia and hypokalemia in a large healthcare system. <i>International Journal of Cardiology</i> , 2017 , 245, 277-284	3.2	81
116	eGFR and the Risk of Community-Acquired Infections. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2017 , 12, 1399-1408	6.9	37
115	Insulin resistance in chronic kidney disease. <i>Nephrology</i> , 2017 , 22 Suppl 4, 31-34	2.2	17
114	Use of a proximity extension assay proteomics chip to discover new biomarkers associated with albuminuria. <i>European Journal of Preventive Cardiology</i> , 2017 , 24, 340-348	3.9	11
113	Long-term versus short-term dual antiplatelet therapy was similarly associated with a lower risk of death, stroke, or infarction in patients with acute coronary syndrome regardless of underlying kidney disease. <i>Kidney International</i> , 2017 , 91, 216-226	9.9	14
112	Sarcopenia among patients receiving hemodialysis: weighing the evidence. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2017 , 8, 57-68	10.3	60

111	CKD and Risk for Hospitalization With Infection: The Atherosclerosis Risk in Communities (ARIC) Study. <i>American Journal of Kidney Diseases</i> , 2017 , 69, 752-761	7.4	70
110	As we grow old: nutritional considerations for older patients on dialysis. <i>Nephrology Dialysis Transplantation</i> , 2017 , 32, 1127-1136	4.3	15
109	Initiation of erythropoiesis-stimulating agents and outcomes: a nationwide observational cohort study in anaemic chronic kidney disease patients. <i>Nephrology Dialysis Transplantation</i> , 2017 , 32, 1892-1901	4.3	8
108	Therapeutics targeting persistent inflammation in chronic kidney disease. <i>Translational Research</i> , 2016 , 167, 204-13	11	70
107	Muscle wasting in end-stage renal disease promulgates premature death: established, emerging and potential novel treatment strategies. <i>Nephrology Dialysis Transplantation</i> , 2016 , 31, 1070-7	4.3	94
106	Sex and gender differences in chronic kidney disease: progression to end-stage renal disease and haemodialysis. <i>Clinical Science</i> , 2016 , 130, 1147-63	6.5	112
105	Prevalence and recognition of chronic kidney disease in Stockholm healthcare. <i>Nephrology Dialysis Transplantation</i> , 2016 , 31, 2086-2094	4.3	71
104	A practical approach to low protein diets in Sweden- 45 years of clinical use. <i>BMC Nephrology</i> , 2016 , 17, 89	2.7	2
103	Vasopressin-related copeptin is a novel predictor of early endothelial dysfunction in patients with adult polycystic kidney disease. <i>BMC Nephrology</i> , 2016 , 17, 196	2.7	4
102	Renal function is associated with long-term outcomes independent of degree of atherosclerosis: 6-year data from the Swedish Coronary Angiography and Angioplasty Registry. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2016 , 2, 91-98	4.6	5
101	Circulating Alpha-Tocopherol and Insulin Sensitivity Among Older Men With Chronic Kidney Disease. <i>Journal of Renal Nutrition</i> , 2016 , 26, 177-82	3	2
100	A cohort study of insulin-like growth factor 1 and mortality in haemodialysis patients. <i>CKJ: Clinical Kidney Journal</i> , 2016 , 9, 148-52	4.5	10
99	Trends in haemoglobin, erythropoietin-stimulating agents and iron use in Swedish chronic kidney disease patients between 2008 and 2013. <i>Nephrology Dialysis Transplantation</i> , 2016 , 31, 628-35	4.3	22
98	Dietary Quality and Adherence to Dietary Recommendations in Patients Undergoing Hemodialysis. <i>Journal of Renal Nutrition</i> , 2016 , 26, 190-5	3	48
97	Sensitivity and Specificity of Body Mass Index as a Marker of Obesity in Elderly Patients on Hemodialysis. <i>Journal of Renal Nutrition</i> , 2016 , 26, 65-71	3	7
96	SP296 THYROID FUNCTIONAL DISORDERS ASSOCIATED WITH MORTALITY IN CHRONIC KIDNEY DISEASE: ASYSTEMATIC REVIEW AND META-ANALYSIS. <i>Nephrology Dialysis Transplantation</i> , 2016 , 31, i187-i188	4.3	
95	SP306 PREVALENCE, DIAGNOSIS AND NEPHROLOGY CARE OF CKD IN THE REGION OF STOCKHOLM. <i>Nephrology Dialysis Transplantation</i> , 2016 , 31, i191-i192	4.3	
94	Angiotensin-Converting Enzyme Inhibitors and Angiotensin Receptor Blockers in Myocardial Infarction Patients With Renal Dysfunction. <i>Journal of the American College of Cardiology</i> , 2016 , 67, 1687-97	15.1	30

93	Dialysis modality and nutritional status are associated with variability of inflammatory markers. <i>Nephrology Dialysis Transplantation</i> , 2016 , 31, 1320-7	4.3	30
92	The Stockholm CREATinine Measurements (SCREAM) project: protocol overview and regional representativeness. <i>CKJ: Clinical Kidney Journal</i> , 2016 , 9, 119-27	4.5	58
91	Genotypic and phenotypic predictors of inflammation in patients with chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2016 , 31, 2033-2040	4.3	8
90	Germ-free and Antibiotic-treated Mice are Highly Susceptible to Epithelial Injury in DSS Colitis. <i>Journal of Crohns and Colitis</i> , 2016 , 10, 1324-1335	1.5	112
89	Screening for muscle wasting and dysfunction in patients with chronic kidney disease. <i>Kidney International</i> , 2016 , 90, 53-66	9.9	141
88	Lipophilic index, kidney function, and kidney function decline. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2016 , 26, 1096-1103	4.5	2
87	Thyroid Function Test Derangements and Mortality in Dialysis Patients: A Systematic Review and Meta-analysis. <i>American Journal of Kidney Diseases</i> , 2016 , 68, 923-932	7.4	12
86	Warfarin for Atrial Fibrillation in Patients With End-Stage Renal Disease: The Problem of Observational Studies. <i>Chest</i> , 2016 , 150, 981	5.3	
85	Global, regional, and national life expectancy, all-cause mortality, and cause-specific mortality for 249 causes of death, 1980-2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016 , 388, 1459-1544	4.0	3525
84	Modest U-Shaped Association between Dietary Acid Load and Risk of All-Cause and Cardiovascular Mortality in Adults. <i>Journal of Nutrition</i> , 2016 , 146, 1580-5	4.1	25
83	Uric acid is not associated with decline in renal function or time to renal replacement therapy initiation in a referred cohort of patients with Stage III, IV and V chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2015 , 30, 2039-45	4.3	24
82	Diagnostic validation and prognostic significance of the Malnutrition-Inflammation Score in nondialyzed chronic kidney disease patients. <i>Nephrology Dialysis Transplantation</i> , 2015 , 30, 821-8	4.3	34
81	Reducing insulin resistance in patients undergoing peritoneal dialysis through the use of icodextrin-based solutions. <i>Nephrology Dialysis Transplantation</i> , 2015 , 30, 1783-5	4.3	2
80	Increased Levels of Modified Advanced Oxidation Protein Products Are Associated with Central and Peripheral Blood Pressure in Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , 2015 , 35, 460-70	2.8	14
79	Pros and cons of body mass index as a nutritional and risk assessment tool in dialysis patients. <i>Seminars in Dialysis</i> , 2015 , 28, 48-58	2.5	26
78	The relationship between thyroid function and estimated glomerular filtration rate in patients with chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2015 , 30, 282-7	4.3	65
77	An Increase of Plasma Advanced Oxidation Protein Products Levels Is Associated with Cardiovascular Risk in Incident Peritoneal Dialysis Patients: A Pilot Study. <i>Oxidative Medicine and Cellular Longevity</i> , 2015 , 2015, 219569	6.7	9
76	FP331 INITIATION OF ERYTHROPOEISIS STIMULATING AGENTS AND MORTALITY IN A LARGE REFERRED CKD COHORT. <i>Nephrology Dialysis Transplantation</i> , 2015 , 30, iii179-iii179	4.3	

75	FP344LEFT ATRIAL VOLUME AND MORTALITY AMONG PATIENTS WITH CHRONIC KIDNEY DISEASE STAGES 3-5. <i>Nephrology Dialysis Transplantation</i> , 2015 , 30, iii183-iii183	4.3	
74	Sarcopenia in chronic kidney disease on conservative therapy: prevalence and association with mortality. <i>Nephrology Dialysis Transplantation</i> , 2015 , 30, 1718-25	4.3	173
73	Parental history of premature cardiovascular disease, estimated GFR, and rate of estimated GFR decline: results from the Aerobics Center Longitudinal Study. <i>American Journal of Kidney Diseases</i> , 2015 , 65, 692-700	7.4	3
72	Albuminuria, renal dysfunction and circadian blood pressure rhythm in older men: a population-based longitudinal cohort study. <i>CKJ: Clinical Kidney Journal</i> , 2015 , 8, 560-6	4.5	5
71	Mortality from infections and malignancies in patients treated with renal replacement therapy: data from the ERA-EDTA registry. <i>Nephrology Dialysis Transplantation</i> , 2015 , 30, 1028-37	4.3	59
70	A proinflammatory diet is associated with systemic inflammation and reduced kidney function in elderly adults. <i>Journal of Nutrition</i> , 2015 , 145, 729-35	4.1	37
69	Association between the use of fondaparinux vs low-molecular-weight heparin and clinical outcomes in patients with non-ST-segment elevation myocardial infarction. <i>JAMA - Journal of the American Medical Association</i> , 2015 , 313, 707-16	27.4	24
68	Warfarin therapy for atrial fibrillation in haemodialysis patients: mind the (evidence) gap. <i>Nephrology Dialysis Transplantation</i> , 2015 , 30, 337-9	4.3	3
67	Nonesterified fatty acids and cardiovascular mortality in elderly men with CKD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2015 , 10, 584-91	6.9	8
66	Estimated dietary acid load is not associated with blood pressure or hypertension incidence in men who are approximately 70 years old. <i>Journal of Nutrition</i> , 2015 , 145, 315-21	4.1	24
65	EFFECT OF SELENIUM SUPPLEMENTATION VIA BRAZIL NUT (BERTHOLLETIA EXCELSA, HBK) ON THYROID HORMONES LEVELS IN HEMODIALYSIS PATIENTS: A PILOT STUDY. <i>Nutricion Hospitalaria</i> , 2015 , 32, 1808-12	1	5
64	Dietary fiber, kidney function, inflammation, and mortality risk. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2014 , 9, 2104-10	6.9	59
63	Clinical correlates of insulin sensitivity and its association with mortality among men with CKD stages 3 and 4. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2014 , 9, 690-7	6.9	37
62	Thyroid function, cardiovascular events, and mortality in diabetic hemodialysis patients. <i>American Journal of Kidney Diseases</i> , 2014 , 63, 988-96	7.4	43
61	The peptidic middle molecules: is molecular weight doing the trick?. <i>Seminars in Nephrology</i> , 2014 , 34, 118-34	4.8	23
60	Clinical determinants and prognostic significance of the electrocardiographic strain pattern in chronic kidney disease patients. <i>Journal of the American Society of Hypertension</i> , 2014 , 8, 312-20		6
59	Reliability of electrocardiographic surrogates of left ventricular mass in patients with chronic kidney disease. <i>Journal of Hypertension</i> , 2014 , 32, 439-45	1.9	13
58	Selection of genetic and phenotypic features associated with inflammatory status of patients on dialysis using relaxed linear separability method. <i>PLoS ONE</i> , 2014 , 9, e86630	3.7	4

57	The relationship between IL-10 levels and cardiovascular events in patients with CKD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2014 , 9, 1207-16	6.9	36
56	Urinary albumin excretion, blood pressure changes and hypertension incidence in the community: effect modification by kidney function. <i>Nephrology Dialysis Transplantation</i> , 2014 , 29, 1538-45	4.3	9
55	Better prevention than cure: optimal patient preparation for renal replacement therapy. <i>Kidney International</i> , 2014 , 85, 507-10	9.9	7
54	Validation of insulin sensitivity surrogate indices and prediction of clinical outcomes in individuals with and without impaired renal function. <i>Kidney International</i> , 2014 , 86, 383-91	9.9	30
53	Influence of chronic kidney disease on warfarin therapy for atrial fibrillation--reply. <i>JAMA - Journal of the American Medical Association</i> , 2014 , 311, 2542-3	27.4	
52	Renal function associates with energy intake in elderly community-dwelling men. <i>British Journal of Nutrition</i> , 2014 , 111, 2184-9	3.6	8
51	Warfarin, kidney dysfunction, and outcomes following acute myocardial infarction in patients with atrial fibrillation. <i>JAMA - Journal of the American Medical Association</i> , 2014 , 311, 919-28	27.4	104
50	Critical appraisal of biomarkers of dietary intake and nutritional status in patients undergoing dialysis. <i>Seminars in Dialysis</i> , 2014 , 27, 586-9	2.5	9
49	Nutritional therapy, phosphate control and renal protection. <i>Nephron Clinical Practice</i> , 2014 , 126, 1-7		11
48	Comparative associations of muscle mass and muscle strength with mortality in dialysis patients. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2014 , 9, 1720-8	6.9	259
47	Serum and adipose tissue fatty acid composition as biomarkers of habitual dietary fat intake in elderly men with chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2014 , 29, 128-36	4.3	17
46	CXCL16 in kidney and cardiovascular injury. <i>Cytokine and Growth Factor Reviews</i> , 2014 , 25, 317-25	17.9	49
45	Etiology of the protein-energy wasting syndrome in chronic kidney disease: a consensus statement from the International Society of Renal Nutrition and Metabolism (ISRNM). <i>Journal of Renal Nutrition</i> , 2013 , 23, 77-90	3	407
44	Subclinical versus overt obesity in dialysis patients: more than meets the eye. <i>Nephrology Dialysis Transplantation</i> , 2013 , 28 Suppl 4, iv175-81	4.3	20
43	Influence of body mass index on the association of weight changes with mortality in hemodialysis patients. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2013 , 8, 1725-33	6.9	34
42	Mediterranean diet, kidney function, and mortality in men with CKD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2013 , 8, 1548-55	6.9	89
41	Visceral fat and coronary artery calcification in patients with chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2013 , 28 Suppl 4, iv152-9	4.3	27
40	Dietary fat modification in patients with chronic kidney disease: n-3 fatty acids and beyond. <i>Journal of Nephrology</i> , 2013 , 26, 960-74	4.8	27

39	Prevalence of protein-energy wasting syndrome and its association with mortality in haemodialysis patients in a centre in Spain. <i>Nefrologia</i> , 2013 , 33, 495-505	1.5	46
38	Plasma fatty acids in chronic kidney disease: nervonic acid predicts mortality. <i>Journal of Renal Nutrition</i> , 2012 , 22, 277-283	3	22
37	Essential polyunsaturated fatty acids, inflammation and mortality in dialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2012 , 27, 3615-20	4.3	38
36	The vulnerable man: impact of testosterone deficiency on the uraemic phenotype. <i>Nephrology Dialysis Transplantation</i> , 2012 , 27, 4030-41	4.3	60
35	Prolactin levels, endothelial dysfunction, and the risk of cardiovascular events and mortality in patients with CKD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2012 , 7, 207-15	6.9	67
34	Testosterone deficiency is a cause of anaemia and reduced responsiveness to erythropoiesis-stimulating agents in men with chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2012 , 27, 709-15	4.3	59
33	Mechanisms of altered regulation of food intake in chronic kidney disease. <i>Journal of Renal Nutrition</i> , 2011 , 21, 7-11	3	34
32	Predialysis chronic kidney disease in 2010: Novel targets for slowing CKD progression. <i>Nature Reviews Nephrology</i> , 2011 , 7, 65-6	14.9	5
31	Prevalence and clinical implications of testosterone deficiency in men with end-stage renal disease. <i>Nephrology Dialysis Transplantation</i> , 2011 , 26, 184-90	4.3	109
30	Sex differences in the impact of diabetes on mortality in chronic dialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2011 , 26, 270-6	4.3	45
29	Cardiovascular and noncardiovascular mortality among men and women starting dialysis. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011 , 6, 1722-30	6.9	73
28	Like total ghrelin, acylated ghrelin is also lower in HD patients with cardiovascular disease. <i>Kidney International</i> , 2011 , 80, 783-784	9.9	
27	Protein-energy wasting modifies the association of ghrelin with inflammation, leptin, and mortality in hemodialysis patients. <i>Kidney International</i> , 2011 , 79, 749-56	9.9	49
26	Association with Helicobacter pylori infection and ghrelin level in hemodialysis patients. <i>Kidney International</i> , 2011 , 80, 894	9.9	
25	Research update for articles published in EJCI in 2008. <i>European Journal of Clinical Investigation</i> , 2010 , 40, 770-789	4.6	0
24	Abdominal fat deposition is associated with increased inflammation, protein-energy wasting and worse outcome in patients undergoing haemodialysis. <i>Nephrology Dialysis Transplantation</i> , 2010 , 25, 562-8	4.3	94
23	Gender differences in chronic kidney disease: underpinnings and therapeutic implications. <i>Kidney and Blood Pressure Research</i> , 2010 , 33, 383-92	3.1	78
22	Visfatin is increased in chronic kidney disease patients with poor appetite and correlates negatively with fasting serum amino acids and triglyceride levels. <i>Nephrology Dialysis Transplantation</i> , 2010 , 25, 901-6	4.3	44

21	Vitamin D deficiency in dialysis patients: effect of dialysis modality and implications on outcome. <i>Journal of Renal Nutrition</i> , 2010 , 20, 359-67	3	25
20	The emerging pleiotrophic role of adipokines in the uremic phenotype. <i>Current Opinion in Nephrology and Hypertension</i> , 2010 , 19, 37-42	3.5	42
19	Inflammation in end-stage renal disease--what have we learned in 10 years?. <i>Seminars in Dialysis</i> , 2010 , 23, 498-509	2.5	213
18	Low serum testosterone increases mortality risk among male dialysis patients. <i>Journal of the American Society of Nephrology: JASN</i> , 2009 , 20, 613-20	12.7	138
17	Additive effects of soluble TWEAK and inflammation on mortality in hemodialysis patients. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2009 , 4, 110-8	6.9	93
16	Low levels of IgM antibodies against phosphorylcholine-A increase mortality risk in patients undergoing haemodialysis. <i>Nephrology Dialysis Transplantation</i> , 2009 , 24, 3454-60	4.3	24
15	Cytokines, atherogenesis, and hypercatabolism in chronic kidney disease: a dreadful triad. <i>Seminars in Dialysis</i> , 2009 , 22, 381-6	2.5	62
14	Identification of patients with eating disorders: clinical and biochemical signs of appetite loss in dialysis patients. <i>Journal of Renal Nutrition</i> , 2009 , 19, 10-5	3	45
13	Metabolic abnormalities in chronic kidney disease that contribute to cardiovascular disease, and nutritional initiatives that may diminish the risk. <i>Current Opinion in Lipidology</i> , 2009 , 20, 3-9	4.4	22
12	Muscle atrophy, inflammation and clinical outcome in incident and prevalent dialysis patients. <i>Clinical Nutrition</i> , 2008 , 27, 557-64	5.9	185
11	Elevated serum levels of S-adenosylhomocysteine, but not homocysteine, are associated with cardiovascular disease in stage 5 chronic kidney disease patients. <i>Clinica Chimica Acta</i> , 2008 , 395, 106-10	6.2	49
10	Appetite disorders in uremia. <i>Journal of Renal Nutrition</i> , 2008 , 18, 107-13	3	75
9	Novel links between the long pentraxin 3, endothelial dysfunction, and albuminuria in early and advanced chronic kidney disease. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2008 , 3, 976-85	6.9	92
8	ADMA levels correlate with proteinuria, secondary amyloidosis, and endothelial dysfunction. <i>Journal of the American Society of Nephrology: JASN</i> , 2008 , 19, 388-95	12.7	70
7	Emerging biomarkers for evaluating cardiovascular risk in the chronic kidney disease patient: how do new pieces fit into the uremic puzzle?. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2008 , 3, 505-21	6.9	380
6	Cytokine dysregulation in chronic kidney disease: how can we treat it?. <i>Blood Purification</i> , 2008 , 26, 291-9	3.1	76
5	Reply to A Molfino et al. <i>American Journal of Clinical Nutrition</i> , 2007 , 86, 1551-1553	7	6
4	Comparison of nutritional and inflammatory markers in dialysis patients with reduced appetite. <i>American Journal of Clinical Nutrition</i> , 2007 , 85, 695-701	7	182

3	Being an inflamed peritoneal dialysis patient - a Dante's journey. <i>Contributions To Nephrology</i> , 2006 , 150, 144-151	1.6	16
2	Simvastatin and supplementation with Ω polyunsaturated fatty acids and vitamins improves claudication distance in a randomized PILOT study in patients with peripheral vascular disease. <i>Nutrition Research</i> , 2006 , 26, 637-643	4	8
1	Cardiovascular effects of milk enriched with omega-3 polyunsaturated fatty acids, oleic acid, folic acid, and vitamins E and B6 in volunteers with mild hyperlipidemia. <i>Nutrition</i> , 2004 , 20, 521-7	4.8	53