

Herbert Valensise

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9462285/herbert-valensise-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

141
papers

3,129
citations

32
h-index

53
g-index

160
ext. papers

3,602
ext. citations

4.4
avg, IF

4.61
L-index

| # | Paper | IF | Citations |
|-----|---|------|-----------|
| 141 | TEMPORARY REMOVAL: The diagnosis and management of suspected fetal growth restriction: an evidence-based approach.. <i>American Journal of Obstetrics and Gynecology</i> , 2022 , | 6.4 | 3 |
| 140 | Maternal peripheral vascular resistance at mid gestation in chronic hypertension as a predictor of fetal growth restriction.. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2022 , 1-3 | 2 | 0 |
| 139 | Perinatal and 2-year neurodevelopmental outcome in late preterm fetal compromise: the TRUFFLE 2 randomised trial protocol.. <i>BMJ Open</i> , 2022 , 12, e055543 | 3 | |
| 138 | Hemodynamic assessment in patients with preterm premature rupture of the membranes (pPROM).. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2022 , 274, 1-4 | 2.4 | 0 |
| 137 | Friendly help for clinical use of maternal hemodynamics. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2021 , 34, 3075-3079 | 2 | 2 |
| 136 | Mature Ovarian Teratoma: Neurological Implications in a Young Woman. <i>Case Reports in Obstetrics and Gynecology</i> , 2021 , 2021, 3085559 | 0.8 | 1 |
| 135 | Maternal hemodynamic changes in gestational diabetes: a prospective case-control study. <i>Archives of Gynecology and Obstetrics</i> , 2021 , 1 | 2.5 | 0 |
| 134 | Fetal Umbilical Vein Flow in the Classification of Fetuses with Growth Restriction. <i>Reproductive Medicine</i> , 2021 , 2, 50-56 | 0.5 | 1 |
| 133 | SARS-CoV-2, Endothelial Dysfunction, and the Renin-Angiotensin System (RAS): A Potentially Dangerous Triad for the Development of Pre-Eclampsia. <i>Reproductive Medicine</i> , 2021 , 2, 95-106 | 0.5 | 3 |
| 132 | Distinction between SGA and FGR by means of fetal umbilical vein flow and maternal hemodynamics. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2021 , 1-7 | 2 | 3 |
| 131 | Hemodynamic guided treatment of hypertensive disorders in pregnancy: is it time to change our mind?. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2021 , 34, 3830-3831 | 2 | 3 |
| 130 | Maternal haemodynamics: why should we care about it?. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2021 , 128, 176 | 3.7 | |
| 129 | Treatment of pregnancies complicated by intrauterine growth restriction with nitric oxide donors increases placental expression of Epidermal Growth Factor-Like Domain 7 and improves fetal growth: A pilot study. <i>Translational Research</i> , 2021 , 228, 28-41 | 11 | 4 |
| 128 | Preeclampsia has two phenotypes which require different treatment strategies. <i>American Journal of Obstetrics and Gynecology</i> , 2021 , | 6.4 | 4 |
| 127 | The p63 C-terminus is essential for murine oocyte integrity. <i>Nature Communications</i> , 2021 , 12, 383 | 17.4 | 9 |
| 126 | Fetal cerebral blood-flow redistribution: analysis of Doppler reference charts and association of different thresholds with adverse perinatal outcome. <i>Ultrasound in Obstetrics and Gynecology</i> , 2021 , 58, 705-715 | 5.8 | 4 |
| 125 | Circulating EGFL7 distinguishes between IUGR and PE: an observational case-control study. <i>Scientific Reports</i> , 2021 , 11, 17919 | 4.9 | 0 |

| | | | |
|-----|--|-----|----|
| 124 | Reply: Preeclampsia has 2 phenotypes that require different treatment strategies. <i>American Journal of Obstetrics and Gynecology</i> , 2021 , | 6.4 | 2 |
| 123 | Fetal cerebral Doppler changes and outcome in late preterm fetal growth restriction: prospective cohort study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020 , 56, 173-181 | 5.8 | 28 |
| 122 | Pregnancy complications in chronic hypertensive patients are linked to pre-pregnancy maternal cardiac function and structure. <i>American Journal of Obstetrics and Gynecology</i> , 2020 , 223, 425.e1-425.e13 | 6.4 | 7 |
| 121 | Preeclampsia: the role of persistent endothelial cells in uteroplacental arteries. Brosens I, Brosens JJ, Muter J, Puttemans P, Benagiano G. <i>Am J Obstet Gynecol</i> 2019;221:219-26. <i>American Journal of Obstetrics and Gynecology</i> , 2020 , 222, 633 | 6.4 | 4 |
| 120 | Hemodynamic maladaptation and left ventricular dysfunction in chronic hypertensive patients at the beginning of gestation and pregnancy complications: a case control study. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2020 , 1-7 | 2 | 3 |
| 119 | Maternal Cardiovascular Dysfunction is Associated with Hypoxic Cerebral and Umbilical Doppler Changes. <i>Journal of Clinical Medicine</i> , 2020 , 9, | 5.1 | 5 |
| 118 | Methods and considerations concerning cardiac output measurement in pregnant women: recommendations of the International Working Group on Maternal Hemodynamics. <i>Ultrasound in Obstetrics and Gynecology</i> , 2019 , 54, 35-50 | 5.8 | 19 |
| 117 | Ultrasonographic evaluation of the second stage of labor. Predictive parameters for a successful vaginal delivery with or without neuraxial analgesia: a pilot study. <i>Journal of Ultrasound</i> , 2018 , 21, 41-52 | 3.4 | 5 |
| 116 | Acetylsalicylic acid in pregnant women with chronic hypertension. <i>American Journal of Obstetrics and Gynecology</i> , 2018 , 218, 463-464 | 6.4 | 1 |
| 115 | Restricted physical activity in pregnancy reduces maternal vascular resistance and improves fetal growth. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018 , 51, 672-676 | 5.8 | 6 |
| 114 | Maternal hemodynamics early in labor: a possible link with obstetric risk?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018 , 51, 509-513 | 5.8 | 12 |
| 113 | Effect of a nitric oxide donor on maternal hemodynamics in fetal growth restriction. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018 , 51, 514-518 | 5.8 | 17 |
| 112 | Antenatal Care of Preeclampsia: From the Inverted Pyramid to the Arrow Model?. <i>Fetal Diagnosis and Therapy</i> , 2018 , 44, 81-84 | 2.4 | 4 |
| 111 | Prevention and Treatment of Fetal Growth Restriction by Influencing Maternal Hemodynamics and Blood Volume 2018 , 134-140 | | |
| 110 | Is middle cerebral artery Doppler related to neonatal and 2-year infant outcome in early fetal growth restriction?. <i>American Journal of Obstetrics and Gynecology</i> , 2017 , 216, 521.e1-521.e13 | 6.4 | 48 |
| 109 | A developmental approach to the prevention of hypertension and kidney disease: a report from the Low Birth Weight and Nephron Number Working Group. <i>Lancet, The</i> , 2017 , 390, 424-428 | 4.0 | 83 |
| 108 | Screening for pre-eclampsia in the first trimester: role of maternal hemodynamics and bioimpedance in non-obese patients. <i>Ultrasound in Obstetrics and Gynecology</i> , 2017 , 50, 584-588 | 5.8 | 17 |
| 107 | Correlation between maternal body composition and haemodynamic changes in pregnancy: different profiles for different hypertensive disorders. <i>Pregnancy Hypertension</i> , 2017 , 10, 131-134 | 2.6 | 12 |

| | | | |
|-----|--|------|-----|
| 106 | Foetal heart rate deceleration with combined spinal-epidural analgesia during labour: a maternal haemodynamic cardiac study. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2016 , 29, 1980-6 | 2 | 4 |
| 105 | Persistent Maternal Cardiac Dysfunction After Preeclampsia Identifies Patients at Risk for Recurrent Preeclampsia. <i>Hypertension</i> , 2016 , 67, 748-53 | 8.5 | 38 |
| 104 | Preterm delivery and elevated maternal total vascular resistance: signs of suboptimal cardiovascular adaptation to pregnancy?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2016 , 48, 491-495 | 5.8 | 11 |
| 103 | Assessment of total vascular resistance and total body water in normotensive women during the first trimester of pregnancy. A key for the prevention of preeclampsia. <i>Pregnancy Hypertension</i> , 2015 , 5, 193-7 | 2.6 | 19 |
| 102 | GSTA1 gene variation associated with gestational hypertension and its involvement in pregnancy-related pathogenic conditions. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2015 , 194, 34-7 | 2.4 | 5 |
| 101 | The influence of doctor-patient and midwife-patient relationship in quality care perception of italian pregnant women: an exploratory study. <i>PLoS ONE</i> , 2015 , 10, e0124353 | 3.7 | 5 |
| 100 | Women with endometriosis at first pregnancy have an increased risk of adverse obstetric outcome. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2015 , 28, 1795-8 | 2 | 49 |
| 99 | Molecular basis of thyrotropin and thyroid hormone action during implantation and early development. <i>Human Reproduction Update</i> , 2014 , 20, 884-904 | 15.8 | 103 |
| 98 | Optimization of the viability of stem cells derived from umbilical cord blood after maternal supplementation with DHA during the second or third trimester of pregnancy: study protocol for a randomized controlled trial. <i>Trials</i> , 2014 , 15, 164 | 2.8 | 3 |
| 97 | PRE-ECLAMPSIA: ONE NAME, TWO CONDITIONS [THE CASE FOR EARLY AND LATE DISEASE BEING DIFFERENT]. <i>Fetal and Maternal Medicine Review</i> , 2013 , 24, 32-37 | | 1 |
| 96 | Schauta-Amreich Operation vs Piver II Procedure with Pelvic Lymphadenectomy for Cervical Cancer. <i>International Journal of Biomedical Science</i> , 2013 , 9, 211-6 | | 1 |
| 95 | Medical treatment of early-onset mild gestational hypertension reduces total peripheral vascular resistance and influences maternal and fetal complications. <i>Ultrasound in Obstetrics and Gynecology</i> , 2012 , 40, 325-31 | 5.8 | 20 |
| 94 | The maternal cardiovascular effect of carbetocin compared to oxytocin in women undergoing caesarean section. <i>Pregnancy Hypertension</i> , 2012 , 2, 139-42 | 2.6 | 8 |
| 93 | Hypertension in pregnancy and endothelial activation: An emerging risk factor for cardiovascular disease. <i>Pregnancy Hypertension</i> , 2012 , 2, 393-7 | 2.6 | 5 |
| 92 | Left ventricular midwall mechanics at 24 weeksTgestation in high-risk normotensive pregnant women: relationship to placenta-related complications of pregnancy. <i>Ultrasound in Obstetrics and Gynecology</i> , 2012 , 39, 430-7 | 5.8 | 14 |
| 91 | L18. Total Vascular Resistance in complicated pregnancies. <i>Pregnancy Hypertension</i> , 2011 , 1, 249 | 2.6 | |
| 90 | L27. Management of non severe gestational hypertension through the modulation of total vascular resistance. <i>Pregnancy Hypertension</i> , 2011 , 1, 254 | 2.6 | |
| 89 | L30. Echocardiographic markers of cardiovascular risk after pregnancy complications and cardiovascular outcome after a 4 years follow up. <i>Pregnancy Hypertension</i> , 2011 , 1, 256 | 2.6 | |

| | | | |
|----|--|-----|-----|
| 88 | O17. Hypertension in pregnancy and endothelial dysfunction: An emerging risk factor for cardiovascular disease. <i>Pregnancy Hypertension</i> , 2011 , 1, 265 | 2.6 | |
| 87 | O21. Total vascular resistance and multigate spectral doppler analysis (MSDA) as a screening tool for preeclampsia: A pilot study. <i>Pregnancy Hypertension</i> , 2011 , 1, 267 | 2.6 | |
| 86 | Prenatal and postnatal imaging of multiple intracranial lipomas: report of a case. <i>Fetal Diagnosis and Therapy</i> , 2011 , 30, 160-2 | 2.4 | 4 |
| 85 | OC14.06: NO donors and volume expansion added to antihypertensive therapy in gestational hypertension decreases systemic vascular resistance and complications. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010 , 36, 28-28 | 5.8 | |
| 84 | OP37.07: Differences and similarities in cardiovascular profile of chronic hypertensive and late preeclamptic patients at 24 weeks gestation. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010 , 36, 160-160 | 5.8 | |
| 83 | Computerized evaluation of fetal heart rate during tocolytic treatment: comparison between atosiban and ritodrine. <i>American Journal of Perinatology</i> , 2009 , 26, 259-63 | 3.3 | 15 |
| 82 | OC08.04: Modulation of total vascular resistance in early mild gestational hypertension decreases the rate of complications. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009 , 34, 14-14 | 5.8 | |
| 81 | OP11.04: Cardiovascular adaptation to pregnancy in non treated mild chronic hypertension at 24 weeksTgestation. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009 , 34, 96-96 | 5.8 | |
| 80 | Could birthweight prediction models be improved by adding fetal subcutaneous tissue thickness?. <i>Journal of Obstetrics and Gynaecology Research</i> , 2008 , 34, 18-26 | | 20 |
| 79 | Fetal growth restriction and maternal cardiac function. <i>Expert Review of Obstetrics and Gynecology</i> , 2008 , 3, 119-127 | | 3 |
| 78 | Early and late preeclampsia: two different maternal hemodynamic states in the latent phase of the disease. <i>Hypertension</i> , 2008 , 52, 873-80 | 8.5 | 367 |
| 77 | Total vascular resistance and left ventricular morphology as screening tools for complications in pregnancy. <i>Hypertension</i> , 2008 , 51, 1020-6 | 8.5 | 73 |
| 76 | Maternal and fetal hemodynamic effects induced by nitric oxide donors and plasma volume expansion in pregnancies with gestational hypertension complicated by intrauterine growth restriction with absent end-diastolic flow in the umbilical artery. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008 , 31, 55-64 | 5.8 | 44 |
| 75 | OC087: The development of early and late preeclampsia are characterized by two different maternal hemodynamic states at 24 weeksTgestation. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008 , 32, 271-271 | 5.8 | |
| 74 | OP11.10: Maternal myocardial function in asymptomatic 24 weeksTbilateral notching women. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008 , 32, 347-347 | 5.8 | |
| 73 | Complicanze ipertensive della gravidanza 2008 , 315-357 | | |
| 72 | Ultrasound-determined fetal subcutaneous tissue thickness for a birthweight prediction model. <i>Journal of Obstetrics and Gynaecology Research</i> , 2007 , 33, 635-40 | | 9 |
| 71 | High risk of congenital hypothyroidism in multiple pregnancies. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 3141-7 | 5.6 | 43 |

| | | | |
|----|--|-----|----|
| 70 | The computerized fetal heart rate analysis in post-term pregnancy identifies patients at risk for fetal distress in labour. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2006 , 125, 185-92 | 2.4 | 7 |
| 69 | Diagnostic evaluation of women experiencing repeated in vitro fertilization failure. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2006 , 125, 79-84 | 2.4 | 54 |
| 68 | Maternal total vascular resistance and concentric geometry: a key to identify uncomplicated gestational hypertension. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2006 , 113, 1044-52 | 3.7 | 37 |
| 67 | OC90: Maternal total vascular resistance and concentric geometry of the left ventricle for the identification of complicated and un complicated gestational hypertension. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006 , 28, 384-385 | 5.8 | |
| 66 | Intrauterine growth restriction and fetal body composition. <i>Ultrasound in Obstetrics and Gynecology</i> , 2005 , 26, 258-62 | 5.8 | 58 |
| 65 | Postpartum cerebellar infarction and haemolysis, elevated liver enzymes, low platelet (HELLP) syndrome. <i>Neurological Sciences</i> , 2005 , 26, 40-2 | 3.5 | 32 |
| 64 | Fluctuations of fatty acid amide hydrolase and anandamide levels during the human ovulatory cycle. <i>Gynecological Endocrinology</i> , 2004 , 18, 212-8 | 2.4 | 47 |
| 63 | Abnormal maternal cardiac function precedes the clinical manifestation of fetal growth restriction. <i>Ultrasound in Obstetrics and Gynecology</i> , 2004 , 24, 23-9 | 5.8 | 50 |
| 62 | Total body water estimation and maternal cardiac systolic function assessment in normal and gestational hypertensive pregnant women. <i>Medical Science Monitor</i> , 2004 , 10, CR530-4 | 3.2 | 3 |
| 61 | Postpartum thyroiditis is associated with fluctuations in transforming growth factor-beta1 serum levels. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2003 , 88, 1280-4 | 5.6 | 13 |
| 60 | Fetal subcutaneous tissue thickness (SCTT) in healthy and gestational diabetic pregnancies. <i>Ultrasound in Obstetrics and Gynecology</i> , 2003 , 22, 591-7 | 5.8 | 72 |
| 59 | The fetal body compartments and their detection during pregnancy. A review. <i>Acta Diabetologica</i> , 2003 , 40 Suppl 1, S79-82 | 3.9 | 4 |
| 58 | Maternal cardiac systolic function and total body water estimation in normal and gestational hypertensive women. <i>Acta Diabetologica</i> , 2003 , 40 Suppl 1, S216-21 | 3.9 | 4 |
| 57 | Maternal body composition at term gestation and birth weight: is there a link?. <i>Acta Diabetologica</i> , 2003 , 40 Suppl 1, S222-4 | 3.9 | 15 |
| 56 | Body composition during normal pregnancy: reference ranges. <i>Acta Diabetologica</i> , 2003 , 40 Suppl 1, S225-32 | 3.9 | 63 |
| 55 | Nifedipine-induced changes in body composition in hypertensive patients at term. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2003 , 106, 139-43 | 2.4 | 7 |
| 54 | Are gestational and essential hypertension similar? Left ventricular geometry and diastolic function. <i>Hypertension in Pregnancy</i> , 2003 , 22, 225-37 | 2 | 15 |
| 53 | MATERNAL CARDIOVASCULAR HAEMODYNAMICS IN NORMAL AND COMPLICATED PREGNANCIES. <i>Fetal and Maternal Medicine Review</i> , 2003 , 14, 355-385 | | 6 |

| | | | |
|----|---|-----|-----|
| 52 | Left ventricular concentric geometry as a risk factor in gestational hypertension. <i>Hypertension</i> , 2003 , 41, 469-75 | 8.5 | 40 |
| 51 | Abnormal maternal cardiac function and morphology in pregnancies complicated by intrauterine fetal growth restriction. <i>Ultrasound in Obstetrics and Gynecology</i> , 2002 , 20, 452-7 | 5.8 | 64 |
| 50 | Low fatty acid amide hydrolase and high anandamide levels are associated with failure to achieve an ongoing pregnancy after IVF and embryo transfer. <i>Molecular Human Reproduction</i> , 2002 , 8, 188-95 | 4.4 | 132 |
| 49 | C-peptide and insulin levels at 24-30 weeksTgestation: an increased risk of adverse pregnancy outcomes?. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2002 , 103, 130-5 | 2.4 | 7 |
| 48 | Maternal diastolic function in asymptomatic pregnant women with bilateral notching of the uterine artery waveform at 24 weeksTgestation: a pilot study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2001 , 18, 450-5 | 5.8 | 29 |
| 47 | Maternal diastolic dysfunction and left ventricular geometry in gestational hypertension. <i>Hypertension</i> , 2001 , 37, 1209-15 | 8.5 | 61 |
| 46 | Progesterone up-regulates anandamide hydrolase in human lymphocytes: role of cytokines and implications for fertility. <i>Journal of Immunology</i> , 2001 , 166, 7183-9 | 5.3 | 129 |
| 45 | Pregnancy outcome in recurrent spontaneous abortion associated with antiphospholipid antibodies: a comparative study of intravenous immunoglobulin versus prednisone plus low-dose aspirin. <i>American Journal of Reproductive Immunology</i> , 2001 , 45, 174-9 | 3.8 | 77 |
| 44 | Multifrequency bioelectrical impedance analysis in women with a normal and hypertensive pregnancy. <i>American Journal of Clinical Nutrition</i> , 2000 , 72, 780-3 | 7 | 47 |
| 43 | Maternal cardiac systolic and diastolic function: relationship with uteroplacental resistances. A Doppler and echocardiographic longitudinal study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2000 , 15, 487-97 | 5.8 | 77 |
| 42 | Relation between decreased anandamide hydrolase concentrations in human lymphocytes and miscarriage. <i>Lancet, The</i> , 2000 , 355, 1326-9 | 4.0 | 198 |
| 41 | Mild thyroid abnormalities and recurrent spontaneous abortion: diagnostic and therapeutical approach. <i>American Journal of Reproductive Immunology</i> , 2000 , 43, 204-8 | 3.8 | 90 |
| 40 | 24-hour ambulatory blood pressure monitoring: a comparison between transdermal glyceryl-trinitrate and oral nifedipine. <i>Hypertension in Pregnancy</i> , 1999 , 18, 107-13 | 2 | 29 |
| 39 | The efficacy and fetal-maternal cardiovascular effects of transdermal glyceryl trinitrate in the prophylaxis of pre-eclampsia and its complications: a randomized double-blind placebo-controlled trial. <i>Ultrasound in Obstetrics and Gynecology</i> , 1998 , 12, 334-8 | 5.8 | 51 |
| 38 | A two-stage screening test for pregnancy-induced hypertension and preeclampsia. <i>Obstetrics and Gynecology</i> , 1998 , 92, 1005-11 | 4.9 | 14 |
| 37 | A Two-Stage Screening Test for Pregnancy-Induced Hypertension and Preeclampsia. <i>Obstetrics and Gynecology</i> , 1998 , 92, 1005-1011 | 4.9 | 7 |
| 36 | Role of antepartum computerized fetal heart rate analysis in the prediction of fetal distress during labor. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 1997 , 73, 129-34 | 2.4 | 2 |
| 35 | Amniotic Fluid Index and Mean Diastolic Maternal Blood Pressure in Pregnancy-Induced Hypertensive Patients. <i>Hypertension in Pregnancy</i> , 1996 , 15, 219-228 | 2 | |

| | | | |
|----|---|------|----|
| 34 | Circadian blood pressure patterns in pregnant women with intrauterine growth retardation. <i>Annals of the New York Academy of Sciences</i> , 1996 , 783, 337-9 | 6.5 | 5 |
| 33 | Increased expression of low-affinity insulin receptor isoform and insulin/insulin-like growth factor-I hybrid receptors in term placenta from insulin-resistant women with gestational hypertension. <i>Diabetologia</i> , 1996 , 39, 952-60 | 10.3 | 29 |
| 32 | Identification of patients at risk of hypertension in pregnancy: A multiple step approach. <i>Gynecological Endocrinology</i> , 1996 , 10, 34-35 | 2.4 | 3 |
| 31 | Increased expression of low-affinity insulin receptor isoform and insulin/insulin-like growth factor-I hybrid receptors in term placenta from insulin-resistant women with gestational hypertension 1996 , 39, 952 | | 1 |
| 30 | Normal fetal growth in women with antiphospholipid syndrome treated with high-dose intravenous immunoglobulin (IVIg). <i>Prenatal Diagnosis</i> , 1995 , 15, 509-17 | 3.2 | 45 |
| 29 | Screening Pregnant Women at 22-24 Weeks for Gestational Hypertension or Intrauterine Growth Retardation by Doppler Ultrasound Followed by 24-Hour Blood Pressure Recording. <i>Hypertension in Pregnancy</i> , 1995 , 14, 351-359 | 2 | 8 |
| 28 | Uterine Doppler in the identification of patients at risk for hypertension and IUGR. <i>Journal of Perinatal Medicine</i> , 1994 , 22 Suppl 1, 69-72 | 2.7 | 4 |
| 27 | Influence of neoadjuvant polychemotherapy on natural killer cell activity in patients with locally advanced cervical squamous carcinoma. <i>Gynecologic Oncology</i> , 1994 , 52, 39-43 | 4.9 | 14 |
| 26 | The relationship of clinical-pathologic status and adjuvant treatment with natural killer cell activity in stage I and II endometrial carcinoma. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1994 , 73, 652-7 | 3.8 | 8 |
| 25 | Longitudinal Variation of Computerized Fetal Heart Rate Variability in Growth-Retarded Fetuses. <i>Hypertension in Pregnancy</i> , 1993 , 12, 453-461 | 2 | |
| 24 | Doppler velocimetry of the uterine artery as a screening test for gestational hypertension. <i>Ultrasound in Obstetrics and Gynecology</i> , 1993 , 3, 18-22 | 5.8 | 55 |
| 23 | Second-trimester uterine artery flow velocity waveform and oral glucose tolerance test as a means of predicting intrauterine growth retardation. <i>Ultrasound in Obstetrics and Gynecology</i> , 1993 , 3, 412-6 | 5.8 | 6 |
| 22 | Cation Transport Across Cultured Trophoblast Membrane in Preeclampsia. <i>Clinical and Experimental Hypertension Part B, Hypertension in Pregnancy</i> , 1992 , 11, 59-69 | | |
| 21 | Magnesium pyrrolidone carboxylate infusion reduces angiotensin II pressor response in pregnant women at risk for hypertension. <i>American Journal of Obstetrics and Gynecology</i> , 1992 , 167, 885-8 | 6.4 | 2 |
| 20 | Amiodarone treatment in pregnancy for dilatative cardiomyopathy with ventricular malignant extrasystole and normal maternal and neonatal outcome. <i>Prenatal Diagnosis</i> , 1992 , 12, 705-8 | 3.2 | 11 |
| 19 | Modifications induced by gestational hypertension on platelet calcium transport. <i>Experimental and Molecular Pathology</i> , 1991 , 54, 122-8 | 4.4 | 6 |
| 18 | Telephonic transmission of cardiotocographic recordings from a remote facility to an obstetric unit. <i>Clinical and Experimental Obstetrics and Gynecology</i> , 1991 , 18, 191-6 | 1.2 | 1 |
| 17 | Effects of behavioural states on cardiac output in the healthy human fetus at 36-38 weeks of gestation. <i>Early Human Development</i> , 1990 , 23, 109-15 | 2.2 | 29 |

| | | | |
|----|--|-----|----|
| 16 | Calcium and sodium transport in gestational hypertension. <i>International Journal of Cardiology</i> , 1989 , 25 Suppl 1, S53-5 | 3.2 | 8 |
| 15 | Morphological development of the human placenta in normal and complicated gestation: a quantitative and ultrastructural study. <i>Gynecologic and Obstetric Investigation</i> , 1989 , 28, 62-9 | 2.5 | 7 |
| 14 | Umbilical cord blood rheology in relation to maternal disease and fetal hypoxia. <i>Fetal Diagnosis and Therapy</i> , 1989 , 4, 166-70 | 2.4 | 3 |
| 13 | Tryptophan availability and fetal behavioral states. <i>Fetal Diagnosis and Therapy</i> , 1989 , 4 Suppl 1, 68-72 | 2.4 | 3 |
| 12 | Altered Cation Transport in Gestational Hypertension. I. The Significance of Intracellular Sodium. <i>Clinical and Experimental Hypertension Part B, Hypertension in Pregnancy</i> , 1988 , 7, 11-22 | | 2 |
| 11 | Effect of Addition of Magnesium on Erythrocyte Cation Transport in Mild Gestational Hypertension. <i>Clinical and Experimental Hypertension Part B, Hypertension in Pregnancy</i> , 1988 , 7, 283-292 | | 1 |
| 10 | Pregnancy Induced Hypertension: Observations on Chemical-Physical Properties of Syncytiotrophoblast Plasma Membranes from Human Placenta. <i>Clinical and Experimental Hypertension Part B, Hypertension in Pregnancy</i> , 1988 , 7, 57-66 | | 6 |
| 9 | Behaviour of Fetuses from Hypertensive Mothers. <i>Clinical and Experimental Hypertension Part B, Hypertension in Pregnancy</i> , 1988 , 7, 227-240 | | |
| 8 | Materno-Fetal Concentration of Tryptophan and Fetal Behavioural States in Normal and PIH Pregnancies. Preliminary Results. <i>Clinical and Experimental Hypertension Part B, Hypertension in Pregnancy</i> , 1988 , 7, 253-259 | | 1 |
| 7 | The development of fetal behavioural states: a longitudinal study. <i>Prenatal Diagnosis</i> , 1986 , 6, 117-24 | 3.2 | 57 |
| 6 | Modifications of ultradian and circadian rhythms of fetal heart rate after fetal-maternal adrenal gland suppression: a double blind study. <i>Prenatal Diagnosis</i> , 1986 , 6, 409-17 | 3.2 | 52 |
| 5 | The fetal behavioural states: an ultrasonic study. <i>Prenatal Diagnosis</i> , 1985 , 5, 269-76 | 3.2 | 32 |
| 4 | Vasodilatation and Fluid Expansion 193-204 | | |
| 3 | Cardiac Function 24-33 | | 1 |
| 2 | Cardiac Dysfunction in Hypertensive Pregnancy 79-85 | | |
| 1 | Systemic vascular resistance may influence the outcome of in vitro fertilization. <i>Gynecological Endocrinology</i> , 1-4 | 2.4 | |