

# Guo-Pei Zhu

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9465383/publications.pdf>

Version: 2024-02-01

87  
papers

2,120  
citations

257450

24  
h-index

243625

44  
g-index

94  
all docs

94  
docs citations

94  
times ranked

2550  
citing authors

#	ARTICLE	IF	CITATIONS
1	Chemotherapy and radiotherapy in nasopharyngeal carcinoma: an update of the MAC-NPC meta-analysis. <i>Lancet Oncology</i> , The, 2015, 16, 645-655.	10.7	593
2	What Is the Best Treatment of Locally Advanced Nasopharyngeal Carcinoma? An Individual Patient Data Network Meta-Analysis. <i>Journal of Clinical Oncology</i> , 2017, 35, 498-505.	1.6	263
3	Patterns of lymph node metastasis from nasopharyngeal carcinoma based on the 2013 updated consensus guidelines for neck node levels. <i>Radiotherapy and Oncology</i> , 2015, 115, 41-45.	0.6	81
4	The correlation evaluation of a tumor tracking system using multiple external markers. <i>Medical Physics</i> , 2006, 33, 4073-4084.	3.0	78
5	Radiotherapy and prognostic factors for thymoma: A retrospective study of 175 patients. <i>International Journal of Radiation Oncology Biology Physics</i> , 2004, 60, 1113-1119.	0.8	70
6	Comparison of the NCI-CTCAE version 4.0 and version 3.0 in assessing chemoradiation-induced oral mucositis for locally advanced nasopharyngeal carcinoma. <i>Oral Oncology</i> , 2012, 48, 554-559.	1.5	60
7	Is Elective Irradiation to the Lower Neck Necessary for N0 Nasopharyngeal Carcinoma?. <i>International Journal of Radiation Oncology Biology Physics</i> , 2010, 77, 1397-1402.	0.8	50
8	Weekly cetuximab concurrent with IMRT aggravated radiation-induced oral mucositis in locally advanced nasopharyngeal carcinoma: Results of a randomized phase II study. <i>Oral Oncology</i> , 2015, 51, 875-879.	1.5	50
9	Prognostic Impact of Primary Tumor Volume in Patients With Nasopharyngeal Carcinoma Treated by Definitive Radiation Therapy. <i>Laryngoscope</i> , 2008, 118, 1206-1210.	2.0	48
10	Transplantation of Oligodendrocyte Precursor Cells Improves Locomotion Deficits in Rats with Spinal Cord Irradiation Injury. <i>PLoS ONE</i> , 2013, 8, e57534.	2.5	48
11	A phase III randomized study comparing neoadjuvant chemotherapy with concurrent chemotherapy combined with radiotherapy for locoregionally advanced nasopharyngeal carcinoma: Updated long-term survival outcomes. <i>Oral Oncology</i> , 2014, 50, 71-76.	1.5	45
12	Anatomic and Dosimetric Changes During the Treatment Course of Intensity-Modulated Radiotherapy for Locally Advanced Nasopharyngeal Carcinoma. <i>Medical Dosimetry</i> , 2010, 35, 151-157.	0.9	42
13	Lymph node metastasis in sinonasal squamous cell carcinoma treated with IMRT/3D-CRT. <i>Oral Oncology</i> , 2013, 49, 60-65.	1.5	40
14	Differential Radiation Effect in Tumor and Normal Tissue after Treatment with Ramipril, an Angiotensin-Converting Enzyme Inhibitor. <i>Radiation Research</i> , 2007, 168, 440-445.	1.5	37
15	Surrogate End Points for Overall Survival in Loco-Regionally Advanced Nasopharyngeal Carcinoma: An Individual Patient Data Meta-analysis. <i>Journal of the National Cancer Institute</i> , 2017, 109, .	6.3	37
16	Impact of Lymph Node Ratio on the Survival of Patients with Hypopharyngeal Squamous Cell Carcinoma: A Population-Based Analysis. <i>PLoS ONE</i> , 2013, 8, e56613.	2.5	36
17	Omission of Chemotherapy in Early Stage Nasopharyngeal Carcinoma Treated with IMRT. <i>Medicine (United States)</i> , 2015, 94, e1457.	1.0	35
18	Investigation of the location effect of external markers in respiratory-aggravated radiotherapy. <i>Journal of Applied Clinical Medical Physics</i> , 2008, 9, 57-68.	1.9	33

#	ARTICLE	IF	CITATIONS
19	A clinical analysis of 37 cases with lymphoepithelial carcinoma of the major salivary gland treated by surgical resection and postoperative radiotherapy: a single institution study. <i>Medical Oncology</i> , 2014, 31, 957.	2.5	32
20	Preliminary results of a phase III randomized study comparing chemotherapy neoadjuvantly or concurrently with radiotherapy for locoregionally advanced nasopharyngeal carcinoma. <i>Medical Oncology</i> , 2012, 29, 272-278.	2.5	27
21	Experience with combination of cisplatin plus gemcitabine chemotherapy and intensity-modulated radiotherapy for locoregionally advanced nasopharyngeal carcinoma. <i>European Archives of Oto-Rhino-Laryngology</i> , 2012, 269, 1027-1033.	1.6	27
22	Predictive index for lymph node management of major salivary gland cancer. <i>Laryngoscope</i> , 2012, 122, 1497-1506.	2.0	26
23	Asian expert recommendation on management of skin and mucosal effects of radiation, with or without the addition of cetuximab or chemotherapy, in treatment of head and neck squamous cell carcinoma. <i>BMC Cancer</i> , 2016, 16, 42.	2.6	25
24	Longitudinal Body Composition Changes and the Importance of Fat-Free Mass Index in Locally Advanced Nasopharyngeal Carcinoma Patients Undergoing Concurrent Chemoradiotherapy. <i>Integrative Cancer Therapies</i> , 2018, 17, 1125-1131.	2.0	25
25	The in vivo study on the radiobiologic effect of prolonged delivery time to tumor control in C57BL mice implanted with Lewis lung cancer. <i>Radiation Oncology</i> , 2011, 6, 4.	2.7	23
26	Multi-modality management for loco-regionally advanced laryngeal and hypopharyngeal cancer: balancing the benefit of efficacy and functional preservation. <i>Medical Oncology</i> , 2014, 31, 178.	2.5	23
27	MÄ¼ller Cell Regulated Microglial Activation and Migration in Rats With N-Methyl-N-Nitrosourea-Induced Retinal Degeneration. <i>Frontiers in Neuroscience</i> , 2018, 12, 890.	2.8	22
28	Paclitaxel with cisplatin in concurrent chemoradiotherapy for locally advanced nasopharyngeal carcinoma. <i>European Archives of Oto-Rhino-Laryngology</i> , 2010, 267, 773-778.	1.6	21
29	In vitro and in vivo studies on radiobiological effects of prolonged fraction delivery time in A549 cells. <i>Journal of Radiation Research</i> , 2013, 54, 230-234.	1.6	19
30	Apatinib in patients with recurrent or metastatic adenoid cystic carcinoma of the head and neck: a single-arm, phase II prospective study. <i>Therapeutic Advances in Medical Oncology</i> , 2021, 13, 175883592110136.	3.2	18
31	Meta-analysis of chemotherapy in nasopharynx carcinoma (MAC-NPC): An update on 26 trials and 7080 patients. <i>Clinical and Translational Radiation Oncology</i> , 2022, 32, 59-68.	1.7	18
32	Chinese expert group consensus on diagnosis and clinical management of osteoradionecrosis of the mandible. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2020, 49, 411-419.	1.5	16
33	The Immune Landscape of Chinese Head and Neck Adenoid Cystic Carcinoma and Clinical Implication. <i>Frontiers in Immunology</i> , 2021, 12, 618367.	4.8	14
34	Network-meta-analysis of chemotherapy in nasopharyngeal carcinoma (MAC-NPC): An update on 8,221 patients.. <i>Journal of Clinical Oncology</i> , 2020, 38, 6523-6523.	1.6	14
35	The feasibility of omitting irradiation to the contralateral lower neck in stage N1 nasopharyngeal carcinoma patients. <i>Radiation Oncology</i> , 2013, 8, 230.	2.7	10
36	Magnetic resonance sialography for investigating major salivary gland duct system after intensity-modulated radiotherapy of nasopharyngeal carcinoma. <i>International Journal of Clinical Oncology</i> , 2013, 18, 801-807.	2.2	10

#	ARTICLE	IF	CITATIONS
37	EGFR Mutation and 11q13 Amplification Are Potential Predictive Biomarkers for Immunotherapy in Head and Neck Squamous Cell Carcinoma. <i>Frontiers in Immunology</i> , 2022, 13, 813732.	4.8	9
38	Phase II trial of apatinib in patients with recurrent and/or metastatic adenoid cystic carcinoma of the head and neck: Updated analysis.. <i>Journal of Clinical Oncology</i> , 2018, 36, 6026-6026.	1.6	7
39	Identification of factors related to immunotherapy efficacy and prognosis in patients with advanced head and neck squamous cell carcinoma. <i>Diagnostic Pathology</i> , 2021, 16, 110.	2.0	6
40	Effect of oral supplements on the nutritional status of nasopharyngeal carcinoma patients undergoing concurrent chemotherapy: A randomized controlled Phase II trial. <i>Journal of Cancer Research and Therapeutics</i> , 2020, 16, 1678.	0.9	6
41	Polyethylene Glycol (Molecular Weight 400 DA) Vehicle Improves Gene Expression of Adenovirus Mediated Gene Therapy. <i>Journal of Urology</i> , 2006, 175, 1921-1925.	0.4	5
42	Reporter gene imaging using radiographic contrast from nonradioactive iodide sequestered by the sodium iodide symporter. <i>Contrast Media and Molecular Imaging</i> , 2007, 2, 240-247.	0.8	5
43	OC-003: What is the best treatment in nasopharyngeal carcinoma? An individual patient data network meta-analysis. <i>Radiotherapy and Oncology</i> , 2015, 114, 6-7.	0.6	5
44	Omitting the lower neck and sparing the glottic larynx in node-negative nasopharyngeal carcinoma was safe and feasible, and improved patient-reported voice outcomes. <i>Clinical and Translational Oncology</i> , 2019, 21, 781-789.	2.4	5
45	Meta-analysis of chemotherapy in nasopharyngeal carcinoma (MAC-NPC): An update on 4,798 patients.. <i>Journal of Clinical Oncology</i> , 2014, 32, 6022-6022.	1.6	5
46	A Phase 2 Trial of Chemoradiation Therapy Using Weekly Docetaxel for High-Risk Postoperative Oral Squamous Cell Carcinoma Patients. <i>International Journal of Radiation Oncology Biology Physics</i> , 2020, 107, 462-468.	0.8	4
47	Long-term results of elective mucosal irradiation for head and neck cancer of unknown primary in Chinese population: The EMICUP study. <i>Cancer Medicine</i> , 2020, 9, 1712-1720.	2.8	4
48	Preliminary results of the efficacy and safety of all-trans retinoic acid combined with low-dose apatinib in the treatment of patients with recurrent/metastatic adenoid cystic carcinoma of the head and neck.. <i>Journal of Clinical Oncology</i> , 2021, 39, 6026-6026.	1.6	3
49	Inductive camrelizumab and apatinib for patients with locally advanced and resectable oral squamous cell carcinoma: A single-arm trial (Icemelting trial).. <i>Journal of Clinical Oncology</i> , 2021, 39, 6052-6052.	1.6	3
50	A prospective phase II study of induction chemotherapy and nimotuzumab for resectable locally advanced head and neck squamous cell carcinoma.. <i>Journal of Clinical Oncology</i> , 2012, 30, e16039-e16039.	1.6	3
51	Tailored multimodality therapy guided by a two-step decision making process for head-and-neck cancer of unknown primary. <i>Oncotarget</i> , 2016, 7, 40095-40105.	1.8	3
52	Induction Chemotherapy With Docetaxel and Nedaplatin Followed by Concurrent IMRT and Nedaplatin for Locally Advanced Nasopharyngeal Carcinoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2014, 90, S525-S526.	0.8	2
53	To Compare Quality of Life (QOL) of Patients with Early Stage Nasopharyngeal Carcinoma (NPC) Treated With Intensity Modified Intensity Modulated Radiation Therapy (IMRT) Versus Conventional Radiotherapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2007, 69, S585-S586.	0.8	1
54	Preliminary Results of a Phase III Randomized Study Comparing Neoadjuvant Chemotherapy with Concurrent Chemotherapy in Locoregionally Advanced Nasopharyngeal Carcinoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2009, 75, S4.	0.8	1

#	ARTICLE	IF	CITATIONS
55	Induction Chemotherapy with Cisplatin and Gemcitabine followed by Radiotherapy for Locally Advanced Nasopharyngeal Carcinoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2009, 75, S404-S405.	0.8	1
56	Treatment Outcomes of Different Chemotherapy Sequences in N3 Stage Nasopharyngeal Carcinoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2010, 78, S467-S468.	0.8	1
57	Induction Chemotherapy Followed by Concomitant Chemoradiation Versus Cetuximab With Radiation in Locally-Advanced Nasopharyngeal Carcinoma: Initial Results of a Randomized Phase 2 Study. <i>International Journal of Radiation Oncology Biology Physics</i> , 2013, 87, S193.	0.8	1
58	Magnetic Resonance Sialography to Evaluate Radiation-Induced Xerostomia in Patients With Early-Stage Nasopharyngeal Carcinoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2013, 87, S569.	0.8	1
59	Omission of Chemotherapy in Early-Stage Nasopharyngeal Carcinoma Treated With Intensity Modulated Radiation Therapy: A Paired Cohort Study. <i>International Journal of Radiation Oncology Biology Physics</i> , 2015, 93, E293-E294.	0.8	1
60	Surrogate endpoints for overall survival in loco-regionally advanced nasopharyngeal carcinoma: Results from the individual patient data meta-analysis MAC-NPC2. <i>Annals of Oncology</i> , 2016, 27, vi328.	1.2	1
61	A feasibility and safety study of concurrent chemotherapy based on genetic testing in patients with high-risk salivary gland tumors. <i>Medicine (United States)</i> , 2018, 97, e0564.	1.0	1
62	Phase 2 Study of Apatinib, A Novel VEGFR Inhibitor in Patients With Recurrent and/or Metastatic Adenoid Cystic Carcinoma of the Head and Neck: Preliminary Results. <i>International Journal of Radiation Oncology Biology Physics</i> , 2018, 100, 1378-1379.	0.8	1
63	Efficacy and safety of anlotinib for patients with recurrent and/or metastatic salivary gland carcinomas. <i>Annals of Oncology</i> , 2019, 30, v465.	1.2	1
64	Adjuvant toripalimab or combined with S-1 in recurrent, previously irradiated head and neck squamous cell carcinoma treated with salvage surgery: A phase II clinical trial (The RePASS study).. <i>Journal of Clinical Oncology</i> , 2021, 39, 6039-6039.	1.6	1
65	Novel biomarkers for head and neck squamous cell carcinoma: A retrospective study.. <i>Journal of Clinical Oncology</i> , 2021, 39, e18010-e18010.	1.6	1
66	Neoadjuvant trial with toripalimab, albumin paclitaxel, and cisplatin on pathological response in locally advanced resectable oral squamous cell carcinoma (Illuminate Trial).. <i>Journal of Clinical Oncology</i> , 2022, 40, e18067-e18067.	1.6	1
67	Camrelizumab plus apatinib as induction therapy for locally advanced head and neck squamous cell carcinoma (IMplus): A single-arm phase II study.. <i>Journal of Clinical Oncology</i> , 2022, 40, 6060-6060.	1.6	1
68	A Phase II Study of Intensity Modulated Radiation Therapy (IMRT) Combined Chemotherapy in Local Advanced Nasopharyngeal Carcinoma (NPC). <i>International Journal of Radiation Oncology Biology Physics</i> , 2007, 69, S467-S468.	0.8	0
69	Treatment Results of Nasopharyngeal Carcinoma with Negative Neck: Retrospective Analysis of 410 Cases. <i>International Journal of Radiation Oncology Biology Physics</i> , 2008, 72, S386.	0.8	0
70	Failure Patterns of Early Stage NPC with Lymph Nodes Metastasis after Definitive Radiotherapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2009, 75, S414.	0.8	0
71	The Dose Volume Analysis of Radiation-induced Optic Neuropathy in Sinonasal and Nasal Cavity Carcinoma Treated with Intensity Modulated Radiotherapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2010, 78, S461.	0.8	0
72	Postoperative Radiotherapy with Extensive Fields to Treat Lymphoepithelial Carcinoma of Major Salivary Glands: A Prospective Single Institute Analysis of 32 Patients. <i>International Journal of Radiation Oncology Biology Physics</i> , 2010, 78, S463.	0.8	0

#	ARTICLE	IF	CITATIONS
73	Patterns of Lymph Node Metastasis From Nasopharyngeal Carcinoma Based on the 2013 Updated Consensus Guidelines for Neck Node Levels. International Journal of Radiation Oncology Biology Physics, 2014, 90, S178.	0.8	0
74	Omitting Lower Neck and Sparing Glottis Larynx in Node Negative Nasopharyngeal Carcinoma (NPC) Improves Patient Reported Voice Outcomes. International Journal of Radiation Oncology Biology Physics, 2015, 93, E485.	0.8	0
75	Clinical Outcome of Intensity Modulated Radiation Therapy for Carcinoma Showing Thymus-like Differentiation. International Journal of Radiation Oncology Biology Physics, 2016, 96, E361-E362.	0.8	0
76	A Phase II Trial of Chemoradiation Using Weekly Docetaxel for High-Risk Postoperative Oral Squamous Cell Carcinoma Patients. International Journal of Radiation Oncology Biology Physics, 2018, 102, S20.	0.8	0
77	PO-087 Apatinib combined with oral chemotherapy in patients with recurrent/metastatic head and neck cancer. Radiotherapy and Oncology, 2019, 132, 45-46.	0.6	0
78	Prospective Phase II Study of Concurrent Chemoradiotherapy in High-risk Malignant Salivary Gland Tumors. International Journal of Radiation Oncology Biology Physics, 2019, 105, S214.	0.8	0
79	Salidroside Suppresses Group 2 Innate Lymphoid Cell-Mediated Allergic Airway Inflammation by Targeting IL-33-ST2 Axis. , 2020, , .		0
80	The Contribution of Intensity-Modulated Radiotherapy after Non-curative Intent Surgery for Head and Neck Adenoid Cystic Carcinoma. International Journal of Radiation Oncology Biology Physics, 2020, 108, e812-e813.	0.8	0
81	A Phase II Trial of Radiotherapy Concurrent with Apatinib in Locally Advanced Bone and Soft Tissue Sarcoma of the Head and Neck: Preliminary Results. International Journal of Radiation Oncology Biology Physics, 2020, 108, S131-S132.	0.8	0
82	Identification of factors related to immunotherapy prognosis in patients with advanced head and neck squamous cell carcinoma.. Journal of Clinical Oncology, 2021, 39, e18003-e18003.	1.6	0
83	Phase II Study of the Safety and Antitumour Activity of Apatinib in Patients with Recurrent or Metastatic Adenoid Cystic Carcinoma of the Head and Neck. SSRN Electronic Journal, 0, , .	0.4	0
84	Tumour immune characterization in adenoid cystic carcinoma identifies prognostic and immunotherapeutically relevant messenger RNA signatures.. Journal of Clinical Oncology, 2020, 38, e15191-e15191.	1.6	0
85	Apatinib in Patients with Recurrent or Metastatic Adenoid Cystic Carcinoma of the Head and Neck: A Single-Arm, Phase II Study. SSRN Electronic Journal, 0, , .	0.4	0
86	Efficacy and safety of Apatinib and Tegafur Gimeracil Oteracil as Induction Chemotherapy in Locally Advanced Squamous Cell Carcinoma of the Head and Neck. International Journal of Radiation Oncology Biology Physics, 2020, 106, 1136-1137.	0.8	0
87	Feasibility and quality of life of postoperative concurrent radiotherapy and toripalimab in elderly patients with head and neck squamous cell carcinoma (IMPORT trial).. Journal of Clinical Oncology, 2022, 40, 6066-6066.	1.6	0