Carlotta Francia

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9466243/publications.pdf

Version: 2024-02-01

516215 454577 30 993 16 30 citations h-index g-index papers 31 31 31 1170 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Molybdenum disulfide/polyaniline interlayer for lithium polysulphide trapping in lithium-sulphur batteries. Journal of Power Sources, 2022, 521, 230945.	4.0	21
2	Composite polymer electrolyte with high inorganic additive contents to enable metallic lithium anode. Electrochimica Acta, 2022, 404, 139772.	2.6	12
3	Microâ€Mesoporous Carbons from Cyclodextrin Nanosponges Enabling Highâ€Capacity Silicon Anodes and Sulfur Cathodes for Lithiated Siâ€S Batteries. Chemistry - A European Journal, 2022, 28, .	1.7	48
4	Integrated energy conversion and storage devices: Interfacing solar cells, batteries and supercapacitors. Energy Storage Materials, 2022, 51, 400-434.	9.5	133
5	Ultrasmall SnO2 directly grown on commercial C45 carbon as lithium-ion battery anodes for long cycling performance. Electrochimica Acta, 2021, 367, 137489.	2.6	18
6	Lithium polysulfides immobilization exploiting formate-ion doped polyaniline wrapped carbon for Long cycle life sulfur cathodes via conventional electrode processing. Materials Today Communications, 2021, 26, 101970.	0.9	6
7	Platinum-free photoelectrochromic devices working with copper-based electrolytes for ultrastable smart windows. Journal of Materials Chemistry A, 2021, 9, 19687-19691.	5. 2	53
8	Nanosponge-Based Composite Gel Polymer Electrolyte for Safer Li-O2 Batteries. Polymers, 2021, 13, 1625.	2.0	73
9	Synergic effect of catalyst/binder in passivation side-products of Li-oxygen cells. Journal of Solid State Electrochemistry, 2019, 23, 3309-3317.	1.2	5
10	Rational design of porous carbon matrices to enable efficient lithiated silicon sulfur full cell. Carbon, 2019, 145, 100-111.	5 . 4	14
11	PEEKâ€WC/Nanosponge Membranes for Lithiumâ€Anode Protection in Rechargeable Liâ^'O 2 Batteries. ChemElectroChem, 2018, 5, 1599-1605.	1.7	14
12	Influence of Binders and Solvents on Stability of Ru/RuO _{<i>x</i>} Nanoparticles on ITO Nanocrystals as Li–O ₂ Battery Cathodes. ChemSusChem, 2017, 10, 575-586.	3.6	25
13	Synthesis of mesoporous carbons and reduced graphene oxide and their influence on the cycling performance of rechargeable Li-O2 batteries. Journal of Solid State Electrochemistry, 2017, 21, 503-514.	1.2	8
14	Bimetallic MPt (M: Co, Cu, Ni) alloy nanoparticles assembled on reduced graphene oxide as high performance cathode catalysts for rechargable lithium-oxygen batteries. Journal of Alloys and Compounds, 2016, 683, 231-240.	2.8	41
15	Protective PVDF-HFP-based membranes for air de-hydration at the cathode of the rechargeable Li–air cell. Journal of Applied Electrochemistry, 2016, 46, 617-626.	1.5	28
16	What do we need for the lithium-air batteries: A promoter or a catalyst?. International Journal of Hydrogen Energy, 2016, 41, 20583-20591.	3.8	20
17	The Use of C-MnO2 as Hybrid Precursor Support for a Pt/C-MnxO1+x Catalyst with Enhanced Activity for the Methanol Oxidation Reaction (MOR). Catalysts, 2015, 5, 1399-1416.	1.6	23
18	Cathodes Based on Noncatalyzed Ordered Mesoporous Carbon for Li–O ₂ Rechargeable Batteries. ChemElectroChem, 2014, 1, 1382-1387.	1.7	4

#	Article	IF	CITATIONS
19	Mesoporous carbons supported non-noble metal Fe–N X electrocatalysts for PEM fuel cell oxygen reduction reaction. Journal of Applied Electrochemistry, 2013, 43, 159-169.	1.5	78
20	Electrochemical Performance of Pt-Based Catalysts Supported on Different Ordered Mesoporous Carbons (Pt/OMCs) for Oxygen Reduction Reaction. Industrial & Engineering Chemistry Research, 2012, 51, 7500-7509.	1.8	56
21	UV-Induced Radical Photo-Polymerization: A Smart Tool for Preparing Polymer Electrolyte Membranes for Energy Storage Devices. Membranes, 2012, 2, 307-324.	1.4	4
22	Estimation of hydrogen crossover through Nafion® membranes in PEMFCs. Journal of Power Sources, 2011, 196, 1833-1839.	4.0	80
23	Effect of Freezing Conditions on PEM-FC Components. ECS Transactions, 2009, 17, 359-368.	0.3	8
24	Nanostructured bimetallic alloys prepared via mechanochemical synthesis as PEMFC electrocatalysts for automotive applications. Journal of Applied Electrochemistry, 2009, 39, 2115-2121.	1.5	1
25	Mesoporous carbons as low temperature fuel cell platinum catalyst supports. Journal of Applied Electrochemistry, 2008, 38, 1019-1027.	1.5	38
26	Platinum catalyst supported on mesoporous carbon for PEMFC. International Journal of Hydrogen Energy, 2008, 33, 3142-3145.	3.8	90
27	The oxidation of glutathione by cobalt/tungsten carbide contributes to hard metal-induced oxidative stress. Free Radical Research, 2008, 42, 437-745.	1.5	39
28	Electrochemical characterisation of expander materials. Journal of Power Sources, 2001, 95, 119-124.	4.0	17
29	Electrochemical techniques for the characterisation of expander materials. Journal of Power Sources, 2000, 85, 102-109.	4.0	16
30	The effect of expanders on lead-sulphate formation and reduction. Journal of Power Sources, 2000, 85, 110-116.	4.0	11