

Akiko Toshimori

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9466801/publications.pdf>

Version: 2024-02-01

23
papers

273
citations

1163117

8
h-index

940533

16
g-index

23
all docs

23
docs citations

23
times ranked

400
citing authors

#	ARTICLE	IF	CITATIONS
1	A novel endoscopic purse-string suture technique, "œloop 9" for gastrointestinal defect closure: a pilot study. <i>Endoscopy</i> , 2022, 54, 158-162.	1.8	11
2	Comparison of scope holding sign on endoscopy and lower esophageal sphincter contraction on high-resolution manometry: A pilot study. <i>DEN Open</i> , 2022, 2, e50.	0.9	0
3	Endoscopic Classifications of Early Gastric Cancer: A Literature Review. <i>Cancers</i> , 2022, 14, 100.	3.7	22
4	Association between endoscopic pressure study integrated system (EPSIS) and high-resolution manometry. <i>Endoscopy International Open</i> , 2022, 10, E762-E768.	1.8	2
5	A case of gallstone ileus treated with single-balloon endoscopy. <i>Progress of Digestive Endoscopy</i> , 2022, 100, 105-107.	0.0	0
6	Characterization of intragastric pressure waveform in endoscopic pressure study integrated system: Novel diagnostic device for gastroesophageal reflux disease. <i>Digestive Endoscopy</i> , 2021, 33, 780-787.	2.3	5
7	Importance of second-look endoscopy after peroral endoscopic myotomy for safe postoperative management. <i>Digestive Endoscopy</i> , 2021, 33, 364-372.	2.3	5
8	Diagnostic yield of fourth-generation endocytoscopy for esophageal squamous lesions using a modified endocytoscopic classification. <i>Digestive Endoscopy</i> , 2021, 33, 1093-1100.	2.3	4
9	Long-term clinical results of per-oral endoscopic myotomy (POEM) for achalasia: First report of more than 10-year patient experience as assessed with a questionnaire-based survey. <i>Endoscopy International Open</i> , 2021, 09, E409-E416.	1.8	21
10	Simplified endoscopic pressure study integrated system for the diagnosis of gastroesophageal reflux disease. <i>Digestive Endoscopy</i> , 2021, 33, 663-667.	2.3	5
11	Unified magnifying endoscopic classification for esophageal, gastric and colonic lesions: a feasibility pilot study. <i>Endoscopy International Open</i> , 2021, 09, E1306-E1314.	1.8	3
12	Diagnosis of congenital esophageal stenosis in adults and treatment with peroral endoscopic myotomy. <i>Annals of Gastroenterology</i> , 2021, 34, 493-500.	0.6	2
13	A novel modified side-by-side balloon dilatation method for esophagogastric junction strictures: single/double-barrel technique. <i>Digestive Endoscopy</i> , 2021, , .	2.3	1
14	Peroral endoscopic fundoplication: a brand-new intervention for GERD. <i>VideoGIE</i> , 2020, 5, 244-246.	0.7	16
15	Clinical features of hemodialysis patients treated for hepatocellular carcinoma: Comparison between resection and radiofrequency ablation. <i>Molecular and Clinical Oncology</i> , 2017, 6, 455-461.	1.0	5
16	Characteristics and Prognosis of Hepatocellular Carcinoma in Japanese Patients Undergoing Dialysis. <i>Therapeutic Apheresis and Dialysis</i> , 2017, 21, 465-472.	0.9	12
17	A Possible Case of Hepatitis due to Hypereosinophilic Syndrome. <i>Internal Medicine</i> , 2016, 55, 1453-1458.	0.7	7
18	Su1470 Curative Treatments of Hemodialysis Patients With Hepatocellular Carcinoma: Comparison Between Resection and Radiofrequency Ablation. <i>Gastroenterology</i> , 2016, 150, S514.	1.3	0

#	ARTICLE	IF	CITATIONS
19	Resected intrahepatic cholangiocellular sarcoma: case report and review of literature. Acta Hepatologica Japonica, 2016, 57, 242-251.	0.1	0
20	Tumor Markers AFP, AFP-L3, and DCP in Hepatocellular Carcinoma Refractory to Transcatheter Arterial Chemoembolization. Oncology, 2015, 89, 167-174.	1.9	31
21	Prognosis and therapy for ruptured hepatocellular carcinoma: Problems with staging and treatment strategy. European Journal of Radiology, 2015, 84, 366-371.	2.6	31
22	Muscle atrophy as pre-sarcopenia in Japanese patients with chronic liver disease: computed tomography is useful for evaluation. Journal of Gastroenterology, 2015, 50, 1206-1213.	5.1	90
23	A case of pancreatic neuroendocrine tumor whose character was shown precisely by endoscopic ultrasonography. Choonpa Igaku, 2015, 42, 171-176.	0.0	0