

Mohammed M H Al-Gayyar

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9468485/mohammed-m-h-al-gayyar-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

59
papers

1,744
citations

27
h-index

39
g-index

67
ext. papers

1,973
ext. citations

4.8
avg, IF

5.07
L-index

#	Paper	IF	Citations
59	Chemopreventive and hepatoprotective effects of genistein via inhibition of oxidative stress and the versican/PDGF/PKC signaling pathway in experimentally induced hepatocellular carcinoma in rats by thioacetamide.. <i>Redox Report</i> , 2022 , 27, 9-20	5.9	1
58	Fucoidan Ameliorates Hepatocellular Carcinoma Induced in Rats: Effect on miR143 and Inflammation. <i>Nutrition and Cancer</i> , 2021 , 73, 1498-1510	2.8	4
57	Therapeutic effects of blocking Eatenin against hepatocellular carcinoma-induced activation of inflammation, fibrosis and tumor invasion. <i>Biomedicine and Pharmacotherapy</i> , 2021 , 135, 111216	7.5	2
56	Glycyrrhizic acid ameliorates sodium nitrite-induced lung and salivary gland toxicity: Impact on oxidative stress, inflammation and fibrosis. <i>Human and Experimental Toxicology</i> , 2021 , 40, 707-721	3.4	3
55	QNZ alleviated hepatocellular carcinoma by targeting inflammatory pathways in a rat model. <i>Cytokine</i> , 2021 , 148, 155710	4	0
54	Heparan sulfate proteoglycans and their modification as promising anticancer targets in hepatocellular carcinoma. <i>Oncology Letters</i> , 2021 , 21, 173	2.6	2
53	Selective cytotoxic activity and protective effects of sodium ascorbate against hepatocellular carcinoma through its effect on oxidative stress and apoptosis and. <i>Redox Report</i> , 2020 , 25, 17-25	5.9	5
52	Measuring the appropriateness of carbamazepine and valproic acid prescribing and utilization using a newly implemented online system in the Tabuk Region of Saudi Arabia. <i>Saudi Pharmaceutical Journal</i> , 2020 , 28, 844-849	4.4	2
51	Targeting p53/TRAIL/caspase-8 signaling by adiponectin reverses thioacetamide-induced hepatocellular carcinoma in rats. <i>Environmental Toxicology and Pharmacology</i> , 2019 , 72, 103240	5.8	14
50	The therapeutic effects of nicotinamide in hepatocellular carcinoma through blocking IGF-1 and effecting the balance between Nrf2 and PKB. <i>Biomedicine and Pharmacotherapy</i> , 2019 , 112, 108653	7.5	16
49	Oleuropein potentiates anti-tumor activity of cisplatin against HepG2 through affecting proNGF/NGF balance. <i>Life Sciences</i> , 2018 , 198, 87-93	6.8	22
48	Cytotoxic and partial hepatoprotective activity of sodium ascorbate against hepatocellular carcinoma through inhibition of sulfatase-2 in vivo and in vitro. <i>Biomedicine and Pharmacotherapy</i> , 2018 , 103, 362-372	7.5	17
47	Clinical significance of the TNF- α receptors, TNFRSF2 and TNFRSF9, on cell migration molecules Fascin-1 and Versican in acute leukemia. <i>Cytokine</i> , 2018 , 111, 523-529	4	11
46	Renal protective effects of thymoquinone against sodium nitrite-induced chronic toxicity in rats: Impact on inflammation and apoptosis. <i>Life Sciences</i> , 2017 , 180, 1-8	6.8	35
45	Crocic protects against doxorubicin-induced myocardial toxicity in rats through down-regulation of inflammatory and apoptic pathways. <i>Chemico-Biological Interactions</i> , 2016 , 247, 39-48	5	47
44	Chemopreventive and hepatoprotective roles of adiponectin (SULF2 inhibitor) in hepatocellular carcinoma. <i>Biological Chemistry</i> , 2016 , 397, 257-67	4.5	21
43	The role of IL-18 in type 1 diabetic nephropathy: The problem and future treatment. <i>Cytokine</i> , 2016 , 81, 15-22	4	32

42	Renal protective effects of arjunolic acid in a cisplatin-induced nephrotoxicity model. <i>Cytokine</i> , 2016 , 77, 26-34	4	26
41	Epigallocatechin-3-Gallate Upregulates miR-221 to Inhibit Osteopontin-Dependent Hepatic Fibrosis. <i>PLoS ONE</i> , 2016 , 11, e0167435	3.7	27
40	Thymoquinone ameliorates testicular tissue inflammation induced by chronic administration of oral sodium nitrite. <i>Andrologia</i> , 2016 , 48, 501-8	2.4	11
39	Thymoquinone ameliorated elevated inflammatory cytokines in testicular tissue and sex hormones imbalance induced by oral chronic toxicity with sodium nitrite. <i>Cytokine</i> , 2016 , 83, 64-74	4	13
38	Nigella sativa oil attenuates chronic nephrotoxicity induced by oral sodium nitrite: Effects on tissue fibrosis and apoptosis. <i>Redox Report</i> , 2016 , 21, 50-60	5.9	21
37	Anti-tumor activity of arjunolic acid against Ehrlich Ascites Carcinoma cells in vivo and in vitro through blocking TGF- β type 1 receptor. <i>Biomedicine and Pharmacotherapy</i> , 2016 , 82, 28-34	7.5	9
36	Evaluation of antiglypican-3 therapy as a promising target for amelioration of hepatic tissue damage in hepatocellular carcinoma. <i>European Journal of Pharmacology</i> , 2015 , 746, 353-62	5.3	14
35	Cod liver oil in sodium nitrite induced hepatic injury: does it have a potential protective effect?. <i>Redox Report</i> , 2015 , 20, 11-6	5.9	11
34	Nephroprotective role of dipyridamole in diabetic nephropathy: Effect on inflammation and apoptosis. <i>Life Sciences</i> , 2015 , 143, 8-17	6.8	21
33	Cod liver oil ameliorates sodium nitrite-induced insulin resistance and degradation of rat hepatic glycogen through inhibition of cAMP/PKA pathway. <i>Life Sciences</i> , 2015 , 120, 13-21	6.8	11
32	Hepatoprotective and anti-tumor effects of targeting MMP-9 in hepatocellular carcinoma and its relation to vascular invasion markers. <i>Clinical and Experimental Metastasis</i> , 2015 , 32, 479-93	4.7	32
31	Suramin inhibits hepatic tissue damage in hepatocellular carcinoma through deactivation of heparanase enzyme. <i>European Journal of Pharmacology</i> , 2014 , 728, 151-60	5.3	29
30	Protective effects of arjunolic acid against cardiac toxicity induced by oral sodium nitrite: effects on cytokine balance and apoptosis. <i>Life Sciences</i> , 2014 , 111, 18-26	6.8	27
29	Chemopreventive and hepatoprotective effects of Epigallocatechin-gallate against hepatocellular carcinoma: role of heparan sulfate proteoglycans pathway. <i>Journal of Pharmacy and Pharmacology</i> , 2014 , 66, 1032-45	4.8	34
28	Effect of simvastatin on inflammatory cytokines balance in air pouch granuloma model. <i>Inflammation and Allergy: Drug Targets</i> , 2014 , 13, 74-9		3
27	ABT-702, an adenosine kinase inhibitor, attenuates inflammation in diabetic retinopathy. <i>Life Sciences</i> , 2013 , 93, 78-88	6.8	33
26	Hepatoprotective effects of cod liver oil against sodium nitrite toxicity in rats. <i>Pharmaceutical Biology</i> , 2013 , 51, 1435-43	3.8	33
25	Potential roles of adenosine deaminase-2 in diabetic retinopathy. <i>Biochemical and Biophysical Research Communications</i> , 2013 , 436, 355-61	3.4	22

24	Measuring serum levels of glycosaminoglycans for prediction and using viscum fraxini-2 for treatment of patients with hepatocellular carcinoma. <i>Journal of Pharmacy Research</i> , 2013 , 7, 571-575		4
23	Contribution of TNF- α to the development of retinal neurodegenerative disorders. <i>European Cytokine Network</i> , 2013 , 24, 27-36	3.3	42
22	Modulation of p75(NTR) prevents diabetes- and proNGF-induced retinal inflammation and blood-retina barrier breakdown in mice and rats. <i>Diabetologia</i> , 2013 , 56, 2329-39	10.3	44
21	Antioxidant, anti-inflammatory and hepatoprotective effects of silymarin on hepatic dysfunction induced by sodium nitrite. <i>European Cytokine Network</i> , 2013 , 24, 114-21	3.3	59
20	Evaluation of renal protective effects of inhibiting TGF- β type I receptor in a cisplatin-induced nephrotoxicity model. <i>European Cytokine Network</i> , 2013 , 24, 139-47	3.3	20
19	Diabetes and overexpression of proNGF cause retinal neurodegeneration via activation of RhoA pathway. <i>PLoS ONE</i> , 2013 , 8, e54692	3.7	31
18	Reno-protective effect of NECA in diabetic nephropathy: implication of IL-18 and ICAM-1. <i>European Cytokine Network</i> , 2012 , 23, 78-86	3.3	22
17	Relevance of serum levels of interleukin-6 and syndecan-1 in patients with hepatocellular carcinoma. <i>Scientia Pharmaceutica</i> , 2012 , 80, 179-88	4.3	29
16	Fish oil improves lipid metabolism and ameliorates inflammation in patients with metabolic syndrome: impact of nonalcoholic fatty liver disease. <i>Pharmaceutical Biology</i> , 2012 , 50, 297-303	3.8	17
15	Electroporation-mediated gene delivery of cleavage-resistant pro-nerve growth factor causes retinal neuro- and vascular degeneration. <i>Molecular Vision</i> , 2012 , 18, 2993-3003	2.3	18
14	Evaluation of renal protective effects of the green-tea (EGCG) and red grape resveratrol: role of oxidative stress and inflammatory cytokines. <i>Natural Product Research</i> , 2011 , 25, 850-6	2.3	45
13	Thioredoxin interacting protein is a novel mediator of retinal inflammation and neurotoxicity. <i>British Journal of Pharmacology</i> , 2011 , 164, 170-80	8.6	73
12	Circulating adiponectin: a potential prognostic marker for hepatocellular carcinoma. <i>Chinese-German Journal of Clinical Oncology</i> , 2011 , 10, 570-574		4
11	Diabetes-induced peroxynitrite impairs the balance of pro-nerve growth factor and nerve growth factor, and causes neurovascular injury. <i>Diabetologia</i> , 2011 , 54, 657-68	10.3	91
10	Epicatechin blocks pro-nerve growth factor (proNGF)-mediated retinal neurodegeneration via inhibition of p75 neurotrophin receptor expression in a rat model of diabetes [corrected]. <i>Diabetologia</i> , 2011 , 54, 669-80	10.3	61
9	Cannabinoid 1 receptor activation contributes to vascular inflammation and cell death in a mouse model of diabetic retinopathy and a human retinal cell line. <i>Diabetologia</i> , 2011 , 54, 1567-78	10.3	56
8	Retinal microglial activation and inflammation induced by amadori-glycated albumin in a rat model of diabetes. <i>Diabetes</i> , 2011 , 60, 1122-33	0.9	138
7	Type 2 Diabetes Mellitus-Induced Hyperglycemia in Patients with NAFLD and Normal LFTs: Relationship to Lipid Profile, Oxidative Stress and Pro-Inflammatory Cytokines. <i>Scientia Pharmaceutica</i> , 2011 , 79, 623-34	4.3	39

6	Alteration of growth factors and neuronal death in diabetic retinopathy: what we have learned so far. <i>Molecular Vision</i> , 2011 , 17, 300-8	2.3	59
5	Prominent chemopreventive and chemoenhancing effects for resveratrol: unraveling molecular targets and the role of C-reactive protein. <i>Chemotherapy</i> , 2010 , 56, 60-5	3.2	25
4	Neurovascular protective effect of FeTPPs in N-methyl-D-aspartate model: similarities to diabetes. <i>American Journal of Pathology</i> , 2010 , 177, 1187-97	5.8	40
3	Novel chemotherapeutic and renal protective effects for the green tea (EGCG): role of oxidative stress and inflammatory-cytokine signaling. <i>Phytomedicine</i> , 2010 , 17, 1067-75	6.5	46
2	Chemopreventive and renal protective effects for docosahexaenoic acid (DHA): implications of CRP and lipid peroxides. <i>Cell Division</i> , 2009 , 4, 6	2.8	42
1	Measurements of oxidative stress status and antioxidant activity in chronic leukaemia patients. <i>Journal of Pharmacy and Pharmacology</i> , 2007 , 59, 409-17	4.8	42