

# Philipp W Simon

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/946867/publications.pdf>

Version: 2024-02-01

155  
papers

6,487  
citations

70961

41  
h-index

82410

72  
g-index

164  
all docs

164  
docs citations

164  
times ranked

5674  
citing authors

#	ARTICLE	IF	CITATIONS
1	A high-quality carrot genome assembly provides new insights into carotenoid accumulation and asterid genome evolution. <i>Nature Genetics</i> , 2016, 48, 657-666.	9.4	432
2	Using next-generation sequencing approaches to isolate simple sequence repeat (SSR) loci in the plant sciences. <i>American Journal of Botany</i> , 2012, 99, 193-208.	0.8	414
3	Genome-wide characterization of simple sequence repeats in cucumber ( <i>Cucumis sativus</i> L.). <i>BMC Genomics</i> , 2010, 11, 569.	1.2	316
4	Application of genomics-assisted breeding for generation of climate resilient crops: progress and prospects. <i>Frontiers in Plant Science</i> , 2015, 6, 563.	1.7	243
5	De novo assembly and characterization of the carrot transcriptome reveals novel genes, new markers, and genetic diversity. <i>BMC Genomics</i> , 2011, 12, 389.	1.2	178
6	Genetic structure and domestication of carrot ( <i>Daucus carota</i> subsp. <i>sativus</i> ) (Apiaceae). <i>American Journal of Botany</i> , 2013, 100, 930-938.	0.8	167
7	Plasma and Urine Responses Are Lower for Acylated vs Nonacylated Anthocyanins from Raw and Cooked Purple Carrots. <i>Journal of Agricultural and Food Chemistry</i> , 2005, 53, 6537-6542.	2.4	166
8	Carotenoid Profiles and Consumer Sensory Evaluation of Specialty Carrots ( <i>Daucus carota</i> , L.) of Various Colors. <i>Journal of Agricultural and Food Chemistry</i> , 2004, 52, 3417-3421.	2.4	149
9	Antioxidant Phytochemicals and Antioxidant Capacity of Biofortified Carrots ( <i>Daucus carota</i> L.) of Various Colors. <i>Journal of Agricultural and Food Chemistry</i> , 2009, 57, 4142-4147.	2.4	138
10	Carotenes in typical and dark orange carrots. <i>Journal of Agricultural and Food Chemistry</i> , 1987, 35, 1017-1022.	2.4	125
11	Bioavailability of Anthocyanins from Purple Carrot Juice: Effects of Acylation and Plant Matrix. <i>Journal of Agricultural and Food Chemistry</i> , 2009, 57, 1226-1230.	2.4	125
12	De novo assembly of the carrot mitochondrial genome using next generation sequencing of whole genomic DNA provides first evidence of DNA transfer into an angiosperm plastid genome. <i>BMC Plant Biology</i> , 2012, 12, 61.	1.6	114
13	Effect of Cooking on Garlic ( <i>Allium sativum</i> L.) Antiplatelet Activity and Thiosulfinates Content. <i>Journal of Agricultural and Food Chemistry</i> , 2007, 55, 1280-1288.	2.4	93
14	Sustaining the Future of Plant Breeding: The Critical Role of the USDA-ARS National Plant Germplasm System. <i>Crop Science</i> , 2018, 58, 451-468.	0.8	91
15	Microsatellite isolation and marker development in carrot - genomic distribution, linkage mapping, genetic diversity analysis and marker transferability across Apiaceae. <i>BMC Genomics</i> , 2011, 12, 386.	1.2	90
16	Next-generation sequencing, FISH mapping and synteny-based modeling reveal mechanisms of decreasing dysploidy in <i>Cucumis</i> . <i>Plant Journal</i> , 2014, 77, 16-30.	2.8	90
17	Major QTL for carrot color are positionally associated with carotenoid biosynthetic genes and interact epistatically in a domesticated-wild carrot cross. <i>Theoretical and Applied Genetics</i> , 2009, 119, 1155-1169.	1.8	84
18	Comparison of AFLPs, RAPD Markers, and Isozymes for Diversity Assessment of Garlic and Detection of Putative Duplicates in Germplasm Collections. <i>Journal of the American Society for Horticultural Science</i> , 2003, 128, 246-252.	0.5	84

#	ARTICLE	IF	CITATIONS
19	Chromatin Structure and Physical Mapping of Chromosome 6 of Potato and Comparative Analyses With Tomato. <i>Genetics</i> , 2008, 180, 1307-1317.	1.2	82
20	Expression and mapping of anthocyanin biosynthesis genes in carrot. <i>Theoretical and Applied Genetics</i> , 2013, 126, 1689-1702.	1.8	77
21	Carotenoid Presence Is Associated with the Or Gene in Domesticated Carrot. <i>Genetics</i> , 2018, 210, 1497-1508.	1.2	75
22	Correlations between sensory and objective parameters of carrot flavor. <i>Journal of Agricultural and Food Chemistry</i> , 1980, 28, 559-562.	2.4	74
23	Analysis of genetic linkage in the cucumber. <i>Journal of Heredity</i> , 1987, 78, 238-242.	1.0	73
24	A gene-derived SNP-based high resolution linkage map of carrot including the location of QTL conditioning root and leaf anthocyanin pigmentation. <i>BMC Genomics</i> , 2014, 15, 1118.	1.2	64
25	A Cluster of MYB Transcription Factors Regulates Anthocyanin Biosynthesis in Carrot ( <i>Daucus carota</i> ) Tj ETQq1 1 0,784314 rgBT /Overle	1.7	84
26	Distinct Subcellular Expression Patterns of Neutral Endopeptidase (CD10) in Prostate Cancer Predict Diverging Clinical Courses in Surgically Treated Patients. <i>Clinical Cancer Research</i> , 2008, 14, 7838-7842.	3.2	62
27	Diversity, genetic mapping, and signatures of domestication in the carrot ( <i>Daucus carota</i> L.) genome, as revealed by Diversity Arrays Technology (DArT) markers. <i>Molecular Breeding</i> , 2014, 33, 625-637.	1.0	61
28	Identification and Characterization of Terpene Synthases Potentially Involved in the Formation of Volatile Terpenes in Carrot ( <i>Daucus carota</i> L.) Roots. <i>Journal of Agricultural and Food Chemistry</i> , 2015, 63, 4870-4878.	2.4	58
29	Molecular mapping of vernalization requirement and fertility restoration genes in carrot. <i>Theoretical and Applied Genetics</i> , 2013, 126, 415-423.	1.8	56
30	Genetic diversity of carrot ( <i>Daucus carota</i> L.) cultivars revealed by analysis of SSR loci. <i>Genetic Resources and Crop Evolution</i> , 2012, 59, 163-170.	0.8	55
31	Ploidy manipulation of the gametophyte, endosperm and sporophyte in nature and for crop improvement: a tribute to Professor Stanley J. Peloquin (1921â€“2008). <i>Annals of Botany</i> , 2009, 104, 795-807.	1.4	51
32	Molecular Diversity Analysis of Cultivated Carrot ( <i>Daucus carota</i> L.) and Wild <i>Daucus</i> Populations Reveals a Genetically Nonstructured Composition. <i>Journal of the American Society for Horticultural Science</i> , 2002, 127, 383-391.	0.5	49
33	Fine Mapping, Transcriptome Analysis, and Marker Development for <i>Y2</i> , the Gene That Conditions Î²-Carotene Accumulation in Carrot ( <i>Daucus carota</i> L.). <i>G3: Genes, Genomes, Genetics</i> , 2017, 7, 2665-2675.	0.8	48
34	Analysis of carrot volatiles collected on porous polymer traps. <i>Journal of Agricultural and Food Chemistry</i> , 1980, 28, 549-552.	2.4	46
35	A Chromosome-Specific Estimate of Transmission of Heterozygosity by 2n Gametes in Potato. <i>Journal of Heredity</i> , 2008, 99, 177-181.	1.0	46
36	Entire plastid phylogeny of the carrot genus ( <i>Daucus</i> , Apiaceae): Concordance with nuclear data and mitochondrial and nuclear DNA insertions to the plastid. <i>American Journal of Botany</i> , 2017, 104, 296-312.	0.8	46

#	ARTICLE	IF	CITATIONS
37	Lutein and $\beta$ -carotene from lutein-containing yellow carrots are bioavailable in humans. <i>American Journal of Clinical Nutrition</i> , 2004, 80, 131-136.	2.2	45
38	Genotyping-by-sequencing provides the discriminating power to investigate the subspecies of <i>Daucus carota</i> (Apiaceae). <i>BMC Evolutionary Biology</i> , 2016, 16, 234.	3.2	44
39	Formation of Norisoprenoid Flavor Compounds in Carrot ( <i>Daucus carota</i> L.) Roots: Characterization of a Cyclic-Specific Carotenoid Cleavage Dioxygenase 1 Gene. <i>Journal of Agricultural and Food Chemistry</i> , 2013, 61, 12244-12252.	2.4	43
40	Carrot. , 2008, , 327-357.		42
41	Comparative FISH mapping of <i>Daucus</i> species (Apiaceae family). <i>Chromosome Research</i> , 2011, 19, 493-506.	1.0	42
42	Phylogenomics of the carrot genus ( <i>Daucus</i> , Apiaceae). <i>American Journal of Botany</i> , 2014, 101, 1666-1685.	0.8	42
43	Assessing phenotypic, biochemical, and molecular diversity in coriander ( <i>Coriandrum sativum</i> L.) germplasm. <i>Genetic Resources and Crop Evolution</i> , 2008, 55, 247-275.	0.8	41
44	Major cytogenetic landmarks and karyotype analysis in <i>Daucus carota</i> and other Apiaceae. <i>American Journal of Botany</i> , 2008, 95, 793-804.	0.8	41
45	Characterization of a deep-coverage carrot ( <i>Daucus carota</i> L.) BAC library and initial analysis of BAC-end sequences. <i>Molecular Genetics and Genomics</i> , 2009, 281, 273-288.	1.0	41
46	Carrots and Other Horticultural Crops as a Source of Provitamin A Carotenoids. <i>Hortscience: A Publication of the American Society for Horticultural Science</i> , 1990, 25, 1495-1499.	0.5	40
47	Against the traffic. <i>Mobile Genetic Elements</i> , 2012, 2, 261-266.	1.8	38
48	Heritabilities and Minimum Gene Number Estimates of Carrot Carotenoids. <i>Euphytica</i> , 2006, 151, 79-86.	0.6	37
49	Nuclear and cytoplasmic genome composition of <i>Solanum bulbocastanum</i> (+) <i>S. tuberosum</i> somatic hybrids. <i>Genome</i> , 2007, 50, 443-450.	0.9	37
50	Characterization of a Genomic Region under Selection in Cultivated Carrot ( <i>Daucus carota</i> subsp.) Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50	1.7	37
51	Plant Pigments for Color and Nutrition. <i>Hortscience: A Publication of the American Society for Horticultural Science</i> , 1997, 32, 12-13.	0.5	37
52	Extensive Variation in Fried Chip Color and Tuber Composition in Cold-Stored Tubers of Wild Potato ( <i>Solanum</i> ) Germplasm. <i>Journal of Agricultural and Food Chemistry</i> , 2010, 58, 2368-2376.	2.4	34
53	Genetic analysis of pungency and soluble solids in long-storage onions. <i>Euphytica</i> , 1995, 82, 1-8.	0.6	32
54	Title is missing!. <i>Euphytica</i> , 2002, 127, 353-365.	0.6	32

#	ARTICLE	IF	CITATIONS
55	Bioavailability of $\beta$ -carotene ( $\beta$ C) from purple carrots is the same as typical orange carrots while high- $\beta$ C carrots increase $\beta$ C stores in Mongolian gerbils ( <i>Meriones unguiculatus</i> ). <i>British Journal of Nutrition</i> , 2006, 96, 258-267.	1.2	32
56	AMACR expression in colorectal cancer is associated with left-sided tumor localization. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2008, 453, 243-248.	1.4	32
57	Combined $\beta$ -methylacyl coenzyme A racemase/p53 analysis to identify dysplasia in inflammatory bowel disease. <i>Human Pathology</i> , 2009, 40, 166-173.	1.1	32
58	Carrot Anthocyanins Genetics and Genomics: Status and Perspectives to Improve Its Application for the Food Colorant Industry. <i>Genes</i> , 2020, 11, 906.	1.0	32
59	Inheritance and Mapping of <i>Mj-2</i> , a New Source of Root-knot Nematode ( <i>Meloidogyne</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock 31	1.0	31
60	The effects of gamma irradiation on the growth and cytology of carrot ( <i>Daucus carota</i> L.) tissue culture. <i>Environmental and Experimental Botany</i> , 1990, 30, 361-371.	2.0	30
61	$\beta$ -Carotene from Red Carrot Maintains Vitamin A Status, but Lycopene Bioavailability Is Lower Relative to Tomato Paste in Mongolian Gerbils. <i>Journal of Nutrition</i> , 2007, 137, 1395-1400.	1.3	29
62	The DcMaster Transposon Display maps polymorphic insertion sites in the carrot ( <i>Daucus carota</i> L.) genome. <i>Gene</i> , 2007, 390, 67-74.	1.0	29
63	An Automated Image Analysis Pipeline Enables Genetic Studies of Shoot and Root Morphology in Carrot ( <i>Daucus carota</i> L.). <i>Frontiers in Plant Science</i> , 2018, 9, 1703.	1.7	29
64	A 2.5-kb insert eliminates acid soluble invertase isozyme II transcript in carrot ( <i>Daucus carota</i> L.) roots, causing high sucrose accumulation. <i>Plant Molecular Biology</i> , 2003, 53, 151-162.	2.0	28
65	Genetic characterization of <i>Allium tuncelianum</i> : An endemic edible <i>Allium</i> species with garlic odor. <i>Scientia Horticulturae</i> , 2008, 115, 409-415.	1.7	28
66	Dissecting the genetic control of root and leaf tissue-specific anthocyanin pigmentation in carrot ( <i>Daucus carota</i> L.). <i>Theoretical and Applied Genetics</i> , 2019, 132, 2485-2507.	1.8	27
67	Multiple forms of invertase from <i>Daucus carota</i> cell cultures. <i>Phytochemistry</i> , 1990, 29, 2087-2089.	1.4	25
68	Biofortified Carrot Intake Enhances Liver Antioxidant Capacity and Vitamin A Status in Mongolian Gerbils. <i>Journal of Nutrition</i> , 2008, 138, 1692-1698.	1.3	25
69	Molecular Phylogeny of <i>Daucus</i> (Apiaceae). <i>Systematic Botany</i> , 2013, 38, 850-857.	0.2	25
70	Development and validation of new SSR markers from expressed regions in the garlic genome. <i>Scientia Agricola</i> , 2015, 72, 41-46.	0.6	25
71	Dissecting the Genetic Architecture of Shoot Growth in Carrot ( <i>Daucus carota</i> L.) Using a Diallel Mating Design. <i>G3: Genes, Genomes, Genetics</i> , 2018, 8, 411-426.	0.8	25
72	Transcript Abundance of Phytoene Synthase 1 and Phytoene Synthase 2 Is Associated with Natural Variation of Storage Root Carotenoid Pigmentation in Carrot. <i>Journal of the American Society for Horticultural Science</i> , 2014, 139, 63-68.	0.5	25

#	ARTICLE	IF	CITATIONS
73	Genetic variation for volatile terpenoids in roots of carrot, <i>Daucus carota</i> , inbreds and F1 hybrids. <i>Phytochemistry</i> , 1982, 21, 1299-1303.	1.4	24
74	<i>Daucus</i> . , 2011, , 91-113.		24
75	Variation for Salinity Tolerance During Seed Germination in Diverse Carrot [ <i>Daucus carota</i> (L.)] Germplasm. <i>Hortscience: A Publication of the American Society for Horticultural Science</i> , 2019, 54, 38-44.	0.5	24
76	Diallel Analysis of Resistance in Carrot to <i>Alternaria</i> Leaf Blight. <i>Journal of the American Society for Horticultural Science</i> , 1998, 123, 412-415.	0.5	24
77	Maize Genotype and Food Matrix Affect the Provitamin A Carotenoid Bioefficacy from Staple and Carrot-Fortified Feeds in Mongolian Gerbils ( <i>Meriones unguiculatus</i> ). <i>Journal of Agricultural and Food Chemistry</i> , 2014, 62, 136-143.	2.4	23
78	Mitochondrial <i>atp9</i> genes from petaloid male-sterile and male-fertile carrots differ in their status of heteroplasmy, recombination involvement, post-transcriptional processing as well as accumulation of RNA and protein product. <i>Theoretical and Applied Genetics</i> , 2014, 127, 1689-1701.	1.8	23
79	Meloidogyne incognita nematode resistance QTL in carrot. <i>Molecular Breeding</i> , 2015, 35, 1.	1.0	23
80	Diversity and function of terpene synthases in the production of carrot aroma and flavor compounds. <i>Scientific Reports</i> , 2020, 10, 9989.	1.6	23
81	Master: a novel family of PIF/Harbinger-like transposable elements identified in carrot ( <i>Daucus carota</i> ) Tj ETQq1 1 0,784314 rgBT /Over 1.0 22	1.0	22
82	SHORT HYPOCOTYL 1 Encodes a SMARCA3-like Chromatin Remodeling Factor Regulating Elongation. <i>Plant Physiology</i> , 2016, 172, pp.00501.2016.	2.3	22
83	Identification of an SCPL Gene Controlling Anthocyanin Acylation in Carrot ( <i>Daucus carota</i> L.) Root. <i>Frontiers in Plant Science</i> , 2020, 10, 1770.	1.7	21
84	Title is missing!. <i>Euphytica</i> , 1999, 105, 183-189.	0.6	20
85	Molecular Tagging and Selection for Sugar Type in Carrot Roots Using Co-dominant, PCR-based Markers. <i>Molecular Breeding</i> , 2005, 16, 1-10.	1.0	20
86	Nuclear DNA content variation within the genus <i>Daucus</i> (Apiaceae) determined by flow cytometry. <i>Scientia Horticulturae</i> , 2016, 209, 132-138.	1.7	20
87	Reassessment of Practical Subspecies Identifications of the USDA <i>Daucus carota</i> L. Germplasm Collection: Morphological Data. <i>Crop Science</i> , 2014, 54, 706-718.	0.8	19
88	Composition and (in)homogeneity of carotenoid crystals in carrot cells revealed by high resolution Raman imaging. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2015, 136, 1395-1400.	2.0	19
89	Crop management system and carrot genotype affect endophyte composition and <i>Alternaria dauci</i> suppression. <i>PLoS ONE</i> , 2020, 15, e0233783.	1.1	19
90	Cell Membrane Stability and Relative Cell Injury in Response to Heat Stress during Early and Late Seedling Stages of Diverse Carrot ( <i>Daucus carota</i> L.) Germplasm. <i>Hortscience: A Publication of the American Society for Horticultural Science</i> , 2020, 55, 1446-1452.	0.5	19

#	ARTICLE	IF	CITATIONS
91	Molecular characterization of Kastamonu garlic: An economically important garlic clone in Turkey. <i>Scientia Horticulturae</i> , 2008, 115, 203-208.	1.7	18
92	Genetic variation for volatile terpenoids in roots of carrot, <i>Daucus carota</i> , backcrosses and F2 generations. <i>Phytochemistry</i> , 1982, 21, 875-879.	1.4	17
93	Sequence homology of polymorphic AFLP markers in garlic ( <i>Allium sativum</i> L.). <i>Genome</i> , 2006, 49, 1246-1255.	0.9	17
94	Morphometrics of <i>Daucus</i> (Apiaceae): A counterpart to a phylogenomic study. <i>American Journal of Botany</i> , 2014, 101, 2005-2016.	0.8	17
95	Early Orange Mass 400, Early Orange Mass 402, and Late Orange Mass 404: High-carotene Cucumber Germplasm. <i>Hortscience: A Publication of the American Society for Horticultural Science</i> , 1997, 32, 144-145.	0.5	17
96	Some AFLP amplicons are highly conserved DNA sequences mapping to the same linkage groups in two F2 populations of carrot. <i>Genetics and Molecular Biology</i> , 2002, 25, 195-201.	0.6	16
97	Genetic, Physiological, and Environmental Factors Affecting Acrylamide Concentration in Fried Potato Products. , 2005, 561, 371-386.		16
98	Patterns of Gene Flow between Crop and Wild Carrot, <i>Daucus carota</i> (Apiaceae) in the United States. <i>PLoS ONE</i> , 2016, 11, e0161971.	1.1	16
99	Genetic and Transcription Profile Analysis of Tissue-Specific Anthocyanin Pigmentation in Carrot Root Phloem. <i>Genes</i> , 2021, 12, 1464.	1.0	16
100	Quantifying intra-plant variation of volatile terpenoids in carrot. <i>Phytochemistry</i> , 1987, 26, 1975-1979.	1.4	15
101	DcSto: carrot Stowaway-like elements are abundant, diverse, and polymorphic. <i>Genetica</i> , 2013, 141, 255-267.	0.5	15
102	Fruit morphological descriptors as a tool for discrimination of <i>Daucus</i> L. germplasm. <i>Genetic Resources and Crop Evolution</i> , 2014, 61, 499-510.	0.8	15
103	Integrated Molecular and Morphological Studies of the <i>Daucus guttatus</i> Complex (Apiaceae). <i>Systematic Botany</i> , 2016, 41, 479-492.	0.2	15
104	Diversity of DcMaster-like elements of the PIF/Harbinger superfamily in the carrot genome. <i>Genetica</i> , 2009, 135, 347-353.	0.5	14
105	RoBuST: an integrated genomics resource for the root and bulb crop families Apiaceae and Alliaceae. <i>BMC Plant Biology</i> , 2010, 10, 161.	1.6	14
106	Anthocyanins in Purple-Orange Carrots ( <i>Daucus carota</i> L.) Do Not Influence the Bioavailability of $\beta$ -Carotene in Young Women. <i>Journal of Agricultural and Food Chemistry</i> , 2010, 58, 2877-2881.	2.4	14
107	Carrot Carotenoid Genetics and Genomics. <i>Compendium of Plant Genomes</i> , 2019, , 247-260.	0.3	14
108	Development of a simple pungency indicator test for onions. <i>Journal of the Science of Food and Agriculture</i> , 1992, 60, 499-504.	1.7	13

#	ARTICLE	IF	CITATIONS
109	Overlapping Vitamin A Interventions with Provitamin A Carotenoids and Preformed Vitamin A Cause Excessive Liver Retinol Stores in Male Mongolian Gerbils. <i>Journal of Nutrition</i> , 2020, 150, 2912-2923.	1.3	13
110	Physicochemical properties, degradation kinetics, and antioxidant capacity of aqueous anthocyanin-based extracts from purple carrots compared to synthetic and natural food colorants. <i>Food Chemistry</i> , 2022, 387, 132893.	4.2	13
111	Distributions and Conservation Status of Carrot Wild Relatives in Tunisia: A Case Study in the Western Mediterranean Basin. <i>Crop Science</i> , 2019, 59, 2317-2328.	0.8	12
112	Merging Carrot Linkage Groups based on Conserved Dominant AFLP Markers in F2 Populations. <i>Journal of the American Society for Horticultural Science</i> , 2004, 129, 211-217.	0.5	12
113	Changes in the core endophytic mycobiome of carrot taproots in response to crop management and genotype. <i>Scientific Reports</i> , 2020, 10, 13685.	1.6	11
114	What is truth: Consensus and discordance in next-generation phylogenetic analyses of <i>Daucus</i> . <i>Journal of Systematics and Evolution</i> , 2020, 58, 1059-1070.	1.6	11
115	Variation for Heat Tolerance During Seed Germination in Diverse Carrot [ <i>Daucus carota</i> (L.)] Germplasm. <i>Hortscience: A Publication of the American Society for Horticultural Science</i> , 2019, 54, 1470-1476.	0.5	11
116	RELATIONSHIP BETWEEN OIL DUCTS AND VOLATILE TERPENOID CONTENT IN CARROT ROOTS. <i>American Journal of Botany</i> , 1986, 73, 60-63.	0.8	10
117	Lectotype Designation for Seven Species Names in the <i>Daucus guttatus</i> Complex (Apiaceae) from the Central and Eastern Mediterranean Basin. <i>Systematic Botany</i> , 2016, 41, 464-478.	0.2	10
118	The influence of the Or and Carotene Hydroxylase genes on carotenoid accumulation in orange carrots [ <i>Daucus carota</i> (L.)]. <i>Theoretical and Applied Genetics</i> , 2021, 134, 3351-3362.	1.8	10
119	Conversion of a diversity arrays technology marker differentiating wild and cultivated carrots to a co-dominant cleaved amplified polymorphic site marker.. <i>Acta Biochimica Polonica</i> , 2014, 61, .	0.3	10
120	Conversion of a diversity arrays technology marker differentiating wild and cultivated carrots to a co-dominant cleaved amplified polymorphic site marker. <i>Acta Biochimica Polonica</i> , 2014, 61, 19-22.	0.3	10
121	Testing the utility of matK and ITS DNA regions for discrimination of <i>Allium</i> species. <i>Turkish Journal of Botany</i> , 2014, 38, 203-212.	0.5	9
122	Wild carrot diversity for new sources of abiotic stress tolerance to strengthen vegetable breeding in Bangladesh and Pakistan. <i>Crop Science</i> , 2021, 61, 163-176.	0.8	9
123	Carrot. , 2007, , 161-184.		9
124	RELATIONSHIP BETWEEN OIL DUCTS AND VOLATILE TERPENOID CONTENT IN CARROT ROOTS. , 1986, 73, 60.		9
125	Compatibility relations between the edible carrot <i>Daucus carota</i> and <i>D. Ápusillus</i> , a related wild species from the Argentinian Pampas. <i>Euphytica</i> , 2007, 159, 103-109.	0.6	8
126	Genotyping-by-sequencing reveals the origin of the Tunisian relatives of cultivated carrot ( <i>Daucus</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	0,8	8



#	ARTICLE	IF	CITATIONS
127	Genetic Relationships and Diversity in Carrot and other <i>Daucus</i> Taxa Based on Nuclear Restriction Fragment Length Polymorphisms. <i>Journal of the American Society for Horticultural Science</i> , 1998, 123, 1053-1057.	0.5	8
128	Genetic characterization of carrot root shape and size using genome-wide association analysis and genomic-estimated breeding values. <i>Theoretical and Applied Genetics</i> , 2022, 135, 605-622.	1.8	8
129	Serum $\beta$ - and $\alpha$ -Carotene Concentrations Qualitatively Respond to Sustained Carrot Feeding. <i>Experimental Biology and Medicine</i> , 2009, 234, 1280-1286.	1.1	7
130	$^{13}\text{C}$ Natural Abundance of Serum Retinol Is a Novel Biomarker for Evaluating Provitamin A Carotenoid-Biofortified Maize Consumption in Male Mongolian Gerbils. <i>Journal of Nutrition</i> , 2016, 146, 1290-1297.	1.3	7
131	Isolation and characterization of plastid terminal oxidase gene from carrot and its relation to carotenoid accumulation. <i>Plant Gene</i> , 2016, 5, 13-21.	1.4	7
132	Classical and Molecular Carrot Breeding. <i>Compendium of Plant Genomes</i> , 2019, , 137-147.	0.3	7
133	Mining for Candidate Genes Controlling Secondary Growth of the Carrot Storage Root. <i>International Journal of Molecular Sciences</i> , 2020, 21, 4263.	1.8	7
134	Influence of 2-deoxy-D-glucose upon growth and invertase activity of carrot ( <i>Daucus carota</i> L.) cell suspension cultures. <i>Plant Cell, Tissue and Organ Culture</i> , 1989, 16, 89-102.	1.2	6
135	Early Identification of Stable Transformation Events by Combined Use of Antibiotic Selection and Vital Detection of Green Fluorescent Protein (GFP) in Carrot ( <i>Daucus carota</i> L.) Callus. <i>Agricultural Sciences in China</i> , 2008, 7, 664-671.	0.6	6
136	Carrot Leaves Maintain Liver Vitamin A Concentrations in Male Mongolian Gerbils Regardless of the Ratio of $\beta$ - to $\alpha$ -Carotene When $\alpha$ -Carotene Equivalents Are Equalized. <i>Journal of Nutrition</i> , 2019, 149, 951-958.	1.3	5
137	Total Adipose Retinol Concentrations Are Correlated with Total Liver Retinol Concentrations in Male Mongolian Gerbils, but Only Partially Explained by Chylomicron Deposition Assessed with Total $\beta$ -Retinol. <i>Current Developments in Nutrition</i> , 2019, 3, nzy096.	0.1	5
138	Quantification of the Relative Abundance of Plastome to Nuclear Genome in Leaf and Root Tissues of Carrot ( <i>Daucus carota</i> L.) Using Quantitative PCR. <i>Plant Molecular Biology Reporter</i> , 2013, 31, 1040-1047.	1.0	4
139	Subspecies Variation of <i>Daucus carota</i> Coastal ( <i>Gummifer</i> ) Morphotypes (Apiaceae) Using Genotyping-by-Sequencing. <i>Systematic Botany</i> , 2020, 45, 688-702.	0.2	4
140	Development of Carrot Nutraceutical Products as an Alternative Supplement for the Prevention of Nutritional Diseases. <i>Frontiers in Nutrition</i> , 2021, 8, 787351.	1.6	4
141	Phylogenetic Prediction of <i>Alternaria</i> Leaf Blight Resistance in Wild and Cultivated Species of Carrots. <i>Crop Science</i> , 2017, 57, 2645-2653.	0.8	3
142	Extended studies of interspecific relationships in <i>Daucus</i> (Apiaceae) using DNA sequences from ten nuclear orthologues. <i>Botanical Journal of the Linnean Society</i> , 2019, 191, 164-187.	0.8	3
143	Carrot Genetics, Omics and Breeding Toolboxes. <i>Compendium of Plant Genomes</i> , 2019, , 225-245.	0.3	3
144	Horticultural Crops as a Source of Carotenoids. , 2013, , 293-301.		3

#	ARTICLE	IF	CITATIONS
145	Carrot. Genetic Resources, Chromosome Engineering, and Crop Improvement Series, 2006, , 497-518.	0.3	3
146	Carrot. , 1993, , 479-484.		2
147	Genome-Assisted Improvement Strategies for Climate-Resilient Carrots. , 2020, , 309-343.		2
148	SplinkBES: a splinkerette-based method for generating long end sequences from large insert DNA libraries. BioTechniques, 2009, 47, 681-690.	0.8	1
149	The Carrot Nuclear Genome and Comparative Analysis. Compendium of Plant Genomes, 2019, , 187-204.	0.3	1
150	Bioactive compounds with high antioxidant potential in biofortified carrots do not influence provitamin A carotenoid bioefficacy in gerbils. FASEB Journal, 2008, 22, 1105.5.	0.2	1
151	Carrot Organelle Genomes: Organization, Diversity, and Inheritance. Compendium of Plant Genomes, 2019, , 205-223.	0.3	0
152	PTIS Potato Herbarium Transferred to WIS, the Wisconsin State Herbarium. American Journal of Potato Research, 2019, 96, 625-628.	0.5	0
153	betaâ€Carotene in red carrot maintains vitamin A status in Mongolian gerbils ( <i>Meriones unguiculatus</i> ) but lycopene is more bioavailable from tomato paste. FASEB Journal, 2007, 21, A351.	0.2	0
154	Bioavailability of purple carrot anthocyanins is influenced by acylation but not plant matrix effects. FASEB Journal, 2009, 23, 729.6.	0.2	0
155	Isolation and characterization of <i>Daucus carota</i> L. cell lines resistant to 2-deoxy-D-glucose. Plant Cell, Tissue and Organ Culture, 1991, 25, 147-152.	1.2	0