

# Tim F Oberlander

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9470492/publications.pdf>

Version: 2024-02-01

167  
papers

10,131  
citations

34016

52  
h-index

37111

96  
g-index

176  
all docs

176  
docs citations

176  
times ranked

7855  
citing authors

#	ARTICLE	IF	CITATIONS
1	Prenatal exposure to maternal depression, neonatal methylation of human glucocorticoid receptor gene (NR3C1) and infant cortisol stress responses. <i>Epigenetics</i> , 2008, 3, 97-106.	1.3	1,254
2	Neonatal Outcomes After Prenatal Exposure to Selective Serotonin Reuptake Inhibitor Antidepressants and Maternal Depression Using Population-Based Linked Health Data. <i>Archives of General Psychiatry</i> , 2006, 63, 898.	13.8	517
3	Enhancing cognitive and social-emotional development through a simple-to-administer mindfulness-based school program for elementary school children: A randomized controlled trial.. <i>Developmental Psychology</i> , 2015, 51, 52-66.	1.2	481
4	The management of depression during pregnancy: a report from the American Psychiatric Association and the American College of Obstetricians and Gynecologists. <i>General Hospital Psychiatry</i> , 2009, 31, 403-413.	1.2	386
5	Neonatal procedural pain exposure predicts lower cortisol and behavioral reactivity in preterm infants in the NICU. <i>Pain</i> , 2005, 113, 293-300.	2.0	295
6	Bedside application of the Neonatal Facial Coding System in pain assessment of premature infants. <i>Pain</i> , 1998, 76, 277-286.	2.0	277
7	Prenatal Exposure to Maternal Depressed Mood and the MTHFR C677T Variant Affect SLC6A4 Methylation in Infants at Birth. <i>PLoS ONE</i> , 2010, 5, e12201.	1.1	264
8	Demographic and Therapeutic Determinants of Pain Reactivity in Very Low Birth Weight Neonates at 32 Weeks' Postconceptional Age. <i>Pediatrics</i> , 2001, 107, 105-112.	1.0	216
9	Pharmacologic Factors Associated With Transient Neonatal Symptoms Following Prenatal Psychotropic Medication Exposure. <i>Journal of Clinical Psychiatry</i> , 2004, 65, 230-237.	1.1	210
10	Internalizing Behaviors in 4-Year-Old Children Exposed in Utero to Psychotropic Medications. <i>American Journal of Psychiatry</i> , 2006, 163, 1026-1032.	4.0	184
11	Externalizing and Attentional Behaviors in Children of Depressed Mothers Treated With a Selective Serotonin Reuptake Inhibitor Antidepressant During Pregnancy. <i>JAMA Pediatrics</i> , 2007, 161, 22.	3.6	176
12	Prenatal exposure to antidepressants and depressed maternal mood alter trajectory of infant speech perception. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 17221-17227.	3.3	169
13	Major congenital malformations following prenatal exposure to serotonin reuptake inhibitors and benzodiazepines using population-based health data. <i>Birth Defects Research Part B: Developmental and Reproductive Toxicology</i> , 2008, 83, 68-76.	1.4	161
14	Pain Reactivity in 2-Month-Old Infants After Prenatal and Postnatal Serotonin Reuptake Inhibitor Medication Exposure. <i>Pediatrics</i> , 2005, 115, 411-425.	1.0	156
15	Expression of Pain in Children With Autism. <i>Clinical Journal of Pain</i> , 2004, 20, 88-97.	0.8	154
16	Prenatal Effects of Selective Serotonin Reuptake Inhibitor Antidepressants, Serotonin Transporter Promoter Genotype (SLC6A4), and Maternal Mood on Child Behavior at 3 Years of Age. <i>JAMA Pediatrics</i> , 2010, 164, 444-51.	3.6	142
17	Stereoselective disposition of fluoxetine and norfluoxetine during pregnancy and breast-feeding. <i>British Journal of Clinical Pharmacology</i> , 2006, 61, 155-163.	1.1	134
18	Biobehavioral Pain Responses in Former Extremely Low Birth Weight Infants at Four Months' Corrected Age. <i>Pediatrics</i> , 2000, 105, e6-e6.	1.0	131

#	ARTICLE	IF	CITATIONS
19	Prolonged Prenatal Psychotropic Medication Exposure Alters Neonatal Acute Pain Response. <i>Pediatric Research</i> , 2002, 51, 443-453.	1.1	122
20	Effects of timing and duration of gestational exposure to serotonin reuptake inhibitor antidepressants: Population-based study. <i>British Journal of Psychiatry</i> , 2008, 192, 338-343.	1.7	120
21	Analgesia and local anesthesia during invasive procedures in the neonate. <i>Clinical Therapeutics</i> , 2005, 27, 844-876.	1.1	115
22	Infant developmental outcomes following prenatal exposure to antidepressants, and maternal depressed mood and positive affect. <i>Early Human Development</i> , 2013, 89, 519-524.	0.8	114
23	Prior pain induces heightened motor responses during clustered care in preterm infants in the NICU. <i>Early Human Development</i> , 2005, 81, 293-302.	0.8	111
24	Hypothalamic-pituitary-adrenal (HPA) axis function in 3-month old infants with prenatal selective serotonin reuptake inhibitor (SSRI) antidepressant exposure. <i>Early Human Development</i> , 2008, 84, 689-697.	0.8	110
25	Infants Tolerate Spinal Anesthesia with Minimal Overall Autonomic Changes. <i>Anesthesia and Analgesia</i> , 1995, 80, 20-27.	1.1	102
26	Maternal depression trajectories from pregnancy to 3 years postpartum are associated with children's behavior and executive functions at 3 and 6 years. <i>Archives of Women's Mental Health</i> , 2018, 21, 353-363.	1.2	100
27	Pain in Children with Significant Neurological Impairment. <i>Journal of Developmental and Behavioral Pediatrics</i> , 1999, 20, 235-243.	0.6	99
28	Specific Newborn Individualized Developmental Care and Assessment Program Movements Are Associated With Acute Pain in Preterm Infants in the Neonatal Intensive Care Unit. <i>Pediatrics</i> , 2004, 114, 65-72.	1.0	95
29	Antenatal Depression and Anxiety Affect Postpartum Parenting Stress: A Longitudinal, Prospective Study. <i>Canadian Journal of Psychiatry</i> , 2010, 55, 222-228.	0.9	95
30	EFFECTS OF INTRAORAL SUCROSE ON CRYING, MOUTHING AND HAND-MOUTH CONTACT IN NEWBORN AND SIX-WEEK-OLD INFANTS. <i>Developmental Medicine and Child Neurology</i> , 1994, 36, 608-618.	1.1	88
31	Time and frequency domain methods for heart rate variability analysis: A methodological comparison. <i>Psychophysiology</i> , 1995, 32, 492-504.	1.2	86
32	Body Movements: An Important Additional Factor in Discriminating Pain From Stress in Preterm Infants. <i>Clinical Journal of Pain</i> , 2005, 21, 491-498.	0.8	85
33	Behavioral Responses to Pain Are Heightened After Clustered Care in Preterm Infants Born Between 30 and 32 Weeks Gestational Age. <i>Clinical Journal of Pain</i> , 2006, 22, 757-764.	0.8	83
34	Fetal Serotonin Signaling: Setting Pathways for Early Childhood Development and Behavior. <i>Journal of Adolescent Health</i> , 2012, 51, S9-S16.	1.2	79
35	Association of Prenatal Exposure to Air Pollution With Autism Spectrum Disorder. <i>JAMA Pediatrics</i> , 2019, 173, 86.	3.3	78
36	Biobehavioral Responses to Acute Pain in Adolescents with a Significant Neurologic Impairment. <i>Clinical Journal of Pain</i> , 1999, 15, 201-209.	0.8	77

#	ARTICLE	IF	CITATIONS
37	Relations Between Behavioral and Cardiac Autonomic Reactivity to Acute Pain in Preterm Neonates. <i>Clinical Journal of Pain</i> , 2001, 17, 350-358.	0.8	76
38	Prenatal exposure to serotonin reuptake inhibitor antidepressants and childhood behavior. <i>Pediatric Research</i> , 2015, 78, 174-180.	1.1	73
39	Is It Painful or Not?. <i>Clinical Journal of Pain</i> , 2008, 24, 83-88.	0.8	70
40	Prenatal antidepressant exposure associated with CYP2E1 DNA methylation change in neonates. <i>Epigenetics</i> , 2015, 10, 361-372.	1.3	69
41	Prenatal SSRI exposure alters neonatal corticosteroid binding globulin, infant cortisol levels, and emerging HPA function. <i>Psychoneuroendocrinology</i> , 2012, 37, 1019-1028.	1.3	68
42	Neonatal pain and COMT Val158Met genotype in relation to serotonin transporter (SLC6A4) promoter methylation in very preterm children at school age. <i>Frontiers in Behavioral Neuroscience</i> , 2014, 8, 409.	1.0	68
43	Cortisol, Behavior, and Heart Rate Reactivity to Immunization Pain at 4 Months Corrected Age in Infants Born Very Preterm. <i>Clinical Journal of Pain</i> , 2010, 26, 698-704.	0.8	68
44	A Prospective Controlled Study of Neurodevelopment in HIV-Uninfected Children Exposed to Combination Antiretroviral Drugs in Pregnancy. <i>Pediatrics</i> , 2006, 118, e1139-e1145.	1.0	67
45	Are there developmentally distinct motor indicators of pain in preterm infants?. <i>Early Human Development</i> , 2003, 72, 131-146.	0.8	65
46	Does Parenchymal Brain Injury Affect Biobehavioral Pain Responses in Very Low Birth Weight Infants at 32 Weeks' Postconceptional Age?. <i>Pediatrics</i> , 2002, 110, 570-576.	1.0	64
47	The symphonic structure of childhood stress reactivity: Patterns of sympathetic, parasympathetic, and adrenocortical responses to psychological challenge. <i>Development and Psychopathology</i> , 2014, 26, 963-982.	1.4	60
48	Trends and Determinants of Prescription Drug Use during Pregnancy and Postpartum in British Columbia, 2002-2011: A Population-Based Cohort Study. <i>PLoS ONE</i> , 2015, 10, e0128312.	1.1	58
49	Does Prone or Supine Position Influence Pain Responses in Preterm Infants at 32 Weeks Gestational Age?. <i>Clinical Journal of Pain</i> , 2004, 20, 76-82.	0.8	56
50	Neonatal S100B Protein Levels After Prenatal Exposure to Selective Serotonin Reuptake Inhibitors. <i>Pediatrics</i> , 2009, 124, e662-e670.	1.0	56
51	Relation between Prenatal Maternal Mood and Anxiety and Neonatal Health. <i>Canadian Journal of Psychiatry</i> , 2004, 49, 684-689.	0.9	54
52	The Developmental Character of Cardiac Autonomic Responses to an Acute Noxious Event in 4- and 8-Month-Old Healthy Infants. <i>Pediatric Research</i> , 1999, 45, 519-525.	1.1	54
53	Analgesia and anesthesia for neonates: Study design and ethical issues. <i>Clinical Therapeutics</i> , 2005, 27, 814-843.	1.1	53
54	Prenatal serotonin reuptake inhibitor (SRI) antidepressant exposure and serotonin transporter promoter genotype (SLC6A4) influence executive functions at 6 years of age. <i>Frontiers in Cellular Neuroscience</i> , 2013, 7, 180.	1.8	53

#	ARTICLE	IF	CITATIONS
55	Prenatal Alcohol Exposure Alters Biobehavioral Reactivity to Pain in Newborns. <i>Alcoholism: Clinical and Experimental Research</i> , 2010, 34, 681-692.	1.4	52
56	Dysregulation of the cortisol diurnal rhythm following prenatal alcohol exposure and early life adversity. <i>Alcohol</i> , 2016, 53, 9-18.	0.8	52
57	The effect of perinatal exposures on the infant: Antidepressants and depression. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2014, 28, 37-48.	1.4	50
58	Infants Tolerate Spinal Anesthesia with Minimal Overall Autonomic Changes. <i>Anesthesia and Analgesia</i> , 1995, 80, 20-27.	1.1	49
59	Developmental Character and Long-Term Consequences of Pain in Infants and Children. <i>Child and Adolescent Psychiatric Clinics of North America</i> , 1997, 6, 703-724.	1.0	48
60	Pain reactivity in former extremely low birth weight infants at corrected age 8 months compared with term born controls. , 2001, 24, 41-55.		48
61	Perinatal selective serotonin reuptake inhibitor medication (SSRI) effects on social behaviors, neurodevelopment and the epigenome. <i>Neuroscience and Biobehavioral Reviews</i> , 2018, 85, 102-116.	2.9	48
62	Third Trimester Fetal Heart Rate and Doppler Middle Cerebral Artery Blood Flow Velocity Characteristics During Prenatal Selective Serotonin Reuptake Inhibitor Exposure. <i>Pediatric Research</i> , 2011, 70, 96-101.	1.1	42
63	Intervention Minimizing Preterm Infantsâ€™ Exposure to NICU Light and Noise. <i>Clinical Nursing Research</i> , 2013, 22, 337-358.	0.7	42
64	Frontal EEG/ERP correlates of attentional processes, cortisol and motivational states in adolescents from lower and higher socioeconomic status. <i>Frontiers in Human Neuroscience</i> , 2012, 6, 306.	1.0	38
65	Postpartum Hemorrhage and Use of Serotonin Reuptake Inhibitor Antidepressants in Pregnancy. <i>Obstetrics and Gynecology</i> , 2016, 127, 553-561.	1.2	37
66	<i>SLC6A4</i> promoter region methylation and socio-emotional stress response in very preterm and full-term infants. <i>Epigenomics</i> , 2016, 8, 895-907.	1.0	37
67	The impact of prenatal serotonin reuptake inhibitor (SRI) antidepressant exposure and maternal mood on motherâ€™infant interactions at 3 months of age. , 2013, 36, 485-493.		36
68	Variations in Neurodevelopmental Outcomes in Children with Prenatal SSRI Antidepressant Exposure. <i>Birth Defects Research</i> , 2017, 109, 909-923.	0.8	36
69	Prenatal and Breast Milk Morphine Exposure Following Maternal Intrathecal Morphine Treatment. <i>Journal of Human Lactation</i> , 2000, 16, 137-142.	0.8	33
70	Contingency Learning and Reactivity in Preterm and Full-Term Infants at 3 Months. <i>Infancy</i> , 2008, 13, 570-595.	0.9	32
71	Disentangling Maternal Depression and Antidepressant Use During Pregnancy as Risks for Autism in Children. <i>JAMA - Journal of the American Medical Association</i> , 2017, 317, 1533.	3.8	32
72	Transcranial direct current stimulation (tDCS) for depression in pregnancy: A pilot randomized controlled trial. <i>Brain Stimulation</i> , 2019, 12, 1475-1483.	0.7	32

#	ARTICLE	IF	CITATIONS
73	Association of Epidural Analgesia During Labor and Delivery With Autism Spectrum Disorder in Offspring. <i>JAMA - Journal of the American Medical Association</i> , 2021, 326, 1178.	3.8	32
74	Neurodevelopmental outcomes following prenatal exposure to serotonin reuptake inhibitor antidepressants: A social teratogen or moderator of developmental risk?. <i>Birth Defects Research Part A: Clinical and Molecular Teratology</i> , 2012, 94, 651-659.	1.6	29
75	Antenatal exposure to antidepressants is associated with altered brain development in very preterm-born neonates. <i>Neuroscience</i> , 2017, 342, 252-262.	1.1	29
76	Physician Variability in Treating Pain and Irritability of Unknown Origin in Children with Severe Neurological Impairment. <i>Pain Research and Management</i> , 2013, 18, 243-248.	0.7	28
77	The role of glucocorticoid and mineralocorticoid receptor DNA methylation in antenatal depression and infant stress regulation. <i>Psychoneuroendocrinology</i> , 2020, 115, 104611.	1.3	28
78	Perinatal selective serotonin reuptake inhibitor (SSRI) effects on body weight at birth and beyond: A review of animal and human studies. <i>Reproductive Toxicology</i> , 2018, 77, 109-121.	1.3	27
79	Differences in White Matter Microstructure Among Children With Developmental Coordination Disorder. <i>JAMA Network Open</i> , 2020, 3, e201184.	2.8	27
80	Perinatal selective serotonin reuptake inhibitor (SSRI) and other antidepressant exposure effects on anxiety and depressive behaviors in offspring: A review of findings in humans and rodent models. <i>Reproductive Toxicology</i> , 2021, 99, 80-95.	1.3	27
81	Postpartum domperidone use in British Columbia: a retrospective cohort study. <i>CMAJ Open</i> , 2016, 4, E13-E19.	1.1	25
82	The association between domperidone and ventricular arrhythmia in the postpartum period. <i>Pharmacoepidemiology and Drug Safety</i> , 2016, 25, 1210-1214.	0.9	25
83	Beliefs about pain among professionals working with children with significant neurologic impairment. <i>Developmental Medicine and Child Neurology</i> , 2001, 43, 138.	1.1	25
84	A patient decision aid for antidepressant use in pregnancy: study protocol for a randomized controlled trial. <i>Trials</i> , 2016, 17, 110.	0.7	23
85	Pain Management of Junctional Epidermolysis Bullosa in an 11-Year-Old Boy. <i>Pediatric Dermatology</i> , 1999, 16, 465-468.	0.5	22
86	Focused attention, heart rate deceleration, and cognitive development in preterm and full-term infants. <i>Developmental Psychobiology</i> , 2012, 54, 383-400.	0.9	22
87	FACTORS IMPACTING DECISIONS TO DECLINE OR ADHERE TO ANTIDEPRESSANT MEDICATION IN PERINATAL WOMEN WITH MOOD AND ANXIETY DISORDERS. <i>Depression and Anxiety</i> , 2013, 30, 1129-1136.	2.0	22
88	Children's stress regulation mediates the association between prenatal maternal mood and child executive functions for boys, but not girls. <i>Development and Psychopathology</i> , 2018, 30, 953-969.	1.4	21
89	A patient decision aid for antidepressant use in pregnancy: Pilot randomized controlled trial. <i>Journal of Affective Disorders</i> , 2019, 251, 91-99.	2.0	21
90	Assessing the association between lifetime exposure to greenspace and early childhood development and the mediation effects of air pollution and noise in Canada: a population-based birth cohort study. <i>Lancet Planetary Health</i> , 2021, 5, e709-e717.	5.1	21

#	ARTICLE	IF	CITATIONS
91	Physiological correlates of memory recall in infancy: Vagal tone, cortisol, and imitation in preterm and full-term infants at 6 months. , 2010, 33, 219-234.		20
92	Biobehavioural reactivity to pain in preterm infants: a marker of neuromotor development. <i>Developmental Medicine and Child Neurology</i> , 2006, 48, 471.	1.1	20
93	A 6-year longitudinal study: Are maternal depressive symptoms and Selective Serotonin Reuptake Inhibitor (SSRI) antidepressant treatment during pregnancy associated with everyday measures of executive function in young children?. <i>Early Human Development</i> , 2019, 128, 21-26.	0.8	19
94	Neighborhood environmental exposures and incidence of attention deficit/hyperactivity disorder: A population-based cohort study. <i>Environment International</i> , 2022, 161, 107120.	4.8	19
95	Alterations in Resting-State Networks Following In Utero Selective Serotonin Reuptake Inhibitor Exposure in the Neonatal Brain. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2019, 4, 39-49.	1.1	17
96	<i>In Utero</i> Exposure to Citalopram Mitigates Maternal Stress Effects on Fetal Brain Development. <i>ACS Chemical Neuroscience</i> , 2019, 10, 3307-3317.	1.7	17
97	“Placebo by Proxy” and “Nocebo by Proxy” in Children: A Review of Parents' Role in Treatment Outcomes. <i>Frontiers in Psychiatry</i> , 2020, 11, 169.	1.3	17
98	Third trimester fetal pulmonary artery Doppler blood flow velocity characteristics following prenatal selective serotonin reuptake inhibitor (SSRI) exposure. <i>Early Human Development</i> , 2012, 88, 609-615.	0.8	16
99	Sculpting infant soothability: the role of prenatal SSRI antidepressant exposure and neonatal <i>SLC6A4</i> methylation status. <i>Developmental Psychobiology</i> , 2016, 58, 745-758.	0.9	16
100	Identification of Pediatric Autism Spectrum Disorder Cases Using Health Administrative Data. <i>Autism Research</i> , 2020, 13, 456-463.	2.1	16
101	Hub distribution of the brain functional networks of newborns prenatally exposed to maternal depression and SSRI antidepressants. <i>Depression and Anxiety</i> , 2019, 36, 753-765.	2.0	14
102	Prenatal antidepressant exposure and sex differences in neonatal corpus callosum microstructure. <i>Developmental Psychobiology</i> , 2021, 63, e22125.	0.9	14
103	Fetal Serotonin Reuptake Inhibitor Antidepressant Exposure: Maternal and Fetal Factors. <i>Canadian Journal of Psychiatry</i> , 2012, 57, 523-529.	0.9	13
104	Afternoon Cortisol in Elementary School Classrooms: Associations with Peer and Teacher Support and Child Behavior. <i>School Mental Health</i> , 2012, 4, 181-192.	1.1	13
105	Developmental Effects of Prenatal Selective Serotonin Reuptake Inhibitor Exposure in Perspective: Are We Comparing Apples to Apples?. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2016, 55, 351-352.	0.3	12
106	Variations from morning to afternoon of middle cerebral and umbilical artery blood flow, and fetal heart rate variability, and fetal characteristics in the normally developing fetus. <i>Journal of Clinical Ultrasound</i> , 2018, 46, 235-240.	0.4	12
107	Socioeconomic status and treatment of depression during pregnancy: a retrospective population-based cohort study in British Columbia, Canada. <i>Archives of Women's Mental Health</i> , 2018, 21, 765-775.	1.2	12
108	Prenatal SSRI antidepressant use and maternal internalizing symptoms during pregnancy and postpartum: Exploring effects on infant temperament trajectories for boys and girls. <i>Journal of Affective Disorders</i> , 2019, 258, 179-194.	2.0	12

#	ARTICLE	IF	CITATIONS
109	Advanced neuroimaging: A window into the neural correlates of fetal programming related to prenatal exposure to maternal depression and SSRIs. <i>Seminars in Perinatology</i> , 2020, 44, 151223.	1.1	12
110	Halothane and Cardiac Autonomic Control in Infants: Assessment with Quantitative Respiratory Sinus Arrhythmia. <i>Pediatric Research</i> , 1996, 40, 710-717.	1.1	12
111	Pain Assessment and Management in Infants and Young Children with Developmental Disabilities. <i>Infants and Young Children</i> , 2001, 14, 33-47.	0.5	11
112	Afternoon cortisol provides a link between self-reported anger and peer-reported aggression in typically developing children in the school context. <i>Developmental Psychobiology</i> , 2017, 59, 688-695.	0.9	11
113	Unpacking the Heterogeneity of Cognitive Functioning in Children and Adolescents with Fetal Alcohol Spectrum Disorder: Determining the Role of Moderators and Strengths. <i>Advances in Neurodevelopmental Disorders</i> , 2017, 1, 271-282.	0.7	11
114	Selective serotonin reuptake inhibitor effects on neural biomarkers of perinatal depression. <i>Archives of Women's Mental Health</i> , 2019, 22, 431-435.	1.2	11
115	School staff and teachers during the second year of COVID-19: Higher anxiety symptoms, higher psychological distress, and poorer mental health compared to the general population. <i>Journal of Affective Disorders Reports</i> , 2022, 8, 100335.	0.9	10
116	Antidepressant use in children and adolescents: Practice touch points to guide paediatricians. <i>Paediatrics and Child Health</i> , 2011, 16, 549-553.	0.3	9
117	A randomized controlled trial of eye shields and earmuffs to reduce pain response of preterm infants. <i>Journal of Neonatal Nursing</i> , 2015, 21, 93-103.	0.3	9
118	Decision-making about antidepressant medication use in pregnancy: a comparison between women making the decision in the preconception period versus in pregnancy. <i>BMC Psychiatry</i> , 2020, 20, 54.	1.1	9
119	The influence of early-life residential exposure to different vegetation types and paved surfaces on early childhood development: A population-based birth cohort study. <i>Environment International</i> , 2022, 163, 107196.	4.8	9
120	Medicinal cannabis in children and adolescents with autism spectrum disorder: A scoping review. <i>Child: Care, Health and Development</i> , 2022, 48, 33-44.	0.8	7
121	A Tale of 2s: Optimizing Maternal Child Health in the Context of Antenatal Maternal Depression and Antidepressant Use. <i>Canadian Journal of Psychiatry</i> , 2012, 57, 519-522.	0.9	6
122	Epidural Analgesia and Autism Spectrum Disorder Risk—The Challenges Inherent in Complex Observational Research. <i>JAMA Pediatrics</i> , 2021, 175, 675-677.	3.3	6
123	Depressed Women of Low Socioeconomic Status Have High Numbers of Physician Visits in the Year Before Pregnancy: Implications for Care. <i>Journal of Clinical Medicine Research</i> , 2018, 10, 516-522.	0.6	6
124	Predictors of Recovery from Depression and Anxiety in Women: A Longitudinal Study from Childbirth to 6 Years. <i>Canadian Journal of Psychiatry</i> , 2017, 62, 318-326.	0.9	5
125	In-utero Selective Serotonin Reuptake Inhibitor Antidepressant Exposure: Fetal Programming and Developmental Interactions With Context. <i>Clinical Pharmacology and Therapeutics</i> , 2018, 104, 616-618.	2.3	5
126	Maternal Serotonin Reuptake Inhibitor Antidepressants Have Acute Effects on Fetal Heart Rate Variability in Late Gestation. <i>Frontiers in Psychiatry</i> , 2021, 12, 680177.	1.3	5

#	ARTICLE	IF	CITATIONS
127	Canadian surveillance study of complex regional pain syndrome in children. <i>Pain</i> , 2022, 163, 1060-1069.	2.0	5
128	Pain Management for Children with a Developmental Disability in a Primary Care Setting. , 2008, , 29-37.		5
129	Effects of maternal depression and prenatal SSRI exposure on executive functions and susceptibility to household chaos in 6-year-old children: prospective cohort study. <i>BJPsych Open</i> , 2020, 6, e106.	0.3	4
130	Conditioned Placebo- and Nocebo-Like Effects in Adolescents: The Role of Conscious Awareness, Sensory Discrimination, and Executive Function. <i>Frontiers in Psychiatry</i> , 2020, 11, 586455.	1.3	4
131	The Association Between Antidepressant Exposure and Birth Defectsâ€”Are We There Yet?. <i>JAMA Psychiatry</i> , 2020, 77, 1215.	6.0	4
132	Placebo and nocebo effects in youth: subjective thermal discomfort can be modulated by a conditioning paradigm utilizing mental states of low and high self-efficacy. <i>British Journal of Pain</i> , 2022, 16, 60-70.	0.7	4
133	Behavior regulation skills are associated with adaptive functioning in children and adolescents with prenatal alcohol exposure. <i>Applied Neuropsychology: Child</i> , 2021, , 1-11.	0.7	4
134	A text messaging intervention and quality of life in adolescents with solid organ transplants. <i>Pediatric Transplantation</i> , 2022, 26, e14219.	0.5	4
135	COVID-19 Vaccine Intentions and Perceptions Among Public School Staff of the Greater Vancouver Metropolitan Area, British Columbia, Canada. <i>Frontiers in Public Health</i> , 2022, 10, 832444.	1.3	4
136	Biopsychosocial determinants of treatment outcome for mood and anxiety disorders up to 8Â½months postpartum. <i>Archives of Women's Mental Health</i> , 2012, 15, 313-316.	1.2	3
137	Pain in Children with Autism. , 2014, , 191-209.		3
138	The development of a patient decision aid to reduce decisional conflict about antidepressant use in pregnancy. <i>BMC Medical Informatics and Decision Making</i> , 2022, 22, 130.	1.5	3
139	Evaluating Treatment Outcome in an Interdisciplinary Pediatric Pain Service. <i>Pain Research and Management</i> , 2000, 5, 169-172.	0.7	2
140	â€”Beliefs about pain among professionals working with children with significant neurologic impairmentâ€™. <i>Developmental Medicine and Child Neurology</i> , 2001, 43, 138-140.	1.1	2
141	Do We Know If They Work and If They Are Safe. , 2015, , 27-64.		2
142	Antidepressant exposure in pregnancy and child sensorimotor and visuospatial development. <i>Journal of Psychiatric Research</i> , 2020, 143, 485-491.	1.5	2
143	Adolescents with solid organ transplant: Using the BRIEF2 parent-report and self-report to measure parent-child agreement and everyday executive function. <i>Applied Neuropsychology: Child</i> , 2022, 11, 260-269.	0.7	2
144	Socioeconomic status and psychotropic medicine use during pregnancy: a population-based study in British Columbia, Canada. <i>Archives of Women's Mental Health</i> , 2020, 23, 689-697.	1.2	2

#	ARTICLE	IF	CITATIONS
145	Prenatal antidepressant exposure and child development at kindergarten age: a population-based study. <i>Pediatric Research</i> , 2021, 89, 1515-1522.	1.1	2
146	The Other Side of Prenatal Depression: Developmental Outcomes Associated with Antidepressant Medication Therapy. , 2021, , 565-593.		2
147	Biomarkers of pain: physiological indices of pain reactivity in infants and children. , 2013, , 391-400.		2
148	The impact of maternal positive and negative affect on fetal physiology and diurnal patterns. <i>Israel Journal of Psychiatry</i> , 2014, 51, 109-17.	0.2	2
149	Somatization in Adolescents With Persistent Symptoms After Concussion: A Retrospective Chart Review. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2022, 34, 378-385.	0.9	2
150	The Management of Depression During Pregnancy: A Report from the American Psychiatric Association and the American College of Obstetricians and Gynecologists. <i>Focus (American Psychiatric)</i> Tj ETQq0 0 0 rgBT /Ovack 10 Tf 50 537 T		
151	ISDN2014_0204: Performance- and questionnaire-based tools for the evaluation of executive function in children and adolescents with fetal alcohol spectrum disorder. <i>International Journal of Developmental Neuroscience</i> , 2015, 47, 60-60.	0.7	1
152	Impact of Prenatal Selective Serotonin Reuptake Inhibitor Antidepressant Exposure and Maternal Mood on Physical Activity, Dietary Intake, and Markers of Adiposity at Age 6 Years. <i>Journal of Developmental and Behavioral Pediatrics</i> , 2019, 40, 266-274.	0.6	1
153	The Microbiome-Gut-Brain Axis: A New Window to View the Impact of Prenatal Stress on Early Neurodevelopment. , 2021, , 165-191.		1
154	Prenatal exposure to maternal depression is related to the functional connectivity organization underlying emotion perception in 8-10-month-old infants – Preliminary findings. , 2021, 63, 101545.		1
155	A cross-sectional study of the relationship between CYP2D6 and CYP2C19 variations and depression symptoms, for women taking SSRIs during pregnancy. <i>Archives of Women's Mental Health</i> , 2022, 25, 355-365.	1.2	1
156	Neonatal Risks of Maternal Treatment With Mood Stabilizers – Reply. <i>Archives of General Psychiatry</i> , 2007, 64, 867.	13.8	1
157	Risk factors for hospitalizations associated with depression among women during the years around a birth: a retrospective cohort study. <i>International Journal of Population Data Science</i> , 2019, 4, 453.	0.1	1
158	Developmental profiles of children at risk for autism spectrum disorder at school entry. <i>Autism Research</i> , 2022, , .	2.1	1
159	When feelings hurt: Learning how to talk with families about the role of emotions in physical symptoms. <i>Paediatrics and Child Health</i> , 2023, 28, 3-7.	0.3	1
160	Optimizing neurodevelopmental outcomes in infants and children following prenatal SSRI exposure. <i>Pediatric Health</i> , 2009, 3, 511-514.	0.3	0
161	Reply to Klinger et al. <i>Birth Defects Research Part A: Clinical and Molecular Teratology</i> , 2012, 94, 962-962.	1.6	0
162	Fetal Effects of In Utero Serotonin Reuptake Inhibitor (SRI) Antidepressant Exposure. , 2016, , 365-381.		0

#	ARTICLE	IF	CITATIONS
163	Pain in Children with Disabilities. , 2013, , 2614-2619.		0
164	Maternal and Fetal Factors That Influence Prenatal Exposure to Selective Serotonin Reuptake Inhibitor Antidepressants. , 2014, , 33-46.		0
165	Associations Between Prenatal Exposure to Serotonergic Medications and Biobehavioral Stress Regulation: Protocol for a Systematic Review and Meta-analysis. JMIR Research Protocols, 2022, 11, e33363.	0.5	0
166	Pain in Children with Disabilities. , 2007, , 1664-1664.		0
167	A multicentre Canadian survey of caregiver perspectives on COVID vaccine-related pain and stress for their family. British Journal of Pain, 0, , 204946372210904.	0.7	0